| Occupied Bandwidth	Total Power	30.2 dBm
4.4857 MHz		
Transmit Freq Error	-17.629 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.881 MHz	x dB -26.00 dB

n26(824-849MHz) 5M DFT-s-OFDM BPSK
Outer_Full Mid

Occupied Bandwidth	Total Power	29.6 dBm
4.4967 MHz		
Transmit Freq Error	-19.904 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.880 MHz	x dB -26.00 dB

n26(824-849MHz) 5M DFT-s-OFDM QPSK
Outer_Full Mid

Occupied Bandwidth	Total Power	28.7 dBm
4.4843 MHz		
Transmit Freq Error	-4.869 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.804 MHz	x dB -26.00 dB

n26(824-849MHz) 5M DFT-s-OFDM 16QAM
Outer_Full Mid

Occupied Bandwidth	Total Power	28.3 dBm
4.5024 MHz		
Transmit Freq Error	-9.174 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.853 MHz	x dB -26.00 dB

n26(824-849MHz) 5M DFT-s-OFDM 64QAM
Outer_Full Mid

Occupied Bandwidth	Total Power	26.1 dBm
4.4897 MHz		
Transmit Freq Error	-11.897 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.849 MHz	x dB -26.00 dB

n26(824-849MHz) 5M DFT-s-OFDM 256QAM
Outer_Full Mid

Occupied Bandwidth	Total Power	27.1 dBm
4.4787 MHz		
Transmit Freq Error	-13.087 kHz	% of OBW Power 99.00 %
x dB Bandwidth	4.886 MHz	x dB -26.00 dB

n26(824-849MHz) 5M CP-OFDM QPSK
Outer_Full Mid

n26(824-849MHz) 5M DFT-s-OFDM BPSK
Outer_Full High

n26(824-849MHz) 5M DFT-s-OFDM QPSK
Outer_Full High

n26(824-849MHz) 5M DFT-s-OFDM 16QAM
Outer_Full High

n26(824-849MHz) 5M DFT-s-OFDM 64QAM
Outer_Full High

n26(824-849MHz) 5M DFT-s-OFDM 256QAM
Outer_Full High

n26(824-849MHz) 5M CP-OFDM QPSK
Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 212 of 873

n26(824-849MHz) 10M DFT-s-OFDM BPSK
Outer_Full Low

n26(824-849MHz) 10M DFT-s-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 10M DFT-s-OFDM 16QAM
Outer_Full Low

n26(824-849MHz) 10M DFT-s-OFDM 64QAM
Outer_Full Low

n26(824-849MHz) 10M DFT-s-OFDM 256QAM
Outer_Full Low

n26(824-849MHz) 10M CP-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 10M DFT-s-OFDM BPSK
Outer_Full Mid

n26(824-849MHz) 10M DFT-s-OFDM QPSK
Outer_Full Mid

n26(824-849MHz) 10M DFT-s-OFDM 16QAM
Outer_Full Mid

n26(824-849MHz) 10M DFT-s-OFDM 64QAM
Outer_Full Mid

n26(824-849MHz) 10M DFT-s-OFDM 256QAM
Outer_Full Mid

n26(824-849MHz) 10M CP-OFDM QPSK
Outer_Full Mid

Occupied Bandwidth 8.9660 MHz

	Total Power	30.4 dBm
Transmit Freq Error	-200.08 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.480 MHz	x dB -26.00 dB

n26(824-849MHz) 10M DFT-s-OFDM BPSK
Outer_Full High

Occupied Bandwidth 8.9310 MHz

	Total Power	30.0 dBm
Transmit Freq Error	-185.39 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.438 MHz	x dB -26.00 dB

n26(824-849MHz) 10M DFT-s-OFDM QPSK
Outer_Full High

Occupied Bandwidth 8.9205 MHz

	Total Power	28.9 dBm
Transmit Freq Error	-188.98 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.428 MHz	x dB -26.00 dB

n26(824-849MHz) 10M DFT-s-OFDM 16QAM
Outer_Full High

Occupied Bandwidth 8.9456 MHz

	Total Power	28.4 dBm
Transmit Freq Error	-185.32 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.477 MHz	x dB -26.00 dB

n26(824-849MHz) 10M DFT-s-OFDM 64QAM
Outer_Full High

Occupied Bandwidth 8.9276 MHz

	Total Power	26.4 dBm
Transmit Freq Error	-191.15 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.421 MHz	x dB -26.00 dB

n26(824-849MHz) 10M DFT-s-OFDM 256QAM
Outer_Full High

Occupied Bandwidth 9.2662 MHz

	Total Power	27.7 dBm
Transmit Freq Error	-14.531 kHz	% of OBW Power 99.00 %
x dB Bandwidth	9.837 MHz	x dB -26.00 dB

n26(824-849MHz) 10M CP-OFDM QPSK
Outer_Full High

n26(824-849MHz) 15M DFT-s-OFDM BPSK
Outer_Full Low


n26(824-849MHz) 15M DFT-s-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 15M DFT-s-OFDM 16QAM
Outer_Full Low


n26(824-849MHz) 15M DFT-s-OFDM 64QAM
Outer_Full Low

n26(824-849MHz) 15M DFT-s-OFDM 256QAM
Outer_Full Low

n26(824-849MHz) 15M CP-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 15M DFT-s-OFDM BPSK Outer_Full Mid

n26(824-849MHz) 15M DFT-s-OFDM QPSK Outer_Full Mid

n26(824-849MHz) 15M DFT-s-OFDM 16QAM Outer_Full Mid

n26(824-849MHz) 15M DFT-s-OFDM 64QAM Outer_Full Mid

n26(824-849MHz) 15M DFT-s-OFDM 256QAM Outer_Full Mid

n26(824-849MHz) 15M CP-OFDM QPSK Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 217 of 873

n26(824-849MHz) 15M DFT-s-OFDM BPSK Outer_Full High

n26(824-849MHz) 15M DFT-s-OFDM QPSK Outer_Full High

n26(824-849MHz) 15M DFT-s-OFDM 16QAM Outer_Full High

n26(824-849MHz) 15M DFT-s-OFDM 64QAM Outer_Full High

n26(824-849MHz) 15M DFT-s-OFDM 256QAM Outer_Full High

n26(824-849MHz) 15M CP-OFDM QPSK Outer_Full High

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **218** of **873**

n26(824-849MHz) 20M DFT-s-OFDM BPSK
Outer_Full Low

n26(824-849MHz) 20M DFT-s-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 20M DFT-s-OFDM 16QAM
Outer_Full Low

n26(824-849MHz) 20M DFT-s-OFDM 64QAM
Outer_Full Low

n26(824-849MHz) 20M DFT-s-OFDM 256QAM
Outer_Full Low

n26(824-849MHz) 20M CP-OFDM QPSK
Outer_Full Low

n26(824-849MHz) 20M DFT-s-OFDM BPSK Outer_Full Mid

n26(824-849MHz) 20M DFT-s-OFDM QPSK Outer_Full Mid

n26(824-849MHz) 20M DFT-s-OFDM 16QAM Outer_Full Mid

n26(824-849MHz) 20M DFT-s-OFDM 64QAM Outer_Full Mid

n26(824-849MHz) 20M DFT-s-OFDM 256QAM Outer_Full Mid

n26(824-849MHz) 20M CP-OFDM QPSK Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 220 of 873

n26(824-849MHz) 20M DFT-s-OFDM BPSK Outer_Full High

n26(824-849MHz) 20M DFT-s-OFDM QPSK Outer_Full High

n26(824-849MHz) 20M DFT-s-OFDM 16QAM Outer_Full High

n26(824-849MHz) 20M DFT-s-OFDM 64QAM Outer_Full High

n26(824-849MHz) 20M DFT-s-OFDM 256QAM Outer_Full High

n26(824-849MHz) 20M CP-OFDM QPSK Outer_Full High

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 221 of 873

Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	OBW (MHz)	26dB BW (MHz)	Verdict
n38	30	10	515000	DFT-s-OFDM PI/2 BPSK	24/0	8.6157	9.397	PASS
n38	30	10	515000	DFT-s-OFDM QPSK	24/0	8.5870	9.378	PASS
n38	30	10	515000	DFT-s-OFDM 16QAM	24/0	8.5853	9.297	PASS
n38	30	10	515000	DFT-s-OFDM 64QAM	24/0	8.6170	9.274	PASS
n38	30	10	515000	DFT-s-OFDM 256QAM	24/0	8.5623	9.258	PASS
n38	30	10	515000	CP-OFDM QPSK	24/0	8.5876	9.420	PASS
n38	30	10	519000	DFT-s-OFDM PI/2 BPSK	24/0	8.5962	9.418	PASS
n38	30	10	519000	DFT-s-OFDM QPSK	24/0	8.5852	9.335	PASS
n38	30	10	519000	DFT-s-OFDM 16QAM	24/0	8.5873	9.344	PASS
n38	30	10	519000	DFT-s-OFDM 64QAM	24/0	8.6140	9.311	PASS
n38	30	10	519000	DFT-s-OFDM 256QAM	24/0	8.5732	9.241	PASS
n38	30	10	519000	CP-OFDM QPSK	24/0	8.5980	9.381	PASS
n38	30	10	523000	DFT-s-OFDM PI/2 BPSK	24/0	8.6097	9.308	PASS
n38	30	10	523000	DFT-s-OFDM QPSK	24/0	8.5869	9.379	PASS
n38	30	10	523000	DFT-s-OFDM 16QAM	24/0	8.5824	9.330	PASS
n38	30	10	523000	DFT-s-OFDM 64QAM	24/0	8.5921	9.321	PASS
n38	30	10	523000	DFT-s-OFDM 256QAM	24/0	8.5834	9.293	PASS

n38	30	10	523000	CP-OFDM QPSK	24/0	8.5701	9.386	PASS
n38	30	15	515500	DFT-s-OFDM PI/2 BPSK	36/0	12.892	13.771	PASS
n38	30	15	515500	DFT-s-OFDM QPSK	36/0	12.883	13.749	PASS
n38	30	15	515500	DFT-s-OFDM 16QAM	36/0	12.864	13.731	PASS
n38	30	15	515500	DFT-s-OFDM 64QAM	36/0	12.916	13.771	PASS
n38	30	15	515500	DFT-s-OFDM 256QAM	36/0	12.838	13.702	PASS
n38	30	15	515500	CP-OFDM QPSK	38/0	12.889	13.824	PASS
n38	30	15	519000	DFT-s-OFDM PI/2 BPSK	36/0	12.887	13.798	PASS
n38	30	15	519000	DFT-s-OFDM QPSK	36/0	12.878	13.731	PASS
n38	30	15	519000	DFT-s-OFDM 16QAM	36/0	12.871	13.738	PASS
n38	30	15	519000	DFT-s-OFDM 64QAM	36/0	12.912	13.816	PASS
n38	30	15	519000	DFT-s-OFDM 256QAM	36/0	12.834	13.740	PASS
n38	30	15	519000	CP-OFDM QPSK	38/0	12.871	13.811	PASS
n38	30	15	522500	DFT-s-OFDM PI/2 BPSK	36/0	12.907	13.680	PASS
n38	30	15	522500	DFT-s-OFDM QPSK	36/0	12.841	13.711	PASS
n38	30	15	522500	DFT-s-OFDM 16QAM	36/0	12.841	13.792	PASS
n38	30	15	522500	DFT-s-OFDM 64QAM	36/0	12.904	13.827	PASS
n38	30	15	522500	DFT-s-OFDM 256QAM	36/0	12.836	13.648	PASS
n38	30	15	522500	CP-OFDM QPSK	38/0	12.859	13.785	PASS

MORLAB Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **223** of **873**

n38	30	20	516000	DFT-s-OFDM PI/2 BPSK	50/0	17.875	18.928	PASS
n38	30	20	516000	DFT-s-OFDM QPSK	50/0	17.912	18.887	PASS
n38	30	20	516000	DFT-s-OFDM 16QAM	50/0	17.861	18.863	PASS
n38	30	20	516000	DFT-s-OFDM 64QAM	50/0	17.906	18.964	PASS
n38	30	20	516000	DFT-s-OFDM 256QAM	50/0	17.864	18.800	PASS
n38	30	20	516000	CP-OFDM QPSK	51/0	17.887	18.927	PASS
n38	30	20	519000	DFT-s-OFDM PI/2 BPSK	50/0	17.904	18.983	PASS
n38	30	20	519000	DFT-s-OFDM QPSK	50/0	17.875	18.865	PASS
n38	30	20	519000	DFT-s-OFDM 16QAM	50/0	17.861	18.899	PASS
n38	30	20	519000	DFT-s-OFDM 64QAM	50/0	17.903	19.031	PASS
n38	30	20	519000	DFT-s-OFDM 256QAM	50/0	17.861	18.904	PASS
n38	30	20	519000	CP-OFDM QPSK	51/0	17.878	18.893	PASS
n38	30	20	522000	DFT-s-OFDM PI/2 BPSK	50/0	17.889	18.936	PASS
n38	30	20	522000	DFT-s-OFDM QPSK	50/0	17.880	18.901	PASS
n38	30	20	522000	DFT-s-OFDM 16QAM	50/0	17.851	18.865	PASS
n38	30	20	522000	DFT-s-OFDM 64QAM	50/0	17.908	18.940	PASS
n38	30	20	522000	DFT-s-OFDM 256QAM	50/0	17.859	18.927	PASS
n38	30	20	522000	CP-OFDM QPSK	51/0	17.901	18.842	PASS
n38	30	30	517000	DFT-s-OFDM PI/2 BPSK	75/0	26.838	28.421	PASS

MORLAB Shenzhen Morlab Communication Technology Co., Ltd. FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555　　Fax: 86-755-36698525

Http://www.morlab.cn　　E-mail: service@morlab.cn

Page **224** of **873**

n38	30	30	517000	DFT-s-OFDM QPSK	75/0	26.833	28.529	PASS
n38	30	30	517000	DFT-s-OFDM 16QAM	75/0	26.867	28.383	PASS
n38	30	30	517000	DFT-s-OFDM 64QAM	75/0	26.878	28.442	PASS
n38	30	30	517000	DFT-s-OFDM 256QAM	75/0	26.863	28.496	PASS
n38	30	30	517000	CP-OFDM QPSK	78/0	26.814	28.358	PASS
n38	30	30	519000	DFT-s-OFDM PI/2 BPSK	75/0	26.843	28.300	PASS
n38	30	30	519000	DFT-s-OFDM QPSK	75/0	26.862	28.546	PASS
n38	30	30	519000	DFT-s-OFDM 16QAM	75/0	26.869	28.493	PASS
n38	30	30	519000	DFT-s-OFDM 64QAM	75/0	26.869	28.332	PASS
n38	30	30	519000	DFT-s-OFDM 256QAM	75/0	26.878	28.464	PASS
n38	30	30	519000	CP-OFDM QPSK	78/0	26.830	28.323	PASS
n38	30	30	521000	DFT-s-OFDM PI/2 BPSK	75/0	26.911	28.424	PASS
n38	30	30	521000	DFT-s-OFDM QPSK	75/0	26.860	28.303	PASS
n38	30	30	521000	DFT-s-OFDM 16QAM	75/0	26.836	28.520	PASS
n38	30	30	521000	DFT-s-OFDM 64QAM	75/0	26.875	28.453	PASS
n38	30	30	521000	DFT-s-OFDM 256QAM	75/0	26.877	28.442	PASS
n38	30	30	521000	CP-OFDM QPSK	78/0	26.826	28.359	PASS
n38	30	40	518000	DFT-s-OFDM PI/2 BPSK	100/0	35.809	37.676	PASS
n38	30	40	518000	DFT-s-OFDM QPSK	100/0	35.753	37.647	PASS

MORLAB Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **225** of **873**

n38	30	40	518000	DFT-s-OFDM 16QAM	100/0	35.805	37.420	PASS
n38	30	40	518000	DFT-s-OFDM 64QAM	100/0	35.789	37.643	PASS
n38	30	40	518000	DFT-s-OFDM 256QAM	100/0	35.736	37.495	PASS
n38	30	40	518000	CP-OFDM QPSK	106/0	35.733	37.578	PASS
n38	30	40	519000	DFT-s-OFDM PI/2 BPSK	100/0	35.770	37.579	PASS
n38	30	40	519000	DFT-s-OFDM QPSK	100/0	35.779	37.595	PASS
n38	30	40	519000	DFT-s-OFDM 16QAM	100/0	35.749	37.740	PASS
n38	30	40	519000	DFT-s-OFDM 64QAM	100/0	35.826	37.723	PASS
n38	30	40	519000	DFT-s-OFDM 256QAM	100/0	35.772	37.703	PASS
n38	30	40	519000	CP-OFDM QPSK	106/0	35.725	37.586	PASS
n38	30	40	520000	DFT-s-OFDM PI/2 BPSK	100/0	35.734	37.509	PASS
n38	30	40	520000	DFT-s-OFDM QPSK	100/0	35.780	37.589	PASS
n38	30	40	520000	DFT-s-OFDM 16QAM	100/0	35.822	37.581	PASS
n38	30	40	520000	DFT-s-OFDM 64QAM	100/0	35.833	37.654	PASS
n38	30	40	520000	DFT-s-OFDM 256QAM	100/0	35.768	37.578	PASS
n38	30	40	520000	CP-OFDM QPSK	106/0	35.675	37.678	PASS

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **226** of **873**

n38 10M DFT-s-OFDM BPSK Outer_Full Low


n38 10M DFT-s-OFDM QPSK Outer_Full Low

n38 10M DFT-s-OFDM 16QAM Outer_Full Low

n38 10M DFT-s-OFDM 64QAM Outer_Full Low


n38 10M DFT-s-OFDM 256QAM Outer_Full Low

n38 10M CP-OFDM QPSK Outer_Full Low

n38 10M DFT-s-OFDM BPSK Outer_Full Mid


n38 10M DFT-s-OFDM QPSK Outer_Full Mid


n38 10M DFT-s-OFDM 16QAM Outer_Full Mid

n38 10M DFT-s-OFDM 64QAM Outer_Full Mid

n38 10M DFT-s-OFDM 256QAM Outer_Full Mid

n38 10M CP-OFDM QPSK Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **228** of **873**

n38 10M DFT-s-OFDM BPSK Outer_Full High

n38 10M DFT-s-OFDM QPSK Outer_Full High

n38 10M DFT-s-OFDM 16QAM Outer_Full High

n38 10M DFT-s-OFDM 64QAM Outer_Full High

n38 10M DFT-s-OFDM 256QAM Outer_Full High

n38 10M CP-OFDM QPSK Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **229** of **873**

n38 15M DFT-s-OFDM BPSK Outer_Full Low

n38 15M DFT-s-OFDM QPSK Outer_Full Low

n38 15M DFT-s-OFDM 16QAM Outer_Full Low

n38 15M DFT-s-OFDM 64QAM Outer_Full Low

n38 15M DFT-s-OFDM 256QAM Outer_Full Low

n38 15M CP-OFDM QPSK Outer_Full Low

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 230 of 873

n38 15M DFT-s-OFDM BPSK Outer_Full Mid


n38 15M DFT-s-OFDM QPSK Outer_Full Mid

n38 15M DFT-s-OFDM 16QAM Outer_Full Mid

n38 15M DFT-s-OFDM 64QAM Outer_Full Mid

n38 15M DFT-s-OFDM 256QAM Outer_Full Mid



n38 15M CP-OFDM QPSK Outer_Full Mid

n38 15M DFT-s-OFDM BPSK Outer_Full High

n38 15M DFT-s-OFDM QPSK Outer_Full High

n38 15M DFT-s-OFDM 16QAM Outer_Full High

n38 15M DFT-s-OFDM 64QAM Outer_Full High

n38 15M DFT-s-OFDM 256QAM Outer_Full High

n38 15M CP-OFDM QPSK Outer_Full High

n38 20M DFT-s-OFDM BPSK Outer_Full Low

n38 20M DFT-s-OFDM QPSK Outer_Full Low


n38 20M DFT-s-OFDM 16QAM Outer_Full Low

n38 20M DFT-s-OFDM 64QAM Outer_Full Low

n38 20M DFT-s-OFDM 256QAM Outer_Full Low

n38 20M CP-OFDM QPSK Outer_Full Low

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **233** of **873**

n38 20M DFT-s-OFDM BPSK Outer_Full Mid

n38 20M DFT-s-OFDM QPSK Outer_Full Mid

n38 20M DFT-s-OFDM 16QAM Outer_Full Mid

n38 20M DFT-s-OFDM 64QAM Outer_Full Mid

n38 20M DFT-s-OFDM 256QAM Outer_Full Mid

n38 20M CP-OFDM QPSK Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 234 of 873

n38 20M DFT-s-OFDM BPSK Outer_Full High

n38 20M DFT-s-OFDM QPSK Outer_Full High

n38 20M DFT-s-OFDM 16QAM Outer_Full High

n38 20M DFT-s-OFDM 64QAM Outer_Full High

n38 20M DFT-s-OFDM 256QAM Outer_Full High

n38 20M CP-OFDM QPSK Outer_Full High

n38 30M DFT-s-OFDM BPSK Outer_Full Low


n38 30M DFT-s-OFDM QPSK Outer_Full Low

n38 30M DFT-s-OFDM 16QAM Outer_Full Low

n38 30M DFT-s-OFDM 64QAM Outer_Full Low

n38 30M DFT-s-OFDM 256QAM Outer_Full Low

n38 30M CP-OFDM QPSK Outer_Full Low

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 236 of 873

n38 30M DFT-s-OFDM BPSK Outer_Full Mid

n38 30M DFT-s-OFDM QPSK Outer_Full Mid

n38 30M DFT-s-OFDM 16QAM Outer_Full Mid

n38 30M DFT-s-OFDM 64QAM Outer_Full Mid

n38 30M DFT-s-OFDM 256QAM Outer_Full Mid



n38 30M CP-OFDM QPSK Outer_Full Mid

n38 30M DFT-s-OFDM BPSK Outer_Full High


n38 30M DFT-s-OFDM QPSK Outer_Full High

n38 30M DFT-s-OFDM 16QAM Outer_Full High

n38 30M DFT-s-OFDM 64QAM Outer_Full High

n38 30M DFT-s-OFDM 256QAM Outer_Full High

n38 30M CP-OFDM QPSK Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525
Http://www.morlab.cn   E-mail: service@morlab.cn

Page 238 of 873