|				PI/2 BPSK				
n41	30	100	518598	DFT-s-OFDM 256QAM	270/0	6.89	13	PASS
n41	30	100	518598	CP-OFDM QPSK	273/0	8.22	13	PASS
n41	30	100	518598	CP-OFDM 256QAM	273/0	8.74	13	PASS
n41	30	100	528000	DFT-s-OFDM PI/2 BPSK	270/0	4.62	13	PASS
n41	30	100	528000	DFT-s-OFDM 256QAM	270/0	6.87	13	PASS
n41	30	100	528000	CP-OFDM QPSK	273/0	8.3	13	PASS
n41	30	100	528000	CP-OFDM 256QAM	273/0	8.7	13	PASS

n41 10M DFT-s-OFDM BPSK Outer_Full Low


n41 10M DFT-s-OFDM 256QAM Outer_Full Low


n41 10M CP-OFDM QPSK Outer_Full Low

n41 10M CP-OFDM 256QAM Outer_Full Low

n41 10M DFT-s-OFDM BPSK Outer_Full Mid

n41 10M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 498 of 873

n41 10M CP-OFDM QPSK Outer_Full Mid


n41 10M CP-OFDM 256QAM Outer_Full Mid


n41 10M DFT-s-OFDM BPSK Outer_Full High

n41 10M DFT-s-OFDM 256QAM Outer_Full High

n41 10M CP-OFDM QPSK Outer_Full High

n41 10M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **499** of 873

n41 15M DFT-s-OFDM BPSK Outer_Full Low

n41 15M DFT-s-OFDM 256QAM Outer_Full Low

n41 15M CP-OFDM QPSK Outer_Full Low

n41 15M CP-OFDM 256QAM Outer_Full Low

n41 15M DFT-s-OFDM BPSK Outer_Full Mid

n41 15M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 500 of 873

n41 15M CP-OFDM QPSK Outer_Full Mid

n41 15M CP-OFDM 256QAM Outer_Full Mid

n41 15M DFT-s-OFDM BPSK Outer_Full High

n41 15M DFT-s-OFDM 256QAM Outer_Full High


n41 15M CP-OFDM QPSK Outer_Full High

n41 15M CP-OFDM 256QAM Outer_Full High

n41 20M DFT-s-OFDM BPSK Outer_Full Low

n41 20M DFT-s-OFDM 256QAM Outer_Full Low

n41 20M CP-OFDM QPSK Outer_Full Low

n41 20M CP-OFDM 256QAM Outer_Full Low

n41 20M DFT-s-OFDM BPSK Outer_Full Mid

n41 20M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **502** of **873**

n41 20M CP-OFDM QPSK Outer_Full Mid

n41 20M CP-OFDM 256QAM Outer_Full Mid


n41 20M DFT-s-OFDM BPSK Outer_Full High

n41 20M DFT-s-OFDM 256QAM Outer_Full High

n41 20M CP-OFDM QPSK Outer_Full High

n41 20M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 503 of 873

n41 30M DFT-s-OFDM BPSK Outer_Full Low

n41 30M DFT-s-OFDM 256QAM Outer_Full Low


n41 30M CP-OFDM QPSK Outer_Full Low


n41 30M CP-OFDM 256QAM Outer_Full Low


n41 30M DFT-s-OFDM BPSK Outer_Full Mid


n41 30M DFT-s-OFDM 256QAM Outer_Full Mid

n41 30M CP-OFDM QPSK Outer_Full Mid

n41 30M CP-OFDM 256QAM Outer_Full Mid

n41 30M DFT-s-OFDM BPSK Outer_Full High

n41 30M DFT-s-OFDM 256QAM Outer_Full High

n41 30M CP-OFDM QPSK Outer_Full High

n41 30M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 505 of 873

n41 40M DFT-s-OFDM BPSK Outer_Full Low

n41 40M DFT-s-OFDM 256QAM Outer_Full Low

n41 40M CP-OFDM QPSK Outer_Full Low

n41 40M CP-OFDM 256QAM Outer_Full Low

n41 40M DFT-s-OFDM BPSK Outer_Full Mid

n41 40M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **506** of 873

n41 40M CP-OFDM QPSK Outer_Full Mid


n41 40M CP-OFDM 256QAM Outer_Full Mid

n41 40M DFT-s-OFDM BPSK Outer_Full High

n41 40M DFT-s-OFDM 256QAM Outer_Full High

n41 40M CP-OFDM QPSK Outer_Full High


n41 40M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 507 of 873

n41 50M DFT-s-OFDM BPSK Outer_Full Low


n41 50M DFT-s-OFDM 256QAM Outer_Full Low


n41 50M CP-OFDM QPSK Outer_Full Low

n41 50M CP-OFDM 256QAM Outer_Full Low

n41 50M DFT-s-OFDM BPSK Outer_Full Mid

n41 50M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **508** of **873**

n41 50M CP-OFDM QPSK Outer_Full Mid


n41 50M CP-OFDM 256QAM Outer_Full Mid

n41 50M DFT-s-OFDM BPSK Outer_Full High

n41 50M DFT-s-OFDM 256QAM Outer_Full High

n41 50M CP-OFDM QPSK Outer_Full High

n41 50M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **509** of 873

n41 60M DFT-s-OFDM BPSK Outer_Full Low

n41 60M DFT-s-OFDM 256QAM Outer_Full Low


n41 60M CP-OFDM QPSK Outer_Full Low

n41 60M CP-OFDM 256QAM Outer_Full Low

n41 60M DFT-s-OFDM BPSK Outer_Full Mid

n41 60M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 510 of 873

n41 60M CP-OFDM QPSK Outer_Full Mid

n41 60M CP-OFDM 256QAM Outer_Full Mid

n41 60M DFT-s-OFDM BPSK Outer_Full High

n41 60M DFT-s-OFDM 256QAM Outer_Full High

n41 60M CP-OFDM QPSK Outer_Full High

n41 60M CP-OFDM 256QAM Outer_Full High

n41 70M DFT-s-OFDM BPSK Outer_Full Low

n41 70M DFT-s-OFDM 256QAM Outer_Full Low

n41 70M CP-OFDM QPSK Outer_Full Low

n41 70M CP-OFDM 256QAM Outer_Full Low

n41 70M DFT-s-OFDM BPSK Outer_Full Mid

n41 70M DFT-s-OFDM 256QAM Outer_Full Mid

n41 70M CP-OFDM QPSK Outer_Full Mid

n41 70M CP-OFDM 256QAM Outer_Full Mid


n41 70M DFT-s-OFDM BPSK Outer_Full High

n41 70M DFT-s-OFDM 256QAM Outer_Full High


n41 70M CP-OFDM QPSK Outer_Full High

n41 70M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 513 of 873

n41 80M DFT-s-OFDM BPSK Outer_Full Low

n41 80M DFT-s-OFDM 256QAM Outer_Full Low

n41 80M CP-OFDM QPSK Outer_Full Low

n41 80M CP-OFDM 256QAM Outer_Full Low


n41 80M DFT-s-OFDM BPSK Outer_Full Mid


n41 80M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **514** of **873**

n41 80M CP-OFDM QPSK Outer_Full Mid


n41 80M CP-OFDM 256QAM Outer_Full Mid


n41 80M DFT-s-OFDM BPSK Outer_Full High

n41 80M DFT-s-OFDM 256QAM Outer_Full High

n41 80M CP-OFDM QPSK Outer_Full High

n41 80M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 515 of 873

n41 90M DFT-s-OFDM BPSK Outer_Full Low


n41 90M DFT-s-OFDM 256QAM Outer_Full Low


n41 90M CP-OFDM QPSK Outer_Full Low

n41 90M CP-OFDM 256QAM Outer_Full Low

n41 90M DFT-s-OFDM BPSK Outer_Full Mid

n41 90M DFT-s-OFDM 256QAM Outer_Full Mid

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **516** of **873**

n41 90M CP-OFDM QPSK Outer_Full Mid


n41 90M CP-OFDM 256QAM Outer_Full Mid


n41 90M DFT-s-OFDM BPSK Outer_Full High


n41 90M DFT-s-OFDM 256QAM Outer_Full High

n41 90M CP-OFDM QPSK Outer_Full High

n41 90M CP-OFDM 256QAM Outer_Full High

n41 100M DFT-s-OFDM BPSK Outer_Full Low


n41 100M DFT-s-OFDM 256QAM Outer_Full Low


n41 100M CP-OFDM QPSK Outer_Full Low


n41 100M CP-OFDM 256QAM Outer_Full Low

n41 100M DFT-s-OFDM BPSK Outer_Full Mid

n41 100M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 518 of 873

n41 100M CP-OFDM QPSK Outer_Full Mid

n41 100M CP-OFDM 256QAM Outer_Full Mid


n41 100M DFT-s-OFDM BPSK Outer_Full High


n41 100M DFT-s-OFDM 256QAM Outer_Full High

n41 100M CP-OFDM QPSK Outer_Full High

n41 100M CP-OFDM 256QAM Outer_Full High

Band	SCS (kHz)	BW (MHz)	ARFCN	Modulation	RB	Result (dB)	Limit (dB)	Verdict
n66	15	5	342500	DFT-s-OFDM PI/2 BPSK	25/0	4.63	13	PASS
n66	15	5	342500	DFT-s-OFDM 256QAM	25/0	6.81	13	PASS
n66	15	5	342500	CP-OFDM QPSK	25/0	8.31	13	PASS
n66	15	5	342500	CP-OFDM 256QAM	25/0	8.71	13	PASS
n66	15	5	349000	DFT-s-OFDM PI/2 BPSK	25/0	4.67	13	PASS
n66	15	5	349000	DFT-s-OFDM 256QAM	25/0	6.84	13	PASS
n66	15	5	349000	CP-OFDM QPSK	25/0	8.22	13	PASS
n66	15	5	349000	CP-OFDM 256QAM	25/0	8.82	13	PASS
n66	15	5	355500	DFT-s-OFDM PI/2 BPSK	25/0	4.56	13	PASS
n66	15	5	355500	DFT-s-OFDM 256QAM	25/0	6.96	13	PASS
n66	15	5	355500	CP-OFDM QPSK	25/0	8.16	13	PASS
n66	15	5	355500	CP-OFDM 256QAM	25/0	8.66	13	PASS
n66	15	10	343000	DFT-s-OFDM PI/2 BPSK	50/0	4.52	13	PASS
n66	15	10	343000	DFT-s-OFDM 256QAM	50/0	6.73	13	PASS
n66	15	10	343000	CP-OFDM QPSK	52/0	8.5	13	PASS
n66	15	10	343000	CP-OFDM 256QAM	52/0	8.59	13	PASS

n66	15	10	349000	DFT-s-OFDM PI/2 BPSK	50/0	4.71	13	PASS
n66	15	10	349000	DFT-s-OFDM 256QAM	50/0	6.75	13	PASS
n66	15	10	349000	CP-OFDM QPSK	52/0	8.23	13	PASS
n66	15	10	349000	CP-OFDM 256QAM	52/0	8.58	13	PASS
n66	15	10	355000	DFT-s-OFDM PI/2 BPSK	50/0	4.64	13	PASS
n66	15	10	355000	DFT-s-OFDM 256QAM	50/0	6.79	13	PASS
n66	15	10	355000	CP-OFDM QPSK	52/0	8.17	13	PASS
n66	15	10	355000	CP-OFDM 256QAM	52/0	8.61	13	PASS
n66	15	15	343500	DFT-s-OFDM PI/2 BPSK	75/0	4.43	13	PASS
n66	15	15	343500	DFT-s-OFDM 256QAM	75/0	6.62	13	PASS
n66	15	15	343500	CP-OFDM QPSK	79/0	8.24	13	PASS
n66	15	15	343500	CP-OFDM 256QAM	79/0	8.45	13	PASS
n66	15	15	349000	DFT-s-OFDM PI/2 BPSK	75/0	4.46	13	PASS
n66	15	15	349000	DFT-s-OFDM 256QAM	75/0	6.61	13	PASS
n66	15	15	349000	CP-OFDM QPSK	79/0	8.05	13	PASS
n66	15	15	349000	CP-OFDM 256QAM	79/0	8.52	13	PASS
n66	15	15	354500	DFT-s-OFDM PI/2 BPSK	75/0	4.34	13	PASS

n66	15	15	354500	DFT-s-OFDM 256QAM	75/0	6.5	13	PASS
n66	15	15	354500	CP-OFDM QPSK	79/0	8.1	13	PASS
n66	15	15	354500	CP-OFDM 256QAM	79/0	8.56	13	PASS
n66	15	20	344000	DFT-s-OFDM PI/2 BPSK	100/0	4.39	13	PASS
n66	15	20	344000	DFT-s-OFDM 256QAM	100/0	6.6	13	PASS
n66	15	20	344000	CP-OFDM QPSK	106/0	8.1	13	PASS
n66	15	20	344000	CP-OFDM 256QAM	106/0	8.52	13	PASS
n66	15	20	349000	DFT-s-OFDM PI/2 BPSK	100/0	4.28	13	PASS
n66	15	20	349000	DFT-s-OFDM 256QAM	100/0	6.55	13	PASS
n66	15	20	349000	CP-OFDM QPSK	106/0	8.03	13	PASS
n66	15	20	349000	CP-OFDM 256QAM	106/0	8.38	13	PASS
n66	15	20	354000	DFT-s-OFDM PI/2 BPSK	100/0	4.37	13	PASS
n66	15	20	354000	DFT-s-OFDM 256QAM	100/0	6.55	13	PASS
n66	15	20	354000	CP-OFDM QPSK	106/0	8.02	13	PASS
n66	15	20	354000	CP-OFDM 256QAM	106/0	8.38	13	PASS
n66	15	30	345000	DFT-s-OFDM PI/2 BPSK	160/0	4.4	13	PASS
n66	15	30	345000	DFT-s-OFDM 256QAM	160/0	6.56	13	PASS

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **522** of **873**

n66	15	30	345000	CP-OFDM QPSK	160/0	8.06	13	PASS
n66	15	30	345000	CP-OFDM 256QAM	160/0	8.33	13	PASS
n66	15	30	349000	DFT-s-OFDM PI/2 BPSK	160/0	4.16	13	PASS
n66	15	30	349000	DFT-s-OFDM 256QAM	160/0	6.42	13	PASS
n66	15	30	349000	CP-OFDM QPSK	160/0	8.04	13	PASS
n66	15	30	349000	CP-OFDM 256QAM	160/0	8.42	13	PASS
n66	15	30	353000	DFT-s-OFDM PI/2 BPSK	160/0	4.31	13	PASS
n66	15	30	353000	DFT-s-OFDM 256QAM	160/0	6.51	13	PASS
n66	15	30	353000	CP-OFDM QPSK	160/0	8.08	13	PASS
n66	15	30	353000	CP-OFDM 256QAM	160/0	8.46	13	PASS
n66	15	40	346000	DFT-s-OFDM PI/2 BPSK	216/0	4.85	13	PASS
n66	15	40	346000	DFT-s-OFDM 256QAM	216/0	6.52	13	PASS
n66	15	40	346000	CP-OFDM QPSK	216/0	8.12	13	PASS
n66	15	40	346000	CP-OFDM 256QAM	216/0	8.46	13	PASS
n66	15	40	349000	DFT-s-OFDM PI/2 BPSK	216/0	4.78	13	PASS
n66	15	40	349000	DFT-s-OFDM 256QAM	216/0	6.52	13	PASS
n66	15	40	349000	CP-OFDM QPSK	216/0	8.05	13	PASS

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **523** of **873**

n66	15	40	349000	CP-OFDM 256QAM	216/0	8.4	13	PASS
n66	15	40	352000	DFT-s-OFDM PI/2 BPSK	216/0	4.92	13	PASS
n66	15	40	352000	DFT-s-OFDM 256QAM	216/0	6.58	13	PASS
n66	15	40	352000	CP-OFDM QPSK	216/0	8.07	13	PASS
n66	15	40	352000	CP-OFDM 256QAM	216/0	8.46	13	PASS

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **524** of **873**

n66 5M DFT-s-OFDM BPSK Outer_Full Low

n66 5M DFT-s-OFDM 256QAM Outer_Full Low


n66 5M CP-OFDM QPSK Outer_Full Low

n66 5M CP-OFDM 256QAM Outer_Full Low

n66 5M DFT-s-OFDM BPSK Outer_Full Mid

n66 5M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 525 of 873