n77(3450-3550MHz) 50M DFT-s-OFDM BPSK Outer_Full Low


n77(3450-3550MHz) 50M DFT-s-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 50M CP-OFDM QPSK Outer_Full Low

n77(3450-3550MHz) 50M CP-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 50M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 50M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 561 of 873

n77(3450-3550MHz) 50M CP-OFDM QPSK Outer_Full Mid

n77(3450-3550MHz) 50M CP-OFDM 256QAM Outer_Full Mid

n77(3450-3550MHz) 50M DFT-s-OFDM BPSK Outer_Full High


n77(3450-3550MHz) 50M DFT-s-OFDM 256QAM Outer_Full High

n77(3450-3550MHz) 50M CP-OFDM QPSK Outer_Full High

n77(3450-3550MHz) 50M CP-OFDM 256QAM Outer_Full High

n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full Low


n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full Low


n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full Low

n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full Mid

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 563 of 873

n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full Mid

n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full Mid


n77(3450-3550MHz) 60M DFT-s-OFDM BPSK Outer_Full High


n77(3450-3550MHz) 60M DFT-s-OFDM 256QAM Outer_Full High

n77(3450-3550MHz) 60M CP-OFDM QPSK Outer_Full High

n77(3450-3550MHz) 60M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 564 of 873

n77(3450-3550MHz) 70M DFT-s-OFDM BPSK Outer_Full Low

n77(3450-3550MHz) 70M DFT-s-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 70M CP-OFDM QPSK Outer_Full Low

n77(3450-3550MHz) 70M CP-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 70M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 70M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 565 of 873

n77(3450-3550MHz) 70M CP-OFDM QPSK Outer_Full Mid

n77(3450-3550MHz) 70M CP-OFDM 256QAM Outer_Full Mid

n77(3450-3550MHz) 70M DFT-s-OFDM BPSK Outer_Full High

n77(3450-3550MHz) 70M DFT-s-OFDM 256QAM Outer_Full High

n77(3450-3550MHz) 70M CP-OFDM QPSK Outer_Full High

n77(3450-3550MHz) 70M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **566** of **873**

n77(3450-3550MHz) 80M DFT-s-OFDM BPSK Outer_Full Low

n77(3450-3550MHz) 80M DFT-s-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 80M CP-OFDM QPSK Outer_Full Low

n77(3450-3550MHz) 80M CP-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 80M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 80M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3450-3550MHz) 80M CP-OFDM QPSK
Outer_Full Mid

n77(3450-3550MHz) 80M CP-OFDM 256QAM
Outer_Full Mid

n77(3450-3550MHz) 80M DFT-s-OFDM BPSK
Outer_Full High

n77(3450-3550MHz) 80M DFT-s-OFDM
256QAM Outer_Full High

n77(3450-3550MHz) 80M CP-OFDM QPSK
Outer_Full High

n77(3450-3550MHz) 80M CP-OFDM 256QAM
Outer_Full High

n77(3450-3550MHz) 90M DFT-s-OFDM BPSK Outer_Full Low

n77(3450-3550MHz) 90M DFT-s-OFDM 256QAM Outer_Full Low


n77(3450-3550MHz) 90M CP-OFDM QPSK Outer_Full Low

n77(3450-3550MHz) 90M CP-OFDM 256QAM Outer_Full Low

n77(3450-3550MHz) 90M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 90M DFT-s-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 569 of 873

n77(3450-3550MHz) 90M CP-OFDM QPSK Outer_Full Mid

n77(3450-3550MHz) 90M CP-OFDM 256QAM Outer_Full Mid


n77(3450-3550MHz) 90M DFT-s-OFDM BPSK Outer_Full High


n77(3450-3550MHz) 90M DFT-s-OFDM 256QAM Outer_Full High

n77(3450-3550MHz) 90M CP-OFDM QPSK Outer_Full High

n77(3450-3550MHz) 90M CP-OFDM 256QAM Outer_Full High

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 570 of 873

n77(3450-3550MHz) 100M DFT-s-OFDM BPSK Outer_Full Mid

n77(3450-3550MHz) 100M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3450-3550MHz) 100M CP-OFDM QPSK Outer_Full Mid

n77(3450-3550MHz) 100M CP-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 10M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 10M DFT-s-OFDM 256QAM Outer_Full Low

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 571 of 873

n77(3700-3980MHz) 10M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 10M CP-OFDM 256QAM Outer_Full Low

n77(3700-3980MHz) 10M DFT-s-OFDM BPSK Outer_Full Mid


n77(3700-3980MHz) 10M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 10M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 10M CP-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 572 of 873

n77(3700-3980MHz) 10M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 10M DFT-s-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 10M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 10M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 15M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 15M DFT-s-OFDM 256QAM Outer_Full Low

n77(3700-3980MHz) 15M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 15M CP-OFDM 256QAM Outer_Full Low


n77(3700-3980MHz) 15M DFT-s-OFDM BPSK Outer_Full Mid


n77(3700-3980MHz) 15M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 15M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 15M CP-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 574 of 873

n77(3700-3980MHz) 15M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 15M DFT-s-OFDM 256QAM Outer_Full High


n77(3700-3980MHz) 15M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 15M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full Low

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 575 of 873

n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full Low

n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full Mid

n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full Mid

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 576 of 873

n77(3700-3980MHz) 20M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 20M DFT-s-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 20M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 20M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full Low

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 577 of 873

n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full Low


n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full Mid

n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full Mid

MORLAB

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 578 of 873

n77(3700-3980MHz) 30M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 30M DFT-s-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 30M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 30M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 40M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 40M DFT-s-OFDM 256QAM Outer_Full Low

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 579 of 873

n77(3700-3980MHz) 40M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 40M CP-OFDM 256QAM Outer_Full Low

n77(3700-3980MHz) 40M DFT-s-OFDM BPSK Outer_Full Mid

n77(3700-3980MHz) 40M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 40M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 40M CP-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 580 of 873

n77(3700-3980MHz) 40M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 40M DFT-s-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 40M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 40M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 50M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 50M DFT-s-OFDM 256QAM Outer_Full Low

n77(3700-3980MHz) 50M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 50M CP-OFDM 256QAM Outer_Full Low


n77(3700-3980MHz) 50M DFT-s-OFDM BPSK Outer_Full Mid

n77(3700-3980MHz) 50M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 50M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 50M CP-OFDM 256QAM Outer_Full Mid

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 582 of 873

n77(3700-3980MHz) 50M DFT-s-OFDM BPSK Outer_Full High

n77(3700-3980MHz) 50M DFT-s-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 50M CP-OFDM QPSK Outer_Full High

n77(3700-3980MHz) 50M CP-OFDM 256QAM Outer_Full High

n77(3700-3980MHz) 60M DFT-s-OFDM BPSK Outer_Full Low

n77(3700-3980MHz) 60M DFT-s-OFDM 256QAM Outer_Full Low

Shenzhen Morlab Communication Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 583 of 873

n77(3700-3980MHz) 60M CP-OFDM QPSK Outer_Full Low

n77(3700-3980MHz) 60M CP-OFDM 256QAM Outer_Full Low


n77(3700-3980MHz) 60M DFT-s-OFDM BPSK Outer_Full Mid

n77(3700-3980MHz) 60M DFT-s-OFDM 256QAM Outer_Full Mid

n77(3700-3980MHz) 60M CP-OFDM QPSK Outer_Full Mid

n77(3700-3980MHz) 60M CP-OFDM 256QAM Outer_Full Mid