B4 / 10MHz / Low CH / QPSK

B4 / 10MHz / Low CH / 16QAM

B4 / 10MHz / Mid CH / QPSK

B4 / 10MHz / Mid CH / 16QAM

B4 / 10MHz / High CH / QPSK

B4 / 10MHz / High CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **147** of **235**

B4 / 15MHz / Low CH / QPSK

B4 / 15MHz / Low CH / 16QAM

B4 / 15MHz / Mid CH / QPSK

B4 / 15MHz / Mid CH / 16QAM

B4 / 15MHz / High CH / QPSK

B4 / 15MHz / High CH / 16QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **148** of **235**

B4 / 20MHz / Low CH / QPSK

B4 / 20MHz / Low CH / 16QAM

B4 / 20MHz / Mid CH / QPSK

B4 / 20MHz / Mid CH / 16QAM

B4 / 20MHz / High CH / QPSK

B4 / 20MHz / High CH / 16QAM

B66 / 1.4MHz / Low CH / QPSK

B66 / 1.4MHz / Low CH / 16QAM

B66 / 1.4MHz / Mid CH / QPSK


B66 / 1.4MHz / Mid CH / 16QAM

B66 / 1.4MHz / High CH / QPSK

B66 / 1.4MHz / High CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **150** of **235**

B66 / 3MHz / Low CH / QPSK


B66 / 3MHz / Low CH / 16QAM


B66 / 3MHz / Mid CH / QPSK


B66 / 3MHz / Mid CH / 16QAM

B66 / 3MHz / High CH / QPSK

B66 / 3MHz / High CH / 16QAM

B66 / 5MHz / Low CH / QPSK


B66 / 5MHz / Low CH / 16QAM

B66 / 5MHz / Mid CH / QPSK

B66 / 5MHz / Mid CH / 16QAM

B66 / 5MHz / High CH / QPSK

B66 / 5MHz / High CH / 16QAM

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **152** of **235**

B66 / 10MHz / Low CH / QPSK

B66 / 10MHz / Low CH / 16QAM

B66 / 10MHz / Mid CH / QPSK

B66 / 10MHz / Mid CH / 16QAM

B66 / 10MHz / High CH / QPSK

B66 / 10MHz / High CH / 16QAM

MORLAB
Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **153** of **235**

B66 / 15MHz / Low CH / QPSK

B66 / 15MHz / Low CH / 16QAM

B66 / 15MHz / Mid CH / QPSK

B66 / 15MHz / Mid CH / 16QAM

B66 / 15MHz / High CH / QPSK

B66 / 15MHz / High CH / 16QAM

B66 / 20MHz / Low CH / QPSK


B66 / 20MHz / Low CH / 16QAM


B66 / 20MHz / Mid CH / QPSK

B66 / 20MHz / Mid CH / 16QAM

B66 / 20MHz / High CH / QPSK

B66 / 20MHz / High CH / 16QAM

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 155 of 235

2.5. Conducted Spurious Emissions

2.5.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 43+10*log(P)dB. This calculated to be -13dBm.

Additional requirement for LTE Band 7:
The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least 55 + 10 log(P) dB. This calculated to be -25dBm.

2.5.2. Test Description

The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.5.3. Test Procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.

MORLAB Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **156** of **235**

2.5.4. Test Result

B2 / 1.4MHz / Low CH / QPSK

B2 / 1.4MHz / Mid CH / QPSK

B2 / 1.4MHz / High CH / QPSK



B2 / 3MHz / Low CH / QPSK

B2 / 3MHz / Mid CH / QPSK

B2 / 3MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **157** of **235**

B2 / 5MHz / Low CH / QPSK

B2 / 5MHz / Mid CH / QPSK

B2 / 5MHz / High CH / QPSK

B2 / 10MHz / Low CH / QPSK

B2 / 10MHz / Mid CH / QPSK

B2 / 10MHz / High CH / QPSK

B2 / 15MHz / Low CH / QPSK


B2 / 15MHz / Mid CH / QPSK

B2 / 15MHz / High CH / QPSK

B2 / 20MHz / Low CH / QPSK

B2 / 20MHz / Mid CH / QPSK

B2 / 20MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **159** of **235**

B4 / 1.4MHz / Low CH / QPSK

B4 / 1.4MHz / Mid CH / QPSK

B4 / 1.4MHz / High CH / QPSK


B4 / 3MHz / Low CH / QPSK



B4 / 3MHz / Mid CH / QPSK

B4 / 3MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page 160 of 235

B4 / 5MHz / Low CH / QPSK

B4 / 5MHz / Mid CH / QPSK

B4 / 5MHz / High CH / QPSK

B4 / 10MHz / Low CH / QPSK


B4 / 10MHz / Mid CH / QPSK


B4 / 10MHz / High CH / QPSK

B4 / 15MHz / Low CH / QPSK

B4 / 15MHz / Mid CH / QPSK

B4 / 15MHz / High CH / QPSK


B4 / 20MHz / Low CH / QPSK


B4 / 20MHz / Mid CH / QPSK


B4 / 20MHz / High CH / QPSK

B5 / 1.4MHz / Low CH / QPSK

B5 / 1.4MHz / Mid CH / QPSK

B5 / 1.4MHz / High CH / QPSK

B5 / 3MHz / Low CH / QPSK


B5 / 3MHz / Mid CH / QPSK

B5 / 3MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **163** of **235**

B5 / 5MHz / Low CH / QPSK

B5 / 5MHz / Mid CH / QPSK

B5 / 5MHz / High CH / QPSK

B5 / 10MHz / Low CH / QPSK

B5 / 10MHz / Mid CH / QPSK

B5 / 10MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **164** of **235**

B7-30M-20G / 5MHz / Low CH / QPSK


B7-20G-26G / 5MHz / Low CH / QPSK

B7-30M-20G / 5MHz / Mid CH / QPSK

B7-20G-26G / 5MHz / Mid CH / QPSK

B7-30M-20G / 5MHz / High CH / QPSK

B7-20G-26G / 5MHz / High CH / QPSK

MORLAB

Shenzhen Morlab Communications Technology Co., Ltd.
FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , GuangDong Province, P. R. China

Tel: 86-755-36698555   Fax: 86-755-36698525

Http://www.morlab.cn   E-mail: service@morlab.cn

Page **165** of **235**

B7-30M-20G / 10MHz / Low CH / QPSK

B7-20G-26G / 10MHz / Low CH / QPSK

B7-30M-20G / 10MHz / Mid CH / QPSK

B7-20G-26G / 10MHz / Mid CH / QPSK


B7-30M-20G / 10MHz / High CH / QPSK

B7-20G-26G / 10MHz / High CH / QPSK

B7-30M-20G / 15MHz / Low CH / QPSK

B7-20G-26G / 15MHz / Low CH / QPSK

B7-30M-20G / 15MHz / Mid CH / QPSK

B7-20G-26G / 15MHz / Mid CH / QPSK

B7-30M-20G / 15MHz / High CH / QPSK

B7-20G-26G / 15MHz / High CH / QPSK

B7-30M-20G / 20MHz / Low CH / QPSK

B7-20G-26G / 20MHz / Low CH / QPSK

B7-30M-20G / 20MHz / Mid CH / QPSK


B7-20G-26G / 20MHz / Mid CH / QPSK

B7-30M-20G / 20MHz / High CH / QPSK

B7-20G-26G / 20MHz / High CH / QPSK

B12 / 1.4MHz / Low CH / QPSK

B12 / 1.4MHz / Mid CH / QPSK

B12 / 1.4MHz / High CH / QPSK

B12 / 3MHz / Low CH / QPSK


B12 / 3MHz / Mid CH / QPSK


B12 / 3MHz / High CH / QPSK

B12 / 5MHz / Low CH / QPSK


B12 / 5MHz / Mid CH / QPSK

B12 / 5MHz / High CH / QPSK

B12 / 10MHz / Low CH / QPSK

B12 / 10MHz / Mid CH / QPSK

B12 / 10MHz / High CH / QPSK