






Band66 / 15MHz / QPSK/ Low CH



Band66 / 15MHz / 16QAM/ Low CH



Band66 / 15MHz / 64QAM/ Low CH



Band66 / 15MHz / QPSK/ Mid CH



Band66 / 15MHz / 16QAM/ Mid CH




Band66 / 15MHz / 64QAM/ Mid CH







Band66 / 15MHz / QPSK/ High CH



Band66 / 15MHz / 16QAM/ High CH




Band66 / 15MHz / 64QAM/ High CH



Band66 / 20MHz / QPSK/ Low CH



Band66 / 20MHz / 16QAM/ Low CH




Band66 / 20MHz / 64QAM/ Low CH






Band66 / 20MHz / QPSK/ Mid CH



Band66 / 20MHz / 16QAM/ Mid CH



Band66 / 20MHz / 64QAM/ Mid CH



Band66 / 20MHz / QPSK/ High CH



Band66 / 20MHz / 16QAM/ High CH



Band66 / 20MHz / 64QAM/ High CH



2.3. Frequency Stability


2.3.1. Requirement

According to FCC section 2.1055, 24.235, 27.54, the frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block. According to FCC section 2.1055, the test conditions are:

- (a) The temperature is varied from -30°C to $+50^{\circ}\text{C}$ at intervals of not more than 10°C .
- (b) For hand carried battery powered equipment, the primary supply voltage is reduced to the battery operating end point which shall be specified by the manufacture. The supply voltage shall be measured at the input to the cable normally provided with the equipment, or at the power supply terminals if cables are not normally provided.

Note: The operating temperature of EUT is from -20°C to 60°C , which are specified by the applicant.

2.3.2. Test Description



The EUT which is powered by the DC Power Supply directly, is located in the Temperature Chamber. The EUT is commanded by the System Simulator (SS) to operate at the maximum output power. A call is established between the EUT and the SS via a Common Antenna.

2.3.3. Test Procedure

KDB 971168 D01v03 Section 9.0 and ANSI/TIA-603-E-2016.

**2.3.4. Test Result**

The nominal, highest and lowest extreme voltages are separately 3.80V, 4.35V and 3.50V, which are specified by the applicant; the normal temperature here used is 20°C.

LTE Band 2, QPSK, Channel 18900, Frequency 1880.0MHz					
Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	-36	-0.019	PASS
Normal		-20	33	0.018	
Normal		-10	-44	-0.023	
Normal		0	30	0.016	
Normal		+10	-46	-0.024	
Normal		+20	-38	-0.020	
Normal		+30	-33	-0.018	
Normal		+40	-45	-0.024	
Normal		+50	-35	-0.019	
Normal		+60	40	0.021	
High	4.35	+20	-47	-0.025	PASS
BATT.ENDPOINT	3.50	+20	39	0.021	

LTE Band 4, QPSK, Channel 20175, Frequency 1732.5MHz					
Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	13	0.008	PASS
Normal		-20	-17	-0.010	
Normal		-10	-16	-0.009	
Normal		0	15	0.009	
Normal		+10	15	0.009	
Normal		+20	-44	-0.025	
Normal		+30	56	0.032	
Normal		+40	-54	-0.031	
Normal		+50	-54	-0.031	
Normal		+60	35	0.020	
High	4.35	+20	-46	-0.027	PASS
BATT.ENDPOINT	3.50	+20	51	0.029	



LTE Band 5, QPSK, Channel 20525, Frequency 836.5MHz Limit=±2.5ppm					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	38	0.045	PASS
Normal		-20	43	0.051	
Normal		-10	53	0.063	
Normal		0	40	0.048	
Normal		+10	-43	-0.051	
Normal		+20	55	0.066	
Normal		+30	18	0.022	
Normal		+40	52	0.062	
Normal		+50	-47	-0.056	
Normal		+60	-13	-0.016	
High	4.35	+20	-40	-0.048	
BATT.ENDPOINT	3.50	+20	-58	-0.069	

LTE Band 7, QPSK, Channel 21100, Frequency 2535MHz Limit= Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	-24	-0.009	PASS
Normal		-20	-39	-0.015	
Normal		-10	-56	-0.022	
Normal		0	17	0.007	
Normal		+10	19	0.007	
Normal		+20	-21	-0.008	
Normal		+30	35	0.014	
Normal		+40	-23	-0.009	
Normal		+50	23	0.009	
Normal		+60	49	0.019	
High	4.35	+20	-55	-0.022	
BATT.ENDPOINT	3.50	+20	29	0.011	



LTE Band 12, QPSK, Channel 23095, Frequency 707.5MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	26	0.037	PASS
Normal		-20	-25	-0.035	
Normal		-10	-53	-0.075	
Normal		0	18	0.025	
Normal		+10	16	0.023	
Normal		+20	54	0.076	
Normal		+30	-56	-0.079	
Normal		+40	-54	-0.076	
Normal		+50	41	0.058	
Normal		+60	-25	-0.035	
High	4.35	+20	34	0.048	
BATT.ENDPOINT	3.50	+20	-19	-0.027	

LTE Band 17, QPSK, Channel 23790, Frequency 710MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp(°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	-28	-0.039	PASS
Normal		-20	-33	-0.046	
Normal		-10	17	0.024	
Normal		0	29	0.041	
Normal		+10	-39	-0.055	
Normal		+20	41	0.058	
Normal		+30	-43	-0.061	
Normal		+40	-37	-0.052	
Normal		+50	-49	-0.069	
Normal		+60	27	0.038	
High	4.35	+20	-34	-0.048	
BATT.ENDPOINT	3.50	+20	23	0.032	




LTE Band 66, QPSK, Channel 132322, Frequency 1745MHz Limit =Within Authorized Band					
Voltage (%)	Power (VDC)	Temp (°C)	Fre. Dev. (Hz)	Deviation (ppm)	Result
Normal	3.80	+20(Ref)	55	0.032	PASS
Normal		-20	17	0.010	
Normal		-10	-40	-0.023	
Normal		0	-34	-0.019	
Normal		+10	-35	-0.020	
Normal		+20	-40	-0.023	
Normal		+30	-14	-0.008	
Normal		+40	-24	-0.014	
Normal		+50	-52	-0.030	
Normal		+60	-14	-0.008	
High	4.35	+20	44	0.025	
BATT.ENDPOINT	3.50	+20	22	0.013	

2.4. Peak to Average Radio

2.4.1. Requirement

According to FCC section 24.232(d) and 27.50(d), the peak to average ratio (PAR) of the transmission may not exceed 13dB.

2.4.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.4.3. Test Procedure

KDB 971168 D01v03 Section 5.7 and ANSI/TIA-603-E-2016.

2.4.4. Test Result

Record the maximum PAPR level associated with a probability of 0.1%.



LTE Band 2					
BW(MHz)	Channel Level	Modulation	PAR Radio(dB)	Limit(dB)	Verdict
1.4	Low	QPSK	4.89	<=13	PASS
	Low	16QAM	5.76	<=13	PASS
	Low	64QAM	5.60	<=13	PASS
	Mid	QPSK	5.07	<=13	PASS
	Mid	16QAM	5.96	<=13	PASS
	Mid	64QAM	5.77	<=13	PASS
	High	QPSK	4.22	<=13	PASS
	High	16QAM	5.22	<=13	PASS
	High	64QAM	5.04	<=13	PASS
3	Low	QPSK	5.00	<=13	PASS
	Low	16QAM	5.76	<=13	PASS
	Low	64QAM	5.66	<=13	PASS
	Mid	QPSK	5.06	<=13	PASS
	Mid	16QAM	5.86	<=13	PASS
	Mid	64QAM	5.76	<=13	PASS
	High	QPSK	4.52	<=13	PASS
	High	16QAM	5.31	<=13	PASS
	High	64QAM	5.29	<=13	PASS
5	Low	QPSK	5.15	<=13	PASS
	Low	16QAM	5.82	<=13	PASS
	Low	64QAM	5.73	<=13	PASS
	Mid	QPSK	5.23	<=13	PASS
	Mid	16QAM	5.89	<=13	PASS
	Mid	64QAM	5.83	<=13	PASS
	High	QPSK	4.94	<=13	PASS
	High	16QAM	5.58	<=13	PASS
	High	64QAM	5.53	<=13	PASS
10	Low	QPSK	5.24	<=13	PASS
	Low	16QAM	5.93	<=13	PASS
	Low	64QAM	5.84	<=13	PASS
	Mid	QPSK	5.32	<=13	PASS
	Mid	16QAM	6.02	<=13	PASS
	Mid	64QAM	6.02	<=13	PASS
	High	QPSK	4.91	<=13	PASS
	High	16QAM	5.72	<=13	PASS
	High	64QAM	5.68	<=13	PASS



15	Low	QPSK	5.01	≤ 13	PASS
	Low	16QAM	5.72	≤ 13	PASS
	Low	64QAM	5.69	≤ 13	PASS
	Mid	QPSK	5.07	≤ 13	PASS
	Mid	16QAM	5.84	≤ 13	PASS
	Mid	64QAM	5.83	≤ 13	PASS
	High	QPSK	4.59	≤ 13	PASS
	High	16QAM	5.45	≤ 13	PASS
	High	64QAM	5.44	≤ 13	PASS
20	Low	QPSK	5.17	≤ 13	PASS
	Low	16QAM	5.89	≤ 13	PASS
	Low	64QAM	5.86	≤ 13	PASS
	Mid	QPSK	5.19	≤ 13	PASS
	Mid	16QAM	5.96	≤ 13	PASS
	Mid	64QAM	5.90	≤ 13	PASS
	High	QPSK	4.94	≤ 13	PASS
	High	16QAM	5.61	≤ 13	PASS
	High	64QAM	5.59	≤ 13	PASS



LTE Band 4					
BW(MHz)	Channel Level	Modulation	PAR Radio(dB)	Limit(dB)	Verdict
1.4	Low	QPSK	5.46	<=13	PASS
	Low	16QAM	6.29	<=13	PASS
	Low	64QAM	6.12	<=13	PASS
	Mid	QPSK	4.59	<=13	PASS
	Mid	16QAM	5.49	<=13	PASS
	Mid	64QAM	5.32	<=13	PASS
	High	QPSK	5.08	<=13	PASS
	High	16QAM	5.91	<=13	PASS
	High	64QAM	5.72	<=13	PASS
3	Low	QPSK	5.53	<=13	PASS
	Low	16QAM	6.33	<=13	PASS
	Low	64QAM	6.15	<=13	PASS
	Mid	QPSK	4.67	<=13	PASS
	Mid	16QAM	4.97	<=13	PASS
	Mid	64QAM	5.37	<=13	PASS
	High	QPSK	5.05	<=13	PASS
	High	16QAM	5.81	<=13	PASS
	High	64QAM	5.70	<=13	PASS
5	Low	QPSK	5.60	<=13	PASS
	Low	16QAM	6.26	<=13	PASS
	Low	64QAM	6.18	<=13	PASS
	Mid	QPSK	4.91	<=13	PASS
	Mid	16QAM	5.54	<=13	PASS
	Mid	64QAM	5.47	<=13	PASS
	High	QPSK	5.15	<=13	PASS
	High	16QAM	5.76	<=13	PASS
	High	64QAM	5.72	<=13	PASS
10	Low	QPSK	5.73	<=13	PASS
	Low	16QAM	6.34	<=13	PASS
	Low	64QAM	6.34	<=13	PASS
	Mid	QPSK	5.01	<=13	PASS
	Mid	16QAM	5.70	<=13	PASS
	Mid	64QAM	5.68	<=13	PASS
	High	QPSK	5.07	<=13	PASS
	High	16QAM	5.77	<=13	PASS
	High	64QAM	5.73	<=13	PASS



15	Low	QPSK	5.53	≤ 13	PASS
	Low	16QAM	6.23	≤ 13	PASS
	Low	64QAM	6.22	≤ 13	PASS
	Mid	QPSK	4.77	≤ 13	PASS
	Mid	16QAM	5.49	≤ 13	PASS
	Mid	64QAM	5.48	≤ 13	PASS
	High	QPSK	4.50	≤ 13	PASS
	High	16QAM	5.40	≤ 13	PASS
	High	64QAM	5.37	≤ 13	PASS
20	Low	QPSK	5.47	≤ 13	PASS
	Low	16QAM	6.25	≤ 13	PASS
	Low	64QAM	6.21	≤ 13	PASS
	Mid	QPSK	4.94	≤ 13	PASS
	Mid	16QAM	5.67	≤ 13	PASS
	Mid	64QAM	5.67	≤ 13	PASS
	High	QPSK	4.81	≤ 13	PASS
	High	16QAM	5.55	≤ 13	PASS
	High	64QAM	5.52	≤ 13	PASS




LTE Band 66					
BW(MHz)	Channel Level	Modulation	PAR Radio(dB)	Limit(dB)	Verdict
1.4	Low	QPSK	5.52	<=13	PASS
	Low	16QAM	6.33	<=13	PASS
	Low	64QAM	6.18	<=13	PASS
	Mid	QPSK	4.14	<=13	PASS
	Mid	16QAM	5.22	<=13	PASS
	Mid	64QAM	4.93	<=13	PASS
	High	QPSK	4.38	<=13	PASS
	High	16QAM	5.34	<=13	PASS
	High	64QAM	5.17	<=13	PASS
3	Low	QPSK	5.60	<=13	PASS
	Low	16QAM	6.37	<=13	PASS
	Low	64QAM	6.18	<=13	PASS
	Mid	QPSK	4.26	<=13	PASS
	Mid	16QAM	5.07	<=13	PASS
	Mid	64QAM	5.06	<=13	PASS
	High	QPSK	4.53	<=13	PASS
	High	16QAM	5.27	<=13	PASS
	High	64QAM	5.18	<=13	PASS
5	Low	QPSK	5.62	<=13	PASS
	Low	16QAM	6.28	<=13	PASS
	Low	64QAM	6.23	<=13	PASS
	Mid	QPSK	4.68	<=13	PASS
	Mid	16QAM	5.25	<=13	PASS
	Mid	64QAM	5.24	<=13	PASS
	High	QPSK	4.90	<=13	PASS
	High	16QAM	5.45	<=13	PASS
	High	64QAM	5.43	<=13	PASS
10	Low	QPSK	5.67	<=13	PASS
	Low	16QAM	6.39	<=13	PASS
	Low	64QAM	6.34	<=13	PASS
	Mid	QPSK	4.82	<=13	PASS
	Mid	16QAM	5.53	<=13	PASS
	Mid	64QAM	5.52	<=13	PASS
	High	QPSK	5.09	<=13	PASS
	High	16QAM	5.82	<=13	PASS
	High	64QAM	5.79	<=13	PASS



15	Low	QPSK	5.57	≤ 13	PASS
	Low	16QAM	6.26	≤ 13	PASS
	Low	64QAM	6.21	≤ 13	PASS
	Mid	QPSK	4.56	≤ 13	PASS
	Mid	16QAM	5.28	≤ 13	PASS
	Mid	64QAM	5.23	≤ 13	PASS
	High	QPSK	5.08	≤ 13	PASS
	High	16QAM	5.79	≤ 13	PASS
	High	64QAM	5.74	≤ 13	PASS
20	Low	QPSK	5.49	≤ 13	PASS
	Low	16QAM	6.24	≤ 13	PASS
	Low	64QAM	6.22	≤ 13	PASS
	Mid	QPSK	4.77	≤ 13	PASS
	Mid	16QAM	5.55	≤ 13	PASS
	Mid	64QAM	5.51	≤ 13	PASS
	High	QPSK	5.28	≤ 13	PASS
	High	16QAM	6.03	≤ 13	PASS
	High	64QAM	5.96	≤ 13	PASS



Band2 / 1.4MHz / Low CH / QPSK



Band2 / 1.4MHz / Low CH / 16QAM



Band2 / 1.4MHz / Low CH / 64QAM



Band2 / 1.4MHz / Mid CH / QPSK



Band2 / 1.4MHz / Mid CH / 16QAM



Band2 / 1.4MHz / Mid CH / 64QAM






Band2 / 1.4MHz / High CH / QPSK



Band2 / 1.4MHz / High CH / 16QAM



Band2 / 1.4MHz / High CH / 64QAM



Band2 / 3MHz / Low CH / QPSK



Band2 / 3MHz / Low CH / 16QAM



Band2 / 3MHz / Low CH / 64QAM





Band2 / 3MHz / Mid CH / QPSK



Band2 / 3MHz / Mid CH / 16QAM



Band2 / 3MHz / Mid CH / 64QAM



Band2 / 3MHz / High CH / QPSK



Band2 / 3MHz / High CH / 16QAM



Band2 / 3MHz / High CH / 64QAM





Band2 / 5MHz / Low CH / QPSK



Band2 / 5MHz / Low CH / 16QAM



Band2 / 5MHz / Low CH / 64QAM



Band2 / 5MHz / Mid CH / QPSK



Band2 / 5MHz / Mid CH / 16QAM



Band2 / 5MHz / Mid CH / 64QAM





Band2 / 5MHz / High CH / QPSK



Band2 / 5MHz / High CH / 16QAM



Band2 / 5MHz / High CH / 64QAM



Band2 / 10MHz / Low CH / QPSK



Band2 / 10MHz / Low CH / 16QAM



Band2 / 10MHz / Low CH / 64QAM






Band2 / 10MHz / Mid CH / QPSK



Band2 / 10MHz / Mid CH / 16QAM



Band2 / 10MHz / Mid CH / 64QAM



Band2 / 10MHz / High CH / QPSK



Band2 / 10MHz / High CH / 16QAM



Band2 / 10MHz / High CH / 64QAM





Band2 / 15MHz / Low CH / QPSK



Band2 / 15MHz / Low CH / 16QAM



Band2 / 15MHz / Low CH / 64QAM



Band2 / 15MHz / Mid CH / QPSK



Band2 / 15MHz / Mid CH / 16QAM



Band2 / 15MHz / Mid CH / 64QAM





Band2 / 15MHz / High CH / QPSK



Band2 / 15MHz / High CH / 16QAM



Band2 / 15MHz / High CH / 64QAM



Band2 / 20MHz / Low CH / QPSK



Band2 / 20MHz / Low CH / 16QAM



Band2 / 20MHz / Low CH / 64QAM





Band2 / 20MHz / Mid CH / QPSK



Band2 / 20MHz / Mid CH / 16QAM



Band2 / 20MHz / Mid CH / 64QAM



Band2 / 20MHz / High CH / QPSK



Band2 / 20MHz / High CH / 16QAM



Band2 / 20MHz / High CH / 64QAM





Band4 / 1.4MHz / Low CH / QPSK



Band4 / 1.4MHz / Low CH / 16QAM



Band4 / 1.4MHz / Low CH / 64QAM



Band4 / 1.4MHz / Mid CH / QPSK



Band4 / 1.4MHz / Mid CH / 16QAM



Band4 / 1.4MHz / Mid CH / 64QAM





Band4 / 1.4MHz / High CH / QPSK




Band4 / 1.4MHz / High CH / 16QAM



Band4 / 1.4MHz / High CH / 64QAM



Band4 / 3MHz / Low CH / QPSK



Band4 / 3MHz / Low CH / 16QAM



Band4 / 3MHz / Low CH / 64QAM



Band4 / 3MHz / Mid CH / QPSK



Band4 / 3MHz / Mid CH / 16QAM



Band4 / 3MHz / Mid CH / 64QAM



Band4 / 3MHz / High CH / QPSK



Band4 / 3MHz / High CH / 16QAM



Band4 / 3MHz / High CH / 64QAM






Band4 / 5MHz / Low CH / QPSK



Band4 / 5MHz / Low CH / 16QAM



Band4 / 5MHz / Low CH / 64QAM



Band4 / 5MHz / Mid CH / QPSK



Band4 / 5MHz / Mid CH / 16QAM



Band4 / 5MHz / Mid CH / 64QAM





Band4 / 5MHz / High CH / QPSK




Band4 / 5MHz / High CH / 16QAM



Band4 / 5MHz / High CH / 64QAM



Band4 / 10MHz / Low CH / QPSK



Band4 / 10MHz / Low CH / 16QAM



Band4 / 10MHz / Low CH / 64QAM



Band4 / 10MHz / Mid CH / QPSK



Band4 / 10MHz / Mid CH / 16QAM



Band4 / 10MHz / Mid CH / 64QAM



Band4 / 10MHz / High CH / QPSK



Band4 / 10MHz / High CH / 16QAM




Band4 / 10MHz / High CH / 64QAM



Band4 / 15MHz / Low CH / QPSK



Band4 / 15MHz / Low CH / 16QAM



Band4 / 15MHz / Low CH / 64QAM



Band4 / 15MHz / Mid CH / QPSK



Band4 / 15MHz / Mid CH / 16QAM



Band4 / 15MHz / Mid CH / 64QAM





Band4 / 15MHz / High CH / QPSK



Band4 / 15MHz / High CH / 16QAM



Band4 / 15MHz / High CH / 64QAM



Band4 / 20MHz / Low CH / QPSK



Band4 / 20MHz / Low CH / 16QAM



Band4 / 20MHz / Low CH / 64QAM






Band4 / 20MHz / Mid CH / QPSK



Band4 / 20MHz / Mid CH / 16QAM



Band4 / 20MHz / Mid CH / 64QAM



Band4 / 20MHz / High CH / QPSK



Band4 / 20MHz / High CH / 16QAM



Band4 / 20MHz / High CH / 64QAM





Band66 / 1.4MHz / Low CH / QPSK



Band66 / 1.4MHz / Low CH / 16QAM



Band66 / 1.4MHz / Low CH / 64QAM



Band66 / 1.4MHz / Mid CH / QPSK



Band66 / 1.4MHz / Mid CH / 16QAM



Band66 / 1.4MHz / Mid CH / 64QAM






Band66 / 1.4MHz / High CH / QPSK



Band66 / 1.4MHz / High CH / 16QAM



Band66 / 1.4MHz / High CH / 64QAM



Band66 / 3MHz / Low CH / QPSK



Band66 / 3MHz / Low CH / 16QAM



Band66 / 3MHz / Low CH / 64QAM






Band66 / 3MHz / Mid CH / QPSK



Band66 / 3MHz / Mid CH / 16QAM



Band66 / 3MHz / Mid CH / 64QAM



Band66 / 3MHz / High CH / QPSK



Band66 / 3MHz / High CH / 16QAM



Band66 / 3MHz / High CH / 64QAM





Band66 / 5MHz / Low CH / QPSK



Band66 / 5MHz / Low CH / 16QAM



Band66 / 5MHz / Low CH / 64QAM



Band66 / 5MHz / Mid CH / QPSK



Band66 / 5MHz / Mid CH / 16QAM




Band66 / 5MHz / Mid CH / 64QAM



Band66 / 5MHz / High CH / QPSK



Band66 / 5MHz / High CH / 16QAM



Band66 / 5MHz / High CH / 64QAM



Band66 / 10MHz / Low CH / QPSK



Band66 / 10MHz / Low CH / 16QAM




Band66 / 10MHz / Low CH / 64QAM



Band66 / 10MHz / Mid CH / QPSK



Band66 / 10MHz / Mid CH / 16QAM



Band66 / 10MHz / Mid CH / 64QAM



Band66 / 10MHz / High CH / QPSK




Band66 / 10MHz / High CH / 16QAM




Band66 / 10MHz / High CH / 64QAM



Band66 / 15MHz / Low CH / QPSK



Band66 / 15MHz / Low CH / 16QAM



Band66 / 15MHz / Low CH / 64QAM



Band66 / 15MHz / Mid CH / QPSK



Band66 / 15MHz / Mid CH / 16QAM



Band66 / 15MHz / Mid CH / 64QAM






Band66 / 15MHz / High CH / QPSK



Band66 / 15MHz / High CH / 16QAM



Band66 / 15MHz / High CH / 64QAM



Band66 / 20MHz / Low CH / QPSK



Band66 / 20MHz / Low CH / 16QAM



Band66 / 20MHz / Low CH / 64QAM






Band66 / 20MHz / Mid CH / QPSK



Band66 / 20MHz / Mid CH / 16QAM



Band66 / 20MHz / Mid CH / 64QAM



Band66 / 20MHz / High CH / QPSK



Band66 / 20MHz / High CH / 16QAM



Band66 / 20MHz / High CH / 64QAM



2.5. Conducted Spurious Emissions


2.5.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB. This calculated to be -13dBm.

Additional requirement for LTE Band 7, 38, 41:

The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.

2.5.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.


2.5.3. Test Procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.



2.5.4. Test Result


Band2 / 1.4MHz / Low CH / QPSK




Band2 / 1.4MHz / Low CH / 16QAM




Band2 / 1.4MHz / Low CH / 64QAM




Band2 / 1.4MHz / Mid CH / QPSK



Band2 / 1.4MHz / Mid CH / 16QAM




Band2 / 1.4MHz / Mid CH / 64QAM







Band2 / 1.4MHz / High CH / QPSK




Band2 / 1.4MHz / High CH / 16QAM




Band2 / 1.4MHz / High CH / 64QAM




Band2 / 3MHz / Low CH / QPSK



Band2 / 3MHz / Low CH / 16QAM




Band2 / 3MHz / Low CH / 64QAM







Band2 / 3MHz / Mid CH / QPSK




Band2 / 3MHz / Mid CH / 16QAM




Band2 / 3MHz / Mid CH / 64QAM




Band2 / 3MHz / High CH / QPSK



Band2 / 3MHz / High CH / 16QAM




Band2 / 3MHz / High CH / 64QAM






Band2 / 5MHz / Low CH / QPSK




Band2 / 5MHz / Low CH / 16QAM




Band2 / 5MHz / Low CH / 64QAM




Band2 / 5MHz / Mid CH / QPSK



Band2 / 5MHz / Mid CH / 16QAM




Band2 / 5MHz / Mid CH / 64QAM







Band2 / 5MHz / High CH / QPSK




Band2 / 5MHz / High CH / 16QAM




Band2 / 5MHz / High CH / 64QAM




Band2 / 10MHz / Low CH / QPSK



Band2 / 10MHz / Low CH / 16QAM




Band2 / 10MHz / Low CH / 64QAM







Band2 / 10MHz / Mid CH / QPSK




Band2 / 10MHz / Mid CH / 16QAM




Band2 / 10MHz / Mid CH / 64QAM




Band2 / 10MHz / High CH / QPSK



Band2 / 10MHz / High CH / 16QAM




Band2 / 10MHz / High CH / 64QAM







Band2 / 15MHz / Low CH / QPSK




Band2 / 15MHz / Low CH / 16QAM




Band2 / 15MHz / Low CH / 64QAM




Band2 / 15MHz / Mid CH / QPSK



Band2 / 15MHz / Mid CH / 16QAM




Band2 / 15MHz / Mid CH / 64QAM






Band2 / 15MHz / High CH / QPSK




Band2 / 15MHz / High CH / 16QAM




Band2 / 15MHz / High CH / 64QAM




Band2 / 20MHz / Low CH / QPSK



Band2 / 20MHz / Low CH / 16QAM




Band2 / 20MHz / Low CH / 64QAM






Band2 / 20MHz / Mid CH / QPSK




Band2 / 20MHz / Mid CH / 16QAM




Band2 / 20MHz / Mid CH / 64QAM




Band2 / 20MHz / High CH / QPSK



Band2 / 20MHz / High CH / 16QAM




Band2 / 20MHz / High CH / 64QAM







Band4 / 1.4MHz / Low CH / QPSK




Band4 / 1.4MHz / Low CH / 16QAM




Band4 / 1.4MHz / Low CH / 64QAM




Band4 / 1.4MHz / Mid CH / QPSK



Band4 / 1.4MHz / Mid CH / 16QAM




Band4 / 1.4MHz / Mid CH / 64QAM







Band4 / 1.4MHz / High CH / QPSK




Band4 / 1.4MHz / High CH / 16QAM




Band4 / 1.4MHz / High CH / 64QAM




Band4 / 3MHz / Low CH / QPSK



Band4 / 3MHz / Low CH / 16QAM




Band4 / 3MHz / Low CH / 64QAM







Band4 / 3MHz / Mid CH / QPSK




Band4 / 3MHz / Mid CH / 16QAM




Band4 / 3MHz / Mid CH / 64QAM




Band4 / 3MHz / High CH / QPSK



Band4 / 3MHz / High CH / 16QAM




Band4 / 3MHz / High CH / 64QAM







Band4 / 5MHz / Low CH / QPSK




Band4 / 5MHz / Low CH / 16QAM



Band4 / 5MHz / Low CH / 64QAM




Band4 / 5MHz / Mid CH / QPSK



Band4 / 5MHz / Mid CH / 16QAM




Band4 / 5MHz / Mid CH / 64QAM







Band4 / 5MHz / High CH / QPSK




Band4 / 5MHz / High CH / 16QAM




Band4 / 5MHz / High CH / 64QAM




Band4 / 10MHz / Low CH / QPSK



Band4 / 10MHz / Low CH / 16QAM




Band4 / 10MHz / Low CH / 64QAM







Band4 / 10MHz / Mid CH / QPSK




Band4 / 10MHz / Mid CH / 16QAM




Band4 / 10MHz / Mid CH / 64QAM



Band4 / 10MHz / High CH / QPSK



Band4 / 10MHz / High CH / 16QAM



Band4 / 10MHz / High CH / 64QAM

