



FCC PART 27  
FCC PART 22H, PART 24E  
TEST REPORT

For

**BLU Products, Inc.**

10814 NW 33rd St # 100 Doral, FL 33172, United States

**FCC ID: YHLBLUG50MEGA**

|                                                                                                                                                                                                                                                                                                                             |                                      |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------|
| <b>Report Type:</b><br>Original Report                                                                                                                                                                                                                                                                                      | <b>Product Type:</b><br>Mobile Phone |
| <b>Report Number:</b> RSZ200603001-00D                                                                                                                                                                                                                                                                                      |                                      |
| <b>Report Date:</b> 2020-07-17                                                                                                                                                                                                                                                                                              |                                      |
| Jimmy Xiao                                                                                                                                                                                                                              |                                      |
| <b>Reviewed By:</b> RF Engineer                                                                                                                                                                                                                                                                                             |                                      |
| <b>Prepared By:</b> Bay Area Compliance Laboratories Corp. (Shenzhen)<br>6/F., West Wing, Third Phase of Wanli Industrial<br>Building, Shihua Road, Futian Free Trade Zone,<br>Shenzhen, Guangdong, China<br>Tel: +86-755-33320018<br>Fax: +86-755-33320008<br><a href="http://www.baclcorp.com.cn">www.baclcorp.com.cn</a> |                                      |

**Note:** This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA\* or any agency of the Federal Government. This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “★”.

BACL is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with an asterisk “\*”. Customer model name, addresses, names, trademarks etc. are not considered data.

This report cannot be reproduced except in full, without prior written approval of the Company. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

## **TABLE OF CONTENTS**

|                                                                                                        |            |
|--------------------------------------------------------------------------------------------------------|------------|
| <b>GENERAL INFORMATION.....</b>                                                                        | <b>3</b>   |
| PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT) .....                                               | 3          |
| OBJECTIVE .....                                                                                        | 3          |
| RELATED SUBMITTAL(S)/GRANT(S).....                                                                     | 4          |
| TEST METHODOLOGY .....                                                                                 | 4          |
| MEASUREMENT UNCERTAINTY .....                                                                          | 4          |
| TEST FACILITY .....                                                                                    | 4          |
| <b>SYSTEM TEST CONFIGURATION .....</b>                                                                 | <b>5</b>   |
| DESCRIPTION OF TEST CONFIGURATION .....                                                                | 5          |
| EQUIPMENT MODIFICATIONS .....                                                                          | 5          |
| SUPPORT EQUIPMENT LIST AND DETAILS .....                                                               | 5          |
| BLOCK DIAGRAM OF TEST SETUP .....                                                                      | 5          |
| <b>SUMMARY OF TEST RESULTS .....</b>                                                                   | <b>6</b>   |
| <b>TEST EQUIPMENT LIST .....</b>                                                                       | <b>7</b>   |
| <b>FCC §1.1307(B) &amp; §2.1093 - RF EXPOSURE INFORMATION.....</b>                                     | <b>9</b>   |
| APPLICABLE STANDARD .....                                                                              | 9          |
| TEST RESULT .....                                                                                      | 9          |
| <b>FCC §2.1047 - MODULATION CHARACTERISTIC .....</b>                                                   | <b>10</b>  |
| <b>FCC § 2.1046, § 22.913 (A) &amp; § 24.232 (C); §27.50 (B) (C) (D) (H) - RF OUTPUT POWER.....</b>    | <b>11</b>  |
| APPLICABLE STANDARD .....                                                                              | 11         |
| TEST PROCEDURE .....                                                                                   | 11         |
| TEST DATA .....                                                                                        | 11         |
| <b>FCC §2.1049, §22.917, §22.905 &amp; §24.238 &amp; §27.53 - OCCUPIED BANDWIDTH .....</b>             | <b>38</b>  |
| APPLICABLE STANDARD .....                                                                              | 38         |
| TEST PROCEDURE .....                                                                                   | 38         |
| TEST DATA .....                                                                                        | 38         |
| <b>FCC §2.1051, §22.917(A) &amp; §24.238(A); §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS ....</b> | <b>73</b>  |
| APPLICABLE STANDARD .....                                                                              | 73         |
| TEST PROCEDURE .....                                                                                   | 73         |
| TEST DATA .....                                                                                        | 73         |
| <b>FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 SPURIOUS RADIATED EMISSIONS .....</b>               | <b>103</b> |
| APPLICABLE STANDARD .....                                                                              | 103        |
| TEST PROCEDURE .....                                                                                   | 103        |
| TEST DATA .....                                                                                        | 103        |
| <b>FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES .....</b>                                 | <b>107</b> |
| APPLICABLE STANDARD .....                                                                              | 107        |
| TEST PROCEDURE .....                                                                                   | 107        |
| TEST DATA .....                                                                                        | 107        |
| <b>FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY .....</b>                            | <b>163</b> |
| APPLICABLE STANDARD .....                                                                              | 163        |
| TEST PROCEDURE .....                                                                                   | 163        |
| TEST DATA .....                                                                                        | 164        |

## GENERAL INFORMATION

### Product Description for Equipment under Test (EUT)

|                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product                     | Mobile Phone                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Tested Model                | G50 MEGA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Frequency Range             | EGSM 850: 824-849 MHz(TX); 869-894 MHz(RX)<br>PCS 1900: 1850-1910 MHz(TX); 1930-1990 MHz(RX)<br>WCDMA Band 2: 1850-1910 MHz(TX); 1930-1990 MHz(RX)<br>WCDMA Band 4: 1710-1755 MHz(TX); 2110-2155 MHz(RX)<br>WCDMA Band 5: 824-849 MHz(TX); 869-894 MHz(RX)<br>LTE Band 2: 1850-1910 MHz(TX); 1930-1990 MHz(RX)<br>LTE Band 4: 1710-1755 MHz(TX); 2110-2155 MHz(RX)<br>LTE Band 5: 824-849 MHz(TX); 869-894 MHz(RX)<br>LTE Band 12: 699-716 MHz(TX); 729-746 MHz(RX)<br>LTE Band 17: 704-716 MHz(TX); 734-746 MHz(RX) |
| Maximum Target Output Power | EGSM850: 33.5dBm(GMSK)<br>PCS1900: 30.2dBm(GMSK)<br>WCDMA Band 2: 22.5dBm<br>WCDMA Band 4: 22.5dBm<br>WCDMA Band 5: 23.0dBm<br>LTE Band 2: 23.0dBm<br>LTE Band 4: 23.0dBm<br>LTE Band 5: 23.2dBm<br>LTE Band 12: 23.0dBm<br>LTE Band 17: 23.0dBm                                                                                                                                                                                                                                                                     |
| Modulation Technique        | 2G: GMSK<br>3G: BPSK, QPSK, 16QAM<br>4G: QPSK, 16QAM                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Antenna Specification       | 2G/3G/4G: FPC Antennas                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| Voltage Range               | DC 3.85V from battery or DC 5.0V from adapter                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| Date of Test                | 2020-06-09 to 2020-07-17                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| Sample serial number        | RSZ200603001-RF-S1 ( Assigned by BACL, Shenzhen)                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| Received date               | 2020-06-03                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Sample/EUT Status           | Good condition                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                       |
| Normal/Extreme Condition    | N.V.: Normal Voltage: 3.85V <sub>DC</sub><br>L.V.: Low Voltage: 3.5V <sub>DC</sub><br>H.V.: High Voltage: 4.4V <sub>DC</sub>                                                                                                                                                                                                                                                                                                                                                                                         |
| Adapter information         | Model: US-WW-2000<br>Input: AC 100-240V, 50/60Hz, 0.4A<br>Output: DC 5.0V, 2000mA                                                                                                                                                                                                                                                                                                                                                                                                                                    |

### Objective

This test report is prepared on behalf of *BLU Products, Inc.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

**Related Submittal(s)/Grant(s)**

FCC Part 15.247 DSS/DTs and Part 15B JBP submissions with FCC ID: YHLBLUG50MEGA.

**Test Methodology**

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services  
Part 24 Subpart E - Personal Communication Services  
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA-603-E.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

**Measurement Uncertainty**

| Parameter                    |            | Uncertainty |
|------------------------------|------------|-------------|
| Occupied Channel Bandwidth   |            | ±5%         |
| RF output power, conducted   |            | ±0.73dB     |
| Unwanted Emission, conducted |            | ±1.6dB      |
| Emissions,<br>Radiated       | Below 1GHz | ±4.75dB     |
|                              | Above 1GHz | ±4.88dB     |
| Temperature                  |            | ±1 °C       |
| Humidity                     |            | ±6%         |
| Supply voltages              |            | ±0.4%       |

*Note: The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval. Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.*

**Test Facility**

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

## SYSTEM TEST CONFIGURATION

### Description of Test Configuration

The EUT was configured for testing according to TIA-603-E.

The final qualification test was performed with the EUT operating at normal mode.


### Equipment Modifications

No modification was made to the EUT.

### Support Equipment List and Details

| Manufacturer    | Description                          | Model  | Serial Number         |
|-----------------|--------------------------------------|--------|-----------------------|
| Rohde & Schwarz | Wideband Radio Communication Tester  | CMW500 | 1201.002K50-116218-UY |
| Rohde & Schwarz | Universal Radio Communication Tester | CMU200 | 110605                |

### Block Diagram of Test Setup



**SUMMARY OF TEST RESULTS**

| FCC Rules                                                     | Description of Test                    | Result         |
|---------------------------------------------------------------|----------------------------------------|----------------|
| § 1.1307 , §2.1093                                            | RF Exposure (SAR)                      | Compliance*    |
| §2.1046; § 22.913 (a);<br>§ 24.232 (c); §27.50 (b (c) (d) (h) | RF Output Power                        | Compliance     |
| § 2.1047                                                      | Modulation Characteristics             | Not Applicable |
| § 2.1049; § 22.905;<br>§ 22.917; § 24.238; §27.53             | Occupied Bandwidth                     | Compliance     |
| § 2.1051; § 22.917 (a);<br>§ 24.238 (a); §27.53               | Spurious Emissions at Antenna Terminal | Compliance     |
| § 2.1053; § 22.917 (a);<br>§ 24.238 (a); §27.53               | Field Strength of Spurious Radiation   | Compliance     |
| § 22.917 (a);<br>§ 24.238 (a); §27.53(h) (m)                  | Band Edge                              | Compliance     |
| § 2.1055; § 22.355;<br>§ 24.235; §27.54;                      | Frequency stability                    | Compliance     |

Note: \* Please refer to SAR report released by BACL, report number: RSZ200603001-SA.

**TEST EQUIPMENT LIST**

| Manufacturer                  | Description       | Model           | Serial Number   | Calibration Date | Calibration Due Date |
|-------------------------------|-------------------|-----------------|-----------------|------------------|----------------------|
| <b>Radiated Emission Test</b> |                   |                 |                 |                  |                      |
| R&S                           | EMI Test Receiver | ESR3            | 102455          | 2019/7/9         | 2020/7/8             |
| Sonoma instrument             | Pre-amplifier     | 310 N           | 186238          | 2020/4/20        | 2021/4/20            |
| Sunol Sciences                | Broadband Antenna | JB1             | A040904-1       | 2017/12/22       | 2020/12/21           |
| COM-POWER                     | Dipole Antenna    | AD-100          | 721027          | NCR              | NCR                  |
| Unknow                        | Cable 2           | RF Cable 2      | F-03-EM197      | 2019/11/29       | 2020/11/28           |
| Unknow                        | Cable             | Chamber Cable 1 | F-03-EM236      | 2019/11/29       | 2020/11/28           |
| Rohde & Schwarz               | Spectrum Analyzer | FSV40-N         | 102259          | 2019/7/22        | 2020/7/21            |
| COM-POWER                     | Pre-amplifier     | PA-122          | 181919          | 2019/11/29       | 2020/11/28           |
| Quinstar                      | Amplifier         | QLW-18405536-J0 | 15964001002     | 2019/11/29       | 2020/11/28           |
| Sunol Sciences                | Horn Antenna      | DRH-118         | A052604         | 2017/12/22       | 2020/12/21           |
| A.H.System                    | Horn Antenna      | SAS-200/571     | 135             | 2018/9/1         | 2021/8/31            |
| Insulated Wire Inc.           | RF Cable          | SPS-2503-3150   | 02222010        | 2019/11/29       | 2020/11/28           |
| Unknow                        | RF Cable          | W1101-EQ1 OUT   | F-19-EM005      | 2019/11/29       | 2020/11/28           |
| MICRO-TRONICS                 | Passband filter   | HPM50111        | F-19-EM006      | 2020/4/20        | 2021/4/20            |
| Unknown                       | High Pass filter  | 1.3GHz          | 101120          | 2020/4/20        | 2021/4/20            |
| Ducommun Technologies         | Horn antenna      | ARH-4223-02     | 1007726-02 1304 | 2017/12/6        | 2020/12/5            |
| Ducommun Technologies         | Horn antenna      | ARH-4223-02     | 1007726-01 1304 | 2017/12/6        | 2020/12/5            |
| Agilent                       | Signal Generator  | N5183A          | MY51040755      | 2019/7/22        | 2020/7/21            |

| Manufacturer             | Description                          | Model      | Serial Number         | Calibration Date | Calibration Due Date |
|--------------------------|--------------------------------------|------------|-----------------------|------------------|----------------------|
| <b>RF Conducted Test</b> |                                      |            |                       |                  |                      |
| Rohde & Schwarz          | SPECTRUM ANALYZER                    | FSU26      | 200120                | 2020/3/2         | 2021/3/1             |
| WEINSCHTEL               | 3dB Attenuator                       | Unknow     | F-03-EM121            | 2019/11/29       | 2020/11/28           |
| Unknow                   | RF Cable                             | Unknow     | 2301 276              | 2019/11/29       | 2020/11/28           |
| Unknow                   | RF Cable                             | Unknow     | DLO J5/W6102          | 2019/11/29       | 2020/11/28           |
| Weinschel                | Power divider                        | 1515       | MY628                 | 2019/11/29       | 2020/11/28           |
| Rohde & Schwarz          | Universal Radio Communication Tester | CMU200     | 115500                | 2019/7/22        | 2020/7/21            |
| Rohde & Schwarz          | Wideband Radio Communication Tester  | CMW500     | 1201.002K50-146520-wh | 2019/7/9         | 2020/7/8             |
| Rohde & Schwarz          | Wideband Radio Communication Tester  | CMW500     | 1201.002K50-146520-wh | 2020/7/9         | 2021/7/8             |
| instek                   | DC Power Supply                      | GPS-3030DD | EM832096              | NCR              | NCR                  |
| ESPEC                    | Temperature & Humidity Chamber       | EL-10KA    | 9107726               | 2020/1/5         | 2021/1/5             |
| Fluke                    | Digital Multimeter                   | 287        | 19000011              | 2020/4/12        | 2021/4/12            |

\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).



---

## **FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION**

---

### **Applicable Standard**

FCC§1.1310 and §2.1093.

### **Test Result**

Compliance, please refer to the SAR report: RSZ200603001-SA.

## **FCC §2.1047 - MODULATION CHARACTERISTIC**

---

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

## FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (b) (c) (d) (h) - RF OUTPUT POWER

### Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

### Test Procedure

#### Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



#### Radiated method:

TIA-603-E section 2.2.17

### Test Data

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23~25 °C  |
| Relative Humidity: | 50~52 %   |
| ATM Pressure:      | 101.0 kPa |

The testing was performed by Gavin Guo from 2020-06-10 to 2020-06-11.

**Conducted Power****Cellular Band (Part 22H)**

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) |
|------|---------|-----------------|----------------------------|-------------|
| GSM  | 128     | 824.2           | 33.26                      | 38.45       |
|      | 190     | 836.6           | 33.25                      | 38.45       |
|      | 251     | 848.8           | 33.20                      | 38.45       |

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | Limit (dBm) |
|------|---------|-----------------|----------------------------|---------|---------|---------|-------------|
|      |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots |             |
| GPRS | 128     | 824.2           | 33.21                      | 30.82   | 28.59   | 26.47   | 38.45       |
|      | 190     | 836.6           | 33.12                      | 30.72   | 28.47   | 26.38   | 38.45       |
|      | 251     | 848.8           | 33.06                      | 30.61   | 28.40   | 26.38   | 38.45       |

| Mode           | Test Condition | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |                  |                |
|----------------|----------------|-----------|---------------|----------------------------|------------------|----------------|
|                |                |           |               | Low Frequency              | Middle Frequency | High Frequency |
| WCDMA (Band V) | Normal         | RMC12.2k  |               | 22.50                      | 22.59            | 22.50          |
|                |                | HSDPA     | 1             | 22.17                      | 22.21            | 22.11          |
|                |                |           | 2             | 20.92                      | 21.41            | 20.99          |
|                |                |           | 3             | 21.32                      | 21.20            | 21.06          |
|                |                |           | 4             | 21.37                      | 21.04            | 21.09          |
|                |                | HSUPA     | 1             | 22.15                      | 22.51            | 22.13          |
|                |                |           | 2             | 21.39                      | 21.39            | 20.71          |
|                |                |           | 3             | 21.15                      | 21.16            | 21.12          |
|                |                |           | 4             | 21.53                      | 21.27            | 21.24          |
|                |                |           | 5             | 21.25                      | 21.53            | 21.04          |

**PCS Band (Part 24E)**

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) | Limit (dBm) |
|------|---------|-----------------|----------------------------|-------------|
| GSM  | 512     | 1850.2          | 29.96                      | 33          |
|      | 661     | 1880.0          | 29.90                      | 33          |
|      | 810     | 1909.8          | 29.49                      | 33          |

| Mode | Channel | Frequency (MHz) | Average Output Power (dBm) |         |         |         | Limit (dBm) |
|------|---------|-----------------|----------------------------|---------|---------|---------|-------------|
|      |         |                 | 1 slot                     | 2 slots | 3 slots | 4 slots |             |
| GPRS | 512     | 1850.2          | 29.99                      | 27.14   | 25.07   | 22.64   | 33          |
|      | 661     | 1880.0          | 29.92                      | 27.03   | 24.92   | 22.64   | 33          |
|      | 810     | 1909.8          | 29.54                      | 26.89   | 24.83   | 22.47   | 33          |

| Mode            | Test Condition | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |                  |                |
|-----------------|----------------|-----------|---------------|----------------------------|------------------|----------------|
|                 |                |           |               | Low Frequency              | Middle Frequency | High Frequency |
| WCDMA (Band II) | Normal         | RMC12.2k  |               | 22.40                      | 22.21            | 22.30          |
|                 |                | HSDPA     | 1             | 21.83                      | 21.23            | 20.96          |
|                 |                |           | 2             | 21.53                      | 21.75            | 21.41          |
|                 |                |           | 3             | 21.36                      | 21.83            | 21.45          |
|                 |                |           | 4             | 21.63                      | 21.85            | 21.52          |
|                 |                | HSUPA     | 1             | 21.85                      | 21.17            | 20.92          |
|                 |                |           | 2             | 21.21                      | 21.36            | 21.19          |
|                 |                |           | 3             | 21.24                      | 21.41            | 21.22          |
|                 |                |           | 4             | 21.34                      | 21.44            | 21.30          |
|                 |                |           | 5             | 21.37                      | 21.50            | 21.34          |

**AWS Band (Part 27)**

| Mode            | Test Condition | Test Mode | 3GPP Sub Test | Average Output Power (dBm) |                  |                |
|-----------------|----------------|-----------|---------------|----------------------------|------------------|----------------|
|                 |                |           |               | Low Frequency              | Middle Frequency | High Frequency |
| WCDMA (Band IV) | Normal         | RMC12.2k  |               | 22.15                      | 22.16            | 22.08          |
|                 |                | HSDPA     | 1             | 21.57                      | 21.20            | 21.40          |
|                 |                |           | 2             | 21.38                      | 21.13            | 21.08          |
|                 |                |           | 3             | 21.06                      | 20.83            | 21.08          |
|                 |                |           | 4             | 21.90                      | 21.59            | 21.45          |
|                 |                | HSUPA     | 1             | 21.68                      | 21.18            | 21.40          |
|                 |                |           | 2             | 21.56                      | 21.31            | 20.85          |
|                 |                |           | 3             | 21.87                      | 21.26            | 21.19          |
|                 |                |           | 4             | 21.69                      | 21.30            | 21.30          |
|                 |                |           | 5             | 21.60                      | 21.65            | 21.44          |

**Peak-to-average ratio (PAR)****Cellular Band**

| Mode | Channel | PAR (dB) | Limit (dB) |
|------|---------|----------|------------|
| GSM  | Low     | 1.29     | 13         |
|      | Middle  | 1.33     | 13         |
|      | High    | 1.25     | 13         |

| Mode             | Channel | PAR (dB) | Limit (dB) |
|------------------|---------|----------|------------|
| RMC<br>(BPSK)    | Low     | 2.96     | 13         |
|                  | Middle  | 3.13     | 13         |
|                  | High    | 3.46     | 13         |
| HSDPA<br>(16QAM) | Low     | 3.22     | 13         |
|                  | Middle  | 3.16     | 13         |
|                  | High    | 3.15     | 13         |
| HSUPA<br>(BPSK)  | Low     | 3.08     | 13         |
|                  | Middle  | 2.86     | 13         |
|                  | High    | 2.93     | 13         |

**PCS Band**

| Mode | Channel | PAR (dB) | Limit (dB) |
|------|---------|----------|------------|
| GSM  | Low     | 1.46     | 13         |
|      | Middle  | 1.42     | 13         |
|      | High    | 1.40     | 13         |

| Mode             | Channel | PAR (dB) | Limit (dB) |
|------------------|---------|----------|------------|
| RMC<br>(BPSK)    | Low     | 2.93     | 13         |
|                  | Middle  | 3.33     | 13         |
|                  | High    | 3.13     | 13         |
| HSDPA<br>(16QAM) | Low     | 3.85     | 13         |
|                  | Middle  | 3.24     | 13         |
|                  | High    | 3.42     | 13         |
| HSUPA<br>(BPSK)  | Low     | 3.54     | 13         |
|                  | Middle  | 3.88     | 13         |
|                  | High    | 3.68     | 13         |

**AWS Band**

| <b>Mode</b>      | <b>Channel</b> | <b>PAR<br/>(dB)</b> | <b>Limit<br/>(dB)</b> |
|------------------|----------------|---------------------|-----------------------|
| RMC<br>(BPSK)    | Low            | 2.90                | 13                    |
|                  | Middle         | 3.38                | 13                    |
|                  | High           | 2.81                | 13                    |
| HSDPA<br>(16QAM) | Low            | 3.30                | 13                    |
|                  | Middle         | 3.19                | 13                    |
|                  | High           | 3.50                | 13                    |
| HSUPA<br>(BPSK)  | Low            | 2.82                | 13                    |
|                  | Middle         | 3.03                | 13                    |
|                  | High           | 3.26                | 13                    |



**Radiated Power  
GSM Mode:**

| Frequency<br>(MHz)                               | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|--------------------------------------------------|-------------------------------|------------------------------|---------------|----------------|----------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                                  |                               |                              | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| ERP for Cellular Band (Part 22H), Middle Channel |                               |                              |               |                |                |                       |                              |                            |                |                |
| 836.6                                            | 83.76                         | 58                           | 1.4           | H              | 24.4           | 1.90                  | 0.0                          | 22.50                      | 38.45          | 15.95          |
| 836.6                                            | 92.23                         | 266                          | 1.2           | V              | 32.2           | 1.90                  | 0.0                          | 30.30                      | 38.45          | 8.15           |
| EIRP for PCS Band (Part 24E), Middle Channel     |                               |                              |               |                |                |                       |                              |                            |                |                |
| 1880.00                                          | 90.77                         | 175                          | 1.0           | H              | 21.1           | 1.30                  | 9.40                         | 29.20                      | 33             | 3.80           |
| 1880.00                                          | 83.13                         | 254                          | 1.9           | V              | 13.2           | 1.30                  | 9.40                         | 21.30                      | 33             | 11.70          |

**WCDMA Mode:**

| Frequency<br>(MHz)                                | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                              | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) | Margin<br>(dB) |
|---------------------------------------------------|-------------------------------|------------------------------|---------------|----------------|----------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                                   |                               |                              | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            |                |                |
| ERP for WCDMA Band V (Part 22H), Middle Channel   |                               |                              |               |                |                |                       |                              |                            |                |                |
| 836.6                                             | 76.97                         | 89                           | 2.5           | H              | 17.6           | 1.90                  | 0.0                          | 15.70                      | 38.45          | 22.75          |
| 836.6                                             | 82.85                         | 291                          | 1.6           | V              | 22.9           | 1.90                  | 0.0                          | 21.00                      | 38.45          | 17.45          |
| EIRP for WCDMA Band II (Part 24E), Middle Channel |                               |                              |               |                |                |                       |                              |                            |                |                |
| 1880.00                                           | 82.66                         | 154                          | 2.3           | H              | 13.0           | 1.30                  | 9.40                         | 21.10                      | 33             | 11.90          |
| 1880.00                                           | 76.58                         | 342                          | 2.0           | V              | 6.7            | 1.30                  | 9.40                         | 14.80                      | 33             | 18.20          |
| EIRP for WCDMA Band IV (Part 27), Middle Channel  |                               |                              |               |                |                |                       |                              |                            |                |                |
| 1732.60                                           | 87.43                         | 36                           | 1.5           | H              | 14.1           | 1.30                  | 8.90                         | 21.70                      | 30             | 8.30           |
| 1732.60                                           | 82.97                         | 45                           | 2.3           | V              | 10.2           | 1.30                  | 8.90                         | 17.80                      | 30             | 12.20          |

**Note:**

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit - Absolute Level

dBd is for the ERP, dBi is for EIRP.

**LTE Band 2:****Maximum Output Power**

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 1.4             | QPSK       | RB1#0             | 22.41             | 22.53                | 22.63              |
|                 |            | RB1#3             | 22.45             | 22.57                | 22.64              |
|                 |            | RB1#5             | 22.39             | 22.60                | 22.61              |
|                 |            | RB3#0             | 22.53             | 22.69                | 22.70              |
|                 |            | RB3#3             | 22.56             | 22.70                | 22.70              |
|                 |            | RB6#0             | 21.52             | 21.59                | 21.55              |
|                 | 16QAM      | RB1#0             | 22.32             | 21.42                | 22.31              |
|                 |            | RB1#3             | 22.27             | 21.46                | 22.35              |
|                 |            | RB1#5             | 22.30             | 21.51                | 22.32              |
|                 |            | RB3#0             | 21.48             | 21.91                | 21.74              |
|                 |            | RB3#3             | 21.39             | 21.92                | 21.79              |
|                 |            | RB6#0             | 20.65             | 20.81                | 20.89              |
| 3.0             | QPSK       | RB1#0             | 22.47             | 22.49                | 22.60              |
|                 |            | RB1#8             | 22.42             | 22.58                | 22.57              |
|                 |            | RB1#14            | 22.34             | 22.57                | 22.60              |
|                 |            | RB6#0             | 21.50             | 21.67                | 21.65              |
|                 |            | RB6#9             | 21.45             | 21.69                | 21.73              |
|                 |            | RB15#0            | 21.57             | 21.60                | 21.72              |
|                 | 16QAM      | RB1#0             | 21.98             | 22.16                | 21.46              |
|                 |            | RB1#8             | 21.94             | 22.22                | 21.44              |
|                 |            | RB1#14            | 21.92             | 22.21                | 21.46              |
|                 |            | RB6#0             | 20.58             | 20.88                | 21.06              |
|                 |            | RB6#9             | 20.59             | 20.92                | 20.95              |
|                 |            | RB15#0            | 20.74             | 20.66                | 20.80              |

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 5.0             | QPSK       | RB1#0             | 22.41             | 22.64                | 22.70              |
|                 |            | RB1#13            | 22.35             | 22.77                | 22.56              |
|                 |            | RB1#24            | 22.40             | 22.83                | 22.51              |
|                 |            | RB15#0            | 21.48             | 21.64                | 21.71              |
|                 |            | RB15#10           | 21.54             | 21.66                | 21.67              |
|                 |            | RB25#0            | 21.37             | 21.61                | 21.65              |
|                 | 16QAM      | RB1#0             | 20.73             | 21.89                | 21.39              |
|                 |            | RB1#13            | 20.67             | 21.83                | 21.40              |
|                 |            | RB1#24            | 20.70             | 21.90                | 21.37              |
|                 |            | RB15#0            | 20.64             | 20.58                | 20.86              |
|                 |            | RB15#10           | 20.67             | 20.63                | 20.83              |
|                 |            | RB25#0            | 20.74             | 20.70                | 20.70              |
| 10.0            | QPSK       | RB1#0             | 22.48             | 22.67                | 22.67              |
|                 |            | RB1#25            | 22.44             | 22.64                | 22.69              |
|                 |            | RB1#49            | 22.47             | 22.73                | 22.58              |
|                 |            | RB25#0            | 21.55             | 21.55                | 21.73              |
|                 |            | RB25#25           | 21.51             | 21.72                | 21.73              |
|                 |            | RB50#0            | 21.59             | 21.58                | 21.63              |
|                 | 16QAM      | RB1#0             | 22.01             | 21.81                | 21.22              |
|                 |            | RB1#25            | 21.87             | 21.74                | 21.22              |
|                 |            | RB1#49            | 21.97             | 21.85                | 21.17              |
|                 |            | RB25#0            | 20.71             | 20.86                | 20.92              |
|                 |            | RB25#25           | 20.74             | 20.89                | 20.93              |
|                 |            | RB50#0            | 20.67             | 20.74                | 20.85              |

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 15.0            | QPSK       | RB1#0             | 22.47             | 22.53                | 22.65              |
|                 |            | RB1#38            | 22.47             | 22.61                | 22.66              |
|                 |            | RB1#74            | 22.53             | 22.62                | 22.59              |
|                 |            | RB36#0            | 21.62             | 21.69                | 21.75              |
|                 |            | RB36#39           | 21.51             | 21.60                | 21.76              |
|                 |            | RB75#0            | 21.58             | 21.60                | 21.69              |
|                 | 16QAM      | RB1#0             | 21.94             | 21.93                | 22.17              |
|                 |            | RB1#38            | 22.00             | 21.99                | 22.16              |
|                 |            | RB1#74            | 22.01             | 22.04                | 22.17              |
|                 |            | RB36#0            | 20.71             | 20.79                | 20.93              |
|                 |            | RB36#39           | 20.67             | 20.88                | 20.83              |
|                 |            | RB75#0            | 20.68             | 20.72                | 20.91              |
| 20.0            | QPSK       | RB1#0             | 22.55             | 22.62                | 22.76              |
|                 |            | RB1#50            | 22.58             | 22.62                | 22.74              |
|                 |            | RB1#99            | 22.78             | 22.72                | 22.81              |
|                 |            | RB50#0            | 21.54             | 21.60                | 21.74              |
|                 |            | RB50#50           | 21.62             | 21.71                | 21.71              |
|                 |            | RB100#0           | 21.53             | 21.63                | 21.71              |
|                 | 16QAM      | RB1#0             | 21.78             | 21.63                | 22.47              |
|                 |            | RB1#50            | 21.70             | 21.66                | 22.48              |
|                 |            | RB1#99            | 21.87             | 21.73                | 22.44              |
|                 |            | RB50#0            | 20.71             | 20.83                | 20.89              |
|                 |            | RB50#50           | 20.76             | 20.85                | 20.77              |
|                 |            | RB100#0           | 20.67             | 20.73                | 20.96              |

**Peak-to-average ratio (PAR)****20MHz bandwidth**

| Modulation         | Middle Channel (dB) | PAR Limit (dB) | Result |
|--------------------|---------------------|----------------|--------|
| QPSK (1RB Size)    | 4.49                | 13             | Pass   |
| QPSK (100RB Size)  | 5.51                | 13             | Pass   |
| 16QAM (1RB Size)   | 5.61                | 13             | Pass   |
| 16QAM (100RB Size) | 6.31                | 13             | Pass   |

**QPSK:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 82.16                         | 42                               | 2.1           | H              | 12.5           | 1.30                  | 9.40                     | 20.60                      | 33             |
| 1880.00            | 75.57                         | 219                              | 1.3           | V              | 5.7            | 1.30                  | 9.40                     | 13.80                      | 33             |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 82.07                         | 114                              | 1.7           | H              | 12.4           | 1.30                  | 9.40                     | 20.50                      | 33             |
| 1880.00            | 75.01                         | 56                               | 1.1           | V              | 5.1            | 1.30                  | 9.40                     | 13.20                      | 33             |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 81.67                         | 80                               | 2.1           | H              | 12.0           | 1.30                  | 9.40                     | 20.10                      | 33             |
| 1880.00            | 74.27                         | 164                              | 2.4           | V              | 4.4            | 1.30                  | 9.40                     | 12.50                      | 33             |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 81.45                         | 146                              | 2.4           | H              | 11.8           | 1.30                  | 9.40                     | 19.90                      | 33             |
| 1880.00            | 74.25                         | 312                              | 1.3           | V              | 4.3            | 1.30                  | 9.40                     | 12.40                      | 33             |
| 15 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 80.65                         | 0                                | 2.2           | H              | 11.0           | 1.30                  | 9.40                     | 19.10                      | 33             |
| 1880.00            | 74.19                         | 211                              | 1.7           | V              | 4.3            | 1.30                  | 9.40                     | 12.40                      | 33             |
| 20 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 80.60                         | 47                               | 2.3           | H              | 10.9           | 1.30                  | 9.40                     | 19.00                      | 33             |
| 1880.00            | 74.14                         | 250                              | 1.1           | V              | 4.2            | 1.30                  | 9.40                     | 12.30                      | 33             |

**16QAM:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 81.94                         | 290                              | 1.6           | H              | 12.3           | 1.30                  | 9.40                     | 20.40                      | 33             |
| 1880.00            | 75.53                         | 287                              | 2.1           | V              | 5.6            | 1.30                  | 9.40                     | 13.70                      | 33             |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 81.88                         | 93                               | 2.2           | H              | 12.2           | 1.30                  | 9.40                     | 20.30                      | 33             |
| 1880.00            | 75.41                         | 357                              | 2.4           | V              | 5.5            | 1.30                  | 9.40                     | 13.60                      | 33             |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 81.41                         | 129                              | 2.5           | H              | 11.7           | 1.30                  | 9.40                     | 19.80                      | 33             |
| 1880.00            | 75.30                         | 218                              | 1.6           | V              | 5.4            | 1.30                  | 9.40                     | 13.50                      | 33             |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 80.75                         | 23                               | 1.3           | H              | 11.1           | 1.30                  | 9.40                     | 19.20                      | 33             |
| 1880.00            | 75.25                         | 162                              | 1.4           | V              | 5.3            | 1.30                  | 9.40                     | 13.40                      | 33             |
| 15 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 80.74                         | 37                               | 2.2           | H              | 11.1           | 1.30                  | 9.40                     | 19.20                      | 33             |
| 1880.00            | 75.17                         | 278                              | 1.8           | V              | 5.3            | 1.30                  | 9.40                     | 13.40                      | 33             |
| 20 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1880.00            | 80.69                         | 60                               | 2.2           | H              | 11.0           | 1.30                  | 9.40                     | 19.10                      | 33             |
| 1880.00            | 75.12                         | 31                               | 2.0           | V              | 5.2            | 1.30                  | 9.40                     | 13.30                      | 33             |

**LTE Band 4:****Maximum Output Power**

| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>RB size/RB Offset</b> | <b>Low<br/>Channel<br/>(dBm)</b> | <b>Middle<br/>Channel<br/>(dBm)</b> | <b>High<br/>Channel<br/>(dBm)</b> |
|----------------------------|-------------------|--------------------------|----------------------------------|-------------------------------------|-----------------------------------|
| 1.4                        | QPSK              | RB1#0                    | 22.31                            | 22.32                               | 22.39                             |
|                            |                   | RB1#3                    | 22.34                            | 22.29                               | 22.37                             |
|                            |                   | RB1#5                    | 22.31                            | 22.37                               | 22.46                             |
|                            |                   | RB3#0                    | 22.37                            | 22.44                               | 22.28                             |
|                            |                   | RB3#3                    | 22.40                            | 22.39                               | 22.37                             |
|                            |                   | RB6#0                    | 21.25                            | 21.48                               | 21.30                             |
|                            | 16QAM             | RB1#0                    | 22.07                            | 22.20                               | 21.39                             |
|                            |                   | RB1#3                    | 22.07                            | 22.21                               | 21.39                             |
|                            |                   | RB1#5                    | 22.08                            | 22.20                               | 21.40                             |
|                            |                   | RB3#0                    | 21.47                            | 21.30                               | 21.34                             |
|                            |                   | RB3#3                    | 21.52                            | 21.38                               | 21.31                             |
|                            |                   | RB6#0                    | 20.69                            | 20.61                               | 20.71                             |
| 3.0                        | QPSK              | RB1#0                    | 22.25                            | 22.41                               | 22.53                             |
|                            |                   | RB1#8                    | 22.21                            | 22.36                               | 22.47                             |
|                            |                   | RB1#14                   | 22.21                            | 22.41                               | 22.44                             |
|                            |                   | RB6#0                    | 21.32                            | 21.48                               | 21.33                             |
|                            |                   | RB6#9                    | 21.23                            | 21.51                               | 21.29                             |
|                            |                   | RB15#0                   | 21.42                            | 21.40                               | 21.33                             |
|                            | 16QAM             | RB1#0                    | 21.83                            | 22.23                               | 21.40                             |
|                            |                   | RB1#8                    | 21.78                            | 22.21                               | 21.41                             |
|                            |                   | RB1#14                   | 21.77                            | 22.23                               | 21.48                             |
|                            |                   | RB6#0                    | 20.40                            | 20.68                               | 20.71                             |
|                            |                   | RB6#9                    | 20.39                            | 20.61                               | 20.70                             |
|                            |                   | RB15#0                   | 20.60                            | 20.51                               | 20.54                             |

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 5.0             | QPSK       | RB1#0             | 22.28             | 22.49                | 22.17              |
|                 |            | RB1#13            | 22.30             | 22.53                | 22.10              |
|                 |            | RB1#24            | 22.28             | 22.58                | 22.08              |
|                 |            | RB15#0            | 21.41             | 21.37                | 21.43              |
|                 |            | RB15#10           | 21.30             | 21.23                | 21.40              |
|                 |            | RB25#0            | 21.40             | 21.36                | 21.37              |
|                 | 16QAM      | RB1#0             | 20.53             | 21.66                | 20.95              |
|                 |            | RB1#13            | 20.61             | 21.60                | 20.91              |
|                 |            | RB1#24            | 20.61             | 21.54                | 20.97              |
|                 |            | RB15#0            | 20.66             | 20.47                | 20.51              |
|                 |            | RB15#10           | 20.58             | 20.40                | 20.48              |
|                 |            | RB25#0            | 20.56             | 20.55                | 20.33              |
| 10.0            | QPSK       | RB1#0             | 22.22             | 22.35                | 22.45              |
|                 |            | RB1#25            | 22.26             | 22.45                | 22.57              |
|                 |            | RB1#49            | 22.25             | 22.43                | 22.48              |
|                 |            | RB25#0            | 21.27             | 21.35                | 21.25              |
|                 |            | RB25#25           | 21.29             | 21.40                | 21.35              |
|                 |            | RB50#0            | 21.38             | 21.38                | 21.37              |
|                 | 16QAM      | RB1#0             | 21.56             | 21.55                | 20.88              |
|                 |            | RB1#25            | 21.57             | 21.54                | 20.93              |
|                 |            | RB1#49            | 21.56             | 21.57                | 20.87              |
|                 |            | RB25#0            | 20.53             | 20.63                | 20.57              |
|                 |            | RB25#25           | 20.49             | 20.60                | 20.55              |
|                 |            | RB50#0            | 20.51             | 20.57                | 20.49              |



| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 15.0            | QPSK       | RB1#0             | 22.23             | 22.35                | 22.52              |
|                 |            | RB1#38            | 22.15             | 22.42                | 22.51              |
|                 |            | RB1#74            | 22.31             | 22.47                | 22.41              |
|                 |            | RB36#0            | 21.24             | 21.31                | 21.44              |
|                 |            | RB36#39           | 21.34             | 21.42                | 21.30              |
|                 |            | RB75#0            | 21.28             | 21.46                | 21.34              |
|                 | 16QAM      | RB1#0             | 21.52             | 21.60                | 21.74              |
|                 |            | RB1#38            | 21.51             | 21.53                | 21.75              |
|                 |            | RB1#74            | 21.62             | 21.65                | 21.72              |
|                 |            | RB36#0            | 20.54             | 20.59                | 20.51              |
|                 |            | RB36#39           | 20.60             | 20.60                | 20.56              |
|                 |            | RB75#0            | 20.45             | 20.57                | 20.43              |
| 20.0            | QPSK       | RB1#0             | 22.53             | 22.31                | 22.53              |
|                 |            | RB1#50            | 22.47             | 22.34                | 22.41              |
|                 |            | RB1#99            | 22.60             | 22.41                | 22.50              |
|                 |            | RB50#0            | 21.24             | 21.32                | 21.33              |
|                 |            | RB50#50           | 21.33             | 21.46                | 21.45              |
|                 |            | RB100#0           | 21.28             | 21.45                | 21.32              |
|                 | 16QAM      | RB1#0             | 21.36             | 22.01                | 22.07              |
|                 |            | RB1#50            | 21.25             | 21.90                | 22.06              |
|                 |            | RB1#99            | 21.40             | 21.85                | 22.03              |
|                 |            | RB50#0            | 20.50             | 20.63                | 20.42              |
|                 |            | RB50#50           | 20.58             | 20.60                | 20.47              |
|                 |            | RB100#0           | 20.45             | 20.60                | 20.61              |

**Peak-to-average ratio (PAR)****20MHz bandwidth**

| Modulation         | Middle Channel (dB) | PAR Limit (dB) | Result |
|--------------------|---------------------|----------------|--------|
| QPSK (1RB Size)    | 4.23                | 13             | Pass   |
| QPSK (100RB Size)  | 5.48                | 13             | Pass   |
| 16QAM (1RB Size)   | 5.29                | 13             | Pass   |
| 16QAM (100RB Size) | 6.31                | 13             | Pass   |

**QPSK:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 85.37                         | 208                              | 1.0           | H              | 13.0           | 1.30                  | 8.90                     | 20.60                      | 30             |
| 1732.50            | 84.79                         | 257                              | 1.1           | V              | 12.1           | 1.30                  | 8.90                     | 19.70                      | 30             |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 85.37                         | 208                              | 1.0           | H              | 13.0           | 1.30                  | 8.90                     | 20.60                      | 30             |
| 1732.50            | 84.79                         | 257                              | 1.1           | V              | 12.1           | 1.30                  | 8.90                     | 19.70                      | 30             |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.25                         | 55                               | 1.2           | H              | 12.9           | 1.30                  | 8.90                     | 20.50                      | 30             |
| 1732.50            | 84.37                         | 149                              | 1.8           | V              | 11.6           | 1.30                  | 8.90                     | 19.20                      | 30             |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.15                         | 236                              | 1.8           | H              | 12.8           | 1.30                  | 8.90                     | 20.40                      | 30             |
| 1732.50            | 84.15                         | 333                              | 1.2           | V              | 11.4           | 1.30                  | 8.90                     | 19.00                      | 30             |
| 15 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 85.94                         | 94                               | 1.3           | H              | 12.6           | 1.30                  | 8.90                     | 20.20                      | 30             |
| 1732.50            | 84.14                         | 116                              | 1.8           | V              | 11.4           | 1.30                  | 8.90                     | 19.00                      | 30             |
| 20 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.11                         | 46                               | 1.1           | H              | 12.8           | 1.30                  | 8.90                     | 20.40                      | 30             |
| 1732.50            | 85.73                         | 1                                | 1.5           | V              | 12.0           | 1.30                  | 8.90                     | 19.60                      | 30             |

**16QAM:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.74                         | 9                                | 1.6           | H              | 14.0           | 1.30                  | 8.90                     | 21.60                      | 30             |
| 1732.50            | 86.63                         | 82                               | 1.2           | V              | 13.3           | 1.30                  | 8.90                     | 20.90                      | 30             |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.63                         | 305                              | 2.0           | H              | 13.9           | 1.30                  | 8.90                     | 21.50                      | 30             |
| 1732.50            | 86.24                         | 155                              | 1.8           | V              | 12.9           | 1.30                  | 8.90                     | 20.50                      | 30             |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.07                         | 327                              | 1.2           | H              | 13.3           | 1.30                  | 8.90                     | 20.90                      | 30             |
| 1732.50            | 85.60                         | 204                              | 1.4           | V              | 12.3           | 1.30                  | 8.90                     | 19.90                      | 30             |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.02                         | 29                               | 1.3           | H              | 13.3           | 1.30                  | 8.90                     | 20.90                      | 30             |
| 1732.50            | 85.30                         | 327                              | 2.5           | V              | 12.0           | 1.30                  | 8.90                     | 19.60                      | 30             |
| 15 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 86.00                         | 214                              | 1.4           | H              | 13.3           | 1.30                  | 8.90                     | 20.90                      | 30             |
| 1732.50            | 85.25                         | 225                              | 2.1           | V              | 11.9           | 1.30                  | 8.90                     | 19.50                      | 30             |
| 20 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 1732.50            | 85.98                         | 139                              | 1.9           | H              | 13.3           | 1.30                  | 8.90                     | 20.90                      | 30             |
| 1732.50            | 85.18                         | 333                              | 2.3           | V              | 11.9           | 1.30                  | 8.90                     | 19.50                      | 30             |

**LTE Band 5:****Maximum Output Power**

| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>RB size/RB Offset</b> | <b>Low<br/>Channel<br/>(dBm)</b> | <b>Middle<br/>Channel<br/>(dBm)</b> | <b>High<br/>Channel<br/>(dBm)</b> |
|----------------------------|-------------------|--------------------------|----------------------------------|-------------------------------------|-----------------------------------|
| 1.4                        | QPSK              | RB1#0                    | 22.56                            | 22.63                               | 22.69                             |
|                            |                   | RB1#3                    | 22.55                            | 22.62                               | 22.57                             |
|                            |                   | RB1#5                    | 22.50                            | 22.70                               | 22.69                             |
|                            |                   | RB3#0                    | 22.57                            | 22.85                               | 22.77                             |
|                            |                   | RB3#3                    | 22.56                            | 22.77                               | 22.64                             |
|                            |                   | RB6#0                    | 21.54                            | 21.85                               | 21.60                             |
|                            | 16QAM             | RB1#0                    | 22.04                            | 22.31                               | 21.46                             |
|                            |                   | RB1#3                    | 22.05                            | 22.42                               | 21.49                             |
|                            |                   | RB1#5                    | 22.07                            | 22.43                               | 21.45                             |
|                            |                   | RB3#0                    | 21.71                            | 21.68                               | 21.81                             |
|                            |                   | RB3#3                    | 21.72                            | 21.70                               | 21.75                             |
|                            |                   | RB6#0                    | 21.02                            | 20.87                               | 20.89                             |
| 3.0                        | QPSK              | RB1#0                    | 22.50                            | 22.69                               | 22.68                             |
|                            |                   | RB1#8                    | 22.48                            | 22.64                               | 22.65                             |
|                            |                   | RB1#14                   | 22.50                            | 22.65                               | 22.68                             |
|                            |                   | RB6#0                    | 21.59                            | 21.69                               | 21.67                             |
|                            |                   | RB6#9                    | 21.69                            | 21.78                               | 21.54                             |
|                            |                   | RB15#0                   | 21.50                            | 21.71                               | 21.52                             |
|                            | 16QAM             | RB1#0                    | 21.93                            | 22.28                               | 21.34                             |
|                            |                   | RB1#8                    | 21.86                            | 22.40                               | 21.30                             |
|                            |                   | RB1#14                   | 21.95                            | 22.46                               | 21.30                             |
|                            |                   | RB6#0                    | 20.77                            | 20.80                               | 20.82                             |
|                            |                   | RB6#9                    | 20.68                            | 20.89                               | 20.88                             |
|                            |                   | RB15#0                   | 20.75                            | 20.86                               | 20.55                             |

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 5.0             | QPSK       | RB1#0             | 22.58             | 22.82                | 22.62              |
|                 |            | RB1#13            | 22.63             | 22.81                | 22.66              |
|                 |            | RB1#24            | 22.59             | 22.75                | 22.62              |
|                 |            | RB15#0            | 21.70             | 21.75                | 21.71              |
|                 |            | RB15#10           | 21.67             | 21.70                | 21.76              |
|                 |            | RB25#0            | 21.66             | 21.84                | 21.70              |
|                 | 16QAM      | RB1#0             | 20.74             | 21.84                | 21.31              |
|                 |            | RB1#13            | 20.83             | 21.95                | 21.33              |
|                 |            | RB1#24            | 20.75             | 21.82                | 21.32              |
|                 |            | RB15#0            | 20.90             | 20.75                | 20.72              |
|                 |            | RB15#10           | 20.76             | 20.75                | 20.68              |
|                 |            | RB25#0            | 20.77             | 20.89                | 20.58              |
| 10.0            | QPSK       | RB1#0             | 22.53             | 22.83                | 22.68              |
|                 |            | RB1#25            | 22.58             | 22.88                | 22.66              |
|                 |            | RB1#49            | 22.63             | 22.80                | 22.65              |
|                 |            | RB25#0            | 21.67             | 21.75                | 21.66              |
|                 |            | RB25#25           | 21.76             | 21.77                | 21.57              |
|                 |            | RB50#0            | 21.69             | 21.90                | 21.63              |
|                 | 16QAM      | RB1#0             | 21.81             | 21.89                | 21.13              |
|                 |            | RB1#25            | 21.76             | 21.92                | 21.18              |
|                 |            | RB1#49            | 21.76             | 21.83                | 21.15              |
|                 |            | RB25#0            | 20.76             | 20.89                | 20.84              |
|                 |            | RB25#25           | 20.83             | 20.82                | 20.75              |
|                 |            | RB50#0            | 20.75             | 20.98                | 20.88              |

**Peak-to-average ratio (PAR)****10MHz bandwidth**

| Modulation        | Middle Channel (dB) | PAR Limit (dB) | Result |
|-------------------|---------------------|----------------|--------|
| QPSK (1RB Size)   | 4.94                | 13             | Pass   |
| QPSK (50RB Size)  | 5.42                | 13             | Pass   |
| 16QAM (1RB Size)  | 6.31                | 13             | Pass   |
| 16QAM (50RB Size) | 6.15                | 13             | Pass   |

**QPSK:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 83.33                         | 315                              | 1.7           | H              | 23.3           | 1.90                  | 0.0                      | 21.40                      | 38.45          |
| 836.5              | 83.35                         | 61                               | 1.7           | V              | 24.0           | 1.90                  | 0.0                      | 22.10                      | 38.45          |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 83.05                         | 29                               | 1.5           | H              | 23.1           | 1.90                  | 0.0                      | 21.20                      | 38.45          |
| 836.5              | 83.15                         | 94                               | 1.8           | V              | 23.8           | 1.90                  | 0.0                      | 21.90                      | 38.45          |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 82.83                         | 254                              | 1.8           | H              | 22.8           | 1.90                  | 0.0                      | 20.90                      | 38.45          |
| 836.5              | 82.86                         | 111                              | 2.1           | V              | 23.5           | 1.90                  | 0.0                      | 21.60                      | 38.45          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 82.54                         | 44                               | 1.3           | H              | 22.5           | 1.90                  | 0.0                      | 20.60                      | 38.45          |
| 836.5              | 82.41                         | 275                              | 1.5           | V              | 23.0           | 1.90                  | 0.0                      | 21.10                      | 38.45          |

**16QAM:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 82.27                         | 144                              | 2.2           | H              | 22.3           | 1.90                  | 0.0                      | 20.40                      | 38.45          |
| 836.5              | 83.29                         | 168                              | 1.9           | V              | 23.9           | 1.90                  | 0.0                      | 22.00                      | 38.45          |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 83.08                         | 19                               | 1.3           | H              | 23.7           | 1.90                  | 0.0                      | 21.80                      | 38.45          |
| 836.5              | 83.96                         | 253                              | 1.2           | V              | 24.0           | 1.90                  | 0.0                      | 22.10                      | 38.45          |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 82.48                         | 53                               | 2.3           | H              | 23.1           | 1.90                  | 0.0                      | 21.20                      | 38.45          |
| 836.5              | 84.62                         | 169                              | 1.5           | V              | 24.6           | 1.90                  | 0.0                      | 22.70                      | 38.45          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 836.5              | 82.38                         | 113                              | 1.5           | H              | 23.0           | 1.90                  | 0.0                      | 21.10                      | 38.45          |
| 836.5              | 84.5                          | 228                              | 2.0           | V              | 24.5           | 1.90                  | 0.0                      | 22.60                      | 38.45          |

**LTE Band 12:****Maximum Output Power**

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 1.4             | QPSK       | RB1#0             | 22.36             | 22.28                | 22.36              |
|                 |            | RB1#3             | 22.42             | 22.25                | 22.33              |
|                 |            | RB1#5             | 22.44             | 22.27                | 22.32              |
|                 |            | RB3#0             | 22.37             | 22.43                | 22.35              |
|                 |            | RB3#3             | 22.31             | 22.41                | 22.40              |
|                 |            | RB6#0             | 21.51             | 21.35                | 21.34              |
|                 | 16QAM      | RB1#0             | 21.96             | 22.15                | 20.98              |
|                 |            | RB1#3             | 21.94             | 21.95                | 20.96              |
|                 |            | RB1#5             | 22.03             | 22.02                | 21.01              |
|                 |            | RB3#0             | 21.64             | 21.22                | 21.36              |
|                 |            | RB3#3             | 21.72             | 21.23                | 21.39              |
|                 |            | RB6#0             | 20.79             | 20.37                | 20.89              |
| 3.0             | QPSK       | RB1#0             | 22.36             | 22.30                | 22.36              |
|                 |            | RB1#8             | 22.38             | 22.33                | 22.36              |
|                 |            | RB1#14            | 22.35             | 22.31                | 22.37              |
|                 |            | RB6#0             | 21.68             | 21.43                | 21.34              |
|                 |            | RB6#9             | 21.31             | 21.28                | 21.28              |
|                 |            | RB15#0            | 21.67             | 21.33                | 21.45              |
|                 | 16QAM      | RB1#0             | 21.93             | 22.11                | 21.09              |
|                 |            | RB1#8             | 21.84             | 22.03                | 21.06              |
|                 |            | RB1#14            | 21.68             | 21.92                | 21.00              |
|                 |            | RB6#0             | 20.63             | 20.59                | 20.90              |
|                 |            | RB6#9             | 20.67             | 20.30                | 20.46              |
|                 |            | RB15#0            | 20.67             | 20.43                | 20.53              |



| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 5.0             | QPSK       | RB1#0             | 22.50             | 22.59                | 22.59              |
|                 |            | RB1#13            | 22.42             | 22.36                | 22.62              |
|                 |            | RB1#24            | 22.41             | 22.58                | 22.66              |
|                 |            | RB15#0            | 21.77             | 21.70                | 21.78              |
|                 |            | RB15#10           | 21.43             | 21.80                | 21.92              |
|                 |            | RB25#0            | 21.53             | 21.68                | 21.98              |
|                 | 16QAM      | RB1#0             | 22.08             | 22.26                | 21.37              |
|                 |            | RB1#13            | 21.77             | 22.29                | 21.66              |
|                 |            | RB1#24            | 22.03             | 22.17                | 21.59              |
|                 |            | RB15#0            | 20.47             | 21.16                | 21.13              |
|                 |            | RB15#10           | 20.64             | 21.06                | 20.70              |
|                 |            | RB25#0            | 20.96             | 20.84                | 21.15              |
| 10.0            | QPSK       | RB1#0             | 22.24             | 22.50                | 22.50              |
|                 |            | RB1#25            | 21.31             | 21.81                | 21.69              |
|                 |            | RB1#49            | 21.45             | 21.82                | 21.91              |
|                 |            | RB25#0            | 21.77             | 21.46                | 21.81              |
|                 |            | RB25#25           | 22.36             | 22.82                | 22.60              |
|                 |            | RB50#0            | 21.69             | 21.69                | 21.77              |
|                 | 16QAM      | RB1#0             | 21.39             | 21.58                | 21.62              |
|                 |            | RB1#25            | 21.49             | 21.45                | 21.52              |
|                 |            | RB1#49            | 22.00             | 22.11                | 21.20              |
|                 |            | RB25#0            | 21.79             | 21.49                | 21.86              |
|                 |            | RB25#25           | 22.07             | 22.33                | 21.57              |
|                 |            | RB50#0            | 22.07             | 22.64                | 21.39              |

**Peak-to-average ratio (PAR)****10MHz bandwidth**

| Modulation        | Middle Channel (dB) | PAR Limit (dB) | Result |
|-------------------|---------------------|----------------|--------|
| QPSK (1RB Size)   | 5.03                | 13             | Pass   |
| QPSK (50RB Size)  | 5.71                | 13             | Pass   |
| 16QAM (1RB Size)  | 6.15                | 13             | Pass   |
| 16QAM (50RB Size) | 6.54                | 13             | Pass   |

**QPSK:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.66                         | 151                              | 1.1           | H              | 11.9           | 1.56                  | 0.0                      | 10.34                      | 34.77          |
| 707.5              | 88.54                         | 345                              | 1.1           | V              | 22.2           | 1.56                  | 0.0                      | 20.64                      | 34.77          |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.45                         | 245                              | 1.6           | H              | 11.7           | 1.56                  | 0.0                      | 10.14                      | 34.77          |
| 707.5              | 88.34                         | 228                              | 1.4           | V              | 22.0           | 1.56                  | 0.0                      | 20.44                      | 34.77          |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.22                         | 286                              | 1.6           | H              | 11.4           | 1.56                  | 0.0                      | 9.84                       | 34.77          |
| 707.5              | 88.19                         | 226                              | 1.3           | V              | 21.9           | 1.56                  | 0.0                      | 20.34                      | 34.77          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.06                         | 245                              | 2.3           | H              | 11.3           | 1.56                  | 0.0                      | 9.74                       | 34.77          |
| 707.5              | 88.14                         | 147                              | 1.5           | V              | 21.8           | 1.56                  | 0.0                      | 20.24                      | 34.77          |

**16QAM:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 1.4 MHz Bandwidth  |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.57                         | 93                               | 1.9           | H              | 11.8           | 1.56                  | 0.0                      | 10.24                      | 34.77          |
| 707.5              | 88.94                         | 160                              | 2.3           | V              | 22.6           | 1.56                  | 0.0                      | 21.04                      | 34.77          |
| 3 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 79.12                         | 29                               | 1.8           | H              | 11.3           | 1.56                  | 0.0                      | 9.74                       | 34.77          |
| 707.5              | 88.76                         | 312                              | 1.2           | V              | 22.4           | 1.56                  | 0.0                      | 20.84                      | 34.77          |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 78.83                         | 275                              | 2.2           | H              | 11.0           | 1.56                  | 0.0                      | 9.44                       | 34.77          |
| 707.5              | 88.71                         | 54                               | 1.7           | V              | 22.4           | 1.56                  | 0.0                      | 20.84                      | 34.77          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 707.5              | 78.55                         | 46                               | 1.7           | H              | 10.8           | 1.56                  | 0.0                      | 9.24                       | 34.77          |
| 707.5              | 88.63                         | 100                              | 2.2           | V              | 22.3           | 1.56                  | 0.0                      | 20.74                      | 34.77          |

**LTE Band 17:**

| Bandwidth (MHz) | Modulation | RB size/RB Offset | Low Channel (dBm) | Middle Channel (dBm) | High Channel (dBm) |
|-----------------|------------|-------------------|-------------------|----------------------|--------------------|
| 5               | QPSK       | RB1#0             | 22.31             | 22.67                | 22.65              |
|                 |            | RB1#13            | 21.36             | 21.74                | 21.51              |
|                 |            | RB1#24            | 21.37             | 21.58                | 21.63              |
|                 |            | RB15#0            | 21.37             | 21.37                | 21.87              |
|                 |            | RB15#10           | 21.86             | 22.39                | 21.62              |
|                 |            | RB25#0            | 21.59             | 21.78                | 21.94              |
|                 | 16QAM      | RB1#0             | 21.61             | 21.60                | 21.67              |
|                 |            | RB1#13            | 21.71             | 22.27                | 21.34              |
|                 |            | RB1#24            | 21.61             | 21.64                | 21.78              |
|                 |            | RB15#0            | 22.20             | 22.24                | 21.22              |
|                 |            | RB15#10           | 21.45             | 21.50                | 21.66              |
|                 |            | RB25#0            | 22.02             | 22.19                | 21.37              |
| 10              | QPSK       | RB1#0             | 22.12             | 22.60                | 22.72              |
|                 |            | RB1#25            | 21.49             | 21.77                | 21.84              |
|                 |            | RB1#49            | 21.33             | 21.74                | 21.82              |
|                 |            | RB25#0            | 21.61             | 21.52                | 21.76              |
|                 |            | RB25#25           | 21.86             | 22.29                | 21.50              |
|                 |            | RB50#0            | 21.49             | 21.75                | 21.67              |
|                 | 16QAM      | RB1#0             | 21.49             | 21.72                | 21.70              |
|                 |            | RB1#25            | 21.88             | 22.18                | 21.35              |
|                 |            | RB1#49            | 21.43             | 21.78                | 21.76              |
|                 |            | RB25#0            | 22.05             | 22.12                | 21.38              |
|                 |            | RB25#25           | 21.63             | 21.32                | 21.86              |
|                 |            | RB50#0            | 22.06             | 22.33                | 21.77              |

**Peak-to-average ratio (PAR)****10MHz bandwidth**

| Modulation        | Middle Channel (dB) | PAR Limit (dB) | Result |
|-------------------|---------------------|----------------|--------|
| QPSK (1RB Size)   | 5.83                | 13             | Pass   |
| QPSK (50RB Size)  | 5.48                | 13             | Pass   |
| 16QAM (1RB Size)  | 6.99                | 13             | Pass   |
| 16QAM (50RB Size) | 6.38                | 13             | Pass   |

**QPSK:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 710                | 78.64                         | 258                              | 1.8           | H              | 10.9           | 1.56                  | 0.0                      | 9.34                       | 34.77          |
| 710                | 88.01                         | 332                              | 2.4           | V              | 21.7           | 1.56                  | 0.0                      | 20.14                      | 34.77          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 710                | 77.31                         | 87                               | 1.6           | H              | 9.5            | 1.56                  | 0.0                      | 7.94                       | 34.77          |
| 710                | 85.76                         | 216                              | 2.0           | V              | 19.4           | 1.56                  | 0.0                      | 17.84                      | 34.77          |

**16QAM:**

| Frequency<br>(MHz) | Receiver<br>Reading<br>(dBμV) | Turn<br>table<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                          | Absolute<br>Level<br>(dBm) | Limit<br>(dBm) |
|--------------------|-------------------------------|----------------------------------|---------------|----------------|----------------|-----------------------|--------------------------|----------------------------|----------------|
|                    |                               |                                  | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBi) |                            |                |
| Middle Channel     |                               |                                  |               |                |                |                       |                          |                            |                |
| 5 MHz Bandwidth    |                               |                                  |               |                |                |                       |                          |                            |                |
| 710                | 77.48                         | 226                              | 1.0           | H              | 9.7            | 1.56                  | 0.0                      | 8.14                       | 34.77          |
| 710                | 87.56                         | 340                              | 1.8           | V              | 21.2           | 1.56                  | 0.0                      | 19.64                      | 34.77          |
| 10 MHz Bandwidth   |                               |                                  |               |                |                |                       |                          |                            |                |
| 710                | 76.91                         | 64                               | 2.3           | H              | 9.1            | 1.56                  | 0.0                      | 7.54                       | 34.77          |
| 710                | 85.57                         | 176                              | 1.4           | V              | 19.2           | 1.56                  | 0.0                      | 17.64                      | 34.77          |

**Note:**

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

## FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


### Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

### Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



### Test Data

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23~25 °C  |
| Relative Humidity: | 50~52 %   |
| ATM Pressure:      | 101.0 kPa |

*The testing was performed by Gavin Guo from 2020-06-10 to 2020-07-06.*

*EUT operation mode: Transmitting*

Test Result: Compliance. Please refer to the following tables and plots.

### Cellular Band (Part 22H)

| Mode      | Frequency (MHz) | 99% Occupied Bandwidth (kHz) | 26 dB Emission Bandwidth (kHz) |
|-----------|-----------------|------------------------------|--------------------------------|
| GSM(GMSK) | 836.6           | 242.00                       | 311.03                         |

| Mode          | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | 26 dB Emission Bandwidth (MHz) |
|---------------|-----------------|------------------------------|--------------------------------|
| RMC (BPSK)    | 836.6           | 4.17                         | 4.68                           |
| HSUPA (BPSK)  | 836.6           | 4.15                         | 4.68                           |
| HSDPA (16QAM) | 836.6           | 4.17                         | 4.68                           |

### PCS Band (Part 24E)

| Mode      | Frequency (MHz) | 99% Occupied Bandwidth (kHz) | 26 dB Emission Bandwidth (kHz) |
|-----------|-----------------|------------------------------|--------------------------------|
| GSM(GMSK) | 1880.0          | 242.00                       | 312.87                         |


| Mode          | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | 26 dB Emission Bandwidth (MHz) |
|---------------|-----------------|------------------------------|--------------------------------|
| RMC (BPSK)    | 1880.0          | 4.17                         | 4.70                           |
| HSUPA (BPSK)  | 1880.0          | 4.17                         | 4.68                           |
| HSDPA (16QAM) | 1880.0          | 4.15                         | 4.68                           |

### AWS Band (Part 27)

| Mode          | Frequency (MHz) | 99% Occupied Bandwidth (MHz) | 26 dB Emission Bandwidth (MHz) |
|---------------|-----------------|------------------------------|--------------------------------|
| RMC (BPSK)    | 1732.6          | 4.17                         | 4.69                           |
| HSUPA (BPSK)  | 1732.6          | 4.15                         | 4.67                           |
| HSDPA (16QAM) | 1732.6          | 4.17                         | 4.67                           |


## Cellular Band (Part 22H)

## 26 dB Emissions &amp; 99% Occupied Bandwidth for GSM (GMSK) Mode



Date: 10.JUN.2020 15:13:39


## 26 dB Emissions &amp; 99% Occupied Bandwidth for RMC (BPSK) Mode



Date: 11.JUN.2020 15:59:04




## 26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 11.JUN.2020 16:01:15


## 26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 11.JUN.2020 16:02:13


## PCS Band (Part 24E)

## 26 dB Emissions &amp; 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 10.JUN.2020 15:48:05

## 26 dB Emissions &amp; 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 11.JUN.2020 15:08:41

### 26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 11.JUN.2020 15:13:30


### 26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 11.JUN.2020 15:11:08


## AWS Band (Part 27)

## 26 dB Emissions &amp; 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 11.JUN.2020 15:34:19

## 26 dB Emissions &amp; 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 11.JUN.2020 15:36:37


## 26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode




Date: 11.JUN.2020 15:35:12

**LTE Band 2: (Middle Channel)**

| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> |
|----------------------------|-------------------|---------------------------------------------|-----------------------------------------------|
| 1.4                        | QPSK              | 1.110                                       | 1.314                                         |
|                            | 16QAM             | 1.098                                       | 1.296                                         |
| 3.0                        | QPSK              | 2.700                                       | 3.012                                         |
|                            | 16QAM             | 2.700                                       | 3.024                                         |
| 5.0                        | QPSK              | 4.540                                       | 5.417                                         |
|                            | 16QAM             | 4.520                                       | 5.465                                         |
| 10.0                       | QPSK              | 8.960                                       | 9.840                                         |
|                            | 16QAM             | 8.960                                       | 9.960                                         |
| 15.0                       | QPSK              | 13.620                                      | 15.420                                        |
|                            | 16QAM             | 13.560                                      | 15.060                                        |
| 20.0                       | QPSK              | 18.000                                      | 20.000                                        |
|                            | 16QAM             | 18.080                                      | 19.840                                        |


**QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:40:55

**16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**


Date: 10.JUN.2020 09:41:16

### QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:41:39

### 16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:41:59




**QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 13:52:52

**16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**


Date: 10.JUN.2020 13:54:45

### QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:43:21

### 16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:43:43

### QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:44:14


### 16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 09:44:39

**QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:45:09


**16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:45:38

**LTE Band 4: (Middle Channel)**


| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> |
|----------------------------|-------------------|---------------------------------------------|-----------------------------------------------|
| 1.4                        | QPSK              | 1.104                                       | 1.288                                         |
|                            | 16QAM             | 1.116                                       | 1.266                                         |
| 3.0                        | QPSK              | 2.702                                       | 3.023                                         |
|                            | 16QAM             | 2.700                                       | 3.024                                         |
| 5.0                        | QPSK              | 4.560                                       | 5.353                                         |
|                            | 16QAM             | 4.540                                       | 5.353                                         |
| 10.0                       | QPSK              | 8.960                                       | 9.840                                         |
|                            | 16QAM             | 8.960                                       | 9.840                                         |
| 15.0                       | QPSK              | 13.620                                      | 16.048                                        |
|                            | 16QAM             | 13.560                                      | 15.060                                        |
| 20.0                       | QPSK              | 18.000                                      | 19.760                                        |
|                            | 16QAM             | 18.000                                      | 19.760                                        |

### QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 13:50:45

### 16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:46:22

### QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 6.JUL.2020 10:14:19

### 16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:47:05

The screenshot displays a spectrum analyzer interface with the following details:

- Top Bar:**
  - Left: A red diamond icon with the number '5'.
  - Center: 'Ref 31 dBm' and '\* Att 20 dB'.
  - Right: '\* RBW 100 kHz', '\* VBW 300 kHz', 'SWT 5 ms', and 'Marker 1 [T1] -12.88 dBm'.
- Plot Area:**
  - Top Left: 'Offset 6.5 dB'.
  - Top Right: 'OBW 4.56000000 MHz', 'Delta 1 [T1] -0.40 dB', '5.352564103 MHz', 'Temp 1 [T1 0BW] 7.16 dBm', '1.730220000 GHz', 'Temp 2 [T1 0BW] 4.75 dBm', and '1.734780000 GHz'.
  - Left Side: '1 PK' and 'MAXH' in a blue box.
  - Right Side: 'LVL' in green and '3DB' in red.
  - Plot: A blue line graph showing a signal with two markers, D1 and D2, and a red line at -12.88 dBm.
- Bottom Bar:**
  - Center: 'Center 1.7325 GHz' and '1 MHz/'.
  - Right: 'Span 10 MHz'.


### 16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Page 56 of 171




### QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:48:24


### 16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 09:48:46


**QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 13:42:50

**16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**


Date: 10.JUN.2020 09:49:44

### QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 09:50:11

### 16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:50:36

**LTE Band 5: (Middle Channel)**


| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> |
|----------------------------|-------------------|---------------------------------------------|-----------------------------------------------|
| 1.4                        | QPSK              | 1.110                                       | 1.284                                         |
|                            | 16QAM             | 1.116                                       | 1.254                                         |
| 3.0                        | QPSK              | 2.712                                       | 3.036                                         |
|                            | 16QAM             | 2.772                                       | 3.245                                         |
| 5.0                        | QPSK              | 4.540                                       | 5.401                                         |
|                            | 16QAM             | 4.540                                       | 5.369                                         |
| 10.0                       | QPSK              | 8.960                                       | 9.878                                         |
|                            | 16QAM             | 8.960                                       | 9.800                                         |

### QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:51:03

### 16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:51:24

### QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:51:46


### 16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 13:39:35


**QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 13:37:11

**16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**


Date: 10.JUN.2020 13:35:50

### QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 13:31:05

### 16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:53:47



**LTE Band 12: (Middle Channel)**


| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> |
|----------------------------|-------------------|---------------------------------------------|-----------------------------------------------|
| 1.4                        | QPSK              | 1.110                                       | 1.284                                         |
|                            | 16QAM             | 1.116                                       | 1.266                                         |
| 3.0                        | QPSK              | 2.700                                       | 3.017                                         |
|                            | 16QAM             | 2.688                                       | 3.012                                         |
| 5.0                        | QPSK              | 4.540                                       | 5.501                                         |
|                            | 16QAM             | 4.540                                       | 5.501                                         |
| 10.0                       | QPSK              | 9.000                                       | 9.760                                         |
|                            | 16QAM             | 8.960                                       | 9.880                                         |

### QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 09:54:14


### 16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 09:54:37


**QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 13:16:11

**16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**


Date: 10.JUN.2020 09:55:20

### QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 13:22:55


### 16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 13:26:03

**QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:56:49


**16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:57:17

**LTE Band 17: (Middle Channel)**


| <b>Bandwidth<br/>(MHz)</b> | <b>Modulation</b> | <b>99% Occupied<br/>Bandwidth<br/>(MHz)</b> | <b>26 dB Emission<br/>Bandwidth<br/>(MHz)</b> |
|----------------------------|-------------------|---------------------------------------------|-----------------------------------------------|
| 5.0                        | QPSK              | 4.520                                       | 5.437                                         |
|                            | 16QAM             | 4.520                                       | 5.100                                         |
| 10.0                       | QPSK              | 8.960                                       | 9.800                                         |
|                            | 16QAM             | 8.960                                       | 9.800                                         |

### QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 10.JUN.2020 13:28:52


### 16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 10.JUN.2020 09:58:13

**QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:58:43

**16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel**

Date: 10.JUN.2020 09:59:07



## FCC §2.1051, §22.917(a) & §24.238(a); §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


### Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

### Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10<sup>th</sup> harmonic.



### Test Data

#### Environmental Conditions

|                    |           |
|--------------------|-----------|
| Temperature:       | 23~25 °C  |
| Relative Humidity: | 50~52 %   |
| ATM Pressure:      | 101.0 kPa |

*The testing was performed by Gavin Guo from 2020-06-10 to 2020-07-06.*


*Test result: Compliance.*

*EUT operation mode: transmitting*

*Please refer to the following plots.*

# Cellular Band (Part 22H)


## 30 MHz – 1 GHz (GSM Mode)



Fundamental test


Date: 10.JUN.2020 15:38:39

## 1 GHz – 10 GHz (GSM Mode)



Date: 6.JUL.2020 13:35:50


### 30 MHz – 1 GHz (WCDMA Mode)



Fundamental test

Date: 11.JUN.2020 15:54:02


### 1 GHz – 10 GHz (WCDMA Mode)



Date: 11.JUN.2020 15:53:20


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)




Date: 10.JUN.2020 15:41:55

1 GHz – 2 GHz (GSM Mode)




Date: 10.JUN.2020 15:43:38

### 2 GHz – 20 GHz (GSM Mode)




Date: 10.JUN.2020 15:44:13

### 30 MHz – 1 GHz (WCDMA Mode)



Date: 11.JUN.2020 15:25:54


### 1 GHz – 2 GHz (WCDMA Mode)



Fundamental test

Date: 11.JUN.2020 15:25:34


### 2 GHz – 20 GHz (WCDMA Mode)



Date: 11.JUN.2020 15:26:46


# AWS Band (Part 27)

## 30 MHz – 1 GHz (WCDMA Mode)




Date: 11.JUN.2020 15:49:44

## 1 GHz – 2 GHz (WCDMA Mode)



Date: 11.JUN.2020 15:50:37

## 2 GHz – 20 GHz (WCDMA Mode)




Date: 11.JUN.2020 15:51:06




**LTE Band 2:**

**30 MHz - 1 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:18:35

**1 GHz – 20 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:18:46

### 30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:19:05

### 1 GHz - 20 GHz (3.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:19:16

### 30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:19:35

### 1 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:19:47

### 30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:20:09

### 1 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:20:21

### 30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:20:47

### 1 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:20:58

### 30 MHz - 1 GHz (20.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:21:21


### 1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:21:32


**LTE Band 4:**

**30 MHz - 1 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:21:55

**1 GHz – 20 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:22:07

### 30 MHz - 1 GHz (3.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:22:28


### 1 GHz - 20 GHz (3.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:22:39




### 30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:22:58

### 1 GHz - 20 GHz (5.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:23:13

### 30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:23:32

### 1 GHz - 20 GHz (10.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:23:44

### 30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:24:06

### 1 GHz - 20 GHz (15.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:24:18

### 30 MHz - 1 GHz (20.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:24:40


### 1 GHz - 20 GHz (20.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:24:52


**LTE Band 5:**

**30 MHz - 1 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:25:10

**1 GHz – 10 GHz (1.4 MHz, Middle Channel)**




Date: 10.JUN.2020 11:25:22

### 30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:25:43

### 1 GHz - 10 GHz (3.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:25:54


### 30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 10.JUN.2020 11:26:16

### 1 GHz - 10 GHz (5.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:26:28


### 30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Fundamental test

Date: 10.JUN.2020 11:26:50

### 1 GHz – 10 GHz (10.0 MHz, Middle Channel)




Date: 10.JUN.2020 11:27:02




# LTE Band 12:

## 30 MHz - 1 GHz (1.4 MHz, Middle Channel)



Date: 10.JUN.2020 11:27:20


## 1 GHz - 10 GHz (1.4 MHz, Middle Channel)



Date: 10.JUN.2020 11:27:32




### 30 MHz - 1 GHz (5.0 MHz, Middle Channel)



Fundamental test


Date: 10.JUN.2020 11:28:20

### 1 GHz - 10 GHz (5.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:28:32


### 30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Fundamental test

Date: 10.JUN.2020 11:28:51


### 1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:29:03


**LTE Band 17:****30 MHz - 1 GHz (5.0 MHz, Middle Channel)**

Date: 10.JUN.2020 11:29:23

**1 GHz - 10 GHz (5.0 MHz, Middle Channel)**


Date: 10.JUN.2020 11:29:35

### 30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:29:54

### 1 GHz – 20 GHz (10.0 MHz, Middle Channel)



Date: 10.JUN.2020 11:30:05

**FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 SPURIOUS RADIATED EMISSIONS**

---

**Applicable Standard**

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53

**Test Procedure**

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 23~25 °C  |
| <b>Relative Humidity:</b> | 50~52 %   |
| <b>ATM Pressure:</b>      | 101.0 kPa |

*The testing was performed by Holland Yang and Leo Huang from 2020-06-09 to 2020-06-11.*

*EUT operation mode: Transmitting*

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

**Cellular Band (Part 22H)**

| Frequency<br>(MHz)         | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                              | Absolute<br>Level<br>(dBm) | FCC Part 22H   |                |
|----------------------------|-------------------------------|------------------------------|---------------|----------------|----------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                            |                               |                              | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            | Limit<br>(dBm) | Margin<br>(dB) |
| GSM Mode, middle channel   |                               |                              |               |                |                |                       |                              |                            |                |                |
| 959.6                      | 37.57                         | 99                           | 1.1           | H              | -63.0          | 1.37                  | 0.0                          | -64.37                     | -13            | 51.37          |
| 959.6                      | 38.23                         | 251                          | 2.0           | V              | -61.1          | 1.37                  | 0.0                          | -62.47                     | -13            | 49.47          |
| 1673.20                    | 47.50                         | 257                          | 2.3           | H              | -58.8          | 1.30                  | 8.90                         | -51.20                     | -13            | 38.20          |
| 1673.20                    | 51.86                         | 37                           | 2.4           | V              | -53.9          | 1.30                  | 8.90                         | -46.30                     | -13            | 33.30          |
| 2509.80                    | 52.32                         | 139                          | 1.1           | H              | -51.0          | 2.60                  | 10.20                        | -43.40                     | -13            | 30.40          |
| 2509.80                    | 50.61                         | 201                          | 1.4           | V              | -52.1          | 2.60                  | 10.20                        | -44.50                     | -13            | 31.50          |
| 3346.40                    | 43.67                         | 329                          | 2.4           | H              | -57.2          | 1.50                  | 11.70                        | -47.00                     | -13            | 34.00          |
| 3346.40                    | 43.06                         | 51                           | 1.4           | V              | -57.9          | 1.50                  | 11.70                        | -47.70                     | -13            | 34.70          |
| WCDMA Mode, Middle channel |                               |                              |               |                |                |                       |                              |                            |                |                |
| 959.6                      | 37.62                         | 129                          | 1.7           | H              | -63.0          | 1.37                  | 0.0                          | -64.37                     | -13            | 51.37          |
| 959.6                      | 38.45                         | 98                           | 1.7           | V              | -60.9          | 1.37                  | 0.0                          | -62.27                     | -13            | 49.27          |
| 1673.20                    | 45.46                         | 307                          | 1.2           | H              | -60.9          | 1.30                  | 8.90                         | -53.30                     | -13            | 40.30          |
| 1673.20                    | 46.69                         | 341                          | 1.3           | V              | -59.0          | 1.30                  | 8.90                         | -51.40                     | -13            | 38.40          |
| 2509.80                    | 47.73                         | 285                          | 1.9           | H              | -55.6          | 2.60                  | 10.20                        | -48.00                     | -13            | 35.00          |
| 2509.80                    | 45.35                         | 126                          | 1.4           | V              | -57.4          | 2.60                  | 10.20                        | -49.80                     | -13            | 36.80          |
| 3346.40                    | 42.97                         | 268                          | 2.4           | H              | -57.9          | 1.50                  | 11.70                        | -47.70                     | -13            | 34.70          |
| 3346.40                    | 43.37                         | 189                          | 2.4           | V              | -57.6          | 1.50                  | 11.70                        | -47.40                     | -13            | 34.40          |



**30 MHz ~ 20 GHz:****PCS Band (Part 24E)**

| Frequency<br>(MHz)                 | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                              | Absolute<br>Level<br>(dBm) | FCC Part 24E   |                |
|------------------------------------|-------------------------------|------------------------------|---------------|----------------|----------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                    |                               |                              | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            | Limit<br>(dBm) | Margin<br>(dB) |
| GSM Mode, middle channel           |                               |                              |               |                |                |                       |                              |                            |                |                |
| 961.2                              | 37.91                         | 202                          | 1.3           | H              | -62.7          | 1.37                  | 0.0                          | -64.07                     | -13            | 51.07          |
| 961.2                              | 38.49                         | 322                          | 2.2           | V              | -60.9          | 1.37                  | 0.0                          | -62.27                     | -13            | 49.27          |
| 3760.00                            | 44.07                         | 207                          | 1.4           | H              | -58.0          | 1.50                  | 11.80                        | -47.70                     | -13            | 34.70          |
| 3760.00                            | 43.37                         | 252                          | 2.0           | V              | -58.2          | 1.50                  | 11.80                        | -47.90                     | -13            | 34.90          |
| WCDMA Mode Band II, Middle channel |                               |                              |               |                |                |                       |                              |                            |                |                |
| 960.6                              | 37.28                         | 139                          | 2.3           | H              | -63.3          | 1.37                  | 0.0                          | -64.67                     | -13            | 51.67          |
| 960.6                              | 38.84                         | 162                          | 1.8           | V              | -60.5          | 1.37                  | 0.0                          | -61.87                     | -13            | 48.87          |
| 3760.00                            | 43.25                         | 193                          | 1.3           | H              | -58.8          | 1.50                  | 11.80                        | -48.50                     | -13            | 35.50          |
| 3760.00                            | 42.89                         | 2                            | 1.3           | V              | -58.7          | 1.50                  | 11.80                        | -48.40                     | -13            | 35.40          |

**30 MHz ~ 20 GHz:****AWS Band (Part 27)**

| Frequency<br>(MHz)                 | Receiver<br>Reading<br>(dBμV) | Turntable<br>Angle<br>Degree | Rx Antenna    |                | Substituted    |                       |                              | Absolute<br>Level<br>(dBm) | FCC Part 27    |                |
|------------------------------------|-------------------------------|------------------------------|---------------|----------------|----------------|-----------------------|------------------------------|----------------------------|----------------|----------------|
|                                    |                               |                              | Height<br>(m) | Polar<br>(H/V) | Level<br>(dBm) | Cable<br>Loss<br>(dB) | Antenna<br>Gain<br>(dBd/dBi) |                            | Limit<br>(dBm) | Margin<br>(dB) |
| WCDMA Mode Band IV, Middle channel |                               |                              |               |                |                |                       |                              |                            |                |                |
| 958.4                              | 37.08                         | 337                          | 1.7           | H              | -63.5          | 1.37                  | 0.0                          | -64.87                     | -13            | 51.87          |
| 958.4                              | 38.42                         | 42                           | 1.5           | V              | -60.9          | 1.37                  | 0.0                          | -62.27                     | -13            | 49.27          |
| 3465.20                            | 43.07                         | 147                          | 1.1           | H              | -57.7          | 1.50                  | 12.00                        | -47.20                     | -13            | 34.20          |
| 3465.20                            | 43.84                         | 295                          | 2.2           | V              | -57.7          | 1.50                  | 12.00                        | -47.20                     | -13            | 34.20          |

**LTE Band:** (Pre-scan with all the bandwidth, and worse case as below)

| Frequency                            | Receiver       | Turntable    | Rx Antenna |             | Substituted |                 |                        | Absolute Level (dBm) | Limit (dBm) | Margin (dB) |
|--------------------------------------|----------------|--------------|------------|-------------|-------------|-----------------|------------------------|----------------------|-------------|-------------|
| (MHz)                                | Reading (dBμV) | Angle Degree | Height (m) | Polar (H/V) | Level (dBm) | Cable Loss (dB) | Antenna Gain (dBd/dBi) |                      |             |             |
| Band 2 (1.4 MHz, Middle Channel)     |                |              |            |             |             |                 |                        |                      |             |             |
| Test frequency range:30 MHz ~ 20 GHz |                |              |            |             |             |                 |                        |                      |             |             |
| 958.7                                | 37.54          | 243          | 1.3        | H           | -63.1       | 1.37            | 0.0                    | -64.47               | -13         | 51.47       |
| 958.7                                | 38.26          | 120          | 1.8        | V           | -61.1       | 1.37            | 0.0                    | -62.47               | -13         | 49.47       |
| 3760.00                              | 42.47          | 137          | 2.4        | H           | -59.6       | 1.50            | 11.80                  | -49.30               | -13         | 36.30       |
| 3760.00                              | 43.24          | 242          | 1.5        | V           | -58.3       | 1.50            | 11.80                  | -48.00               | -13         | 35.00       |
| Band 4 (1.4 MHz, Middle Channel)     |                |              |            |             |             |                 |                        |                      |             |             |
| Test frequency range:30 MHz ~ 20 GHz |                |              |            |             |             |                 |                        |                      |             |             |
| 961.3                                | 37.48          | 201          | 2.0        | H           | -63.1       | 1.37            | 0.0                    | -64.47               | -13         | 51.47       |
| 961.3                                | 38.15          | 223          | 1.5        | V           | -61.2       | 1.37            | 0.0                    | -62.57               | -13         | 49.57       |
| 3465.00                              | 43.37          | 299          | 1.4        | H           | -57.4       | 1.50            | 12.00                  | -46.90               | -13         | 33.90       |
| 3465.00                              | 43.69          | 68           | 2.5        | V           | -57.8       | 1.50            | 12.00                  | -47.30               | -13         | 34.30       |
| Band 5 (1.4 MHz, Middle Channel)     |                |              |            |             |             |                 |                        |                      |             |             |
| Test frequency range:30 MHz ~ 10 GHz |                |              |            |             |             |                 |                        |                      |             |             |
| 959.4                                | 37.63          | 284          | 2.0        | H           | -63.0       | 1.37            | 0.0                    | -64.37               | -13         | 51.37       |
| 959.4                                | 38.52          | 38           | 2.3        | V           | -60.8       | 1.37            | 0.0                    | -62.17               | -13         | 49.17       |
| 1673.00                              | 44.95          | 126          | 1.7        | H           | -61.4       | 1.30            | 8.90                   | -53.80               | -13         | 40.80       |
| 1673.00                              | 45.03          | 263          | 1.1        | V           | -60.7       | 1.30            | 8.90                   | -53.10               | -13         | 40.10       |
| Band 12 (1.4 MHz, Middle Channel)    |                |              |            |             |             |                 |                        |                      |             |             |
| Test frequency range: 30 MHz ~ 10GHz |                |              |            |             |             |                 |                        |                      |             |             |
| 962.5                                | 37.34          | 154          | 1.2        | H           | -63.3       | 1.37            | 0.0                    | -64.67               | -13         | 51.67       |
| 962.5                                | 38.78          | 159          | 2.3        | V           | -60.6       | 1.37            | 0.0                    | -61.97               | -13         | 48.97       |
| 1415.00                              | 53.57          | 36           | 1.7        | H           | -54.6       | 1.60            | 7.90                   | -48.30               | -13         | 35.30       |
| 1415.00                              | 51.85          | 227          | 2.4        | V           | -56.6       | 1.60            | 7.90                   | -50.30               | -13         | 37.30       |
| Band 17 (5 MHz, Middle Channel)      |                |              |            |             |             |                 |                        |                      |             |             |
| Test frequency range: 30 MHz ~ 10GHz |                |              |            |             |             |                 |                        |                      |             |             |
| 961.7                                | 37.39          | 173          | 1.8        | H           | -63.2       | 1.37            | 0.0                    | -64.57               | -13         | 51.57       |
| 961.7                                | 38.46          | 5            | 1.8        | V           | -60.9       | 1.37            | 0.0                    | -62.27               | -13         | 49.27       |
| 1420.00                              | 52.41          | 125          | 1.9        | H           | -55.8       | 1.60            | 7.90                   | -49.50               | -13         | 36.50       |
| 1420.00                              | 53.34          | 84           | 2.1        | V           | -55.1       | 1.60            | 7.90                   | -48.80               | -13         | 35.80       |

**Note:**

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

dBd is for the ERP, dBi is for EIRP.

**FCC § 22.917 (a);§ 24.238 (a); §27.53 (h)(m) - BAND EDGES****Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least  $43 + 10 \log(P)$  dB.

**Test Procedure**

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


|                    |           |
|--------------------|-----------|
| Temperature:       | 23~25 °C  |
| Relative Humidity: | 50~52 %   |
| ATM Pressure:      | 101.0 kPa |

*The testing was performed by Gavin Guo from 2020-06-10 to 2020-07-17.*

*EUT operation mode: Transmitting*


*Test Result: Compliance. Please refer to the following plots.*

### Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 10.JUN.2020 15:20:51

### Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 10.JUN.2020 15:22:14

### Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 16:04:07

### Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 16:07:12

### Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 16:03:35

### Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 16:06:46

### Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 11.JUN.2020 16:05:08

### Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 11.JUN.2020 16:05:40

### PCS Band, Left Band Edge for GSM (GMSK) Mode



Date: 10.JUN.2020 15:49:15


### PCS Band, Right Band Edge for GSM (GMSK) Mode



Date: 10.JUN.2020 15:50:14




### PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 15:19:18

### PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 15:19:43

### PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 15:18:49

### PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 15:18:06

### PCS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 11.JUN.2020 15:15:59

### PCS Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 11.JUN.2020 15:17:25

### AWS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 15:40:24

### AWS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 11.JUN.2020 15:41:11

### AWS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 15:39:57

### AWS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 11.JUN.2020 15:41:39

### AWS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 11.JUN.2020 15:37:53


### AWS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 11.JUN.2020 15:46:19


**Band 2:**

**QPSK (1.4 MHz, FULL RB) - Left Band Edge**




Date: 10.JUN.2020 10:21:39


**QPSK (1.4 MHz, FULL RB) - Right Band Edge**



Date: 10.JUN.2020 10:22:19

**16-QAM (1.4 MHz, FULL RB) - Left Band Edge**


Date: 10.JUN.2020 10:21:59

**16-QAM (1.4 MHz, FULL RB) - Right Band Edge**

Date: 10.JUN.2020 10:22:39




### QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:23:49

### QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:24:23

### 16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:24:05

### 16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:24:42

## QPSK (5.0 MHz, FULL RB) - Left Band Edge




## QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 14:05:13

### 16-QAM (5.0 MHz, FULL RB) - Left Band Edge





Date: 10.JUN.2020 14:03:06


### 16-QAM (5.0 MHz, FULL RB) - Right Band Edge



Date: 10.JUN.2020 14:07:07




### 16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:27:10

### 16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:27:52

### QPSK (15.0 MHz, FULL RB) - Left Band Edge





Date: 10.JUN.2020 14:11:22

### QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 14:10:17






### QPSK (20.0 MHz, FULL RB) - Left Band Edge





Date: 10.JUN.2020 10:30:56

### QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:31:45




**Band 4:**

**QPSK (1.4 MHz, FULL RB) - Left Band Edge**




Date: 10.JUN.2020 10:32:29

**QPSK (1.4 MHz, FULL RB) - Right Band Edge**




Date: 10.JUN.2020 10:33:09

### 16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:32:48

### 16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:33:28

### QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:33:52

### QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:34:25

### 16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:34:08

### 16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:34:42

### QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 14:13:50

### QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:36:01

### 16-QAM (5.0 MHz, FULL RB) - Left Band Edge



Date: 10.JUN.2020 10:35:36


### 16-QAM (5.0 MHz, FULL RB) - Right Band Edge



Date: 10.JUN.2020 14:15:39




### QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:36:49

### QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:37:28

### 16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 10.JUN.2020 10:37:09

### 16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 10.JUN.2020 10:37:49


Ref 30 dBm      \* Att 30 dB      \* RBW 300 kHz      Marker 1 [T1]      -14.52 dBm  
 VBW 1 MHz      SWT 2.5 ms      1.710000000 GHz

30 Offset 6.5 dB  
 20  
 10  
 0  
 -10  
 -20  
 -30  
 -40  
 -50  
 -60  
 -70

1.71 GHz  
 3 MHz/  
 Span 30 MHz


D1 -13 dBm

### QPSK (15.0 MHz, FULL RB) - Right Band Edge




Page 139 of 171

### 16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:38:40

### 16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:39:26

### QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:39:51

### QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 10.JUN.2020 10:40:40

### 16-QAM (20.0 MHz, FULL RB) - Left Band Edge




Date: 10.JUN.2020 10:40:15


### 16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 10.JUN.2020 10:41:04


**Band 5:****QPSK (1.4 MHz, FULL RB) - Left Band Edge**

Date: 6.JUL.2020 12:11:02

**QPSK (1.4 MHz, FULL RB) - Right Band Edge**


Date: 17.JUL.2020 13:13:58

### 16-QAM 1.4 MHz, FULL RB) - Left Band Edge



Date: 6.JUL.2020 12:11:21


### 16-QAM (1.4MHz, FULL RB) - Right Band Edge



Date: 6.JUL.2020 12:11:58




### QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:12:18


### QPSK (3.0 MHz, FULL RB) - Right Band Edge



Date: 6.JUL.2020 12:12:54


**16-QAM (3.0 MHz, FULL RB) - Left Band Edge**

Date: 6.JUL.2020 12:12:34

**16-QAM (3.0 MHz, FULL RB) - Right Band Edge**


Date: 17.JUL.2020 13:43:57

### QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 13:18:07

### QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 13:18:58

### 16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 13:17:44

### 16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 13:19:27

### QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:15:11

### QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 12:15:50

### 16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:15:29


### 16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 6.JUL.2020 12:16:11


**Band 12:****QPSK (1.4 MHz, FULL RB) - Left Band Edge**

Date: 17.JUL.2020 13:47:03

**QPSK (1.4 MHz, FULL RB) - Right Band Edge**


Date: 17.JUL.2020 13:22:50

### 16-QAM 1.4 MHz, FULL RB) - Left Band Edge



Date: 17.JUL.2020 13:20:11


### 16-QAM (1.4MHz, FULL RB) - Right Band Edge



Date: 17.JUL.2020 13:24:25




### QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:17:53

### QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 12:18:29

## 16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:18:12

## 16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 17.JUL.2020 13:26:51

## QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 13:14:52

## QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 13:15:30

### 16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 13:14:27

### 16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 13:16:18

### QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:21:02

### QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 12:21:51

### 16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:21:26


### 16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 6.JUL.2020 12:22:08

**Band 17:****QPSK (5.0 MHz, FULL RB) - Left Band Edge**

Date: 6.JUL.2020 13:11:13

**QPSK (5.0 MHz, FULL RB) - Right Band Edge**

Date: 6.JUL.2020 13:10:08

Ref 30 dBm \* Att 30 dB \* RBW 100 kHz \* VBW 300 kHz \* SWT 100 ms

Marker 1 [T1] -24.04 dBm 704.000000000 MHz

30 Offset 6.5 dB

1.5 RM MAXH

D1 -13 dBm

Center 704 MHz 1 MHz/ Span 10 MHz

LVL 30dB

Ref 30 dBm \* Att 30 dB \* RBW 100 kHz VBW 300 kHz SWT 100 ms Marker 1 [T1] -19.14 dBm 716.00000000 MHz

30 Offset 6.5 dB

1 RM MAXH


D1 -13 dBm

Center 716 MHz 1 MHz/ Span 10 MHz

Page 160 of 171




### QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 6.JUL.2020 12:24:34

### QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 6.JUL.2020 12:25:16

### 16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 6.JUL.2020 12:24:54

### 16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 6.JUL.2020 12:25:36

## FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY

### Applicable Standard

FCC § 2.1055, §22.355, §24.235 and §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

| Frequency Range (MHz) | Base, fixed (ppm) | Mobile ≤ 3 watts (ppm) | Mobile > 3 watts (ppm) |
|-----------------------|-------------------|------------------------|------------------------|
| 25 to 50              | 20.0              | 20.0                   | 50.0                   |
| 50 to 450             | 5.0               | 5.0                    | 50.0                   |
| 450 to 512            | 2.5               | 5.0                    | 5.0                    |
| 821 to 896            | 1.5               | 2.5                    | 2.5                    |
| 928 to 929.           | 5.0               | N/A                    | N/A                    |
| 929 to 960.           | 1.5               | N/A                    | N/A                    |
| 2110 to 2220          | 10.0              | N/A                    | N/A                    |


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

### Test Procedure

**Frequency Stability vs. Temperature:** The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

**Frequency Stability vs. Voltage:** For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



**Test Data****Environmental Conditions**

|                           |           |
|---------------------------|-----------|
| <b>Temperature:</b>       | 25 °C     |
| <b>Relative Humidity:</b> | 50 %      |
| <b>ATM Pressure:</b>      | 101.0 kPa |

The testing was performed by Gavin Guo on 2020-06-11.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

**Cellular Band (Part 22H)****GSM Mode**

| Middle Channel, $f_0 = 836.6\text{MHz}$ |                                     |                      |                       |             |
|-----------------------------------------|-------------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                        | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                     | NV                                  | 3                    | 0.0036                | 2.5         |
| -20                                     |                                     | -4                   | -0.0048               | 2.5         |
| -10                                     |                                     | 3                    | 0.0036                | 2.5         |
| 0                                       |                                     | 6                    | 0.0072                | 2.5         |
| 10                                      |                                     | -2                   | -0.0024               | 2.5         |
| 20                                      |                                     | 7                    | 0.0084                | 2.5         |
| 30                                      |                                     | -1                   | -0.0012               | 2.5         |
| 40                                      |                                     | 2                    | 0.0024                | 2.5         |
| 50                                      |                                     | -2                   | -0.0024               | 2.5         |
| 20                                      | LV                                  | 4                    | 0.0048                | 2.5         |
|                                         | HV                                  | 2                    | 0.0024                | 2.5         |

**WCDMA Mode**

| Middle Channel, $f_0 = 836.6\text{MHz}$ |                                     |                      |                       |             |
|-----------------------------------------|-------------------------------------|----------------------|-----------------------|-------------|
| Temperature (°C)                        | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Limit (ppm) |
| -30                                     | NV                                  | 8                    | 0.0096                | 2.5         |
| -20                                     |                                     | -4                   | -0.0048               | 2.5         |
| -10                                     |                                     | 3                    | 0.0036                | 2.5         |
| 0                                       |                                     | 5                    | 0.0060                | 2.5         |
| 10                                      |                                     | 7                    | 0.0084                | 2.5         |
| 20                                      |                                     | 3                    | 0.0036                | 2.5         |
| 30                                      |                                     | 4                    | 0.0048                | 2.5         |
| 40                                      |                                     | 2                    | 0.0024                | 2.5         |
| 50                                      |                                     | -3                   | -0.0036               | 2.5         |
| 20                                      | LV                                  | 5                    | 0.0060                | 2.5         |
|                                         | HV                                  | -6                   | -0.0072               | 2.5         |

**PCS Band (Part 24E)****GSM Mode**

| Middle Channel, $f_0 = 1880.0\text{ MHz}$ |                                     |                      |                       |        |
|-------------------------------------------|-------------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                          | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                                       | NV                                  | 5                    | 0.0027                | pass   |
| -20                                       |                                     | 1                    | 0.0005                | pass   |
| -10                                       |                                     | 5                    | 0.0027                | pass   |
| 0                                         |                                     | -2                   | -0.0011               | pass   |
| 10                                        |                                     | 4                    | 0.0021                | pass   |
| 20                                        |                                     | 5                    | 0.0027                | pass   |
| 30                                        |                                     | 3                    | 0.0016                | pass   |
| 40                                        |                                     | 0                    | 0.0000                | pass   |
| 50                                        |                                     | 9                    | 0.0048                | pass   |
| 20                                        | LV                                  | -2                   | -0.0011               | pass   |
|                                           | HV                                  | 4                    | 0.0021                | pass   |

**WCDMA Mode**

| Middle Channel, $f_0 = 1880.0$ MHz |                                     |                      |                       |        |
|------------------------------------|-------------------------------------|----------------------|-----------------------|--------|
| Temperature (°C)                   | Voltage Supplied (V <sub>DC</sub> ) | Frequency Error (Hz) | Frequency Error (ppm) | Result |
| -30                                | NV                                  | 4                    | 0.0021                | pass   |
| -20                                |                                     | 6                    | 0.0032                | pass   |
| -10                                |                                     | -5                   | -0.0027               | pass   |
| 0                                  |                                     | 5                    | 0.0027                | pass   |
| 10                                 |                                     | 3                    | 0.0016                | pass   |
| 20                                 |                                     | 6                    | 0.0032                | pass   |
| 30                                 |                                     | -4                   | -0.0021               | pass   |
| 40                                 |                                     | 6                    | 0.0032                | pass   |
| 50                                 |                                     | 3                    | 0.0016                | pass   |
| 20                                 | LV                                  | -5                   | -0.0027               | pass   |
|                                    | HV                                  | 5                    | 0.0027                | pass   |

**AWS Band (Part 27)**

| Temperature (°C) | Power Supplied (V <sub>DC</sub> ) | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
|------------------|-----------------------------------|----------------------|----------------------|----------------------------|----------------------------|
| -30              | NV                                | 1710.009245          | 1754.993047          | 1710                       | 1755                       |
| -20              |                                   | 1710.005552          | 1754.993837          | 1710                       | 1755                       |
| -10              |                                   | 1710.007246          | 1754.992278          | 1710                       | 1755                       |
| 0                |                                   | 1710.005281          | 1754.991212          | 1710                       | 1755                       |
| 10               |                                   | 1710.006126          | 1754.996211          | 1710                       | 1755                       |
| 20               |                                   | 1710.008521          | 1754.996250          | 1710                       | 1755                       |
| 30               |                                   | 1710.008295          | 1754.994167          | 1710                       | 1755                       |
| 40               |                                   | 1710.008417          | 1754.996768          | 1710                       | 1755                       |
| 50               |                                   | 1710.006822          | 1754.998499          | 1710                       | 1755                       |
| 20               | LV                                | 1710.004500          | 1754.994863          | 1710                       | 1755                       |
|                  | HV                                | 1710.005732          | 1754.995538          | 1710                       | 1755                       |

**LTE:****Band 2:**

| Modulation | Test condition | Channel | Frequency (MHz) | Frequency error (Hz) | Frequency error (ppm) |
|------------|----------------|---------|-----------------|----------------------|-----------------------|
| QPSK       | -30°C/ N.V.    | Middle  | 1880            | 28.70                | 0.0153                |
|            | -20°C/ N.V.    | Middle  | 1880            | -9.97                | -0.0053               |
|            | -10°C/ N.V.    | Middle  | 1880            | -6.13                | -0.0033               |
|            | 0°C/ N.V.      | Middle  | 1880            | 6.17                 | 0.0033                |
|            | 10°C/ N.V.     | Middle  | 1880            | 7.92                 | 0.0042                |
|            | 20°C/ N.V.     | Middle  | 1880            | 6.46                 | 0.0034                |
|            | 30°C/ N.V.     | Middle  | 1880            | -6.52                | -0.0035               |
|            | 40°C/ N.V.     | Middle  | 1880            | 7.18                 | 0.0038                |
|            | 50°C/ N.V.     | Middle  | 1880            | -9.69                | -0.0052               |
|            | 20°C/ L.V.     | Middle  | 1880            | -8.17                | -0.0043               |
|            | 20°C/ H.V.     | Middle  | 1880            | -7.05                | -0.0038               |
|            |                |         |                 |                      |                       |
| 16QAM      | -30°C/ N.V.    | Middle  | 1880            | -36.09               | -0.0192               |
|            | -20°C/ N.V.    | Middle  | 1880            | -6.68                | -0.0036               |
|            | -10°C/ N.V.    | Middle  | 1880            | 9.77                 | 0.0052                |
|            | 0°C/ N.V.      | Middle  | 1880            | -7.62                | -0.0041               |
|            | 10°C/ N.V.     | Middle  | 1880            | -9.91                | -0.0053               |
|            | 20°C/ N.V.     | Middle  | 1880            | -9.82                | -0.0052               |
|            | 30°C/ N.V.     | Middle  | 1880            | -6.68                | -0.0036               |
|            | 40°C/ N.V.     | Middle  | 1880            | -8.85                | -0.0047               |
|            | 50°C/ N.V.     | Middle  | 1880            | 5.67                 | 0.003                 |
|            | 20°C/ L.V.     | Middle  | 1880            | 6.05                 | 0.0032                |
|            | 20°C/ H.V.     | Middle  | 1880            | 7.52                 | 0.004                 |
|            |                |         |                 |                      |                       |

**Band 4:**

| Modulation | Test condition | Channel  | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
|------------|----------------|----------|----------------------|----------------------|----------------------------|----------------------------|
| QPSK       | -30°C/ N.V.    | Low/High | 1710.4308            | 1754.8073            | 1710                       | 1755                       |
|            | -20°C/ N.V.    | Low/High | 1710.1634            | 1754.7172            | 1710                       | 1755                       |
|            | -10°C/ N.V.    | Low/High | 1710.2043            | 1754.8348            | 1710                       | 1755                       |
|            | 0°C/ N.V.      | Low/High | 1710.2254            | 1754.6631            | 1710                       | 1755                       |
|            | 10°C/ N.V.     | Low/High | 1710.3930            | 1754.9296            | 1710                       | 1755                       |
|            | 20°C/ N.V.     | Low/High | 1710.1901            | 1754.5200            | 1710                       | 1755                       |
|            | 30°C/ N.V.     | Low/High | 1710.1782            | 1754.6692            | 1710                       | 1755                       |
|            | 40°C/ N.V.     | Low/High | 1710.1967            | 1754.6541            | 1710                       | 1755                       |
|            | 50°C/ N.V.     | Low/High | 1710.1921            | 1754.7152            | 1710                       | 1755                       |
|            | 20°C/ L.V.     | Low/High | 1710.0612            | 1754.9611            | 1710                       | 1755                       |
|            | 20°C/ H.V.     | Low/High | 1710.1779            | 1754.9040            | 1710                       | 1755                       |
| 16QAM      | -30°C/ N.V.    | Low/High | 1710.1566            | 1754.7773            | 1710                       | 1755                       |
|            | -20°C/ N.V.    | Low/High | 1710.0777            | 1754.9908            | 1710                       | 1755                       |
|            | -10°C/ N.V.    | Low/High | 1710.1182            | 1754.9188            | 1710                       | 1755                       |
|            | 0°C/ N.V.      | Low/High | 1710.1069            | 1754.6191            | 1710                       | 1755                       |
|            | 10°C/ N.V.     | Low/High | 1710.1286            | 1754.7363            | 1710                       | 1755                       |
|            | 20°C/ N.V.     | Low/High | 1710.2716            | 1754.6035            | 1710                       | 1755                       |
|            | 30°C/ N.V.     | Low/High | 1710.1206            | 1754.5976            | 1710                       | 1755                       |
|            | 40°C/ N.V.     | Low/High | 1710.3374            | 1754.7827            | 1710                       | 1755                       |
|            | 50°C/ N.V.     | Low/High | 1710.1548            | 1754.7034            | 1710                       | 1755                       |
|            | 20°C/ L.V.     | Low/High | 1710.1400            | 1754.6122            | 1710                       | 1755                       |
|            | 20°C/ H.V.     | Low/High | 1710.0256            | 1754.9588            | 1710                       | 1755                       |



**Band 5:**

| Modulation | Test condition | Channel | Frequency (MHz) | Frequency error (Hz) | Frequency error (ppm) | Limit (ppm) |
|------------|----------------|---------|-----------------|----------------------|-----------------------|-------------|
| QPSK       | -30°C/ N.V.    | Middle  | 836.5           | 9.35                 | 0.0112                | 2.5         |
|            | -20°C/ N.V.    | Middle  | 836.5           | -6.97                | -0.0083               | 2.5         |
|            | -10°C/ N.V.    | Middle  | 836.5           | -5.50                | -0.0066               | 2.5         |
|            | 0°C/ N.V.      | Middle  | 836.5           | 6.06                 | 0.0072                | 2.5         |
|            | 10°C/ N.V.     | Middle  | 836.5           | 9.80                 | 0.0117                | 2.5         |
|            | 20°C/ N.V.     | Middle  | 836.5           | 5.03                 | 0.0060                | 2.5         |
|            | 30°C/ N.V.     | Middle  | 836.5           | -6.62                | -0.0079               | 2.5         |
|            | 40°C/ N.V.     | Middle  | 836.5           | -8.73                | -0.0104               | 2.5         |
|            | 50°C/ N.V.     | Middle  | 836.5           | -7.05                | -0.0084               | 2.5         |
|            | 20°C/ L.V.     | Middle  | 836.5           | 8.99                 | 0.0107                | 2.5         |
|            | 20°C/ H.V.     | Middle  | 836.5           | -7.17                | -0.0086               | 2.5         |
| 16QAM      | -30°C/ N.V.    | Middle  | 836.5           | 7.75                 | 0.0093                | 2.5         |
|            | -20°C/ N.V.    | Middle  | 836.5           | 8.10                 | 0.0097                | 2.5         |
|            | -10°C/ N.V.    | Middle  | 836.5           | -8.59                | -0.0103               | 2.5         |
|            | 0°C/ N.V.      | Middle  | 836.5           | 9.33                 | 0.0112                | 2.5         |
|            | 10°C/ N.V.     | Middle  | 836.5           | -6.94                | -0.0083               | 2.5         |
|            | 20°C/ N.V.     | Middle  | 836.5           | 7.54                 | 0.009                 | 2.5         |
|            | 30°C/ N.V.     | Middle  | 836.5           | 6.43                 | 0.0077                | 2.5         |
|            | 40°C/ N.V.     | Middle  | 836.5           | -6.17                | -0.0074               | 2.5         |
|            | 50°C/ N.V.     | Middle  | 836.5           | -6.44                | -0.0077               | 2.5         |
|            | 20°C/ L.V.     | Middle  | 836.5           | 6.34                 | 0.0076                | 2.5         |
|            | 20°C/ H.V.     | Middle  | 836.5           | -6.89                | -0.0082               | 2.5         |

**Band 12:**

| Modulation | Test condition | Channel  | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
|------------|----------------|----------|----------------------|----------------------|----------------------------|----------------------------|
| QPSK       | -30°C/ N.V.    | Low/High | 699.5262             | 715.5845             | 699                        | 716                        |
|            | -20°C/ N.V.    | Low/High | 699.5223             | 715.5897             | 699                        | 716                        |
|            | -10°C/ N.V.    | Low/High | 699.5220             | 715.5904             | 699                        | 716                        |
|            | 0°C/ N.V.      | Low/High | 699.5206             | 715.5895             | 699                        | 716                        |
|            | 10°C/ N.V.     | Low/High | 699.5237             | 715.5860             | 699                        | 716                        |
|            | 20°C/ N.V.     | Low/High | 699.5214             | 715.5894             | 699                        | 716                        |
|            | 30°C/ N.V.     | Low/High | 699.5211             | 715.5868             | 699                        | 716                        |
|            | 40°C/ N.V.     | Low/High | 699.5238             | 715.5876             | 699                        | 716                        |
|            | 50°C/ N.V.     | Low/High | 699.5241             | 715.5850             | 699                        | 716                        |
|            | 20°C/ L.V.     | Low/High | 699.5270             | 715.5900             | 699                        | 716                        |
|            | 20°C/ H.V.     | Low/High | 699.5233             | 715.5828             | 699                        | 716                        |
| 16QAM      | -30°C/ N.V.    | Low/High | 699.5251             | 715.5874             | 699                        | 716                        |
|            | -20°C/ N.V.    | Low/High | 699.5235             | 715.5820             | 699                        | 716                        |
|            | -10°C/ N.V.    | Low/High | 699.5236             | 715.5868             | 699                        | 716                        |
|            | 0°C/ N.V.      | Low/High | 699.5232             | 715.5859             | 699                        | 716                        |
|            | 10°C/ N.V.     | Low/High | 699.5244             | 715.5901             | 699                        | 716                        |
|            | 20°C/ N.V.     | Low/High | 699.5263             | 715.5875             | 699                        | 716                        |
|            | 30°C/ N.V.     | Low/High | 699.5210             | 715.5870             | 699                        | 716                        |
|            | 40°C/ N.V.     | Low/High | 699.5200             | 715.5871             | 699                        | 716                        |
|            | 50°C/ N.V.     | Low/High | 699.5258             | 715.5896             | 699                        | 716                        |
|            | 20°C/ L.V.     | Low/High | 699.5211             | 715.5867             | 699                        | 716                        |
|            | 20°C/ H.V.     | Low/High | 699.5240             | 715.5897             | 699                        | 716                        |

**Band 17:**

| Modulation | Test condition | Channel  | F <sub>L</sub> (MHz) | F <sub>H</sub> (MHz) | F <sub>L</sub> Limit (MHz) | F <sub>H</sub> Limit (MHz) |
|------------|----------------|----------|----------------------|----------------------|----------------------------|----------------------------|
| QPSK       | -30°C/ N.V.    | Low/High | 704.3855             | 715.7268             | 704                        | 716                        |
|            | -20°C/ N.V.    | Low/High | 704.3832             | 715.7279             | 704                        | 716                        |
|            | -10°C/ N.V.    | Low/High | 704.3893             | 715.7221             | 704                        | 716                        |
|            | 0°C/ N.V.      | Low/High | 704.3868             | 715.7239             | 704                        | 716                        |
|            | 10°C/ N.V.     | Low/High | 704.3896             | 715.7291             | 704                        | 716                        |
|            | 20°C/ N.V.     | Low/High | 704.3838             | 715.7246             | 704                        | 716                        |
|            | 30°C/ N.V.     | Low/High | 704.3888             | 715.7269             | 704                        | 716                        |
|            | 40°C/ N.V.     | Low/High | 704.3846             | 715.7184             | 704                        | 716                        |
|            | 50°C/ N.V.     | Low/High | 704.3871             | 715.7275             | 704                        | 716                        |
|            | 20°C/ L.V.     | Low/High | 704.3910             | 715.7247             | 704                        | 716                        |
|            | 20°C/ H.V.     | Low/High | 704.3861             | 715.7269             | 704                        | 716                        |
|            |                |          |                      |                      |                            |                            |
| 16QAM      | -30°C/ N.V.    | Low/High | 704.3925             | 715.7224             | 704                        | 716                        |
|            | -20°C/ N.V.    | Low/High | 704.3881             | 715.7263             | 704                        | 716                        |
|            | -10°C/ N.V.    | Low/High | 704.3880             | 715.7237             | 704                        | 716                        |
|            | 0°C/ N.V.      | Low/High | 704.3884             | 715.7219             | 704                        | 716                        |
|            | 10°C/ N.V.     | Low/High | 704.3907             | 715.7248             | 704                        | 716                        |
|            | 20°C/ N.V.     | Low/High | 704.3874             | 715.7258             | 704                        | 716                        |
|            | 30°C/ N.V.     | Low/High | 704.3845             | 715.7275             | 704                        | 716                        |
|            | 40°C/ N.V.     | Low/High | 704.3865             | 715.7238             | 704                        | 716                        |
|            | 50°C/ N.V.     | Low/High | 704.3885             | 715.7269             | 704                        | 716                        |
|            | 20°C/ L.V.     | Low/High | 704.3868             | 715.7262             | 704                        | 716                        |
|            | 20°C/ H.V.     | Low/High | 704.3889             | 715.7266             | 704                        | 716                        |
|            |                |          |                      |                      |                            |                            |

\*\*\*\*\* END OF REPORT \*\*\*\*\*