



### 802.11n-20 MHz LOW CHANNEL CARRIER LEVEL




### 802.11n-20 MHz LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




### 802.11n-20 MHz LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




### 802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS  
30 MHz ~ 3 GHz



802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS  
2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL, SPURIOUS  
30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS  
2 GHz ~ 25 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS  
30 MHz ~ 3 GHz



## A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Note 2: All antenna were tested, but only the worst case has been reported in this report.

### Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-38.09	10.11	-9.89	Pass
High	-50.14	10.03	-9.97	Pass

802.11g Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-22.31	7.75	-12.25	Pass
High	-37.33	7.65	-12.35	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-22.34	7.77	-12.23	Pass
High	-34.52	7.56	-12.44	Pass

Test Plots

802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL




802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE



## A.5 Conducted Emission


Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz ) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.172	54.72	10.08	64.86	10.14	Peak	L	Pass
1**	0.172	36.68	10.08	54.86	18.18	AV	L	Pass
2	0.542	40.82	10.17	56.00	15.18	Peak	L	Pass
2**	0.542	23.72	10.17	46.00	22.28	AV	L	Pass
3	1.366	36.77	10.25	56.00	19.23	Peak	L	Pass
3**	1.366	22.69	10.25	46.00	23.31	AV	L	Pass
4	2.408	41.00	10.37	56.00	15.00	Peak	L	Pass
4**	2.408	26.71	10.37	46.00	19.29	AV	L	Pass
5	4.224	42.20	10.43	56.00	13.80	Peak	L	Pass
5**	4.224	23.18	10.43	46.00	22.82	AV	L	Pass
6	10.518	42.55	10.96	60.00	17.45	Peak	L	Pass
6**	10.518	29.03	10.96	50.00	20.97	AV	L	Pass

PHASE N

CE Test case FCC\_CE\_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.172	52.84	10.15	64.86	12.02	Peak	N	Pass
1**	0.172	30.66	10.15	54.86	24.20	AV	N	Pass
2	0.528	40.73	10.18	56.00	15.27	Peak	N	Pass
2**	0.528	31.58	10.18	46.00	14.42	AV	N	Pass
3	1.094	38.35	10.25	56.00	17.65	Peak	N	Pass
3**	1.094	22.70	10.25	46.00	23.30	AV	N	Pass
4	2.376	41.62	10.27	56.00	14.38	Peak	N	Pass
4**	2.376	27.68	10.27	46.00	18.32	AV	N	Pass
5	4.212	43.69	10.39	56.00	12.31	Peak	N	Pass
5**	4.212	25.98	10.39	46.00	20.02	AV	N	Pass
6	10.494	46.54	10.96	60.00	13.46	Peak	N	Pass
6**	10.494	36.51	10.96	50.00	13.49	AV	N	Pass

## A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.


Note 2: For the test data above 1 GHz, According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

### Test Data and Plots


#### 30 MHz to 1 GHz, ANT H



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	64.192	33.87	-27.10	40.0	6.13	Peak	41.00	100	Horizontal	Pass
2	146.982	39.52	-29.57	43.5	3.98	Peak	71.00	100	Horizontal	Pass
3	154.742	40.49	-29.24	43.5	3.01	Peak	65.00	100	Horizontal	Pass
4	164.442	38.10	-28.49	43.5	5.40	Peak	89.00	100	Horizontal	Pass
5	235.204	37.85	-24.72	46.0	8.15	Peak	77.00	100	Horizontal	Pass
6	477.558	39.58	-18.77	46.0	6.42	Peak	291.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	64.192	36.36	-27.10	40.0	3.64	Peak	142.00	100	Vertical	Pass
2	154.790	34.12	-29.24	43.5	9.38	Peak	172.00	100	Vertical	Pass
3	235.786	42.66	-24.69	46.0	3.34	Peak	154.00	100	Vertical	Pass
4	333.562	33.37	-22.27	46.0	12.63	Peak	215.00	100	Vertical	Pass
5	479.401	37.47	-18.76	46.0	8.53	Peak	26.00	100	Vertical	Pass
6	911.099	31.61	-9.23	46.0	14.39	Peak	0.00	100	Vertical	Pass


Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

Note 3: All antenna were pre tested, but only the worst case has been reported in this report.

Note 4: All the configurations were pre tested, only the worst configuration has been reported in this report.


1 GHz to 18 GHz, ANT H 802.11b Middle Channel



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.000	42.62	-15.73	74.0	31.38	Peak	69.00	150	Horizontal	Pass
1**	1196.000	33.42	-15.73	54.0	20.58	AV	69.00	150	Horizontal	Pass
2	2075.250	42.40	-13.77	74.0	31.60	Peak	288.00	150	Horizontal	Pass
2**	2075.250	30.94	-13.77	54.0	23.06	AV	288.00	150	Horizontal	Pass
3	2438.500	105.65	-12.37	74.0	-31.65	Peak	252.00	150	Horizontal	N/A
3**	2438.500	102.41	-12.37	54.0	-48.41	AV	252.00	150	Horizontal	N/A
4	4874.500	54.76	-2.25	74.0	19.24	Peak	219.00	150	Horizontal	Pass
4**	4874.500	52.81	-2.25	54.0	1.19	AV	219.00	150	Horizontal	Pass
5	7929.000	54.18	2.00	74.0	19.82	Peak	360.00	150	Horizontal	Pass
5**	7929.000	43.49	2.00	54.0	10.51	AV	360.00	150	Horizontal	Pass
6	12338.500	49.06	-2.37	74.0	24.94	Peak	152.00	150	Horizontal	Pass
6**	12338.500	37.41	-2.37	54.0	16.59	AV	152.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1136.250	39.42	-15.53	74.0	34.58	Peak	360.00	150	Vertical	Pass
1**	1136.250	28.54	-15.53	54.0	25.46	AV	360.00	150	Vertical	Pass
2	2000.750	42.77	-14.29	74.0	31.23	Peak	251.00	150	Vertical	Pass
2**	2000.750	31.00	-14.29	54.0	23.00	AV	251.00	150	Vertical	Pass
3	2438.250	103.74	-12.38	74.0	-29.74	Peak	285.00	150	Vertical	N/A
3**	2438.250	100.88	-12.38	54.0	-46.88	AV	285.00	150	Vertical	N/A
4	4874.500	49.57	-2.25	74.0	24.43	Peak	274.00	150	Vertical	Pass
4**	4874.500	46.52	-2.25	54.0	7.48	AV	274.00	150	Vertical	Pass
5	7862.000	54.28	1.71	74.0	19.72	Peak	227.00	150	Vertical	Pass
5**	7862.000	43.17	1.71	54.0	10.83	AV	227.00	150	Vertical	Pass
6	12486.500	48.66	-2.50	74.0	25.34	Peak	325.00	150	Vertical	Pass
6**	12486.500	38.34	-2.50	54.0	15.66	AV	325.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1196.500	41.85	-15.71	74.0	32.15	Peak	71.00	150	Horizontal	Pass
1**	1196.500	33.56	-15.71	54.0	20.44	AV	71.00	150	Horizontal	Pass
2	2042.250	42.10	-13.32	74.0	31.90	Peak	220.00	150	Horizontal	Pass
2**	2042.250	31.41	-13.32	54.0	22.59	AV	220.00	150	Horizontal	Pass
3	2438.750	108.00	-12.37	74.0	-34.00	Peak	255.00	150	Horizontal	N/A
3**	2438.750	99.58	-12.37	54.0	-45.58	AV	255.00	150	Horizontal	N/A
4	4872.500	49.33	-2.22	74.0	24.67	Peak	221.00	150	Horizontal	Pass
4**	4872.500	42.04	-2.22	54.0	11.96	AV	221.00	150	Horizontal	Pass
5	7939.500	54.23	1.92	74.0	19.77	Peak	10.00	150	Horizontal	Pass
5**	7939.500	43.37	1.92	54.0	10.63	AV	10.00	150	Horizontal	Pass
6	12108.500	48.55	-3.11	74.0	25.45	Peak	300.00	150	Horizontal	Pass
6**	12108.500	37.80	-3.11	54.0	16.20	AV	300.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.250	40.99	-15.74	74.0	33.01	Peak	104.00	150	Vertical	Pass
1**	1198.250	31.71	-15.74	54.0	22.29	AV	104.00	150	Vertical	Pass
2	1995.000	42.70	-14.54	74.0	31.30	Peak	118.00	150	Vertical	Pass
2**	1995.000	33.45	-14.54	54.0	20.55	AV	118.00	150	Vertical	Pass
3	2439.250	105.35	-12.37	74.0	-31.35	Peak	289.00	150	Vertical	N/A
3**	2439.250	97.12	-12.37	54.0	-43.12	AV	289.00	150	Vertical	N/A
4	4296.000	47.29	-3.86	74.0	26.71	Peak	331.00	150	Vertical	Pass
4**	4296.000	36.88	-3.86	54.0	17.12	AV	331.00	150	Vertical	Pass
5	6898.500	53.43	0.63	74.0	20.57	Peak	0.00	150	Vertical	Pass
5**	6898.500	42.61	0.63	54.0	11.39	AV	0.00	150	Vertical	Pass
6	11955.000	49.59	-3.34	74.0	24.41	Peak	0.00	150	Vertical	Pass
6**	11955.000	38.19	-3.34	54.0	15.81	AV	0.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1200.750	41.69	-15.75	74.0	32.31	Peak	80.00	150	Horizontal	Pass
1**	1200.750	32.66	-15.75	54.0	21.34	AV	80.00	150	Horizontal	Pass
2	2026.500	41.78	-13.88	74.0	32.22	Peak	130.00	150	Horizontal	Pass
2**	2026.500	30.64	-13.88	54.0	23.36	AV	130.00	150	Horizontal	Pass
3	2435.500	107.96	-12.31	74.0	-33.96	Peak	253.00	150	Horizontal	N/A
3**	2435.500	99.47	-12.31	54.0	-45.47	AV	253.00	150	Horizontal	N/A
4	4870.000	49.88	-2.15	74.0	24.12	Peak	239.00	150	Horizontal	Pass
4**	4870.000	41.70	-2.15	54.0	12.30	AV	239.00	150	Horizontal	Pass
5	7694.000	53.80	1.24	74.0	20.20	Peak	290.00	150	Horizontal	Pass
5**	7694.000	43.00	1.24	54.0	11.00	AV	290.00	150	Horizontal	Pass
6	12006.500	48.15	-3.17	74.0	25.85	Peak	38.00	150	Horizontal	Pass
6**	12006.500	37.19	-3.17	54.0	16.81	AV	38.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case\_FCC Part 15C\_FCC 15.247(2.4G)\_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1199.750	40.35	-15.75	74.0	33.65	Peak	319.00	150	Vertical	Pass
1**	1199.750	29.46	-15.75	54.0	24.54	AV	319.00	150	Vertical	Pass
2	1994.500	41.76	-14.57	74.0	32.24	Peak	122.00	150	Vertical	Pass
2**	1994.500	31.97	-14.57	54.0	22.03	AV	122.00	150	Vertical	Pass
3	2438.250	104.52	-12.38	74.0	-30.52	Peak	289.00	150	Vertical	N/A
3**	2438.250	96.70	-12.38	54.0	-42.70	AV	289.00	150	Vertical	N/A
4	4297.000	47.54	-3.79	74.0	26.46	Peak	0.00	150	Vertical	Pass
4**	4297.000	36.80	-3.79	54.0	17.20	AV	0.00	150	Vertical	Pass
5	7176.500	53.25	0.15	74.0	20.75	Peak	148.00	150	Vertical	Pass
5**	7176.500	42.53	0.15	54.0	11.47	AV	148.00	150	Vertical	Pass
6	11966.000	50.51	-3.27	74.0	23.49	Peak	119.00	150	Vertical	Pass
6**	11966.000	37.98	-3.27	54.0	16.02	AV	119.00	150	Vertical	Pass

## A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2013, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: All antenna were pre tested, but only the worst case has been reported in this report.


### Test Data and Plots

#### 802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.74	-4.87	74.0	21.26	Peak	166.83	150	Horizontal	Pass
1**	2390.000	42.92	-4.87	54.0	11.08	AV	166.83	150	Horizontal	Pass
2	2385.600	54.29	-4.62	74.0	19.71	Peak	250.00	150	Horizontal	Pass
2**	2385.600	45.47	-4.62	54.0	8.53	AV	250.00	150	Horizontal	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.36	-3.78	74.0	20.64	Peak	258.00	150	Horizontal	Pass
1**	2483.500	44.84	-3.78	54.0	9.16	AV	258.00	150	Horizontal	Pass
2	2486.440	53.98	-3.79	74.0	20.02	Peak	255.00	150	Horizontal	Pass
2**	2486.440	44.43	-3.79	54.0	9.57	AV	255.00	150	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	71.21	-4.87	74.0	2.79	Peak	255.01	150	Horizontal	Pass
1**	2390.000	51.65	-4.87	54.0	2.35	AV	255.01	150	Horizontal	Pass
2	2389.500	64.42	-4.85	74.0	9.58	Peak	255.00	150	Horizontal	Pass
2**	2389.500	50.81	-4.85	54.0	3.19	AV	255.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.14	-3.78	74.0	8.86	Peak	254.00	150	Horizontal	Pass
1**	2483.500	52.93	-3.78	54.0	1.07	AV	254.00	150	Horizontal	Pass
2	2483.620	69.25	-3.78	74.0	4.75	Peak	254.00	150	Horizontal	Pass
2**	2483.620	52.05	-3.78	54.0	1.95	AV	254.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.20	-4.87	74.0	8.80	Peak	252.70	150	Horizontal	Pass
1**	2390.000	51.96	-4.87	54.0	2.04	AV	252.70	150	Horizontal	Pass
2	2388.300	68.61	-4.78	74.0	5.39	Peak	253.00	150	Horizontal	Pass
2**	2388.300	48.69	-4.78	54.0	5.31	AV	253.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	65.69	-3.78	74.0	8.31	Peak	250.00	150	Horizontal	Pass
1**	2483.500	52.22	-3.78	54.0	1.78	AV	250.00	150	Horizontal	Pass
2	2483.530	72.46	-3.78	74.0	1.54	Peak	255.00	150	Horizontal	Pass
2**	2483.530	52.10	-3.78	54.0	1.90	AV	255.00	150	Horizontal	Pass

## A.8 Power Spectral Density (PSD)

### Test Data

#### 802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-4.63	8
Middle	-4.87	8
High	-4.66	8

#### 802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.00	8
Middle	-9.58	8
High	-9.02	8

#### 802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.22	8
Middle	-10.73	8
High	-11.66	8

Test Plots

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL




802.11b HIGH CHANNEL




802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



## **ANNEX B TEST SETUP PHOTOS**

Please refer the document “BL-SH2550525-AR-1.PDF”.

## **ANNEX C EUT EXTERNAL PHOTOS**

Please refer the document “BL-SH2550525-AW.PDF”.

## **ANNEX D EUT INTERNAL PHOTOS**

Please refer the document “BL-SH2550525-AI.PDF”.

## Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--