



9.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.34	13	Pass




9.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.39	13	Pass




9.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.09	13	Pass




9.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.48	13	Pass




9.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.37	13	Pass




9.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.66	13	Pass




9.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.61	13	Pass




9.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	3.61	13	Pass




9.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.22	13	Pass




9.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	4.45	13	Pass




9.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.53	13	Pass




9.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.3	13	Pass




9.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.23	13	Pass




9.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	5.39	13	Pass




9.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.42	13	Pass




9.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.61	13	Pass




9.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
846.5	0.1	6.75	13	Pass




9.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	3.42	13	Pass




9.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	4.27	13	Pass




9.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	4.17	13	Pass




9.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	5.34	13	Pass




9.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	5.06	13	Pass




9.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	6.14	13	Pass




9.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	5.25	13	Pass




9.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	6.42	13	Pass




9.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	6.52	13	Pass




9.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
831.5	0.1	6.66	13	Pass




9.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.94	13	Pass




9.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.22	13	Pass




9.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.06	13	Pass




9.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.3	13	Pass




9.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.67	13	Pass




9.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.14	13	Pass




9.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.67	13	Pass




9.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.37	13	Pass




9.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.75	13	Pass




9.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.66	13	Pass




9.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	3.61	13	Pass




9.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	4.22	13	Pass




9.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	4.45	13	Pass




9.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.2	13	Pass




9.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.3	13	Pass




9.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	6.05	13	Pass




9.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	5.44	13	Pass




9.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	6.33	13	Pass




9.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	6.66	13	Pass




9.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
841.5	0.1	6.56	13	Pass




9.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	3.23	13	Pass




9.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	4.27	13	Pass




9.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	4.12	13	Pass




9.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.39	13	Pass




9.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.06	13	Pass




9.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.09	13	Pass




9.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	5.25	13	Pass




9.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.37	13	Pass




9.69 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.47	13	Pass




9.70 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	6.7	13	Pass




9.71 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	3.61	13	Pass



9.72 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.17	13	Pass



9.73 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	4.73	13	Pass

