



9.74 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.39	13	Pass




9.75 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.48	13	Pass




9.76 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.09	13	Pass




9.77 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	5.53	13	Pass




9.78 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.47	13	Pass




9.79 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.66	13	Pass




9.80 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	6.61	13	Pass




9.81 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	3.84	13	Pass




9.82 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	4.22	13	Pass




9.83 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.06	13	Pass




9.84 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.48	13	Pass




9.85 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.67	13	Pass




9.86 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.05	13	Pass




9.87 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	5.67	13	Pass




9.88 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.33	13	Pass




9.89 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.75	13	Pass




9.90 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	6.61	13	Pass




10. DC_5A_n66A 15kHz

10.1 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




10.2 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	4.27	13	Pass




10.3 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	4.64	13	Pass




10.4 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	5.67	13	Pass




10.5 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	5.34	13	Pass




10.6 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	6.42	13	Pass




10.7 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	5.44	13	Pass




10.8 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	6.52	13	Pass




10.9 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	6.66	13	Pass




10.10 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1712.5	0.1	6.75	13	Pass




10.11 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	3.8	13	Pass




10.12 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.31	13	Pass




10.13 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.78	13	Pass




10.14 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.62	13	Pass




10.15 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.44	13	Pass




10.16 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.42	13	Pass




10.17 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	5.53	13	Pass




10.18 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.47	13	Pass




10.19 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.66	13	Pass




10.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	6.66	13	Pass




10.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	3.89	13	Pass




10.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	4.27	13	Pass




10.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	4.92	13	Pass




10.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	5.67	13	Pass




10.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	5.53	13	Pass




10.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	6.47	13	Pass




10.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	5.62	13	Pass




10.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	6.56	13	Pass




10.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	6.75	13	Pass




10.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1777.5	0.1	6.7	13	Pass




10.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	3.56	13	Pass




10.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.31	13	Pass




10.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	4.64	13	Pass




10.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.58	13	Pass




10.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.3	13	Pass




10.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.23	13	Pass




10.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	5.39	13	Pass




10.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.47	13	Pass




10.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.61	13	Pass




10.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	6.61	13	Pass




10.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	3.61	13	Pass



10.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.36	13	Pass



10.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	4.69	13	Pass

