### 3.36 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20625, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	4.96	5	Pass

3.37 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.97	9.86	10	Pass

3.38 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.98	9.77	10	Pass

3.39 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.96	9.75	10	Pass

3.40 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20450, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.2	Peak	8.96	9.82	10	Pass

3.41 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.96	9.76	10	Pass

3.42 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.96	9.81	10	Pass

3.43 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.96	9.84	10	Pass

3.44 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20525, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.2	Peak	8.96	9.9	10	Pass

3.45 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.96	9.78	10	Pass

3.46 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.95	9.81	10	Pass

3.47 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.96	9.77	10	Pass

3.48 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20600, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.2	Peak	8.99	9.83	10	Pass

4. LTE_Band7

4.1 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.5	4.98	5	Pass

4.2 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.49	4.97	5	Pass

4.3 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20775, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.49	4.95	5	Pass

4.4 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20775, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.5	4.99	5	Pass

4.5 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	4.98	5	Pass

4.6 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	5	5	Pass

4.7 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.49	4.98	5	Pass

4.8 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.5	5	5	Pass

4.9 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.97	5	Pass

4.10 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.96	5	Pass

4.11 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21425, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.49	4.94	5	Pass

4.12 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21425, Bandwidth:5, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.5	4.94	5	Pass

4.13 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.96	9.87	10	Pass

4.14 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.95	9.75	10	Pass

4.15 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.96	9.77	10	Pass

4.16 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20800, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.2	Peak	8.96	9.8	10	Pass

4.17 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.97	9.81	10	Pass

4.18 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.96	9.83	10	Pass

4.19 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.97	9.81	10	Pass

4.20 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.2	Peak	8.97	9.81	10	Pass

4.21 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.96	9.79	10	Pass

4.22 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.96	9.78	10	Pass

4.23 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21400, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.96	9.78	10	Pass

4.24 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21400, Bandwidth:10, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.2	Peak	8.98	9.86	10	Pass

4.25 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.43	14.77	15	Pass

4.26 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.45	14.66	15	Pass

4.27 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20825, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.41	14.64	15	Pass

4.28 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20825, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	13.41	14.67	15	Pass

4.29 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.44	14.68	15	Pass

4.30 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.45	14.69	15	Pass

4.31 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.45	14.68	15	Pass

4.32 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	13.46	14.63	15	Pass

4.33 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.43	14.63	15	Pass

4.34 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21375, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.46	14.63	15	Pass

4.35 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21375, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.43	14.63	15	Pass

4.36 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21375, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	13.46	14.62	15	Pass

4.37 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.93	19.3	20	Pass

4.38 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.9	19.46	20	Pass

4.39 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20850, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.87	19.39	20	Pass

4.40 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:20850, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.39	Peak	17.92	19.43	20	Pass

4.41 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.91	19.42	20	Pass

4.42 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.92	19.45	20	Pass

4.43 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.94	19.45	20	Pass

4.44 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21100, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.39	Peak	17.93	19.45	20	Pass

4.45 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.92	19.37	20	Pass

4.46 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21350, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	11.12	11.85	20	Pass

4.47 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:21350, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.39	Peak	17.92	19.41	20	Pass