## 7.56 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.47	14.64	15	Pass

7.57 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.45	14.65	15	Pass

7.58 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.44	14.71	15	Pass

7.59 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.46	14.64	15	Pass

7.60 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:256QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.46	14.66	15	Pass

7.61 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.95	19.3	20	Pass

7.62 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.89	19.41	20	Pass

7.63 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.91	19.43	20	Pass

7.64 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.93	19.4	20	Pass

7.65 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.97	19.43	20	Pass

7.66 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.94	19.49	20	Pass

7.67 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.96	19.52	20	Pass

7.68 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.95	19.52	20	Pass

7.69 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.93	19.34	20	Pass

7.70 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.92	19.33	20	Pass

7.71 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.93	19.33	20	Pass

7.72 LTE Occupied Bandwidth_Part22-24-27(added 64QAM&256QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.93	19.44	20	Pass

8. DC_5A_n2A 15kHz

8.1 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.48	4.92	5	Pass

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict

8.2 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.5	4.93	5	Pass

8.3 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	4.96	5	Pass

8.4 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.48	4.9	5	Pass

8.5 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.48	4.86	5	Pass

8.6 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	4.9	5	Pass

8.7 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.48	4.92	5	Pass

8.8 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.48	4.9	5	Pass

8.9 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.48	4.91	5	Pass

8.10 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.49	4.9	5	Pass

8.11 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.49	4.9	5	Pass

8.12 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.49	4.91	5	Pass

8.13 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	18.97	20.06	20	Pass

8.14 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.94	20.06	20	Pass

8.15 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.99	20.07	20	Pass

8.16 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	18.97	20.11	20	Pass

8.17 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.94	20.14	20	Pass

8.18 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.98	20.08	20	Pass

8.19 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	18.95	20.08	20	Pass

8.20 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.94	20.05	20	Pass

8.21 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.98	20.09	20	Pass

8.22 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.39	Peak	18.91	20.08	20	Pass

8.23 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.39	Peak	18.89	20.07	20	Pass

8.24 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.39	Peak	18.94	20.1	20	Pass

8.25 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.89	41.24	40	Pass

8.26 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.78	41.22	40	Pass

8.27 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.8	41.2	40	Pass

8.28 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.8	41.27	40	Pass

8.29 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.67	41.17	40	Pass

8.30 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.71	41.2	40	Pass

8.31 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.86	41.26	40	Pass

8.32 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.72	41.2	40	Pass

8.33 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.75	41.15	40	Pass

8.34 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1870	99	26	1	Peak	38.83	41.24	40	Pass

8.35 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	1	Peak	38.67	41.13	40	Pass

8.36 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1890	99	26	1	Peak	38.72	41.22	40	Pass

9. DC_66A_n5A

9.1 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.91	5	Pass

9.2 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.95	5	Pass

9.3 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.93	5	Pass

9.4 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.91	5	Pass

9.5 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.9	5	Pass

9.6 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.91	5	Pass

9.7 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.93	5	Pass

9.8 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.92	5	Pass

9.9 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.93	5	Pass

9.10 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

| Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.49	4.89	5	Pass

9.11 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.49	4.89	5	Pass

9.12 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	4.89	5	Pass