



**9.13 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	14.18	15.05	15	Pass




**9.14 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.17	15.07	15	Pass




**9.15 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.17	15.61	15	Pass




**9.16 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	14.2	16.32	15	Pass




**9.17 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.18	16.64	15	Pass




**9.18 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.18	16.68	15	Pass




**9.19 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	14.15	14.99	15	Pass




**9.20 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.15	15.02	15	Pass




**9.21 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.15	14.99	15	Pass




**9.22 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	14.11	15.01	15	Pass




**9.23 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.1	14.99	15	Pass




**9.24 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.1	15.01	15	Pass




**9.25 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.39	Peak	18.99	22.59	20	Pass




**9.26 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.39	Peak	18.97	20.08	20	Pass




**9.27 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.39	Peak	18.97	20.06	20	Pass




**9.28 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.39	Peak	19.01	23.84	20	Pass




**9.29 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.39	Peak	18.98	20.44	20	Pass




**9.30 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.39	Peak	18.97	20.17	20	Pass




**9.31 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.39	Peak	18.97	20.09	20	Pass




**9.32 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.39	Peak	18.95	20.09	20	Pass




**9.33 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.39	Peak	18.95	20.11	20	Pass




**9.34 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.39	Peak	18.9	20.09	20	Pass




**9.35 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.39	Peak	18.88	20.07	20	Pass




**9.36 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.39	Peak	18.88	20.11	20	Pass




## 10. DC\_5A\_n66A 15kHz

10.1 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




**10.2 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.93	5	Pass




**10.3 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	4.93	5	Pass




**10.4 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.48	4.88	5	Pass




**10.5 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.48	4.89	5	Pass




**10.6 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.48	4.89	5	Pass




**10.7 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	4.91	5	Pass




**10.8 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.9	5	Pass




**10.9 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	4.91	5	Pass




**10.10 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	4.92	5	Pass




**10.11 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.49	4.9	5	Pass




**10.12 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.49	4.9	5	Pass




**10.13 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	18.98	20.06	20	Pass




**10.14 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	18.99	20.12	20	Pass




**10.15 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	18.98	20.04	20	Pass




**10.16 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	18.99	20.12	20	Pass




**10.17 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	18.99	20.12	20	Pass




**10.18 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	18.98	20.09	20	Pass




**10.19 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	18.97	20.11	20	Pass



**10.20 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	18.96	20.09	20	Pass



**10.21 Occupied Bandwidth for SA\_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)**

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	18.96	20.11	20	Pass

