



10.22 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	18.9	20.13	20	Pass




10.23 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	18.9	20.12	20	Pass




10.24 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	18.9	20.08	20	Pass




10.25 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.9	41.33	40	Pass




10.26 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.86	41.32	40	Pass




10.27 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.81	46.46	40	Pass




10.28 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.83	41.44	40	Pass




10.29 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.72	41.34	40	Pass




10.30 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.79	41.17	40	Pass




10.31 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.85	41.19	40	Pass




10.32 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.8	41.19	40	Pass




10.33 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.72	41.18	40	Pass




10.34 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	1	Peak	38.78	41.19	40	Pass




10.35 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1760	99	26	1	Peak	38.73	41.21	40	Pass




10.36 Occupied Bandwidth for SA_Part22-24-27(NTNV)(Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1730	99	26	1	Peak	38.85	41.37	40	Pass




11. DC_5A_n77A 30kHz(3450-3550)

11.1 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




11.2 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.2	Peak	8.6	9.55	10	Pass




11.3 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.2	Peak	8.63	9.54	10	Pass




11.4 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.2	Peak	8.64	9.5	10	Pass




11.5 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.2	Peak	8.64	9.52	10	Pass




11.6 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.2	Peak	8.64	9.44	10	Pass




11.7 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.2	Peak	8.61	9.44	10	Pass




11.8 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.2	Peak	8.62	9.47	10	Pass




11.9 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3455.01	99	26	0.2	Peak	8.61	9.41	10	Pass




11.10 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.2	Peak	8.62	9.45	10	Pass




11.11 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3544.98	99	26	0.2	Peak	8.61	9.41	10	Pass




11.12 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.49	50.3	50	Pass




11.13 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.53	50.28	50	Pass




11.14 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.5	50.33	50	Pass




11.15 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.66	50.36	50	Pass




11.16 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.68	50.26	50	Pass




11.17 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.65	50.37	50	Pass




11.18 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.52	50.38	50	Pass




11.19 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.5	50.32	50	Pass




11.20 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.53	50.37	50	Pass




11.21 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.52	50.35	50	Pass




11.22 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.55	50.27	50	Pass




11.23 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.51	50.23	50	Pass




11.24 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.45	100.68	100	Pass




11.25 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.4	100.65	100	Pass




11.26 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.68	100.69	100	Pass




11.27 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.44	100.72	100	Pass




12. DC_5A_n77A 30kHz(3700-3980)

12.1 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)




12.2 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.2	Peak	8.59	9.55	10	Pass




12.3 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3975	99	26	0.2	Peak	8.61	9.53	10	Pass




12.4 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	8.64	9.47	10	Pass




12.5 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.2	Peak	8.64	9.53	10	Pass




12.6 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3975	99	26	0.2	Peak	8.62	9.45	10	Pass




12.7 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	8.6	9.46	10	Pass




12.8 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.2	Peak	8.62	9.48	10	Pass




12.9 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3975	99	26	0.2	Peak	8.62	9.43	10	Pass




12.10 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	8.61	9.42	10	Pass




12.11 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.2	Peak	8.61	9.46	10	Pass




12.12 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3975	99	26	0.2	Peak	8.61	9.4	10	Pass




12.13 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.53	50.35	50	Pass




12.14 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	47.56	50.29	50	Pass




12.15 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3954.99	99	26	1	Peak	47.51	50.26	50	Pass




12.16 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.67	50.35	50	Pass



12.17 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	47.67	50.25	50	Pass



12.18 Occupied Bandwidth for SA_Part22-24-27(NTLV)(Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3954.99	99	26	1	Peak	47.65	50.35	50	Pass

