



2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.27	-13	31.27	Pass	401
0.15	30	0.01	RMS	0.18	-71.62	-13	58.62	Pass	2986
30	1000	0.1	RMS	851.802	-65.2	-13	52.2	Pass	9701
1000	1700	1	RMS	1678	-53.82	-13	40.82	Pass	701
1700	1765	1	RMS	1740.788	23.55	60	36.45	Pass	401
1765	3000	1	RMS	1770	-48.91	-13	35.91	Pass	1236
3000	12000	1	RMS	11997	-44.09	-13	31.09	Pass	9002
12000	20000	1	RMS	13601	-39.61	-13	26.61	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.63	-13	34.63	Pass	401
0.15	30	0.01	RMS	0.15	-71.44	-13	58.44	Pass	2986
30	1000	0.1	RMS	952.368	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1678	-53.86	-13	40.86	Pass	701
1700	1765	1	RMS	1740.788	22.63	60	37.37	Pass	401
1765	3000	1	RMS	1767	-48.99	-13	35.99	Pass	1236
3000	12000	1	RMS	11991	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.92	-13	31.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	1000	0.1	RMS	983.389	-65.06	-13	52.06	Pass	9701
1000	1700	1	RMS	1696	-47.95	-13	34.95	Pass	701
1700	1765	1	RMS	1711.05	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2992	-51.36	-13	38.36	Pass	1236
3000	12000	1	RMS	11992	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13604	-39.73	-13	26.73	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.58	-13	33.58	Pass	401
0.15	30	0.01	RMS	0.16	-71.3	-13	58.3	Pass	2986
30	1000	0.1	RMS	834	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-48.55	-13	35.55	Pass	701
1700	1765	1	RMS	1711.05	22.51	60	37.49	Pass	401
1765	3000	1	RMS	2979	-51.33	-13	38.33	Pass	1236
3000	12000	1	RMS	11999	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13602	-39.73	-13	26.73	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.82	-13	31.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	964.577	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1695	-52.74	-13	39.74	Pass	701
1700	1765	1	RMS	1723.563	23.35	60	36.65	Pass	401
1765	3000	1	RMS	2996	-51.35	-13	38.35	Pass	1236
3000	12000	1	RMS	11998	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13603	-39.75	-13	26.75	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-49.1	-13	36.1	Pass	401
0.15	30	0.01	RMS	0.16	-72.36	-13	59.36	Pass	2986
30	1000	0.1	RMS	859.007	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1695	-53.28	-13	40.28	Pass	701
1700	1765	1	RMS	1723.563	22.45	60	37.55	Pass	401
1765	3000	1	RMS	2999	-51.34	-13	38.34	Pass	1236
3000	12000	1	RMS	11996	-44.21	-13	31.21	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.95	-13	30.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	974.483	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.76	-13	40.76	Pass	701
1700	1765	1	RMS	1736.075	23.53	60	36.47	Pass	401
1765	3000	1	RMS	1765	-40.85	-13	27.85	Pass	1236
3000	12000	1	RMS	11993	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13605	-39.8	-13	26.8	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-46.53	-13	33.53	Pass	401
0.15	30	0.01	RMS	0.16	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	868.613	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.8	-13	40.8	Pass	701
1700	1765	1	RMS	1736.075	22.49	60	37.51	Pass	401
1765	3000	1	RMS	1765	-41.42	-13	28.42	Pass	1236
3000	12000	1	RMS	11997	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13602	-39.7	-13	26.7	Pass	8001



3. LTE_Band5


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.99	-13	30.99	Pass	401
0.15	30	0.01	RMS	0.16	-72.62	-13	59.62	Pass	2986
30	814	0.1	RMS	813.6	-64.68	-13	51.68	Pass	7841
814	860	0.1	RMS	824.3	21.17	60	38.83	Pass	461
860	1000	0.1	RMS	900.3	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1648	-46.1	-13	33.1	Pass	2001
3000	10000	1	RMS	6799	-45.54	-13	32.54	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.59	-13	33.59	Pass	401
0.15	30	0.01	RMS	0.16	-71.82	-13	58.82	Pass	2986
30	814	0.1	RMS	813.6	-64.67	-13	51.67	Pass	7841
814	860	0.1	RMS	824.3	20.16	60	39.84	Pass	461
860	1000	0.1	RMS	928.9	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1648	-47.2	-13	34.2	Pass	2001
3000	10000	1	RMS	6802	-45.55	-13	32.55	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.98	-13	30.98	Pass	401
0.15	30	0.01	RMS	0.15	-71.23	-13	58.23	Pass	2986
30	814	0.1	RMS	813.3	-65.48	-13	52.48	Pass	7841
814	860	0.1	RMS	836.1	21.27	60	38.73	Pass	461
860	1000	0.1	RMS	950.4	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1672	-45.43	-13	32.43	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.66	-13	34.66	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	805.3	-65.59	-13	52.59	Pass	7841
814	860	0.1	RMS	836.1	20.32	60	39.68	Pass	461
860	1000	0.1	RMS	949.4	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1672	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	6799	-45.62	-13	32.62	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.41	-13	30.41	Pass	401
0.15	30	0.01	RMS	0.17	-72.53	-13	59.53	Pass	2986
30	814	0.1	RMS	803.9	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	847.9	21.26	60	38.74	Pass	461
860	1000	0.1	RMS	976.4	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1695	-43.93	-13	30.93	Pass	2001
3000	10000	1	RMS	6803	-45.57	-13	32.57	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-57.85	-13	44.85	Pass	401
0.15	30	0.01	RMS	0.17	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	738.1	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	847.9	20.27	60	39.73	Pass	461
860	1000	0.1	RMS	979.6	-65.06	-13	52.06	Pass	1401
1000	3000	1	RMS	1695	-45.13	-13	32.13	Pass	2001
3000	10000	1	RMS	6799	-45.51	-13	32.51	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.63	-13	31.63	Pass	401
0.15	30	0.01	RMS	0.16	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	813.6	-64.44	-13	51.44	Pass	7841
814	860	0.1	RMS	824.3	21.04	60	38.96	Pass	461
860	1000	0.1	RMS	985.6	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1648	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	6804	-45.55	-13	32.55	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.71	-13	34.71	Pass	401
0.15	30	0.01	RMS	0.15	-70.71	-13	57.71	Pass	2986
30	814	0.1	RMS	813.6	-65.41	-13	52.41	Pass	7841
814	860	0.1	RMS	824.3	20.3	60	39.7	Pass	461
860	1000	0.1	RMS	860.7	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1648	-47.12	-13	34.12	Pass	2001
3000	10000	1	RMS	6800	-45.53	-13	32.53	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.34	-13	31.34	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	813.1	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	835.3	21.19	60	38.81	Pass	461
860	1000	0.1	RMS	885.6	-65.18	-13	52.18	Pass	1401
1000	3000	1	RMS	1670	-44.9	-13	31.9	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.89	-13	34.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.31	-13	58.31	Pass	2986
30	814	0.1	RMS	813	-65.56	-13	52.56	Pass	7841
814	860	0.1	RMS	835.3	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	978.4	-65.24	-13	52.24	Pass	1401
1000	3000	1	RMS	1670	-46.13	-13	33.13	Pass	2001
3000	10000	1	RMS	6798	-45.54	-13	32.54	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.82	-13	30.82	Pass	401
0.15	30	0.01	RMS	0.17	-72.57	-13	59.57	Pass	2986
30	814	0.1	RMS	812.1	-65.54	-13	52.54	Pass	7841
814	860	0.1	RMS	846.3	21.12	60	38.88	Pass	461
860	1000	0.1	RMS	956.9	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1692	-43.74	-13	30.74	Pass	2001
3000	10000	1	RMS	6800	-45.6	-13	32.6	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-53	-13	40	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	809.7	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	846.3	20.22	60	39.78	Pass	461
860	1000	0.1	RMS	975	-65.31	-13	52.31	Pass	1401
1000	3000	1	RMS	1692	-44.87	-13	31.87	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.19	-13	31.19	Pass	401
0.15	30	0.01	RMS	0.16	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	813.7	-64.49	-13	51.49	Pass	7841
814	860	0.1	RMS	824.4	21.14	60	38.86	Pass	461
860	1000	0.1	RMS	984.4	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1648	-45.92	-13	32.92	Pass	2001
3000	10000	1	RMS	6799	-45.58	-13	32.58	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-48.48	-13	35.48	Pass	401
0.15	30	0.01	RMS	0.16	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	813.7	-65.2	-13	52.2	Pass	7841
814	860	0.1	RMS	824.4	20.25	60	39.75	Pass	461
860	1000	0.1	RMS	957.1	-65.36	-13	52.36	Pass	1401
1000	3000	1	RMS	1648	-47.2	-13	34.2	Pass	2001
3000	10000	1	RMS	6801	-45.59	-13	32.59	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.31	-13	31.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	813.7	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	834.4	21.24	60	38.76	Pass	461
860	1000	0.1	RMS	864	-65.22	-13	52.22	Pass	1401
1000	3000	1	RMS	1668	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.5	-13	33.5	Pass	401
0.15	30	0.01	RMS	0.16	-71.83	-13	58.83	Pass	2986
30	814	0.1	RMS	781.8	-65.64	-13	52.64	Pass	7841
814	860	0.1	RMS	834.4	20.23	60	39.77	Pass	461
860	1000	0.1	RMS	885.9	-65.32	-13	52.32	Pass	1401
1000	3000	1	RMS	1668	-46.52	-13	33.52	Pass	2001
3000	10000	1	RMS	6800	-45.48	-13	32.48	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.1	-13	31.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	814	0.1	RMS	803.2	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	844.4	21	60	39	Pass	461
860	1000	0.1	RMS	861.1	-65.33	-13	52.33	Pass	1401
1000	3000	1	RMS	1688	-43.97	-13	30.97	Pass	2001
3000	10000	1	RMS	6802	-45.54	-13	32.54	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-60.35	-13	47.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	813.9	-65.6	-13	52.6	Pass	7841
814	860	0.1	RMS	844.4	20.31	60	39.69	Pass	461
860	1000	0.1	RMS	981.2	-65.29	-13	52.29	Pass	1401
1000	3000	1	RMS	1688	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.022	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-13	58.55	Pass	2986
30	814	0.1	RMS	813.9	-64.52	-13	51.52	Pass	7841
814	860	0.1	RMS	824.6	21.43	60	38.57	Pass	461
860	1000	0.1	RMS	979.8	-65.14	-13	52.14	Pass	1401
1000	3000	1	RMS	1649	-46.31	-13	33.31	Pass	2001
3000	10000	1	RMS	6801	-45.57	-13	32.57	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.6	-13	35.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	58.73	Pass	2986
30	814	0.1	RMS	813.9	-64.68	-13	51.68	Pass	7841
814	860	0.1	RMS	824.6	20.51	60	39.49	Pass	461
860	1000	0.1	RMS	942.4	-65.27	-13	52.27	Pass	1401
1000	3000	1	RMS	1649	-47.05	-13	34.05	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.57	-13	30.57	Pass	401
0.15	30	0.01	RMS	0.15	-70.85	-13	57.85	Pass	2986
30	814	0.1	RMS	812.8	-65.44	-13	52.44	Pass	7841
814	860	0.1	RMS	832.1	21.34	60	38.66	Pass	461
860	1000	0.1	RMS	984.5	-65.25	-13	52.25	Pass	1401
1000	3000	1	RMS	1664	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	6798	-45.58	-13	32.58	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-59.17	-13	46.17	Pass	401
0.15	30	0.01	RMS	0.15	-72.19	-13	59.19	Pass	2986
30	814	0.1	RMS	812.7	-65.58	-13	52.58	Pass	7841
814	860	0.1	RMS	832.1	20.41	60	39.59	Pass	461
860	1000	0.1	RMS	913.8	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1664	-47.03	-13	34.03	Pass	2001
3000	10000	1	RMS	6801	-45.58	-13	32.58	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.36	-13	31.36	Pass	401
0.15	30	0.01	RMS	0.15	-72.09	-13	59.09	Pass	2986
30	814	0.1	RMS	812.3	-65.61	-13	52.61	Pass	7841
814	860	0.1	RMS	839.6	21.25	60	38.75	Pass	461
860	1000	0.1	RMS	981.6	-65.3	-13	52.3	Pass	1401
1000	3000	1	RMS	1679	-45.03	-13	32.03	Pass	2001
3000	10000	1	RMS	6797	-45.54	-13	32.54	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.27	-13	34.27	Pass	401
0.15	30	0.01	RMS	0.15	-71	-13	58	Pass	2986
30	814	0.1	RMS	809.4	-65.53	-13	52.53	Pass	7841
814	860	0.1	RMS	839.6	20.44	60	39.56	Pass	461
860	1000	0.1	RMS	981.6	-65.28	-13	52.28	Pass	1401
1000	3000	1	RMS	1679	-45.98	-13	32.98	Pass	2001
3000	10000	1	RMS	6799	-45.5	-13	32.5	Pass	7001



4. LTE_Band7


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.31	-25	24.31	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-25	47.27	Pass	2986
30	1000	0.1	RMS	539.7	-64.25	-25	39.25	Pass	9701
1000	2490	1	RMS	2490	-52.15	-25	27.15	Pass	1491
2490	2580	1	RMS	2500.35	21.7	60	38.3	Pass	401
2580	3000	1	RMS	2996	-51.46	-25	26.46	Pass	421
3000	12000	1	RMS	11978	-62.16	-25	37.16	Pass	9002
12000	26000	1	RMS	25507	-47.78	-25	22.78	Pass	14002




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-54.19	-25	29.19	Pass	401
0.15	30	0.01	RMS	0.17	-72	-25	47	Pass	2986
30	1000	0.1	RMS	539.7	-64.92	-25	39.92	Pass	9701
1000	2490	1	RMS	2490	-52.19	-25	27.19	Pass	1491
2490	2580	1	RMS	2500.35	20.74	60	39.26	Pass	401
2580	3000	1	RMS	2997	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11975	-62.16	-25	37.16	Pass	9002
12000	26000	1	RMS	25502	-51.4	-25	26.4	Pass	14002




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-54.9	-25	29.9	Pass	401
0.15	30	0.01	RMS	0.15	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	572.2	-65.27	-25	40.27	Pass	9701
1000	2490	1	RMS	2486	-52.48	-25	27.48	Pass	1491
2490	2580	1	RMS	2532.75	21.8	60	38.2	Pass	401
2580	3000	1	RMS	2995	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	11984	-62.14	-25	37.14	Pass	9002
12000	26000	1	RMS	25501	-51.34	-25	26.34	Pass	14002




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-56.8	-25	31.8	Pass	401
0.15	30	0.01	RMS	0.17	-72.21	-25	47.21	Pass	2986
30	1000	0.1	RMS	984.89	-65.32	-25	40.32	Pass	9701
1000	2490	1	RMS	2484	-52.6	-25	27.6	Pass	1491
2490	2580	1	RMS	2532.75	20.96	60	39.04	Pass	401
2580	3000	1	RMS	2992	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11979	-62.17	-25	37.17	Pass	9002
12000	26000	1	RMS	25495	-51.35	-25	26.35	Pass	14002




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-49.18	-25	24.18	Pass	401
0.15	30	0.01	RMS	0.18	-72.09	-25	47.09	Pass	2986
30	1000	0.1	RMS	604.7	-64.8	-25	39.8	Pass	9701
1000	2490	1	RMS	2489	-52.58	-25	27.58	Pass	1491
2490	2580	1	RMS	2565.375	22	60	38	Pass	401
2580	3000	1	RMS	2989	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11978	-62.06	-25	37.06	Pass	9002
12000	26000	1	RMS	25501	-51.36	-25	26.36	Pass	14002




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.09	-25	27.09	Pass	401
0.15	30	0.01	RMS	0.15	-72.59	-25	47.59	Pass	2986
30	1000	0.1	RMS	604.7	-65.3	-25	40.3	Pass	9701
1000	2490	1	RMS	2490	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2565.375	21.08	60	38.92	Pass	401
2580	3000	1	RMS	2997	-51.49	-25	26.49	Pass	421
3000	12000	1	RMS	11974	-62.16	-25	37.16	Pass	9002
12000	26000	1	RMS	25506	-51.29	-25	26.29	Pass	14002




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-51.14	-25	26.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-25	46.52	Pass	2986
30	1000	0.1	RMS	540	-64.06	-25	39.06	Pass	9701
1000	2490	1	RMS	2490	-51.16	-25	26.16	Pass	1491
2490	2580	1	RMS	2500.575	21.69	60	38.31	Pass	401
2580	3000	1	RMS	2993	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	11982	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	25517	-51.31	-25	26.31	Pass	14002




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-55.42	-25	30.42	Pass	401
0.15	30	0.01	RMS	0.17	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	540	-65.16	-25	40.16	Pass	9701
1000	2490	1	RMS	2490	-51.28	-25	26.28	Pass	1491
2490	2580	1	RMS	2500.575	20.82	60	39.18	Pass	401
2580	3000	1	RMS	2986	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11980	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	25505	-51.34	-25	26.34	Pass	14002




4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.4	-25	27.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.04	-25	47.04	Pass	2986
30	1000	0.1	RMS	995.397	-65.42	-25	40.42	Pass	9701
1000	2490	1	RMS	2488	-52.6	-25	27.6	Pass	1491
2490	2580	1	RMS	2530.5	21.84	60	38.16	Pass	401
2580	3000	1	RMS	2998	-51.44	-25	26.44	Pass	421
3000	12000	1	RMS	11984	-62.17	-25	37.17	Pass	9002
12000	26000	1	RMS	25500	-51.39	-25	26.39	Pass	14002




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-58.51	-25	33.51	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-25	46.63	Pass	2986
30	1000	0.1	RMS	830.6	-65.33	-25	40.33	Pass	9701
1000	2490	1	RMS	2484	-52.61	-25	27.61	Pass	1491
2490	2580	1	RMS	2530.5	20.84	60	39.16	Pass	401
2580	3000	1	RMS	2982	-51.53	-25	26.53	Pass	421
3000	12000	1	RMS	11980	-62.14	-25	37.14	Pass	9002
12000	26000	1	RMS	25503	-51.3	-25	26.3	Pass	14002




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-51.27	-25	26.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	600	-64.46	-25	39.46	Pass	9701
1000	2490	1	RMS	2489	-52.6	-25	27.6	Pass	1491
2490	2580	1	RMS	2560.65	21.81	60	38.19	Pass	401
2580	3000	1	RMS	2992	-51.47	-25	26.47	Pass	421
3000	12000	1	RMS	11979	-62.13	-25	37.13	Pass	9002
12000	26000	1	RMS	25514	-51.32	-25	26.32	Pass	14002




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-54.54	-25	29.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.8	-25	46.8	Pass	2986
30	1000	0.1	RMS	600	-65.18	-25	40.18	Pass	9701
1000	2490	1	RMS	2485	-52.56	-25	27.56	Pass	1491
2490	2580	1	RMS	2560.65	20.93	60	39.07	Pass	401
2580	3000	1	RMS	2993	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	11980	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	25502	-51.31	-25	26.31	Pass	14002




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-50.91	-25	25.91	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-25	46.76	Pass	2986
30	1000	0.1	RMS	540.2	-64.11	-25	39.11	Pass	9701
1000	2490	1	RMS	2490	-50.34	-25	25.34	Pass	1491
2490	2580	1	RMS	2500.8	21.7	60	38.3	Pass	401
2580	3000	1	RMS	2981	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11981	-62.11	-25	37.11	Pass	9002
12000	26000	1	RMS	25501	-51.33	-25	26.33	Pass	14002




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-53.64	-25	28.64	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-25	46.49	Pass	2986
30	1000	0.1	RMS	540.2	-64.57	-25	39.57	Pass	9701
1000	2490	1	RMS	2490	-50.14	-25	25.14	Pass	1491
2490	2580	1	RMS	2500.8	20.81	60	39.19	Pass	401
2580	3000	1	RMS	2985	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	11972	-62.2	-25	37.2	Pass	9002
12000	26000	1	RMS	25510	-51.32	-25	26.32	Pass	14002




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-53.27	-25	28.27	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-25	47.22	Pass	2986
30	1000	0.1	RMS	966.278	-65.4	-25	40.4	Pass	9701
1000	2490	1	RMS	2489	-52.63	-25	27.63	Pass	1491
2490	2580	1	RMS	2528.25	21.79	60	38.21	Pass	401
2580	3000	1	RMS	2990	-51.5	-25	26.5	Pass	421
3000	12000	1	RMS	11978	-62.17	-25	37.17	Pass	9002
12000	26000	1	RMS	25496	-51.32	-25	26.32	Pass	14002




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-57.64	-25	32.64	Pass	401
0.15	30	0.01	RMS	0.17	-72.52	-25	47.52	Pass	2986
30	1000	0.1	RMS	567.7	-65.32	-25	40.32	Pass	9701
1000	2490	1	RMS	2487	-52.54	-25	27.54	Pass	1491
2490	2580	1	RMS	2528.25	20.85	60	39.15	Pass	401
2580	3000	1	RMS	2994	-51.52	-25	26.52	Pass	421
3000	12000	1	RMS	11975	-62.11	-25	37.11	Pass	9002
12000	26000	1	RMS	25493	-51.37	-25	26.37	Pass	14002




4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.25	-25	27.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-25	46.75	Pass	2986
30	1000	0.1	RMS	595.2	-65.02	-25	40.02	Pass	9701
1000	2490	1	RMS	2486	-52.67	-25	27.67	Pass	1491
2490	2580	1	RMS	2555.925	21.75	60	38.25	Pass	401
2580	3000	1	RMS	2580	-50.55	-25	25.55	Pass	421
3000	12000	1	RMS	11986	-62.15	-25	37.15	Pass	9002
12000	26000	1	RMS	25506	-51.36	-25	26.36	Pass	14002




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-55.48	-25	30.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-25	46.62	Pass	2986
30	1000	0.1	RMS	595.2	-65.12	-25	40.12	Pass	9701
1000	2490	1	RMS	2480	-52.59	-25	27.59	Pass	1491
2490	2580	1	RMS	2555.7	20.85	60	39.15	Pass	401
2580	3000	1	RMS	2582	-50.48	-25	25.48	Pass	421
3000	12000	1	RMS	11977	-62.2	-25	37.2	Pass	9002
12000	26000	1	RMS	25498	-51.37	-25	26.37	Pass	14002




4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-50.18	-25	25.18	Pass	401
0.15	30	0.01	RMS	0.17	-72.1	-25	47.1	Pass	2986
30	1000	0.1	RMS	540.5	-64.03	-25	39.03	Pass	9701
1000	2490	1	RMS	2490	-50.28	-25	25.28	Pass	1491
2490	2580	1	RMS	2501.025	21.66	60	38.34	Pass	401
2580	3000	1	RMS	2996	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11978	-62.13	-25	37.13	Pass	9002
12000	26000	1	RMS	25501	-51.33	-25	26.33	Pass	14002




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-51.57	-25	26.57	Pass	401
0.15	30	0.01	RMS	0.15	-71.21	-25	46.21	Pass	2986
30	1000	0.1	RMS	540.5	-65.08	-25	40.08	Pass	9701
1000	2490	1	RMS	2490	-50.51	-25	25.51	Pass	1491
2490	2580	1	RMS	2501.025	20.81	60	39.19	Pass	401
2580	3000	1	RMS	2998	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11977	-62.13	-25	37.13	Pass	9002
12000	26000	1	RMS	25511	-51.36	-25	26.36	Pass	14002




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.73	-25	27.73	Pass	401
0.15	30	0.01	RMS	0.15	-71.4	-25	46.4	Pass	2986
30	1000	0.1	RMS	942.962	-65.43	-25	40.43	Pass	9701
1000	2490	1	RMS	2490	-52.56	-25	27.56	Pass	1491
2490	2580	1	RMS	2526	21.8	60	38.2	Pass	401
2580	3000	1	RMS	2984	-51.53	-25	26.53	Pass	421
3000	12000	1	RMS	11976	-62.18	-25	37.18	Pass	9002
12000	26000	1	RMS	25501	-51.31	-25	26.31	Pass	14002




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-55.95	-25	30.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-25	46.81	Pass	2986
30	1000	0.1	RMS	981.888	-65.29	-25	40.29	Pass	9701
1000	2490	1	RMS	2487	-52.59	-25	27.59	Pass	1491
2490	2580	1	RMS	2526	20.84	60	39.16	Pass	401
2580	3000	1	RMS	2999	-51.51	-25	26.51	Pass	421
3000	12000	1	RMS	11986	-62.12	-25	37.12	Pass	9002
12000	26000	1	RMS	25500	-51.36	-25	26.36	Pass	14002




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-53.23	-25	28.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.45	-25	46.45	Pass	2986
30	1000	0.1	RMS	590.5	-64.55	-25	39.55	Pass	9701
1000	2490	1	RMS	2488	-52.6	-25	27.6	Pass	1491
2490	2580	1	RMS	2550.975	21.73	60	38.27	Pass	401
2580	3000	1	RMS	2580	-43.16	-25	18.16	Pass	421
3000	12000	1	RMS	11974	-62.11	-25	37.11	Pass	9002
12000	26000	1	RMS	25519	-51.36	-25	26.36	Pass	14002



4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-58.38	-25	33.38	Pass	401
0.15	30	0.01	RMS	0.17	-72.34	-25	47.34	Pass	2986
30	1000	0.1	RMS	590.5	-65.24	-25	40.24	Pass	9701
1000	2490	1	RMS	2485	-52.58	-25	27.58	Pass	1491
2490	2580	1	RMS	2550.975	20.92	60	39.08	Pass	401
2580	3000	1	RMS	2580	-43.8	-25	18.8	Pass	421
3000	12000	1	RMS	11981	-62.12	-25	37.12	Pass	9002
12000	26000	1	RMS	25491	-51.22	-25	26.22	Pass	14002



5. LTE_Band12


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-45.62	-13	32.62	Pass	401
0.15	30	0.01	RMS	0.21	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	688.6	-64.97	-13	51.97	Pass	6591
689	726	0.1	RMS	699.268	21.3	60	38.7	Pass	401
726	1000	0.1	RMS	992.6	-64.9	-13	51.9	Pass	2741
1000	3000	1	RMS	1398	-46.33	-13	33.33	Pass	2001
3000	10000	1	RMS	6800	-45.61	-13	32.61	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.59	-13	34.59	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	689	0.1	RMS	688.6	-65.04	-13	52.04	Pass	6591
689	726	0.1	RMS	699.268	20.13	60	39.87	Pass	401
726	1000	0.1	RMS	961.6	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1398	-47.49	-13	34.49	Pass	2001
3000	10000	1	RMS	6800	-45.59	-13	32.59	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.67	-13	34.67	Pass	401
0.15	30	0.01	RMS	0.19	-72.22	-13	59.22	Pass	2986
30	689	0.1	RMS	504.2	-65.96	-13	52.96	Pass	6591
689	726	0.1	RMS	707.038	21.03	60	38.97	Pass	401
726	1000	0.1	RMS	965	-64.94	-13	51.94	Pass	2741
1000	3000	1	RMS	1414	-46.92	-13	33.92	Pass	2001
3000	10000	1	RMS	6802	-45.63	-13	32.63	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.9	-13	39.9	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	689	0.1	RMS	638.1	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	707.038	20.01	60	39.99	Pass	401
726	1000	0.1	RMS	962.2	-65.03	-13	52.03	Pass	2741
1000	3000	1	RMS	1414	-48.13	-13	35.13	Pass	2001
3000	10000	1	RMS	6799	-45.61	-13	32.61	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.11	-13	32.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.92	-13	58.92	Pass	2986
30	689	0.1	RMS	502.1	-65.9	-13	52.9	Pass	6591
689	726	0.1	RMS	714.9	21.15	60	38.85	Pass	401
726	1000	0.1	RMS	949.5	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1429	-46.82	-13	33.82	Pass	2001
3000	10000	1	RMS	6799	-45.56	-13	32.56	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.66	-13	34.66	Pass	401
0.15	30	0.01	RMS	0.15	-72.9	-13	59.9	Pass	2986
30	689	0.1	RMS	515.1	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	714.9	20.13	60	39.87	Pass	401
726	1000	0.1	RMS	854.4	-64.87	-13	51.87	Pass	2741
1000	3000	1	RMS	1429	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.02	-13	32.02	Pass	401
0.15	30	0.01	RMS	0.19	-72.47	-13	59.47	Pass	2986
30	689	0.1	RMS	688.6	-65.03	-13	52.03	Pass	6591
689	726	0.1	RMS	699.268	21.38	60	38.62	Pass	401
726	1000	0.1	RMS	969.5	-65.17	-13	52.17	Pass	2741
1000	3000	1	RMS	1398	-46.27	-13	33.27	Pass	2001
3000	10000	1	RMS	6800	-45.5	-13	32.5	Pass	7001



5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.36	-13	34.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	689	0.1	RMS	688.6	-65.19	-13	52.19	Pass	6591
689	726	0.1	RMS	699.268	20.34	60	39.66	Pass	401
726	1000	0.1	RMS	831.7	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1398	-47.36	-13	34.36	Pass	2001
3000	10000	1	RMS	6804	-45.63	-13	32.63	Pass	7001



5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.92	-13	32.92	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	689	0.1	RMS	496.7	-66.04	-13	53.04	Pass	6591
689	726	0.1	RMS	706.298	21.16	60	38.84	Pass	401
726	1000	0.1	RMS	844	-64.99	-13	51.99	Pass	2741
1000	3000	1	RMS	1412	-45.96	-13	32.96	Pass	2001
3000	10000	1	RMS	6802	-45.6	-13	32.6	Pass	7001

