



5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.92	-13	36.92	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	689	0.1	RMS	466.3	-66.03	-13	53.03	Pass	6591
689	726	0.1	RMS	706.298	20.17	60	39.83	Pass	401
726	1000	0.1	RMS	943.2	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1412	-47.14	-13	34.14	Pass	2001
3000	10000	1	RMS	6800	-45.55	-13	32.55	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.69	-13	31.69	Pass	401
0.15	30	0.01	RMS	0.19	-72.07	-13	59.07	Pass	2986
30	689	0.1	RMS	613.8	-66.01	-13	53.01	Pass	6591
689	726	0.1	RMS	713.235	21.07	60	38.93	Pass	401
726	1000	0.1	RMS	933.9	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	1426	-46.35	-13	33.35	Pass	2001
3000	10000	1	RMS	6800	-45.54	-13	32.54	Pass	7001




5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.5	-13	33.5	Pass	401
0.15	30	0.01	RMS	0.17	-72.49	-13	59.49	Pass	2986
30	689	0.1	RMS	516	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	713.235	20.13	60	39.87	Pass	401
726	1000	0.1	RMS	979.1	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1426	-47.5	-13	34.5	Pass	2001
3000	10000	1	RMS	6800	-45.57	-13	32.57	Pass	7001




5.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.71	-13	31.71	Pass	401
0.15	30	0.01	RMS	0.15	-71.91	-13	58.91	Pass	2986
30	689	0.1	RMS	688.7	-64.85	-13	51.85	Pass	6591
689	726	0.1	RMS	699.36	21.33	60	38.67	Pass	401
726	1000	0.1	RMS	973.5	-64.98	-13	51.98	Pass	2741
1000	3000	1	RMS	1398	-46.24	-13	33.24	Pass	2001
3000	10000	1	RMS	6805	-45.61	-13	32.61	Pass	7001




5.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.97	-13	32.97	Pass	401
0.15	30	0.01	RMS	0.17	-72.69	-13	59.69	Pass	2986
30	689	0.1	RMS	688.7	-65.2	-13	52.2	Pass	6591
689	726	0.1	RMS	699.36	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	982.2	-65.09	-13	52.09	Pass	2741
1000	3000	1	RMS	1398	-47.63	-13	34.63	Pass	2001
3000	10000	1	RMS	6805	-45.56	-13	32.56	Pass	7001




5.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.93	-13	31.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	689	0.1	RMS	481.7	-66	-13	53	Pass	6591
689	726	0.1	RMS	705.373	21.39	60	38.61	Pass	401
726	1000	0.1	RMS	848.3	-64.93	-13	51.93	Pass	2741
1000	3000	1	RMS	1410	-46.61	-13	33.61	Pass	2001
3000	10000	1	RMS	6801	-45.47	-13	32.47	Pass	7001




5.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.36	-13	33.36	Pass	401
0.15	30	0.01	RMS	0.15	-71.47	-13	58.47	Pass	2986
30	689	0.1	RMS	605.6	-65.99	-13	52.99	Pass	6591
689	726	0.1	RMS	705.373	20.65	60	39.35	Pass	401
726	1000	0.1	RMS	856.7	-64.74	-13	51.74	Pass	2741
1000	3000	1	RMS	1410	-47.51	-13	34.51	Pass	2001
3000	10000	1	RMS	6801	-45.53	-13	32.53	Pass	7001




5.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.67	-13	31.67	Pass	401
0.15	30	0.01	RMS	0.17	-72.35	-13	59.35	Pass	2986
30	689	0.1	RMS	609.2	-65.98	-13	52.98	Pass	6591
689	726	0.1	RMS	711.385	21.08	60	38.92	Pass	401
726	1000	0.1	RMS	961.5	-64.95	-13	51.95	Pass	2741
1000	3000	1	RMS	1422	-46.29	-13	33.29	Pass	2001
3000	10000	1	RMS	6801	-45.52	-13	32.52	Pass	7001




5.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.7	-13	33.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-13	59.51	Pass	2986
30	689	0.1	RMS	621.5	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	711.385	20.54	60	39.46	Pass	401
726	1000	0.1	RMS	982.5	-65.11	-13	52.11	Pass	2741
1000	3000	1	RMS	1422	-47.32	-13	34.32	Pass	2001
3000	10000	1	RMS	6797	-45.53	-13	32.53	Pass	7001




5.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.4	-13	31.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	689	0.1	RMS	688.9	-64.73	-13	51.73	Pass	6591
689	726	0.1	RMS	699.638	21.2	60	38.8	Pass	401
726	1000	0.1	RMS	946.1	-65.2	-13	52.2	Pass	2741
1000	3000	1	RMS	1399	-46.41	-13	33.41	Pass	2001
3000	10000	1	RMS	6799	-45.53	-13	32.53	Pass	7001




5.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-55.01	-13	42.01	Pass	401
0.15	30	0.01	RMS	0.2	-71.43	-13	58.43	Pass	2986
30	689	0.1	RMS	688.9	-65.11	-13	52.11	Pass	6591
689	726	0.1	RMS	699.638	20.37	60	39.63	Pass	401
726	1000	0.1	RMS	833.1	-65.02	-13	52.02	Pass	2741
1000	3000	1	RMS	1399	-47.45	-13	34.45	Pass	2001
3000	10000	1	RMS	6799	-45.59	-13	32.59	Pass	7001




5.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-45.12	-13	32.12	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-13	59.68	Pass	2986
30	689	0.1	RMS	497.1	-65.95	-13	52.95	Pass	6591
689	726	0.1	RMS	703.153	20.95	60	39.05	Pass	401
726	1000	0.1	RMS	832.4	-65.08	-13	52.08	Pass	2741
1000	3000	1	RMS	1406	-46.76	-13	33.76	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




5.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-48.21	-13	35.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.29	-13	59.29	Pass	2986
30	689	0.1	RMS	479.3	-66.08	-13	53.08	Pass	6591
689	726	0.1	RMS	703.153	20.08	60	39.92	Pass	401
726	1000	0.1	RMS	866.3	-64.96	-13	51.96	Pass	2741
1000	3000	1	RMS	1406	-47.79	-13	34.79	Pass	2001
3000	10000	1	RMS	6801	-45.55	-13	32.55	Pass	7001




5.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-45.72	-13	32.72	Pass	401
0.15	30	0.01	RMS	0.15	-72.43	-13	59.43	Pass	2986
30	689	0.1	RMS	499.8	-66	-13	53	Pass	6591
689	726	0.1	RMS	706.575	20.97	60	39.03	Pass	401
726	1000	0.1	RMS	967.7	-64.97	-13	51.97	Pass	2741
1000	3000	1	RMS	1413	-46.48	-13	33.48	Pass	2001
3000	10000	1	RMS	6803	-45.62	-13	32.62	Pass	7001



5.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.97	-13	36.97	Pass	401
0.15	30	0.01	RMS	0.17	-72.28	-13	59.28	Pass	2986
30	689	0.1	RMS	490.3	-66.02	-13	53.02	Pass	6591
689	726	0.1	RMS	706.575	20.06	60	39.94	Pass	401
726	1000	0.1	RMS	833.2	-65.1	-13	52.1	Pass	2741
1000	3000	1	RMS	1413	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	6799	-45.55	-13	32.55	Pass	7001



6. LTE_Band13


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43	-13	30	Pass	401
0.15	30	0.01	RMS	0.15	-71.32	-13	58.32	Pass	2986
30	767	0.1	RMS	766.7	-64.55	-13	51.55	Pass	7371
767	797	0.1	RMS	777.35	21.13	60	38.87	Pass	401
797	1000	0.1	RMS	872.3	-65.11	-13	52.11	Pass	2031
1000	3000	1	RMS	1554	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	6800	-45.67	-13	32.67	Pass	7001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.96	-13	34.96	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	767	0.1	RMS	766.7	-65.27	-13	52.27	Pass	7371
767	797	0.1	RMS	777.35	20.12	60	39.88	Pass	401
797	1000	0.1	RMS	865.3	-65.14	-13	52.14	Pass	2031
1000	3000	1	RMS	1554	-47.46	-13	34.46	Pass	2001
3000	10000	1	RMS	6800	-45.66	-13	32.66	Pass	7001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-67.4	-13	54.4	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	767	0.1	RMS	744.2	-65.68	-13	52.68	Pass	7371
767	797	0.1	RMS	779.9	20.99	60	39.01	Pass	401
797	1000	0.1	RMS	797.5	-64.78	-13	51.78	Pass	2031
1000	3000	1	RMS	1559	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	6800	-45.65	-13	32.65	Pass	7001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.5	-13	36.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	58.62	Pass	2986
30	767	0.1	RMS	766.9	-65.78	-13	52.78	Pass	7371
767	797	0.1	RMS	779.9	20.14	60	39.86	Pass	401
797	1000	0.1	RMS	797.2	-64.64	-13	51.64	Pass	2031
1000	3000	1	RMS	1559	-46.73	-13	33.73	Pass	2001
3000	10000	1	RMS	6802	-45.59	-13	32.59	Pass	7001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-48.25	-13	35.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.14	-13	58.14	Pass	2986
30	767	0.1	RMS	759.9	-65.7	-13	52.7	Pass	7371
767	797	0.1	RMS	782.375	21.04	60	38.96	Pass	401
797	1000	0.1	RMS	973.8	-65.19	-13	52.19	Pass	2031
1000	3000	1	RMS	1564	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	6801	-45.6	-13	32.6	Pass	7001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-53.91	-13	40.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	767	0.1	RMS	736.3	-65.74	-13	52.74	Pass	7371
767	797	0.1	RMS	782.375	20.37	60	39.63	Pass	401
797	1000	0.1	RMS	966	-65.24	-13	52.24	Pass	2031
1000	3000	1	RMS	1564	-46.7	-13	33.7	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.53	-13	31.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.76	-13	59.76	Pass	2986
30	767	0.1	RMS	766.9	-64.82	-13	51.82	Pass	7371
767	797	0.1	RMS	777.65	21.07	60	38.93	Pass	401
797	1000	0.1	RMS	797.1	-58.85	-13	45.85	Pass	2031
1000	3000	1	RMS	1555	-46.14	-13	33.14	Pass	2001
3000	10000	1	RMS	6798	-45.67	-13	32.67	Pass	7001



6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.69	-13	34.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	767	0.1	RMS	766.9	-65.25	-13	52.25	Pass	7371
767	797	0.1	RMS	777.65	20.21	60	39.79	Pass	401
797	1000	0.1	RMS	797.1	-59.1	-13	46.1	Pass	2031
1000	3000	1	RMS	1555	-47.23	-13	34.23	Pass	2001
3000	10000	1	RMS	6801	-45.56	-13	32.56	Pass	7001



7. LTE_Band66


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-45.76	-13	32.76	Pass	401
0.15	30	0.01	RMS	0.15	-72.1	-13	59.1	Pass	2986
30	1000	0.1	RMS	984.39	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1700	-53.3	-13	40.3	Pass	701
1700	1790	1	RMS	1710.125	23.07	60	36.93	Pass	401
1790	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.77	-13	26.77	Pass	8001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-49.1	-13	36.1	Pass	401
0.15	30	0.01	RMS	0.15	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	982.388	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-53.4	-13	40.4	Pass	701
1700	1790	1	RMS	1710.125	22.13	60	37.87	Pass	401
1790	3000	1	RMS	2978	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11996	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.79	-13	26.79	Pass	8001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.89	-13	31.89	Pass	401
0.15	30	0.01	RMS	0.15	-71.76	-13	58.76	Pass	2986
30	1000	0.1	RMS	825.5	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1680	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1744.55	23.31	60	36.69	Pass	401
1790	3000	1	RMS	2991	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	12000	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13597	-39.88	-13	26.88	Pass	8001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.34	-13	35.34	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	1000	0.1	RMS	983.989	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1681	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1744.55	22.23	60	37.77	Pass	401
1790	3000	1	RMS	2983	-51.34	-13	38.34	Pass	1211
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13602	-39.8	-13	26.8	Pass	8001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.09	-13	30.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.63	-13	58.63	Pass	2986
30	1000	0.1	RMS	850.401	-65.07	-13	52.07	Pass	9701
1000	1700	1	RMS	1680	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1778.75	23.18	60	36.82	Pass	401
1790	3000	1	RMS	2990	-51.36	-13	38.36	Pass	1211
3000	12000	1	RMS	11998	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13602	-39.78	-13	26.78	Pass	8001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.88	-13	32.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	841.8	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1675	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1778.75	22.3	60	37.7	Pass	401
1790	3000	1	RMS	2994	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11990	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13600	-39.85	-13	26.85	Pass	8001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.02	-13	32.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	940.06	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-53.04	-13	40.04	Pass	701
1700	1790	1	RMS	1710.125	23.21	60	36.79	Pass	401
1790	3000	1	RMS	2983	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13605	-39.8	-13	26.8	Pass	8001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-48.11	-13	35.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	1000	0.1	RMS	977.685	-65.19	-13	52.19	Pass	9701
1000	1700	1	RMS	1700	-53.18	-13	40.18	Pass	701
1700	1790	1	RMS	1710.125	22.28	60	37.72	Pass	401
1790	3000	1	RMS	2999	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.08	-13	32.08	Pass	401
0.15	30	0.01	RMS	0.15	-70.78	-13	57.78	Pass	2986
30	1000	0.1	RMS	994.496	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1675	-53.95	-13	40.95	Pass	701
1700	1790	1	RMS	1743.65	23.3	60	36.7	Pass	401
1790	3000	1	RMS	2998	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	11996	-44.23	-13	31.23	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-48.6	-13	35.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	850.301	-65.26	-13	52.26	Pass	9701
1000	1700	1	RMS	1682	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1743.65	22.31	60	37.69	Pass	401
1790	3000	1	RMS	2982	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13608	-39.77	-13	26.77	Pass	8001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.7	-13	30.7	Pass	401
0.15	30	0.01	RMS	0.15	-70.96	-13	57.96	Pass	2986
30	1000	0.1	RMS	967.679	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1680	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1777.175	23.23	60	36.77	Pass	401
1790	3000	1	RMS	2980	-51.38	-13	38.38	Pass	1211
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13599	-39.75	-13	26.75	Pass	8001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.42	-13	32.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	853.603	-65.27	-13	52.27	Pass	9701
1000	1700	1	RMS	1677	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1777.175	22.34	60	37.66	Pass	401
1790	3000	1	RMS	2997	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	12000	-44.17	-13	31.17	Pass	9002
12000	20000	1	RMS	13600	-39.81	-13	26.81	Pass	8001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.23	-13	31.23	Pass	401
0.15	30	0.01	RMS	0.15	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	982.689	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-52.53	-13	39.53	Pass	701
1700	1790	1	RMS	1710.35	23.27	60	36.73	Pass	401
1790	3000	1	RMS	2993	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13599	-39.8	-13	26.8	Pass	8001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.99	-13	34.99	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-13	59.17	Pass	2986
30	1000	0.1	RMS	845.3	-65.35	-13	52.35	Pass	9701
1000	1700	1	RMS	1700	-52.8	-13	39.8	Pass	701
1700	1790	1	RMS	1710.35	22.22	60	37.78	Pass	401
1790	3000	1	RMS	2985	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	12000	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13601	-39.75	-13	26.75	Pass	8001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.76	-13	30.76	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	856.505	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1674	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1742.75	23.32	60	36.68	Pass	401
1790	3000	1	RMS	2970	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.24	-13	31.24	Pass	9002
12000	20000	1	RMS	13606	-39.8	-13	26.8	Pass	8001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.16	-13	34.16	Pass	401
0.15	30	0.01	RMS	0.15	-70.69	-13	57.69	Pass	2986
30	1000	0.1	RMS	980.387	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1677	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1742.75	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2993	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11997	-44.18	-13	31.18	Pass	9002
12000	20000	1	RMS	13601	-39.77	-13	26.77	Pass	8001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.46	-13	30.46	Pass	401
0.15	30	0.01	RMS	0.15	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	980.987	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1679	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1775.375	23.21	60	36.79	Pass	401
1790	3000	1	RMS	2993	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11997	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13605	-39.81	-13	26.81	Pass	8001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-72.26	-13	59.26	Pass	401
0.15	30	0.01	RMS	0.15	-71.49	-13	58.49	Pass	2986
30	1000	0.1	RMS	965.277	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1686	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1775.375	22.41	60	37.59	Pass	401
1790	3000	1	RMS	2987	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	12000	-44.25	-13	31.25	Pass	9002
12000	20000	1	RMS	13601	-39.88	-13	26.88	Pass	8001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.09	-13	31.09	Pass	401
0.15	30	0.01	RMS	0.15	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	965.577	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-50.26	-13	37.26	Pass	701
1700	1790	1	RMS	1710.575	23.27	60	36.73	Pass	401
1790	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11994	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.54	-13	33.54	Pass	401
0.15	30	0.01	RMS	0.17	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	926.751	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-50.43	-13	37.43	Pass	701
1700	1790	1	RMS	1710.575	22.38	60	37.62	Pass	401
1790	3000	1	RMS	2986	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11998	-44.32	-13	31.32	Pass	9002
12000	20000	1	RMS	13601	-39.8	-13	26.8	Pass	8001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.24	-13	31.24	Pass	401
0.15	30	0.01	RMS	0.15	-71.95	-13	58.95	Pass	2986
30	1000	0.1	RMS	983.789	-65.24	-13	52.24	Pass	9701
1000	1700	1	RMS	1678	-53.9	-13	40.9	Pass	701
1700	1790	1	RMS	1740.5	23.31	60	36.69	Pass	401
1790	3000	1	RMS	2988	-51.39	-13	38.39	Pass	1211
3000	12000	1	RMS	12000	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13599	-39.82	-13	26.82	Pass	8001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47	-13	34	Pass	401
0.15	30	0.01	RMS	0.15	-71.42	-13	58.42	Pass	2986
30	1000	0.1	RMS	864.91	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1680	-53.95	-13	40.95	Pass	701
1700	1790	1	RMS	1740.5	22.34	60	37.66	Pass	401
1790	3000	1	RMS	2982	-51.42	-13	38.42	Pass	1211
3000	12000	1	RMS	11999	-44.29	-13	31.29	Pass	9002
12000	20000	1	RMS	13603	-39.84	-13	26.84	Pass	8001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.8	-13	30.8	Pass	401
0.15	30	0.01	RMS	0.16	-72.43	-13	59.43	Pass	2986
30	1000	0.1	RMS	972.081	-65.3	-13	52.3	Pass	9701
1000	1700	1	RMS	1679	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1770.65	23.18	60	36.82	Pass	401
1790	3000	1	RMS	2989	-51.41	-13	38.41	Pass	1211
3000	12000	1	RMS	12000	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.82	-13	26.82	Pass	8001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.69	-13	34.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-13	58.96	Pass	2986
30	1000	0.1	RMS	845.1	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1679	-53.96	-13	40.96	Pass	701
1700	1790	1	RMS	1770.425	22.36	60	37.64	Pass	401
1790	3000	1	RMS	2989	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11993	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13601	-39.76	-13	26.76	Pass	8001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-45.17	-13	32.17	Pass	401
0.15	30	0.01	RMS	0.16	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	832.5	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1699	-47.75	-13	34.75	Pass	701
1700	1790	1	RMS	1710.8	23.39	60	36.61	Pass	401
1790	3000	1	RMS	2994	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11998	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.86	-13	26.86	Pass	8001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-47.36	-13	34.36	Pass	401
0.15	30	0.01	RMS	0.17	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	828.4	-65.38	-13	52.38	Pass	9701
1000	1700	1	RMS	1700	-48.38	-13	35.38	Pass	701
1700	1790	1	RMS	1710.8	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2995	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13601	-39.83	-13	26.83	Pass	8001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.42	-13	31.42	Pass	401
0.15	30	0.01	RMS	0.17	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	854.003	-65.36	-13	52.36	Pass	9701
1000	1700	1	RMS	1681	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1738.25	23.34	60	36.66	Pass	401
1790	3000	1	RMS	2993	-51.44	-13	38.44	Pass	1211
3000	12000	1	RMS	11996	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.88	-13	26.88	Pass	8001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-46.83	-13	33.83	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-13	58.86	Pass	2986
30	1000	0.1	RMS	929.453	-65.41	-13	52.41	Pass	9701
1000	1700	1	RMS	1682	-53.92	-13	40.92	Pass	701
1700	1790	1	RMS	1738.25	22.4	60	37.6	Pass	401
1790	3000	1	RMS	2951	-51.43	-13	38.43	Pass	1211
3000	12000	1	RMS	11998	-44.27	-13	31.27	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.42	-13	30.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	952.669	-65.39	-13	52.39	Pass	9701
1000	1700	1	RMS	1677	-53.99	-13	40.99	Pass	701
1700	1790	1	RMS	1765.7	23.35	60	36.65	Pass	401
1790	3000	1	RMS	2985	-51.4	-13	38.4	Pass	1211
3000	12000	1	RMS	11999	-44.3	-13	31.3	Pass	9002
12000	20000	1	RMS	13600	-39.82	-13	26.82	Pass	8001




7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-46.34	-13	33.34	Pass	401
0.15	30	0.01	RMS	0.16	-72.54	-13	59.54	Pass	2986
30	1000	0.1	RMS	985.09	-65.37	-13	52.37	Pass	9701
1000	1700	1	RMS	1675	-53.94	-13	40.94	Pass	701
1700	1790	1	RMS	1765.7	22.41	60	37.59	Pass	401
1790	3000	1	RMS	2985	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.31	-13	31.31	Pass	9002
12000	20000	1	RMS	13599	-39.84	-13	26.84	Pass	8001




7.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-44.6	-13	31.6	Pass	401
0.15	30	0.01	RMS	0.21	-72.14	-13	59.14	Pass	2986
30	1000	0.1	RMS	979.186	-65.32	-13	52.32	Pass	9701
1000	1700	1	RMS	1696	-47.55	-13	34.55	Pass	701
1700	1790	1	RMS	1711.025	23.26	60	36.74	Pass	401
1790	3000	1	RMS	2937	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11998	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13604	-39.77	-13	26.77	Pass	8001




7.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-72.27	-13	59.27	Pass	2986
30	1000	0.1	RMS	984.69	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-48.58	-13	35.58	Pass	701
1700	1790	1	RMS	1711.025	22.43	60	37.57	Pass	401
1790	3000	1	RMS	2987	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11994	-44.34	-13	31.34	Pass	9002
12000	20000	1	RMS	13600	-39.71	-13	26.71	Pass	8001




7.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.93	-13	30.93	Pass	401
0.15	30	0.01	RMS	0.15	-70.65	-13	57.65	Pass	2986
30	1000	0.1	RMS	989.593	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1700	-53.84	-13	40.84	Pass	701
1700	1790	1	RMS	1736	23.4	60	36.6	Pass	401
1790	3000	1	RMS	2986	-51.45	-13	38.45	Pass	1211
3000	12000	1	RMS	11999	-44.28	-13	31.28	Pass	9002
12000	20000	1	RMS	13609	-39.82	-13	26.82	Pass	8001




7.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.31	-13	34.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.09	-13	58.09	Pass	2986
30	1000	0.1	RMS	846.6	-65.28	-13	52.28	Pass	9701
1000	1700	1	RMS	1700	-53.91	-13	40.91	Pass	701
1700	1790	1	RMS	1736	22.37	60	37.63	Pass	401
1790	3000	1	RMS	2930	-51.48	-13	38.48	Pass	1211
3000	12000	1	RMS	11999	-44.33	-13	31.33	Pass	9002
12000	20000	1	RMS	13599	-39.83	-13	26.83	Pass	8001




7.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-43.99	-13	30.99	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	948.466	-65.23	-13	52.23	Pass	9701
1000	1700	1	RMS	1679	-53.98	-13	40.98	Pass	701
1700	1790	1	RMS	1760.975	23.39	60	36.61	Pass	401
1790	3000	1	RMS	1790	-46.39	-13	33.39	Pass	1211
3000	12000	1	RMS	12000	-44.2	-13	31.2	Pass	9002
12000	20000	1	RMS	13604	-39.82	-13	26.82	Pass	8001



7.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-47.16	-13	34.16	Pass	401
0.15	30	0.01	RMS	0.16	-71.98	-13	58.98	Pass	2986
30	1000	0.1	RMS	830.7	-65.34	-13	52.34	Pass	9701
1000	1700	1	RMS	1679	-53.95	-13	40.95	Pass	701
1700	1790	1	RMS	1760.975	22.35	60	37.65	Pass	401
1790	3000	1	RMS	1790	-46.94	-13	33.94	Pass	1211
3000	12000	1	RMS	11999	-44.22	-13	31.22	Pass	9002
12000	20000	1	RMS	13603	-39.81	-13	26.81	Pass	8001



8. DC_5A_n2A 15kHz


8.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.23	-13	57.23	Pass	401
0.15	30	0.01	RMS	0.15	-70.92	-13	57.92	Pass	2986
30	1000	0.1	RMS	869.514	-65.08	-13	52.08	Pass	9701
1000	1840	1	RMS	1840	-49.56	-13	36.56	Pass	841
1840	1920	1	RMS	1851.2	11.27	60	48.73	Pass	401
1920	3000	1	RMS	2965	-50.27	-13	37.27	Pass	1081
3000	7000	1	RMS	6980	-63.7	-13	50.7	Pass	4001
7000	20000	1	RMS	19901	-21.12	-13	8.12	Pass	13002




8.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.15	-13	55.15	Pass	401
0.15	30	0.01	RMS	0.16	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	987.091	-65.18	-13	52.18	Pass	9701
1000	1840	1	RMS	1840	-53.06	-13	40.06	Pass	841
1840	1920	1	RMS	1850.2	17.47	60	42.53	Pass	401
1920	3000	1	RMS	2997	-50.23	-13	37.23	Pass	1081
3000	7000	1	RMS	6979	-63.74	-13	50.74	Pass	4001
7000	20000	1	RMS	19899	-21.08	-13	8.08	Pass	13002




8.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-68.82	-13	55.82	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	979.386	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1840	-53.19	-13	40.19	Pass	841
1840	1920	1	RMS	1854.6	17.44	60	42.56	Pass	401
1920	3000	1	RMS	2982	-50.24	-13	37.24	Pass	1081
3000	7000	1	RMS	6978	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19897	-21.1	-13	8.1	Pass	13002




8.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.9	-13	57.9	Pass	401
0.15	30	0.01	RMS	0.26	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	985.791	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1836	-53.41	-13	40.41	Pass	841
1840	1920	1	RMS	1881	11.17	60	48.83	Pass	401
1920	3000	1	RMS	2969	-50.29	-13	37.29	Pass	1081
3000	7000	1	RMS	6979	-63.67	-13	50.67	Pass	4001
7000	20000	1	RMS	19903	-21.14	-13	8.14	Pass	13002



8.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67	-13	54	Pass	401
0.15	30	0.01	RMS	0.16	-72.68	-13	59.68	Pass	2986
30	1000	0.1	RMS	992.595	-64.89	-13	51.89	Pass	9701
1000	1840	1	RMS	1774	-52.99	-13	39.99	Pass	841
1840	1920	1	RMS	1877.8	17.37	60	42.63	Pass	401
1920	3000	1	RMS	2958	-50.27	-13	37.27	Pass	1081
3000	7000	1	RMS	6980	-63.59	-13	50.59	Pass	4001
7000	20000	1	RMS	19902	-21.03	-13	8.03	Pass	13002



8.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.28	-13	54.28	Pass	401
0.15	30	0.01	RMS	0.2	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	976.084	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1835	-53.44	-13	40.44	Pass	841
1840	1920	1	RMS	1882	17.44	60	42.56	Pass	401
1920	3000	1	RMS	2976	-50.25	-13	37.25	Pass	1081
3000	7000	1	RMS	6982	-63.68	-13	50.68	Pass	4001
7000	20000	1	RMS	19899	-21.07	-13	8.07	Pass	13002

