



8.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.5	-13	58.5	Pass	401
0.15	30	0.01	RMS	0.18	-73.01	-13	60.01	Pass	2986
30	1000	0.1	RMS	941.261	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1838	-53.43	-13	40.43	Pass	841
1840	1920	1	RMS	1906.4	11.15	60	48.85	Pass	401
1920	3000	1	RMS	2981	-50.24	-13	37.24	Pass	1081
3000	7000	1	RMS	6977	-63.6	-13	50.6	Pass	4001
7000	20000	1	RMS	19900	-21.07	-13	8.07	Pass	13002




8.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.56	-13	52.56	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	839.4	-65.1	-13	52.1	Pass	9701
1000	1840	1	RMS	1834	-53.42	-13	40.42	Pass	841
1840	1920	1	RMS	1905.2	17.4	60	42.6	Pass	401
1920	3000	1	RMS	2971	-50.24	-13	37.24	Pass	1081
3000	7000	1	RMS	6980	-63.61	-13	50.61	Pass	4001
7000	20000	1	RMS	19898	-21.13	-13	8.13	Pass	13002




8.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.38	-13	54.38	Pass	401
0.15	30	0.01	RMS	0.15	-72.22	-13	59.22	Pass	2986
30	1000	0.1	RMS	993.296	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1836	-53.41	-13	40.41	Pass	841
1840	1920	1	RMS	1909.6	17.49	60	42.51	Pass	401
1920	3000	1	RMS	2975	-50.26	-13	37.26	Pass	1081
3000	7000	1	RMS	6980	-63.7	-13	50.7	Pass	4001
7000	20000	1	RMS	19901	-21.02	-13	8.02	Pass	13002




8.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.26	-13	58.26	Pass	401
0.15	30	0.01	RMS	0.2	-71.83	-13	58.83	Pass	2986
30	1000	0.1	RMS	933.156	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-43.02	-13	30.02	Pass	841
1840	1920	1	RMS	1851.6	5.4	60	54.6	Pass	401
1920	3000	1	RMS	2963	-50.25	-13	37.25	Pass	1081
3000	7000	1	RMS	6979	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19903	-21.11	-13	8.11	Pass	13002




8.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-66.4	-13	53.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.34	-13	58.34	Pass	2986
30	1000	0.1	RMS	911.041	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-51.17	-13	38.17	Pass	841
1840	1920	1	RMS	1850.4	17.35	60	42.65	Pass	401
1920	3000	1	RMS	2973	-50.28	-13	37.28	Pass	1081
3000	7000	1	RMS	6979	-63.73	-13	50.73	Pass	4001
7000	20000	1	RMS	19900	-21.05	-13	8.05	Pass	13002




8.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-65.88	-13	52.88	Pass	401
0.15	30	0.01	RMS	0.15	-71.67	-13	58.67	Pass	2986
30	1000	0.1	RMS	932.255	-65.14	-13	52.14	Pass	9701
1000	1840	1	RMS	1840	-44.27	-13	31.27	Pass	841
1840	1920	1	RMS	1869.4	17.4	60	42.6	Pass	401
1920	3000	1	RMS	2967	-50.26	-13	37.26	Pass	1081
3000	7000	1	RMS	6980	-63.62	-13	50.62	Pass	4001
7000	20000	1	RMS	19900	-21.06	-13	8.06	Pass	13002




8.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.61	-13	57.61	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	58.6	Pass	2986
30	1000	0.1	RMS	902.335	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1840	-49.17	-13	36.17	Pass	841
1840	1920	1	RMS	1883.6	5.37	60	54.63	Pass	401
1920	3000	1	RMS	2973	-50.27	-13	37.27	Pass	1081
3000	7000	1	RMS	6982	-63.7	-13	50.7	Pass	4001
7000	20000	1	RMS	19901	-21.08	-13	8.08	Pass	13002




8.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.25	-13	52.25	Pass	401
0.15	30	0.01	RMS	0.15	-71.9	-13	58.9	Pass	2986
30	1000	0.1	RMS	992.695	-65.12	-13	52.12	Pass	9701
1000	1840	1	RMS	1830	-53.39	-13	40.39	Pass	841
1840	1920	1	RMS	1870.4	17.36	60	42.64	Pass	401
1920	3000	1	RMS	2998	-50.29	-13	37.29	Pass	1081
3000	7000	1	RMS	6979	-63.65	-13	50.65	Pass	4001
7000	20000	1	RMS	19900	-21.07	-13	8.07	Pass	13002




8.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	0.15	-71.68	-13	58.68	Pass	2986
30	1000	0.1	RMS	841.3	-65.16	-13	52.16	Pass	9701
1000	1840	1	RMS	1839	-53.4	-13	40.4	Pass	841
1840	1920	1	RMS	1889.4	17.39	60	42.61	Pass	401
1920	3000	1	RMS	2999	-50.26	-13	37.26	Pass	1081
3000	7000	1	RMS	6981	-63.71	-13	50.71	Pass	4001
7000	20000	1	RMS	19905	-21.08	-13	8.08	Pass	13002




8.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.54	-13	58.54	Pass	401
0.15	30	0.01	RMS	0.16	-71.72	-13	58.72	Pass	2986
30	1000	0.1	RMS	984.99	-65.06	-13	52.06	Pass	9701
1000	1840	1	RMS	1840	-52.5	-13	39.5	Pass	841
1840	1920	1	RMS	1891.4	5.36	60	54.64	Pass	401
1920	3000	1	RMS	1920	-49.29	-13	36.29	Pass	1081
3000	7000	1	RMS	6979	-63.71	-13	50.71	Pass	4001
7000	20000	1	RMS	19903	-21.07	-13	8.07	Pass	13002




8.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.81	-13	54.81	Pass	401
0.15	30	0.01	RMS	0.25	-72.58	-13	59.58	Pass	2986
30	1000	0.1	RMS	899.333	-65.11	-13	52.11	Pass	9701
1000	1840	1	RMS	1835	-53.41	-13	40.41	Pass	841
1840	1920	1	RMS	1890.4	17.32	60	42.68	Pass	401
1920	3000	1	RMS	3000	-50.3	-13	37.3	Pass	1081
3000	7000	1	RMS	6976	-63.69	-13	50.69	Pass	4001
7000	20000	1	RMS	19898	-21.07	-13	8.07	Pass	13002




8.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.76	-13	54.76	Pass	401
0.15	30	0.01	RMS	0.16	-72.39	-13	59.39	Pass	2986
30	1000	0.1	RMS	985.791	-65.07	-13	52.07	Pass	9701
1000	1840	1	RMS	1834	-53.43	-13	40.43	Pass	841
1840	1920	1	RMS	1909.4	17.42	60	42.58	Pass	401
1920	3000	1	RMS	2969	-50.26	-13	37.26	Pass	1081
3000	7000	1	RMS	6978	-63.67	-13	50.67	Pass	4001
7000	20000	1	RMS	19901	-20.97	-13	7.97	Pass	13002




8.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.29	-13	59.29	Pass	401
0.15	30	0.01	RMS	0.15	-71.7	-13	58.7	Pass	2986
30	1000	0.1	RMS	937.158	-64.98	-13	51.98	Pass	9701
1000	1840	1	RMS	1840	-44.53	-13	31.53	Pass	841
1840	1920	1	RMS	1886	2.44	60	57.56	Pass	401
1920	3000	1	RMS	2999	-50.24	-13	37.24	Pass	1081
3000	7000	1	RMS	6980	-63.73	-13	50.73	Pass	4001
7000	20000	1	RMS	19901	-21.04	-13	8.04	Pass	13002




8.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.77	-13	52.77	Pass	401
0.15	30	0.01	RMS	0.15	-71.19	-13	58.19	Pass	2986
30	1000	0.1	RMS	989.093	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1831	-50.12	-13	37.12	Pass	841
1840	1920	1	RMS	1850.6	17.22	60	42.78	Pass	401
1920	3000	1	RMS	2966	-50.25	-13	37.25	Pass	1081
3000	7000	1	RMS	6979	-63.63	-13	50.63	Pass	4001
7000	20000	1	RMS	19903	-21.12	-13	8.12	Pass	13002




8.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:374000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	0.15	-72.47	-13	59.47	Pass	2986
30	1000	0.1	RMS	934.557	-65.19	-13	52.19	Pass	9701
1000	1840	1	RMS	1831	-49.86	-13	36.86	Pass	841
1840	1920	1	RMS	1889.2	17.3	60	42.7	Pass	401
1920	3000	1	RMS	2982	-50.31	-13	37.31	Pass	1081
3000	7000	1	RMS	6979	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19899	-21.04	-13	8.04	Pass	13002




8.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.7	-13	59.7	Pass	401
0.15	30	0.01	RMS	0.15	-72.32	-13	59.32	Pass	2986
30	1000	0.1	RMS	961.174	-65.13	-13	52.13	Pass	9701
1000	1840	1	RMS	1840	-44.89	-13	31.89	Pass	841
1840	1920	1	RMS	1886.4	2.43	60	57.57	Pass	401
1920	3000	1	RMS	2958	-50.3	-13	37.3	Pass	1081
3000	7000	1	RMS	6976	-63.73	-13	50.73	Pass	4001
7000	20000	1	RMS	19898	-21.05	-13	8.05	Pass	13002




8.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.47	-13	52.47	Pass	401
0.15	30	0.01	RMS	0.16	-72.7	-13	59.7	Pass	2986
30	1000	0.1	RMS	936.758	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-51.67	-13	38.67	Pass	841
1840	1920	1	RMS	1860.6	17.2	60	42.8	Pass	401
1920	3000	1	RMS	3000	-50.27	-13	37.27	Pass	1081
3000	7000	1	RMS	6979	-63.67	-13	50.67	Pass	4001
7000	20000	1	RMS	19898	-21.13	-13	8.13	Pass	13002




8.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:376000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	844.7	-65.17	-13	52.17	Pass	9701
1000	1840	1	RMS	1840	-50.58	-13	37.58	Pass	841
1840	1920	1	RMS	1899.2	17.3	60	42.7	Pass	401
1920	3000	1	RMS	2971	-50.29	-13	37.29	Pass	1081
3000	7000	1	RMS	6980	-63.67	-13	50.67	Pass	4001
7000	20000	1	RMS	19901	-21.11	-13	8.11	Pass	13002




8.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.81	-13	58.81	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	938.059	-65.09	-13	52.09	Pass	9701
1000	1840	1	RMS	1840	-45.53	-13	32.53	Pass	841
1840	1920	1	RMS	1887	2.4	60	57.6	Pass	401
1920	3000	1	RMS	2959	-50.25	-13	37.25	Pass	1081
3000	7000	1	RMS	6976	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19901	-21.16	-13	8.16	Pass	13002




8.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-65.3	-13	52.3	Pass	401
0.15	30	0.01	RMS	0.18	-72.64	-13	59.64	Pass	2986
30	1000	0.1	RMS	985.891	-65.02	-13	52.02	Pass	9701
1000	1840	1	RMS	1832	-52.08	-13	39.08	Pass	841
1840	1920	1	RMS	1870.6	17.26	60	42.74	Pass	401
1920	3000	1	RMS	2968	-50.2	-13	37.2	Pass	1081
3000	7000	1	RMS	6980	-63.69	-13	50.69	Pass	4001
7000	20000	1	RMS	19901	-21.11	-13	8.11	Pass	13002



8.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:378000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.98	-13	54.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	993.796	-64.88	-13	51.88	Pass	9701
1000	1840	1	RMS	1832	-51.7	-13	38.7	Pass	841
1840	1920	1	RMS	1909.2	17.35	60	42.65	Pass	401
1920	3000	1	RMS	2999	-50.29	-13	37.29	Pass	1081
3000	7000	1	RMS	6979	-63.63	-13	50.63	Pass	4001
7000	20000	1	RMS	19900	-21.1	-13	8.1	Pass	13002



9. DC_66A_n5A


9.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-53.38	-13	40.38	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	814	-65.28	-13	52.28	Pass	7841
814	859	0.1	RMS	824.9	4.98	60	55.02	Pass	451
859	1000	0.1	RMS	998.8	-65.13	-13	52.13	Pass	1411
1000	3000	1	RMS	2997	-50.3	-13	37.3	Pass	2001
3000	10000	1	RMS	8738	-63.53	-13	50.53	Pass	7001




9.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-57.5	-13	44.5	Pass	401
0.15	30	0.01	RMS	0.16	-72.31	-13	59.31	Pass	2986
30	814	0.1	RMS	812.2	-65.4	-13	52.4	Pass	7841
814	859	0.1	RMS	824.3	17.97	60	42.03	Pass	451
859	1000	0.1	RMS	951.8	-65.22	-13	52.22	Pass	1411
1000	3000	1	RMS	1648	-49.6	-13	36.6	Pass	2001
3000	10000	1	RMS	8737	-63.5	-13	50.5	Pass	7001




9.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-54.04	-13	41.04	Pass	401
0.15	30	0.01	RMS	0.17	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	741.5	-65.53	-13	52.53	Pass	7841
814	859	0.1	RMS	828.7	17.51	60	42.49	Pass	451
859	1000	0.1	RMS	999.6	-65.17	-13	52.17	Pass	1411
1000	3000	1	RMS	1657	-49.69	-13	36.69	Pass	2001
3000	10000	1	RMS	8743	-63.48	-13	50.48	Pass	7001




9.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.68	-13	39.68	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	802.5	-65.54	-13	52.54	Pass	7841
814	859	0.1	RMS	835.1	4.8	60	55.2	Pass	451
859	1000	0.1	RMS	859.1	-64.53	-13	51.53	Pass	1411
1000	3000	1	RMS	2981	-50.29	-13	37.29	Pass	2001
3000	10000	1	RMS	8738	-63.53	-13	50.53	Pass	7001




9.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-57.15	-13	44.15	Pass	401
0.15	30	0.01	RMS	0.18	-71.86	-13	58.86	Pass	2986
30	814	0.1	RMS	811.4	-65.49	-13	52.49	Pass	7841
814	859	0.1	RMS	834.3	18.05	60	41.95	Pass	451
859	1000	0.1	RMS	981.1	-65.16	-13	52.16	Pass	1411
1000	3000	1	RMS	1668	-49.26	-13	36.26	Pass	2001
3000	10000	1	RMS	8745	-63.5	-13	50.5	Pass	7001




9.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-55.16	-13	42.16	Pass	401
0.15	30	0.01	RMS	0.18	-72.77	-13	59.77	Pass	2986
30	814	0.1	RMS	806.6	-65.55	-13	52.55	Pass	7841
814	859	0.1	RMS	838.7	17.61	60	42.39	Pass	451
859	1000	0.1	RMS	933.5	-65.06	-13	52.06	Pass	1411
1000	3000	1	RMS	1677	-49.03	-13	36.03	Pass	2001
3000	10000	1	RMS	5767	-62.85	-13	49.85	Pass	7001




9.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.27	-13	39.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.55	-13	59.55	Pass	2986
30	814	0.1	RMS	767.2	-65.56	-13	52.56	Pass	7841
814	859	0.1	RMS	844.8	4.99	60	55.01	Pass	451
859	1000	0.1	RMS	859	-57.55	-13	44.55	Pass	1411
1000	3000	1	RMS	2998	-50.31	-13	37.31	Pass	2001
3000	10000	1	RMS	8746	-63.48	-13	50.48	Pass	7001




9.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-56.49	-13	43.49	Pass	401
0.15	30	0.01	RMS	0.17	-72.39	-13	59.39	Pass	2986
30	814	0.1	RMS	765.3	-65.51	-13	52.51	Pass	7841
814	859	0.1	RMS	844.3	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	859.3	-64.87	-13	51.87	Pass	1411
1000	3000	1	RMS	1688	-47.84	-13	34.84	Pass	2001
3000	10000	1	RMS	5767	-63.36	-13	50.36	Pass	7001




9.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-52.78	-13	39.78	Pass	401
0.15	30	0.01	RMS	0.2	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	799.6	-65.51	-13	52.51	Pass	7841
814	859	0.1	RMS	848.7	17.4	60	42.6	Pass	451
859	1000	0.1	RMS	921.3	-65.21	-13	52.21	Pass	1411
1000	3000	1	RMS	1697	-47.77	-13	34.77	Pass	2001
3000	10000	1	RMS	8742	-63.51	-13	50.51	Pass	7001




9.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-51.79	-13	38.79	Pass	401
0.15	30	0.01	RMS	0.15	-72.05	-13	59.05	Pass	2986
30	814	0.1	RMS	814	-62.93	-13	49.93	Pass	7841
814	859	0.1	RMS	838.3	-0.07	60	60.07	Pass	451
859	1000	0.1	RMS	859	-50.38	-13	37.38	Pass	1411
1000	3000	1	RMS	2997	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	8739	-63.52	-13	50.52	Pass	7001




9.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-57.35	-13	44.35	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	808.8	-65.35	-13	52.35	Pass	7841
814	859	0.1	RMS	824.5	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	972.6	-65.07	-13	52.07	Pass	1411
1000	3000	1	RMS	2998	-50.27	-13	37.27	Pass	2001
3000	10000	1	RMS	5768	-61.24	-13	48.24	Pass	7001




9.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-56.49	-13	43.49	Pass	401
0.15	30	0.01	RMS	0.15	-71.58	-13	58.58	Pass	2986
30	814	0.1	RMS	767	-65.34	-13	52.34	Pass	7841
814	859	0.1	RMS	838.5	18.38	60	41.62	Pass	451
859	1000	0.1	RMS	859.4	-65.11	-13	52.11	Pass	1411
1000	3000	1	RMS	1677	-49.87	-13	36.87	Pass	2001
3000	10000	1	RMS	8733	-63.55	-13	50.55	Pass	7001




9.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.41	-13	39.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.6	-13	59.6	Pass	2986
30	814	0.1	RMS	812.5	-64.17	-13	51.17	Pass	7841
814	859	0.1	RMS	837.3	-0.23	60	60.23	Pass	451
859	1000	0.1	RMS	859	-44.97	-13	31.97	Pass	1411
1000	3000	1	RMS	3000	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	8745	-63.5	-13	50.5	Pass	7001




9.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-56.05	-13	43.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.5	-13	59.5	Pass	2986
30	814	0.1	RMS	808.1	-65.51	-13	52.51	Pass	7841
814	859	0.1	RMS	829.5	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	859.6	-64.6	-13	51.6	Pass	1411
1000	3000	1	RMS	3000	-50.31	-13	37.31	Pass	2001
3000	10000	1	RMS	5772	-63.04	-13	50.04	Pass	7001




9.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-55.7	-13	42.7	Pass	401
0.15	30	0.01	RMS	0.15	-71.64	-13	58.64	Pass	2986
30	814	0.1	RMS	810.4	-65.41	-13	52.41	Pass	7841
814	859	0.1	RMS	843.5	18.3	60	41.7	Pass	451
859	1000	0.1	RMS	859.1	-64.71	-13	51.71	Pass	1411
1000	3000	1	RMS	1687	-48.98	-13	35.98	Pass	2001
3000	10000	1	RMS	8747	-63.54	-13	50.54	Pass	7001




9.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-53.22	-13	40.22	Pass	401
0.15	30	0.01	RMS	0.2	-72.3	-13	59.3	Pass	2986
30	814	0.1	RMS	814	-64.64	-13	51.64	Pass	7841
814	859	0.1	RMS	838.4	-0.05	60	60.05	Pass	451
859	1000	0.1	RMS	859	-42.28	-13	29.28	Pass	1411
1000	3000	1	RMS	2973	-50.3	-13	37.3	Pass	2001
3000	10000	1	RMS	8740	-63.52	-13	50.52	Pass	7001




9.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-55.69	-13	42.69	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-13	59.4	Pass	2986
30	814	0.1	RMS	805.2	-65.5	-13	52.5	Pass	7841
814	859	0.1	RMS	834.5	18	60	42	Pass	451
859	1000	0.1	RMS	859	-63.14	-13	50.14	Pass	1411
1000	3000	1	RMS	1668	-50.07	-13	37.07	Pass	2001
3000	10000	1	RMS	5758	-63.49	-13	50.49	Pass	7001




9.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-53.62	-13	40.62	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	744.2	-65.5	-13	52.5	Pass	7841
814	859	0.1	RMS	848.5	18.09	60	41.91	Pass	451
859	1000	0.1	RMS	859.1	-62.69	-13	49.69	Pass	1411
1000	3000	1	RMS	1697	-48.86	-13	35.86	Pass	2001
3000	10000	1	RMS	5771	-61.46	-13	48.46	Pass	7001




9.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.41	-13	39.41	Pass	401
0.15	30	0.01	RMS	0.18	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	814	-63.17	-13	50.17	Pass	7841
814	859	0.1	RMS	837.4	-1.36	60	61.36	Pass	451
859	1000	0.1	RMS	859.2	-42.42	-13	29.42	Pass	1411
1000	3000	1	RMS	2998	-50.32	-13	37.32	Pass	2001
3000	10000	1	RMS	8742	-63.48	-13	50.48	Pass	7001




9.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-56.08	-13	43.08	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	814	0.1	RMS	813.8	-65.47	-13	52.47	Pass	7841
814	859	0.1	RMS	824.5	17.81	60	42.19	Pass	451
859	1000	0.1	RMS	859.3	-63.84	-13	50.84	Pass	1411
1000	3000	1	RMS	2964	-50.3	-13	37.3	Pass	2001
3000	10000	1	RMS	8746	-63.54	-13	50.54	Pass	7001




9.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-56.14	-13	43.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.22	-13	58.22	Pass	2986
30	814	0.1	RMS	810.3	-65.54	-13	52.54	Pass	7841
814	859	0.1	RMS	843.4	17.87	60	42.13	Pass	451
859	1000	0.1	RMS	859	-63.9	-13	50.9	Pass	1411
1000	3000	1	RMS	1686	-48.49	-13	35.49	Pass	2001
3000	10000	1	RMS	5770	-61.6	-13	48.6	Pass	7001




9.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.68	-13	39.68	Pass	401
0.15	30	0.01	RMS	0.32	-72.52	-13	59.52	Pass	2986
30	814	0.1	RMS	814	-63.97	-13	50.97	Pass	7841
814	859	0.1	RMS	836.1	-1.38	60	61.38	Pass	451
859	1000	0.1	RMS	859.1	-42.48	-13	29.48	Pass	1411
1000	3000	1	RMS	2965	-50.26	-13	37.26	Pass	2001
3000	10000	1	RMS	8745	-63.53	-13	50.53	Pass	7001




9.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-56.5	-13	43.5	Pass	401
0.15	30	0.01	RMS	0.18	-72.16	-13	59.16	Pass	2986
30	814	0.1	RMS	797	-65.42	-13	52.42	Pass	7841
814	859	0.1	RMS	827	17.78	60	42.22	Pass	451
859	1000	0.1	RMS	859.1	-63.2	-13	50.2	Pass	1411
1000	3000	1	RMS	2983	-50.29	-13	37.29	Pass	2001
3000	10000	1	RMS	8748	-63.5	-13	50.5	Pass	7001




9.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-54.31	-13	41.31	Pass	401
0.15	30	0.01	RMS	0.19	-72.25	-13	59.25	Pass	2986
30	814	0.1	RMS	812.5	-65.54	-13	52.54	Pass	7841
814	859	0.1	RMS	845.9	17.71	60	42.29	Pass	451
859	1000	0.1	RMS	859.3	-62.82	-13	49.82	Pass	1411
1000	3000	1	RMS	1691	-48.38	-13	35.38	Pass	2001
3000	10000	1	RMS	8727	-63.55	-13	50.55	Pass	7001




9.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-52.46	-13	39.46	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-13	59.33	Pass	2986
30	814	0.1	RMS	812.3	-63.77	-13	50.77	Pass	7841
814	859	0.1	RMS	838.2	-1.28	60	61.28	Pass	451
859	1000	0.1	RMS	859.2	-41.37	-13	28.37	Pass	1411
1000	3000	1	RMS	2982	-50.31	-13	37.31	Pass	2001
3000	10000	1	RMS	5760	-63.07	-13	50.07	Pass	7001




9.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-56.04	-13	43.04	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	812.7	-65.46	-13	52.46	Pass	7841
814	859	0.1	RMS	829.5	17.72	60	42.28	Pass	451
859	1000	0.1	RMS	859	-60.98	-13	47.98	Pass	1411
1000	3000	1	RMS	1659	-50.28	-13	37.28	Pass	2001
3000	10000	1	RMS	5765	-63.16	-13	50.16	Pass	7001



9.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-53.06	-13	40.06	Pass	401
0.15	30	0.01	RMS	0.19	-72.36	-13	59.36	Pass	2986
30	814	0.1	RMS	797.2	-65.3	-13	52.3	Pass	7841
814	859	0.1	RMS	848.4	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	859	-62.39	-13	49.39	Pass	1411
1000	3000	1	RMS	1696	-48.32	-13	35.32	Pass	2001
3000	10000	1	RMS	8741	-63.5	-13	50.5	Pass	7001



10. DC_5A_n66A 15kHz


10.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-50	-13	37	Pass	401
0.15	30	0.01	RMS	0.15	-71.89	-13	58.89	Pass	2986
30	1000	0.1	RMS	948.266	-64.89	-13	51.89	Pass	9701
1000	1700	1	RMS	1700	-44.43	-13	31.43	Pass	701
1700	1790	1	RMS	1711.25	14.08	60	45.92	Pass	401
1790	3000	1	RMS	2959	-50.25	-13	37.25	Pass	1211
3000	7000	1	RMS	5759	-57.77	-13	44.77	Pass	4001
7000	20000	1	RMS	19902	-21.15	-13	8.15	Pass	13002




10.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-54.8	-13	41.8	Pass	401
0.15	30	0.01	RMS	0.24	-72.05	-13	59.05	Pass	2986
30	1000	0.1	RMS	930.654	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1700	-52.86	-13	39.86	Pass	701
1700	1790	1	RMS	1710.125	20.32	60	39.68	Pass	401
1790	3000	1	RMS	2964	-50.21	-13	37.21	Pass	1211
3000	7000	1	RMS	6980	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19901	-20.99	-13	7.99	Pass	13002




10.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-52.16	-13	39.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.65	-13	59.65	Pass	2986
30	1000	0.1	RMS	850.901	-65.22	-13	52.22	Pass	9701
1000	1700	1	RMS	1700	-53.05	-13	40.05	Pass	701
1700	1790	1	RMS	1714.625	20.28	60	39.72	Pass	401
1790	3000	1	RMS	2997	-50.28	-13	37.28	Pass	1211
3000	7000	1	RMS	6979	-63.61	-13	50.61	Pass	4001
7000	20000	1	RMS	19901	-21.08	-13	8.08	Pass	13002




10.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.77	-13	36.77	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-13	59.28	Pass	2986
30	1000	0.1	RMS	968.579	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1680	-53.63	-13	40.63	Pass	701
1700	1790	1	RMS	1743.65	14.24	60	45.76	Pass	401
1790	3000	1	RMS	2999	-50.27	-13	37.27	Pass	1211
3000	7000	1	RMS	5764	-54.55	-13	41.55	Pass	4001
7000	20000	1	RMS	19899	-21.08	-13	8.08	Pass	13002




10.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-54.16	-13	41.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.42	-13	59.42	Pass	2986
30	1000	0.1	RMS	947.465	-65.13	-13	52.13	Pass	9701
1000	1700	1	RMS	1686	-53.61	-13	40.61	Pass	701
1700	1790	1	RMS	1742.75	20.58	60	39.42	Pass	401
1790	3000	1	RMS	2977	-50.25	-13	37.25	Pass	1211
3000	7000	1	RMS	5764	-54.59	-13	41.59	Pass	4001
7000	20000	1	RMS	19899	-21.05	-13	8.05	Pass	13002




10.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-50.62	-13	37.62	Pass	401
0.15	30	0.01	RMS	0.17	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	930.054	-65.11	-13	52.11	Pass	9701
1000	1700	1	RMS	1678	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1747.025	20.58	60	39.42	Pass	401
1790	3000	1	RMS	2967	-50.28	-13	37.28	Pass	1211
3000	7000	1	RMS	5774	-61.46	-13	48.46	Pass	4001
7000	20000	1	RMS	19901	-21.1	-13	8.1	Pass	13002




10.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.21	-13	35.21	Pass	401
0.15	30	0.01	RMS	0.16	-72.19	-13	59.19	Pass	2986
30	1000	0.1	RMS	824.2	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1699	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1776.275	14.13	60	45.87	Pass	401
1790	3000	1	RMS	1790	-49.25	-13	36.25	Pass	1211
3000	7000	1	RMS	5760	-56.76	-13	43.76	Pass	4001
7000	20000	1	RMS	19896	-21.11	-13	8.11	Pass	13002




10.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.5	-13	39.5	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	1000	0.1	RMS	955.17	-64.85	-13	51.85	Pass	9701
1000	1700	1	RMS	1691	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1775.15	20.4	60	39.6	Pass	401
1790	3000	1	RMS	2997	-50.25	-13	37.25	Pass	1211
3000	7000	1	RMS	5773	-62.64	-13	49.64	Pass	4001
7000	20000	1	RMS	19904	-21.08	-13	8.08	Pass	13002




10.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-50.25	-13	37.25	Pass	401
0.15	30	0.01	RMS	0.24	-72.44	-13	59.44	Pass	2986
30	1000	0.1	RMS	928.553	-65.1	-13	52.1	Pass	9701
1000	1700	1	RMS	1695	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1779.425	20.42	60	39.58	Pass	401
1790	3000	1	RMS	2969	-50.27	-13	37.27	Pass	1211
3000	7000	1	RMS	6979	-63.69	-13	50.69	Pass	4001
7000	20000	1	RMS	19898	-21.11	-13	8.11	Pass	13002




10.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-50.2	-13	37.2	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-13	59.01	Pass	2986
30	1000	0.1	RMS	977.385	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1700	-33.71	-13	20.71	Pass	701
1700	1790	1	RMS	1723.175	7.94	60	52.06	Pass	401
1790	3000	1	RMS	2966	-50.26	-13	37.26	Pass	1211
3000	7000	1	RMS	5768	-54.46	-13	41.46	Pass	4001
7000	20000	1	RMS	19900	-21.18	-13	8.18	Pass	13002



10.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-53.78	-13	40.78	Pass	401
0.15	30	0.01	RMS	0.3	-73.12	-13	60.12	Pass	2986
30	1000	0.1	RMS	900.534	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-49.43	-13	36.43	Pass	701
1700	1790	1	RMS	1710.35	20.38	60	39.62	Pass	401
1790	3000	1	RMS	2977	-50.26	-13	37.26	Pass	1211
3000	7000	1	RMS	5769	-55.33	-13	42.33	Pass	4001
7000	20000	1	RMS	19896	-21.09	-13	8.09	Pass	13002



10.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTNV)(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-52.33	-13	39.33	Pass	401
0.15	30	0.01	RMS	0.15	-72.16	-13	59.16	Pass	2986
30	1000	0.1	RMS	968.279	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1700	-42.83	-13	29.83	Pass	701
1700	1790	1	RMS	1729.25	20.45	60	39.55	Pass	401
1790	3000	1	RMS	2978	-50.27	-13	37.27	Pass	1211
3000	7000	1	RMS	5757	-59.84	-13	46.84	Pass	4001
7000	20000	1	RMS	19900	-21.14	-13	8.14	Pass	13002

