



**10.13 Spurious Emission at Antenna Terminals for  
SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:20, SCS:15,  
OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.24	-13	36.24	Pass	401
0.15	30	0.01	RMS	0.15	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	992.495	-65.05	-13	52.05	Pass	9701
1000	1700	1	RMS	1700	-47.82	-13	34.82	Pass	701
1700	1790	1	RMS	1744.325	8.06	60	51.94	Pass	401
1790	3000	1	RMS	2999	-50.29	-13	37.29	Pass	1211
3000	7000	1	RMS	6980	-63.72	-13	50.72	Pass	4001
7000	20000	1	RMS	19898	-21.06	-13	8.06	Pass	13002




**10.14 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-52.06	-13	39.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	1000	0.1	RMS	981.688	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1694	-53.62	-13	40.62	Pass	701
1700	1790	1	RMS	1735.325	20.47	60	39.53	Pass	401
1790	3000	1	RMS	2970	-50.24	-13	37.24	Pass	1211
3000	7000	1	RMS	5767	-54.51	-13	41.51	Pass	4001
7000	20000	1	RMS	19900	-21.06	-13	8.06	Pass	13002




**10.15 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-51.73	-13	38.73	Pass	401
0.15	30	0.01	RMS	0.15	-72.13	-13	59.13	Pass	2986
30	1000	0.1	RMS	983.189	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1692	-53.56	-13	40.56	Pass	701
1700	1790	1	RMS	1754.225	20.47	60	39.53	Pass	401
1790	3000	1	RMS	2969	-50.3	-13	37.3	Pass	1211
3000	7000	1	RMS	5769	-54.83	-13	41.83	Pass	4001
7000	20000	1	RMS	19909	-21.16	-13	8.16	Pass	13002




**10.16 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.95	-13	35.95	Pass	401
0.15	30	0.01	RMS	0.17	-72.61	-13	59.61	Pass	2986
30	1000	0.1	RMS	941.061	-65.21	-13	52.21	Pass	9701
1000	1700	1	RMS	1700	-52.91	-13	39.91	Pass	701
1700	1790	1	RMS	1769.3	8.01	60	51.99	Pass	401
1790	3000	1	RMS	1790	-39.15	-13	26.15	Pass	1211
3000	7000	1	RMS	5761	-56.03	-13	43.03	Pass	4001
7000	20000	1	RMS	19900	-21.09	-13	8.09	Pass	13002




**10.17 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.023	-51.96	-13	38.96	Pass	401
0.15	30	0.01	RMS	0.17	-71.79	-13	58.79	Pass	2986
30	1000	0.1	RMS	827.3	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1690	-53.59	-13	40.59	Pass	701
1700	1790	1	RMS	1760.525	20.46	60	39.54	Pass	401
1790	3000	1	RMS	1790	-46.82	-13	33.82	Pass	1211
3000	7000	1	RMS	6980	-63.69	-13	50.69	Pass	4001
7000	20000	1	RMS	19899	-21.1	-13	8.1	Pass	13002




**10.18 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-50.54	-13	37.54	Pass	401
0.15	30	0.01	RMS	0.34	-71.94	-13	58.94	Pass	2986
30	1000	0.1	RMS	997.999	-65.01	-13	52.01	Pass	9701
1000	1700	1	RMS	1682	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1779.425	20.45	60	39.55	Pass	401
1790	3000	1	RMS	2999	-50.23	-13	37.23	Pass	1211
3000	7000	1	RMS	6976	-63.64	-13	50.64	Pass	4001
7000	20000	1	RMS	19898	-21.11	-13	8.11	Pass	13002




**10.19 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.06	-13	36.06	Pass	401
0.15	30	0.01	RMS	0.15	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	887.025	-65.09	-13	52.09	Pass	9701
1000	1700	1	RMS	1700	-33.59	-13	20.59	Pass	701
1700	1790	1	RMS	1725.65	4.9	60	55.1	Pass	401
1790	3000	1	RMS	1790	-41.22	-13	28.22	Pass	1211
3000	7000	1	RMS	6979	-63.66	-13	50.66	Pass	4001
7000	20000	1	RMS	19901	-21.04	-13	8.04	Pass	13002




**10.20 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-53.33	-13	40.33	Pass	401
0.15	30	0.01	RMS	0.16	-72.07	-13	59.07	Pass	2986
30	1000	0.1	RMS	952.368	-65.16	-13	52.16	Pass	9701
1000	1700	1	RMS	1691	-49.15	-13	36.15	Pass	701
1700	1790	1	RMS	1710.575	20.29	60	39.71	Pass	401
1790	3000	1	RMS	2966	-50.23	-13	37.23	Pass	1211
3000	7000	1	RMS	5764	-55.47	-13	42.47	Pass	4001
7000	20000	1	RMS	19900	-21.08	-13	8.08	Pass	13002




**10.21 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:346000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.85	-13	36.85	Pass	401
0.15	30	0.01	RMS	0.15	-71.66	-13	58.66	Pass	2986
30	1000	0.1	RMS	846.6	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1691	-47.78	-13	34.78	Pass	701
1700	1790	1	RMS	1749.275	20.45	60	39.55	Pass	401
1790	3000	1	RMS	2986	-50.27	-13	37.27	Pass	1211
3000	7000	1	RMS	5766	-53.99	-13	40.99	Pass	4001
7000	20000	1	RMS	19904	-21.18	-13	8.18	Pass	13002




**10.22 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.06	-13	36.06	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	1000	0.1	RMS	852.002	-65.12	-13	52.12	Pass	9701
1000	1700	1	RMS	1699	-35.63	-13	22.63	Pass	701
1700	1790	1	RMS	1727.9	5.13	60	54.87	Pass	401
1790	3000	1	RMS	1790	-40.02	-13	27.02	Pass	1211
3000	7000	1	RMS	5773	-57.25	-13	44.25	Pass	4001
7000	20000	1	RMS	19901	-21.12	-13	8.12	Pass	13002




**10.23 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-53.39	-13	40.39	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	1000	0.1	RMS	998.699	-65.15	-13	52.15	Pass	9701
1000	1700	1	RMS	1700	-51.82	-13	38.82	Pass	701
1700	1790	1	RMS	1725.425	20.31	60	39.69	Pass	401
1790	3000	1	RMS	2962	-50.3	-13	37.3	Pass	1211
3000	7000	1	RMS	5766	-54.01	-13	41.01	Pass	4001
7000	20000	1	RMS	19899	-21.1	-13	8.1	Pass	13002




**10.24 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:349000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.74	-13	35.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.48	-13	58.48	Pass	2986
30	1000	0.1	RMS	881.121	-65.02	-13	52.02	Pass	9701
1000	1700	1	RMS	1687	-51.68	-13	38.68	Pass	701
1700	1790	1	RMS	1764.125	20.31	60	39.69	Pass	401
1790	3000	1	RMS	2966	-50.29	-13	37.29	Pass	1211
3000	7000	1	RMS	5769	-57.95	-13	44.95	Pass	4001
7000	20000	1	RMS	19900	-21.09	-13	8.09	Pass	13002




**10.25 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:1, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-48.53	-13	35.53	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	1000	0.1	RMS	975.684	-65.14	-13	52.14	Pass	9701
1000	1700	1	RMS	1700	-38.2	-13	25.2	Pass	701
1700	1790	1	RMS	1743.425	5.05	60	54.95	Pass	401
1790	3000	1	RMS	1790	-38.98	-13	25.98	Pass	1211
3000	7000	1	RMS	5768	-55.08	-13	42.08	Pass	4001
7000	20000	1	RMS	19900	-21.13	-13	8.13	Pass	13002




**10.26 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:2, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.025	-53.02	-13	40.02	Pass	401
0.15	30	0.01	RMS	0.15	-71.36	-13	58.36	Pass	2986
30	1000	0.1	RMS	944.063	-65.18	-13	52.18	Pass	9701
1000	1700	1	RMS	1700	-53.31	-13	40.31	Pass	701
1700	1790	1	RMS	1740.5	20.44	60	39.56	Pass	401
1790	3000	1	RMS	2979	-50.26	-13	37.26	Pass	1211
3000	7000	1	RMS	5762	-56.65	-13	43.65	Pass	4001
7000	20000	1	RMS	19902	-21.16	-13	8.16	Pass	13002



**10.27 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTNV)(Subtest:3, Channel:352000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:215)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-49.31	-13	36.31	Pass	401
0.15	30	0.01	RMS	0.15	-71.41	-13	58.41	Pass	2986
30	1000	0.1	RMS	822.8	-65.08	-13	52.08	Pass	9701
1000	1700	1	RMS	1700	-52.57	-13	39.57	Pass	701
1700	1790	1	RMS	1779.2	20.42	60	39.58	Pass	401
1790	3000	1	RMS	2998	-50.3	-13	37.3	Pass	1211
3000	7000	1	RMS	6979	-63.71	-13	50.71	Pass	4001
7000	20000	1	RMS	19900	-21.17	-13	8.17	Pass	13002



## 11. DC\_5A\_n77A 30kHz(3450-3550)


**11.1 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.94	-13	50.94	Pass	401
0.15	30	0.01	RMS	0.22	-76.48	-13	63.48	Pass	2986
30	1000	0.1	RMS	955.27	-67.66	-13	54.66	Pass	9701
1000	3000	1	RMS	2972	-53.86	-13	40.86	Pass	2001
3000	3440	1	RMS	3440	-42.52	-13	29.52	Pass	441
3440	3560	1	RMS	3456.5	11.06	60	48.94	Pass	401
3560	7000	1	RMS	5772	-55.75	-13	42.75	Pass	3441
7000	26500	1	RMS	26494	-48.21	-13	35.21	Pass	19503




**11.2 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64.04	-13	51.04	Pass	401
0.15	30	0.01	RMS	0.17	-75.65	-13	62.65	Pass	2986
30	1000	0.1	RMS	752.8	-67.64	-13	54.64	Pass	9701
1000	3000	1	RMS	2965	-53.83	-13	40.83	Pass	2001
3000	3440	1	RMS	3440	-46.15	-13	33.15	Pass	441
3440	3560	1	RMS	3450.8	19.34	60	40.66	Pass	401
3560	7000	1	RMS	6902	-56.25	-13	43.25	Pass	3441
7000	26500	1	RMS	25484	-48.02	-13	35.02	Pass	19503




**11.3 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64.1	-13	51.1	Pass	401
0.15	30	0.01	RMS	0.3	-75.75	-13	62.75	Pass	2986
30	1000	0.1	RMS	961.775	-67.48	-13	54.48	Pass	9701
1000	3000	1	RMS	2970	-53.79	-13	40.79	Pass	2001
3000	3440	1	RMS	3440	-46.07	-13	33.07	Pass	441
3440	3560	1	RMS	3459.2	19.44	60	40.56	Pass	401
3560	7000	1	RMS	6918	-56.24	-13	43.24	Pass	3441
7000	26500	1	RMS	25877	-47.96	-13	34.96	Pass	19503




**11.4 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-65.02	-13	52.02	Pass	401
0.15	30	0.01	RMS	0.15	-75.58	-13	62.58	Pass	2986
30	1000	0.1	RMS	923.749	-67.61	-13	54.61	Pass	9701
1000	3000	1	RMS	2998	-53.91	-13	40.91	Pass	2001
3000	3440	1	RMS	3010	-46.43	-13	33.43	Pass	441
3440	3560	1	RMS	3501.5	11.17	60	48.83	Pass	401
3560	7000	1	RMS	6999	-60.94	-13	47.94	Pass	3441
7000	26500	1	RMS	25497	-47.9	-13	34.9	Pass	19503




**11.5 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63	-13	50	Pass	401
0.15	30	0.01	RMS	0.16	-75.98	-13	62.98	Pass	2986
30	1000	0.1	RMS	955.671	-67.74	-13	54.74	Pass	9701
1000	3000	1	RMS	2986	-53.8	-13	40.8	Pass	2001
3000	3440	1	RMS	3007	-46.45	-13	33.45	Pass	441
3440	3560	1	RMS	3495.8	19.49	60	40.51	Pass	401
3560	7000	1	RMS	6992	-56.95	-13	43.95	Pass	3441
7000	26500	1	RMS	25505	-48.18	-13	35.18	Pass	19503




**11.6 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64	-13	51	Pass	401
0.15	30	0.01	RMS	0.44	-76.41	-13	63.41	Pass	2986
30	1000	0.1	RMS	866.812	-67.48	-13	54.48	Pass	9701
1000	3000	1	RMS	2966	-53.82	-13	40.82	Pass	2001
3000	3440	1	RMS	3011	-46.52	-13	33.52	Pass	441
3440	3560	1	RMS	3504.2	19.41	60	40.59	Pass	401
3560	7000	1	RMS	3807	-62.97	-13	49.97	Pass	3441
7000	26500	1	RMS	25528	-48.04	-13	35.04	Pass	19503




**11.7 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.76	-13	50.76	Pass	401
0.15	30	0.01	RMS	0.24	-76.97	-13	63.97	Pass	2986
30	1000	0.1	RMS	932.956	-67.19	-13	54.19	Pass	9701
1000	3000	1	RMS	2999	-53.79	-13	40.79	Pass	2001
3000	3440	1	RMS	3023	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3546.2	11.23	60	48.77	Pass	401
3560	7000	1	RMS	3560	-40.66	-13	27.66	Pass	3441
7000	26500	1	RMS	25484	-47.68	-13	34.68	Pass	19503




**11.8 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64.22	-13	51.22	Pass	401
0.15	30	0.01	RMS	0.34	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	972.582	-67.2	-13	54.2	Pass	9701
1000	3000	1	RMS	2976	-53.86	-13	40.86	Pass	2001
3000	3440	1	RMS	3017	-46.51	-13	33.51	Pass	441
3440	3560	1	RMS	3540.8	19.56	60	40.44	Pass	401
3560	7000	1	RMS	3560	-51.38	-13	38.38	Pass	3441
7000	26500	1	RMS	25495	-47.78	-13	34.78	Pass	19503




**11.9 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.93	-13	50.93	Pass	401
0.15	30	0.01	RMS	0.41	-76.32	-13	63.32	Pass	2986
30	1000	0.1	RMS	986.291	-67.04	-13	54.04	Pass	9701
1000	3000	1	RMS	2994	-53.89	-13	40.89	Pass	2001
3000	3440	1	RMS	3007	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3549.2	19.48	60	40.52	Pass	401
3560	7000	1	RMS	3560	-51.13	-13	38.13	Pass	3441
7000	26500	1	RMS	25459	-48.27	-13	35.27	Pass	19503




**11.10 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.26	-13	50.26	Pass	401
0.15	30	0.01	RMS	0.28	-76.28	-13	63.28	Pass	2986
30	1000	0.1	RMS	849.5	-67.53	-13	54.53	Pass	9701
1000	3000	1	RMS	2977	-53.88	-13	40.88	Pass	2001
3000	3440	1	RMS	3440	-33.02	-13	20.02	Pass	441
3440	3560	1	RMS	3455.9	3.77	60	56.23	Pass	401
3560	7000	1	RMS	3560	-48.33	-13	35.33	Pass	3441
7000	26500	1	RMS	25499	-48.25	-13	35.25	Pass	19503




**11.11 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64.34	-13	51.34	Pass	401
0.15	30	0.01	RMS	0.19	-76.13	-13	63.13	Pass	2986
30	1000	0.1	RMS	990.994	-67.13	-13	54.13	Pass	9701
1000	3000	1	RMS	3000	-53.76	-13	40.76	Pass	2001
3000	3440	1	RMS	3438	-44.67	-13	31.67	Pass	441
3440	3560	1	RMS	3451.1	19.26	60	40.74	Pass	401
3560	7000	1	RMS	6902	-57.73	-13	44.73	Pass	3441
7000	26500	1	RMS	25903	-48.19	-13	35.19	Pass	19503




**11.12 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.54	-13	50.54	Pass	401
0.15	30	0.01	RMS	0.34	-76.45	-13	63.45	Pass	2986
30	1000	0.1	RMS	910.641	-67.2	-13	54.2	Pass	9701
1000	3000	1	RMS	2994	-53.8	-13	40.8	Pass	2001
3000	3440	1	RMS	3440	-42.38	-13	29.38	Pass	441
3440	3560	1	RMS	3498.8	19.72	60	40.28	Pass	401
3560	7000	1	RMS	6998	-57.45	-13	44.45	Pass	3441
7000	26500	1	RMS	25919	-48.05	-13	35.05	Pass	19503




**11.13 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.75	-13	50.75	Pass	401
0.15	30	0.01	RMS	0.25	-76.22	-13	63.22	Pass	2986
30	1000	0.1	RMS	959.073	-66.6	-13	53.6	Pass	9701
1000	3000	1	RMS	2957	-53.79	-13	40.79	Pass	2001
3000	3440	1	RMS	3434	-41.33	-13	28.33	Pass	441
3440	3560	1	RMS	3510.5	3.87	60	56.13	Pass	401
3560	7000	1	RMS	3561	-40.03	-13	27.03	Pass	3441
7000	26500	1	RMS	25508	-48.33	-13	35.33	Pass	19503




**11.14 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.51	-13	50.51	Pass	401
0.15	30	0.01	RMS	0.2	-76.61	-13	63.61	Pass	2986
30	1000	0.1	RMS	802.4	-67.51	-13	54.51	Pass	9701
1000	3000	1	RMS	2995	-53.9	-13	40.9	Pass	2001
3000	3440	1	RMS	3018	-46.45	-13	33.45	Pass	441
3440	3560	1	RMS	3476.3	19.34	60	40.66	Pass	401
3560	7000	1	RMS	3560	-54.85	-13	41.85	Pass	3441
7000	26500	1	RMS	25534	-48.21	-13	35.21	Pass	19503




**11.15 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.94	-13	50.94	Pass	401
0.15	30	0.01	RMS	0.25	-76.48	-13	63.48	Pass	2986
30	1000	0.1	RMS	901.835	-67.08	-13	54.08	Pass	9701
1000	3000	1	RMS	2983	-53.89	-13	40.89	Pass	2001
3000	3440	1	RMS	3012	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3523.7	19.71	60	40.29	Pass	401
3560	7000	1	RMS	3561	-54.62	-13	41.62	Pass	3441
7000	26500	1	RMS	25840	-48.2	-13	35.2	Pass	19503




**11.16 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.69	-13	50.69	Pass	401
0.15	30	0.01	RMS	0.72	-77.25	-13	64.25	Pass	2986
30	1000	0.1	RMS	956.771	-67.22	-13	54.22	Pass	9701
1000	3000	1	RMS	2956	-53.86	-13	40.86	Pass	2001
3000	3440	1	RMS	3440	-45.74	-13	32.74	Pass	441
3440	3560	1	RMS	3505.7	3.95	60	56.05	Pass	401
3560	7000	1	RMS	3561	-33.23	-13	20.23	Pass	3441
7000	26500	1	RMS	25526	-48.01	-13	35.01	Pass	19503




**11.17 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-63.66	-13	50.66	Pass	401
0.15	30	0.01	RMS	0.58	-75.47	-13	62.47	Pass	2986
30	1000	0.1	RMS	784.9	-67.48	-13	54.48	Pass	9701
1000	3000	1	RMS	2997	-53.81	-13	40.81	Pass	2001
3000	3440	1	RMS	3011	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3501.2	19.64	60	40.36	Pass	401
3560	7000	1	RMS	3560	-43.48	-13	30.48	Pass	3441
7000	26500	1	RMS	25861	-47.94	-13	34.94	Pass	19503




**11.18 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-64.77	-13	51.77	Pass	401
0.15	30	0.01	RMS	0.25	-74.67	-13	61.67	Pass	2986
30	1000	0.1	RMS	967.579	-67.36	-13	54.36	Pass	9701
1000	3000	1	RMS	2996	-53.79	-13	40.79	Pass	2001
3000	3440	1	RMS	3011	-46.48	-13	33.48	Pass	441
3440	3560	1	RMS	3548.6	19.54	60	40.46	Pass	401
3560	7000	1	RMS	3572	-47.36	-13	34.36	Pass	3441
7000	26500	1	RMS	25483	-48.05	-13	35.05	Pass	19503




**11.19 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-64.14	-13	51.14	Pass	401
0.15	30	0.01	RMS	0.89	-76.92	-13	63.92	Pass	2986
30	1000	0.1	RMS	971.481	-67.25	-13	54.25	Pass	9701
1000	3000	1	RMS	2993	-53.81	-13	40.81	Pass	2001
3000	3440	1	RMS	3439	-35.38	-13	22.38	Pass	441
3440	3560	1	RMS	3468.2	0.73	60	59.27	Pass	401
3560	7000	1	RMS	3562	-36.75	-13	23.75	Pass	3441
7000	26500	1	RMS	25502	-48.19	-13	35.19	Pass	19503




**11.20 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.79	-13	50.79	Pass	401
0.15	30	0.01	RMS	0.15	-76.21	-13	63.21	Pass	2986
30	1000	0.1	RMS	971.881	-67.66	-13	54.66	Pass	9701
1000	3000	1	RMS	2827	-53.65	-13	40.65	Pass	2001
3000	3440	1	RMS	3402	-44.99	-13	31.99	Pass	441
3440	3560	1	RMS	3451.1	19.21	60	40.79	Pass	401
3560	7000	1	RMS	3568	-42.67	-13	29.67	Pass	3441
7000	26500	1	RMS	25897	-48.22	-13	35.22	Pass	19503



**11.21 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.84	-13	50.84	Pass	401
0.15	30	0.01	RMS	0.44	-76.05	-13	63.05	Pass	2986
30	1000	0.1	RMS	952.669	-67.33	-13	54.33	Pass	9701
1000	3000	1	RMS	2925	-49.41	-13	36.41	Pass	2001
3000	3440	1	RMS	3432	-41.52	-13	28.52	Pass	441
3440	3560	1	RMS	3548.9	19.61	60	40.39	Pass	401
3560	7000	1	RMS	3598	-47.4	-13	34.4	Pass	3441
7000	26500	1	RMS	25498	-47.94	-13	34.94	Pass	19503



## 12. DC\_5A\_n77A 30kHz(3700-3980)


**12.1 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.04	-13	50.04	Pass	401
0.15	30	0.01	RMS	0.34	-76.57	-13	63.57	Pass	2986
30	1000	0.1	RMS	854.003	-67.3	-13	54.3	Pass	9701
1000	3000	1	RMS	2978	-53.82	-13	40.82	Pass	2001
3000	3690	1	RMS	3690	-42.49	-13	29.49	Pass	691
3690	3990	1	RMS	3706.5	11.12	60	48.88	Pass	401
3990	7000	1	RMS	4019	-61.76	-13	48.76	Pass	3011
7000	26500	1	RMS	25473	-47.88	-13	34.88	Pass	19503




**12.2 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.57	-13	49.57	Pass	401
0.15	30	0.01	RMS	0.15	-75.9	-13	62.9	Pass	2986
30	1000	0.1	RMS	844.6	-67.45	-13	54.45	Pass	9701
1000	3000	1	RMS	2959	-53.89	-13	40.89	Pass	2001
3000	3690	1	RMS	3690	-45.68	-13	32.68	Pass	691
3690	3990	1	RMS	3700.5	18.14	60	41.86	Pass	401
3990	7000	1	RMS	4018	-61.79	-13	48.79	Pass	3011
7000	26500	1	RMS	25501	-47.83	-13	34.83	Pass	19503




**12.3 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-64.1	-13	51.1	Pass	401
0.15	30	0.01	RMS	0.18	-75.74	-13	62.74	Pass	2986
30	1000	0.1	RMS	850.201	-67.58	-13	54.58	Pass	9701
1000	3000	1	RMS	2996	-53.88	-13	40.88	Pass	2001
3000	3690	1	RMS	3690	-45.83	-13	32.83	Pass	691
3690	3990	1	RMS	3708.75	17.88	60	42.12	Pass	401
3990	7000	1	RMS	4017	-61.87	-13	48.87	Pass	3011
7000	26500	1	RMS	25531	-48.19	-13	35.19	Pass	19503




**12.4 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.97	-13	49.97	Pass	401
0.15	30	0.01	RMS	0.2	-76.7	-13	63.7	Pass	2986
30	1000	0.1	RMS	965.677	-67.29	-13	54.29	Pass	9701
1000	3000	1	RMS	2977	-53.71	-13	40.71	Pass	2001
3000	3690	1	RMS	3007	-46.42	-13	33.42	Pass	691
3690	3990	1	RMS	3841.5	11.18	60	48.82	Pass	401
3990	7000	1	RMS	4021	-61.05	-13	48.05	Pass	3011
7000	26500	1	RMS	25533	-47.87	-13	34.87	Pass	19503




**12.5 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-63.17	-13	50.17	Pass	401
0.15	30	0.01	RMS	0.37	-76.21	-13	63.21	Pass	2986
30	1000	0.1	RMS	836.9	-67.38	-13	54.38	Pass	9701
1000	3000	1	RMS	2995	-53.8	-13	40.8	Pass	2001
3000	3690	1	RMS	3010	-46.35	-13	33.35	Pass	691
3690	3990	1	RMS	3835.5	17.94	60	42.06	Pass	401
3990	7000	1	RMS	4021	-61.12	-13	48.12	Pass	3011
7000	26500	1	RMS	25495	-48.21	-13	35.21	Pass	19503




**12.6 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.04	-13	50.04	Pass	401
0.15	30	0.01	RMS	0.6	-76.15	-13	63.15	Pass	2986
30	1000	0.1	RMS	846.3	-67.46	-13	54.46	Pass	9701
1000	3000	1	RMS	2989	-53.77	-13	40.77	Pass	2001
3000	3690	1	RMS	3007	-46.32	-13	33.32	Pass	691
3690	3990	1	RMS	3843.75	18.01	60	41.99	Pass	401
3990	7000	1	RMS	4047	-61.34	-13	48.34	Pass	3011
7000	26500	1	RMS	25514	-48.22	-13	35.22	Pass	19503




**12.7 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.77	-13	49.77	Pass	401
0.15	30	0.01	RMS	0.32	-76.66	-13	63.66	Pass	2986
30	1000	0.1	RMS	986.091	-67.33	-13	54.33	Pass	9701
1000	3000	1	RMS	2984	-53.68	-13	40.68	Pass	2001
3000	3690	1	RMS	3023	-46.5	-13	33.5	Pass	691
3690	3990	1	RMS	3975.75	11.97	60	48.03	Pass	401
3990	7000	1	RMS	3990	-39.81	-13	26.81	Pass	3011
7000	26500	1	RMS	25540	-48.11	-13	35.11	Pass	19503



**12.8 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.15	-13	50.15	Pass	401
0.15	30	0.01	RMS	0.2	-76.28	-13	63.28	Pass	2986
30	1000	0.1	RMS	912.942	-67.03	-13	54.03	Pass	9701
1000	3000	1	RMS	2973	-53.91	-13	40.91	Pass	2001
3000	3690	1	RMS	3014	-46.38	-13	33.38	Pass	691
3690	3990	1	RMS	3970.5	18.94	60	41.06	Pass	401
3990	7000	1	RMS	5773	-49.08	-13	36.08	Pass	3011
7000	26500	1	RMS	25890	-48.01	-13	35.01	Pass	19503



**12.9 Spurious Emission at Antenna Terminals for SA\_Part22-24-27(NTLV)(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.58	-13	49.58	Pass	401
0.15	30	0.01	RMS	0.3	-73.63	-13	60.63	Pass	2986
30	1000	0.1	RMS	950.968	-67.29	-13	54.29	Pass	9701
1000	3000	1	RMS	2972	-53.87	-13	40.87	Pass	2001
3000	3690	1	RMS	3002	-46.52	-13	33.52	Pass	691
3690	3990	1	RMS	3979.5	18.76	60	41.24	Pass	401
3990	7000	1	RMS	3990	-51.06	-13	38.06	Pass	3011
7000	26500	1	RMS	25487	-48	-13	35	Pass	19503

