



12.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.41	-13	49.41	Pass	401
0.15	30	0.01	RMS	0.17	-76.05	-13	63.05	Pass	2986
30	1000	0.1	RMS	956.071	-66.78	-13	53.78	Pass	9701
1000	3000	1	RMS	2963	-53.83	-13	40.83	Pass	2001
3000	3690	1	RMS	3690	-35.43	-13	22.43	Pass	691
3690	3990	1	RMS	3705.75	3.8	60	56.2	Pass	401
3990	7000	1	RMS	4019	-61.55	-13	48.55	Pass	3011
7000	26500	1	RMS	25849	-48.1	-13	35.1	Pass	19503




12.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.47	-13	49.47	Pass	401
0.15	30	0.01	RMS	0.15	-76.73	-13	63.73	Pass	2986
30	1000	0.1	RMS	865.911	-67.49	-13	54.49	Pass	9701
1000	3000	1	RMS	2968	-53.85	-13	40.85	Pass	2001
3000	3690	1	RMS	3690	-44.44	-13	31.44	Pass	691
3690	3990	1	RMS	3701.25	19.08	60	40.92	Pass	401
3990	7000	1	RMS	4027	-61.86	-13	48.86	Pass	3011
7000	26500	1	RMS	25522	-48.24	-13	35.24	Pass	19503




12.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.91	-13	49.91	Pass	401
0.15	30	0.01	RMS	0.21	-76.03	-13	63.03	Pass	2986
30	1000	0.1	RMS	883.123	-67.52	-13	54.52	Pass	9701
1000	3000	1	RMS	2987	-53.75	-13	40.75	Pass	2001
3000	3690	1	RMS	3690	-42.11	-13	29.11	Pass	691
3690	3990	1	RMS	3748.5	18.46	60	41.54	Pass	401
3990	7000	1	RMS	4029	-61.53	-13	48.53	Pass	3011
7000	26500	1	RMS	25807	-48.06	-13	35.06	Pass	19503




12.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.01	-13	50.01	Pass	401
0.15	30	0.01	RMS	0.27	-76.45	-13	63.45	Pass	2986
30	1000	0.1	RMS	985.891	-66.8	-13	53.8	Pass	9701
1000	3000	1	RMS	2984	-53.91	-13	40.91	Pass	2001
3000	3690	1	RMS	3018	-46.41	-13	33.41	Pass	691
3690	3990	1	RMS	3859.5	4.03	60	55.97	Pass	401
3990	7000	1	RMS	3990	-60.8	-13	47.8	Pass	3011
7000	26500	1	RMS	25536	-48.1	-13	35.1	Pass	19503




12.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-63.87	-13	50.87	Pass	401
0.15	30	0.01	RMS	0.15	-75.69	-13	62.69	Pass	2986
30	1000	0.1	RMS	867.512	-67.33	-13	54.33	Pass	9701
1000	3000	1	RMS	2958	-53.84	-13	40.84	Pass	2001
3000	3690	1	RMS	3012	-46.44	-13	33.44	Pass	691
3690	3990	1	RMS	3816	18.41	60	41.59	Pass	401
3990	7000	1	RMS	4006	-60.42	-13	47.42	Pass	3011
7000	26500	1	RMS	25465	-48.3	-13	35.3	Pass	19503




12.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:656000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-63.99	-13	50.99	Pass	401
0.15	30	0.01	RMS	0.15	-75.33	-13	62.33	Pass	2986
30	1000	0.1	RMS	970.18	-66.66	-13	53.66	Pass	9701
1000	3000	1	RMS	2957	-53.79	-13	40.79	Pass	2001
3000	3690	1	RMS	3011	-46.42	-13	33.42	Pass	691
3690	3990	1	RMS	3864	19.14	60	40.86	Pass	401
3990	7000	1	RMS	4001	-61.12	-13	48.12	Pass	3011
7000	26500	1	RMS	25864	-48.21	-13	35.21	Pass	19503




12.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.72	-13	49.72	Pass	401
0.15	30	0.01	RMS	0.25	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	937.959	-66.84	-13	53.84	Pass	9701
1000	3000	1	RMS	2972	-53.94	-13	40.94	Pass	2001
3000	3690	1	RMS	3005	-46.36	-13	33.36	Pass	691
3690	3990	1	RMS	3936	4.6	60	55.4	Pass	401
3990	7000	1	RMS	3991	-31.76	-13	18.76	Pass	3011
7000	26500	1	RMS	25882	-47.96	-13	34.96	Pass	19503




12.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.42	-13	50.42	Pass	401
0.15	30	0.01	RMS	0.21	-74.94	-13	61.94	Pass	2986
30	1000	0.1	RMS	959.373	-66.47	-13	53.47	Pass	9701
1000	3000	1	RMS	2980	-53.88	-13	40.88	Pass	2001
3000	3690	1	RMS	3007	-46.41	-13	33.41	Pass	691
3690	3990	1	RMS	3931.5	19.12	60	40.88	Pass	401
3990	7000	1	RMS	3990	-42.73	-13	29.73	Pass	3011
7000	26500	1	RMS	25516	-48.01	-13	35.01	Pass	19503




12.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:663666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.32	-13	49.32	Pass	401
0.15	30	0.01	RMS	0.28	-75.64	-13	62.64	Pass	2986
30	1000	0.1	RMS	776.1	-67.74	-13	54.74	Pass	9701
1000	3000	1	RMS	2986	-53.67	-13	40.67	Pass	2001
3000	3690	1	RMS	3017	-46.43	-13	33.43	Pass	691
3690	3990	1	RMS	3978.75	20.17	60	39.83	Pass	401
3990	7000	1	RMS	4002	-46.51	-13	33.51	Pass	3011
7000	26500	1	RMS	26462	-48.21	-13	35.21	Pass	19503




12.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.72	-13	50.72	Pass	401
0.15	30	0.01	RMS	0.66	-75.7	-13	62.7	Pass	2986
30	1000	0.1	RMS	901.335	-67.03	-13	54.03	Pass	9701
1000	3000	1	RMS	2959	-53.84	-13	40.84	Pass	2001
3000	3690	1	RMS	3689	-36.77	-13	23.77	Pass	691
3690	3990	1	RMS	3718.5	0.69	60	59.31	Pass	401
3990	7000	1	RMS	3992	-59.07	-13	46.07	Pass	3011
7000	26500	1	RMS	25483	-48.15	-13	35.15	Pass	19503




12.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-62.04	-13	49.04	Pass	401
0.15	30	0.01	RMS	0.16	-76.79	-13	63.79	Pass	2986
30	1000	0.1	RMS	982.588	-66.94	-13	53.94	Pass	9701
1000	3000	1	RMS	2962	-53.87	-13	40.87	Pass	2001
3000	3690	1	RMS	3690	-44.72	-13	31.72	Pass	691
3690	3990	1	RMS	3701.25	18.38	60	41.62	Pass	401
3990	7000	1	RMS	4325	-46.48	-13	33.48	Pass	3011
7000	26500	1	RMS	25440	-48	-13	35	Pass	19503




12.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.26	-13	50.26	Pass	401
0.15	30	0.01	RMS	0.17	-75.35	-13	62.35	Pass	2986
30	1000	0.1	RMS	953.369	-67.16	-13	54.16	Pass	9701
1000	3000	1	RMS	2983	-53.83	-13	40.83	Pass	2001
3000	3690	1	RMS	3682	-41.78	-13	28.78	Pass	691
3690	3990	1	RMS	3798.75	18.31	60	41.69	Pass	401
3990	7000	1	RMS	5761	-52.32	-13	39.32	Pass	3011
7000	26500	1	RMS	25496	-48.18	-13	35.18	Pass	19503




12.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.2	-13	50.2	Pass	401
0.15	30	0.01	RMS	0.15	-75.57	-13	62.57	Pass	2986
30	1000	0.1	RMS	824.6	-67.3	-13	54.3	Pass	9701
1000	3000	1	RMS	2967	-53.67	-13	40.67	Pass	2001
3000	3690	1	RMS	3690	-45.24	-13	32.24	Pass	691
3690	3990	1	RMS	3888	0.99	60	59.01	Pass	401
3990	7000	1	RMS	3990	-44.38	-13	31.38	Pass	3011
7000	26500	1	RMS	25523	-48.03	-13	35.03	Pass	19503




12.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-63.77	-13	50.77	Pass	401
0.15	30	0.01	RMS	0.16	-76.36	-13	63.36	Pass	2986
30	1000	0.1	RMS	911.441	-67.41	-13	54.41	Pass	9701
1000	3000	1	RMS	2981	-53.93	-13	40.93	Pass	2001
3000	3690	1	RMS	3167	-45.61	-13	32.61	Pass	691
3690	3990	1	RMS	3791.25	18.13	60	41.87	Pass	401
3990	7000	1	RMS	4415	-48.93	-13	35.93	Pass	3011
7000	26500	1	RMS	25541	-48.16	-13	35.16	Pass	19503




12.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.37	-13	50.37	Pass	401
0.15	30	0.01	RMS	0.55	-76.6	-13	63.6	Pass	2986
30	1000	0.1	RMS	922.349	-67.49	-13	54.49	Pass	9701
1000	3000	1	RMS	2973	-53.92	-13	40.92	Pass	2001
3000	3690	1	RMS	3265	-43.3	-13	30.3	Pass	691
3690	3990	1	RMS	3888.75	19.31	60	40.69	Pass	401
3990	7000	1	RMS	4513	-56.26	-13	43.26	Pass	3011
7000	26500	1	RMS	25481	-48.2	-13	35.2	Pass	19503




12.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-62.95	-13	49.95	Pass	401
0.15	30	0.01	RMS	0.22	-77	-13	64	Pass	2986
30	1000	0.1	RMS	967.278	-67.11	-13	54.11	Pass	9701
1000	3000	1	RMS	2967	-53.96	-13	40.96	Pass	2001
3000	3690	1	RMS	3009	-46.44	-13	33.44	Pass	691
3690	3990	1	RMS	3897.75	1.35	60	58.65	Pass	401
3990	7000	1	RMS	3998	-32.75	-13	19.75	Pass	3011
7000	26500	1	RMS	25510	-47.92	-13	34.92	Pass	19503



12.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.42	-13	50.42	Pass	401
0.15	30	0.01	RMS	0.16	-75.67	-13	62.67	Pass	2986
30	1000	0.1	RMS	892.829	-66.19	-13	53.19	Pass	9701
1000	3000	1	RMS	2993	-53.87	-13	40.87	Pass	2001
3000	3690	1	RMS	3257	-45.85	-13	32.85	Pass	691
3690	3990	1	RMS	3881.25	19.07	60	40.93	Pass	401
3990	7000	1	RMS	3998	-40.25	-13	27.25	Pass	3011
7000	26500	1	RMS	25555	-48.18	-13	35.18	Pass	19503



12.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(NTLV)(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-63.34	-13	50.34	Pass	401
0.15	30	0.01	RMS	0.16	-74.51	-13	61.51	Pass	2986
30	1000	0.1	RMS	940.461	-67.4	-13	54.4	Pass	9701
1000	3000	1	RMS	2989	-53.89	-13	40.89	Pass	2001
3000	3690	1	RMS	3355	-43.36	-13	30.36	Pass	691
3690	3990	1	RMS	3978.75	19.65	60	40.35	Pass	401
3990	7000	1	RMS	4028	-45.28	-13	32.28	Pass	3011
7000	26500	1	RMS	7958	-48.08	-13	35.08	Pass	19503

