






(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1132.5133	-48.72	-63.49	-13.00	50.49	-14.77	Horizontal	PASS
2507.6508	-48.87	-57.75	-13.00	44.75	-8.88	Horizontal	PASS
3855.7856	-48.68	-52.69	-13.00	39.69	-4.01	Horizontal	PASS
6565.2565	-52.47	-46.19	-13.00	33.19	6.28	Horizontal	PASS
10986.4987	-57.92	-42.81	-13.00	29.81	15.11	Horizontal	PASS
14627.6628	-59.35	-39.61	-13.00	26.61	19.74	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
103.0977	-49.77	-63.58	-13.00	50.58	-13.81	Vertical	PASS
182.0173	-41.98	-52.03	-13.00	39.03	-10.05	Vertical	PASS
245.0884	-51.26	-59.90	-13.00	46.90	-8.64	Vertical	PASS
359.9100	-51.74	-57.05	-13.00	44.05	-5.31	Vertical	PASS
715.3718	-17.91	-14.66	-13.00	1.66	3.25	Vertical	NA
743.5112	-29.79	-26.01	-13.00	13.01	3.78	Vertical	NA




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
2154.1154	-49.37	-58.19	-13.00	45.19	-8.82	Vertical	PASS
3850.2850	-49.23	-52.92	-13.00	39.92	-3.69	Vertical	PASS
5066.9067	-51.63	-51.05	-13.00	38.05	0.58	Vertical	PASS
8541.8542	-54.91	-44.86	-13.00	31.86	10.05	Vertical	PASS
11000.9001	-57.87	-42.19	-13.00	29.19	15.68	Vertical	PASS
14831.6832	-58.28	-38.94	-13.00	25.94	19.34	Vertical	PASS


**LTE Band 17**

Plot for Low Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.04	-73.90	-13.00	60.90	-31.86	Horizontal	PASS
105.0383	-40.91	-65.71	-13.00	52.71	-24.80	Horizontal	PASS
191.3971	-53.50	-61.94	-13.00	48.94	-8.44	Horizontal	PASS
246.0587	-55.17	-59.91	-13.00	46.91	-4.74	Horizontal	PASS
359.9100	-52.31	-58.22	-13.00	45.22	-5.91	Horizontal	PASS
760.0067	-59.04	-51.38	-13.00	38.38	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1253.0253	-49.35	-63.59	-13.00	50.59	-14.24	Horizontal	PASS
2129.6130	-49.60	-58.21	-13.00	45.21	-8.61	Horizontal	PASS
4337.8338	-50.53	-52.99	-13.00	39.99	-2.46	Horizontal	PASS
6589.2589	-53.71	-46.72	-13.00	33.72	6.99	Horizontal	PASS
9699.9700	-57.83	-42.88	-13.00	29.88	14.95	Horizontal	PASS
14649.2649	-59.37	-38.91	-13.00	25.91	20.46	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
103.7446	-50.26	-63.95	-13.00	50.95	-13.69	Vertical	PASS
129.6199	-43.09	-56.00	-13.00	43.00	-12.91	Vertical	PASS
243.1477	-43.05	-51.85	-13.00	38.85	-8.80	Vertical	PASS
359.9100	-50.31	-55.62	-13.00	42.62	-5.31	Vertical	PASS
499.6365	-60.04	-59.34	-13.00	46.34	0.70	Vertical	PASS
760.0067	-63.89	-56.51	-13.00	43.51	7.38	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1717.0717	-48.13	-61.81	-13.00	48.81	-13.68	Vertical	PASS
2439.6440	-47.48	-57.99	-13.00	44.99	-10.51	Vertical	PASS
3949.2949	-50.03	-52.82	-13.00	39.82	-2.79	Vertical	PASS
6261.6262	-49.98	-46.95	-13.00	33.95	3.03	Vertical	PASS
9416.7417	-58.05	-44.69	-13.00	31.69	13.36	Vertical	PASS
14632.4632	-58.72	-38.09	-13.00	25.09	20.63	Vertical	PASS

Plot for Mid Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.55	-73.41	-13.00	60.41	-31.86	Horizontal	PASS
106.0087	-42.68	-67.73	-13.00	54.73	-25.05	Horizontal	PASS
135.1184	-53.89	-70.91	-13.00	57.91	-17.02	Horizontal	PASS
239.5899	-58.93	-62.08	-13.00	49.08	-3.15	Horizontal	PASS
359.9100	-53.51	-59.42	-13.00	46.42	-5.91	Horizontal	PASS
760.0067	-59.27	-51.61	-13.00	38.61	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1255.5256	-48.88	-63.15	-13.00	50.15	-14.27	Horizontal	NA
1862.5863	-48.96	-61.09	-13.00	48.09	-12.13	Horizontal	PASS
3610.7611	-49.08	-55.16	-13.00	42.16	-6.08	Horizontal	PASS
5047.9048	-51.29	-50.04	-13.00	37.04	1.25	Horizontal	PASS
9605.1605	-56.86	-43.40	-13.00	30.40	13.46	Horizontal	PASS
14309.6310	-58.90	-39.42	-13.00	26.42	19.48	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
103.0977	-45.22	-59.03	-13.00	46.03	-13.81	Vertical	PASS
168.4328	-41.51	-52.53	-13.00	39.53	-11.02	Vertical	PASS
243.7946	-47.94	-56.68	-13.00	43.68	-8.74	Vertical	PASS
359.9100	-50.16	-55.47	-13.00	42.47	-5.31	Vertical	PASS
479.9066	-60.29	-60.17	-13.00	47.17	0.12	Vertical	PASS
833.4278	-59.50	-54.66	-13.00	41.66	4.84	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1252.5253	-48.90	-62.38	-13.00	49.38	-13.48	Vertical	PASS
1853.5854	-49.55	-61.86	-13.00	48.86	-12.31	Vertical	PASS
3809.7810	-48.70	-52.80	-13.00	39.80	-4.10	Vertical	PASS
6261.6262	-50.23	-47.20	-13.00	34.20	3.03	Vertical	PASS
9711.9712	-55.56	-41.88	-13.00	28.88	13.68	Vertical	PASS
14296.4296	-58.28	-38.42	-13.00	25.42	19.86	Vertical	PASS

Plot for High Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.84	-73.70	-13.00	60.70	-31.86	Horizontal	PASS
72.3708	-48.58	-75.68	-13.00	62.68	-27.10	Horizontal	PASS
192.0440	-53.08	-61.01	-13.00	48.01	-7.93	Horizontal	PASS
244.7649	-51.04	-55.42	-13.00	42.42	-4.38	Horizontal	PASS
359.9100	-52.53	-58.44	-13.00	45.44	-5.91	Horizontal	PASS
760.0067	-60.60	-52.94	-13.00	39.94	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1430.0430	-50.72	-64.41	-13.00	51.41	-13.69	Horizontal	PASS
3044.7045	-51.94	-58.67	-13.00	45.67	-6.73	Horizontal	PASS
5066.4066	-51.13	-50.31	-13.00	37.31	0.82	Horizontal	PASS
7138.9139	-53.14	-45.49	-13.00	32.49	7.65	Horizontal	PASS
9698.7699	-57.60	-42.72	-13.00	29.72	14.88	Horizontal	PASS
14633.6634	-59.55	-39.61	-13.00	26.61	19.94	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
106.9790	-48.57	-62.96	-13.00	49.96	-14.39	Vertical	PASS
135.1184	-50.90	-59.47	-13.00	46.47	-8.57	Vertical	PASS
194.3081	-51.28	-60.80	-13.00	47.80	-9.52	Vertical	PASS
359.9100	-50.54	-55.85	-13.00	42.85	-5.31	Vertical	PASS
509.9867	-61.88	-60.16	-13.00	47.16	1.72	Vertical	PASS
760.0067	-63.74	-56.36	-13.00	43.36	7.38	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1357.5358	-49.22	-63.29	-13.00	50.29	-14.07	Vertical	PASS
2261.1261	-50.83	-59.60	-13.00	46.60	-8.77	Vertical	PASS
3819.7820	-49.31	-53.30	-13.00	40.30	-3.99	Vertical	PASS
6261.6262	-49.60	-46.57	-13.00	33.57	3.03	Vertical	PASS
9399.9400	-58.58	-44.58	-13.00	31.58	14.00	Vertical	PASS
14655.2655	-59.88	-38.79	-13.00	25.79	21.09	Vertical	PASS


**LTE Band 25**

Plot for Low Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.34	-73.20	-13.00	60.20	-31.86	Horizontal	PASS
108.5962	-49.23	-74.22	-13.00	61.22	-24.99	Horizontal	PASS
193.3378	-56.35	-64.00	-13.00	51.00	-7.65	Horizontal	PASS
242.5008	-57.38	-61.16	-13.00	48.16	-3.78	Horizontal	PASS
359.9100	-53.66	-59.57	-13.00	46.57	-5.91	Horizontal	PASS
760.0067	-59.74	-52.08	-13.00	39.08	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1894.5895	-51.86	-63.73	-13.00	50.73	-11.87	Horizontal	PASS
2838.1838	-48.73	-57.49	-13.00	44.49	-8.76	Horizontal	PASS
4415.8416	-49.43	-51.63	-13.00	38.63	-2.20	Horizontal	PASS
6585.6586	-53.32	-46.43	-13.00	33.43	6.89	Horizontal	PASS
9702.3702	-56.96	-42.20	-13.00	29.20	14.76	Horizontal	PASS
14298.8299	-58.08	-38.63	-13.00	25.63	19.45	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
105.0383	-52.32	-66.22	-13.00	53.22	-13.90	Vertical	PASS
132.2074	-50.31	-61.06	-13.00	48.06	-10.75	Vertical	PASS
165.8453	-50.85	-61.88	-13.00	48.88	-11.03	Vertical	PASS
245.7352	-48.92	-57.64	-13.00	44.64	-8.72	Vertical	PASS
359.9100	-49.95	-55.26	-13.00	42.26	-5.31	Vertical	PASS
760.0067	-63.84	-56.46	-13.00	43.46	7.38	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1238.5239	-50.09	-63.54	-13.00	50.54	-13.45	Vertical	PASS
2249.6250	-49.83	-58.17	-13.00	45.17	-8.34	Vertical	PASS
3953.7954	-49.88	-52.70	-13.00	39.70	-2.82	Vertical	PASS
6261.6262	-49.55	-46.52	-13.00	33.52	3.03	Vertical	PASS
9299.1299	-57.72	-44.96	-13.00	31.96	12.76	Vertical	PASS
14310.8311	-58.43	-38.43	-13.00	25.43	20.00	Vertical	PASS

Plot for Mid Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.74	-73.60	-13.00	60.60	-31.86	Horizontal	PASS
105.0383	-46.52	-71.32	-13.00	58.32	-24.80	Horizontal	PASS
129.2964	-49.73	-69.90	-13.00	56.90	-20.17	Horizontal	PASS
227.9460	-53.38	-56.68	-13.00	43.68	-3.30	Horizontal	PASS
359.9100	-54.51	-60.42	-13.00	47.42	-5.91	Horizontal	PASS
760.0067	-60.06	-52.40	-13.00	39.40	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
2103.6104	-51.77	-60.54	-13.00	47.54	-8.77	Horizontal	NA
3066.2066	-48.60	-55.18	-13.00	42.18	-6.58	Horizontal	PASS
4854.8855	-51.53	-51.62	-13.00	38.62	-0.09	Horizontal	PASS
6560.4560	-52.61	-46.47	-13.00	33.47	6.14	Horizontal	PASS
9689.1689	-57.28	-42.96	-13.00	29.96	14.32	Horizontal	PASS
14507.6508	-57.48	-38.72	-13.00	25.72	18.76	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
100.8336	-50.26	-64.01	-13.00	51.01	-13.75	Vertical	PASS
180.7236	-44.90	-55.49	-13.00	42.49	-10.59	Vertical	PASS
240.5602	-51.22	-60.26	-13.00	47.26	-9.04	Vertical	PASS
359.9100	-50.00	-55.31	-13.00	42.31	-5.31	Vertical	PASS
421.0403	-57.35	-59.67	-13.00	46.67	-2.32	Vertical	PASS
760.0067	-62.87	-55.49	-13.00	42.49	7.38	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1740.5741	-51.07	-64.30	-13.00	51.30	-13.23	Vertical	PASS
2118.6119	-51.38	-60.23	-13.00	47.23	-8.85	Vertical	PASS
3786.7787	-48.75	-53.33	-13.00	40.33	-4.58	Vertical	PASS
6261.6262	-49.99	-46.96	-13.00	33.96	3.03	Vertical	PASS
7648.9649	-55.23	-45.22	-13.00	32.22	10.01	Vertical	PASS
14661.2661	-59.31	-38.38	-13.00	25.38	20.93	Vertical	PASS




Plot for High Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.36	-73.22	-13.00	60.22	-31.86	Horizontal	PASS
102.7743	-48.54	-73.42	-13.00	60.42	-24.88	Horizontal	PASS
244.4415	-53.31	-57.60	-13.00	44.60	-4.29	Horizontal	PASS
304.6015	-50.51	-57.75	-13.00	44.75	-7.24	Horizontal	PASS
359.9100	-53.23	-59.14	-13.00	46.14	-5.91	Horizontal	NA
760.0067	-59.89	-52.23	-13.00	39.23	7.66	Horizontal	NA




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1413.5414	-50.18	-63.78	-13.00	50.78	-13.60	Horizontal	PASS
2082.1082	-50.62	-59.90	-13.00	46.90	-9.28	Horizontal	PASS
3895.7896	-48.04	-52.50	-13.00	39.50	-4.46	Horizontal	PASS
5855.9856	-51.62	-47.94	-13.00	34.94	3.68	Horizontal	PASS
9689.1689	-57.43	-43.11	-13.00	30.11	14.32	Horizontal	PASS
14325.2325	-58.52	-39.09	-13.00	26.09	19.43	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
104.0680	-49.00	-62.65	-13.00	49.65	-13.65	Vertical	PASS
129.9433	-41.89	-54.72	-13.00	41.72	-12.83	Vertical	PASS
188.4862	-50.31	-60.10	-13.00	47.10	-9.79	Vertical	PASS
243.4712	-47.73	-56.50	-13.00	43.50	-8.77	Vertical	PASS
359.9100	-49.51	-54.82	-13.00	41.82	-5.31	Vertical	PASS
426.2154	-52.13	-54.73	-13.00	41.73	-2.60	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
2219.1219	-51.59	-60.33	-13.00	47.33	-8.74	Vertical	PASS
4327.8328	-50.55	-52.82	-13.00	39.82	-2.27	Vertical	PASS
5027.9028	-50.73	-50.11	-13.00	37.11	0.62	Vertical	PASS
7141.3141	-54.10	-45.40	-13.00	32.40	8.70	Vertical	PASS
9849.9850	-58.29	-42.72	-13.00	29.72	15.57	Vertical	PASS
14661.2661	-59.68	-38.75	-13.00	25.75	20.93	Vertical	PASS


**LTE Band 26**

Plot for Low Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.17	-74.03	-13.00	61.03	-31.86	Horizontal	PASS
90.4835	-54.24	-77.55	-13.00	64.55	-23.31	Horizontal	PASS
248.6462	-62.62	-68.10	-13.00	55.10	-5.48	Horizontal	PASS
359.9100	-56.36	-62.27	-13.00	49.27	-5.91	Horizontal	PASS
814.9917	-18.42	-13.07	-13.00	0.07	5.35	Horizontal	NA
872.5642	-49.24	-46.33	-13.00	33.33	2.91	Horizontal	NA




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1413.0413	-48.85	-62.45	-13.00	49.45	-13.60	Horizontal	PASS
2146.6147	-49.58	-58.09	-13.00	45.09	-8.51	Horizontal	PASS
3840.7841	-48.22	-52.17	-13.00	39.17	-3.95	Horizontal	PASS
6576.0576	-53.43	-46.83	-13.00	33.83	6.60	Horizontal	PASS
9860.7861	-56.75	-41.66	-13.00	28.66	15.09	Horizontal	PASS
14679.2679	-58.83	-39.12	-13.00	26.12	19.71	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
107.6259	-47.93	-62.37	-13.00	49.37	-14.44	Vertical	PASS
180.4001	-49.78	-60.61	-13.00	47.61	-10.83	Vertical	PASS
266.1120	-51.05	-58.39	-13.00	45.39	-7.34	Vertical	PASS
359.9100	-50.37	-55.68	-13.00	42.68	-5.31	Vertical	PASS
814.9917	-16.07	-10.75	-13.00	-2.25	5.32	Vertical	NA
872.8876	-31.79	-27.61	-13.00	14.61	4.18	Vertical	NA



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1478.0478	-49.71	-62.25	-13.00	49.25	-12.54	Vertical	PASS
2497.6498	-49.08	-57.68	-13.00	44.68	-8.60	Vertical	PASS
3951.2951	-49.82	-52.59	-13.00	39.59	-2.77	Vertical	PASS
6261.6262	-50.13	-47.10	-13.00	34.10	3.03	Vertical	PASS
9697.5698	-57.31	-43.10	-13.00	30.10	14.21	Vertical	PASS
14679.2679	-59.13	-38.66	-13.00	25.66	20.47	Vertical	PASS

Plot for Mid Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.62	-74.48	-13.00	61.48	-31.86	Horizontal	PASS
75.2818	-46.60	-71.39	-13.00	58.39	-24.79	Horizontal	PASS
179.1064	-50.03	-61.77	-13.00	48.77	-11.74	Horizontal	PASS
244.1180	-50.38	-54.59	-13.00	41.59	-4.21	Horizontal	PASS
359.9100	-52.29	-58.20	-13.00	45.20	-5.91	Horizontal	PASS
877.7392	-32.09	-28.39	-13.00	15.39	3.70	Horizontal	NA




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1316.5317	-48.43	-63.15	-13.00	50.15	-14.72	Horizontal	PASS
2256.6257	-49.21	-57.82	-13.00	44.82	-8.61	Horizontal	PASS
3977.2977	-49.11	-52.47	-13.00	39.47	-3.36	Horizontal	PASS
6261.6262	-50.44	-47.19	-13.00	34.19	3.25	Horizontal	PASS
9707.1707	-57.58	-43.19	-13.00	30.19	14.39	Horizontal	PASS
14630.0630	-59.10	-39.28	-13.00	26.28	19.82	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
103.0977	-50.80	-64.61	-13.00	51.61	-13.81	Vertical	PASS
133.1777	-50.41	-60.84	-13.00	47.84	-10.43	Vertical	PASS
239.9133	-48.65	-57.76	-13.00	44.76	-9.11	Vertical	PASS
359.9100	-51.43	-56.74	-13.00	43.74	-5.31	Vertical	PASS
828.8996	-51.60	-45.88	-13.00	32.88	5.72	Vertical	NA
876.1220	-32.30	-27.01	-13.00	14.01	5.29	Vertical	NA



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1912.0912	-49.90	-61.81	-13.00	48.81	-11.91	Vertical	PASS
2543.1543	-48.99	-58.02	-13.00	45.02	-9.03	Vertical	PASS
4341.3341	-50.41	-52.38	-13.00	39.38	-1.97	Vertical	PASS
8528.6529	-54.62	-45.11	-13.00	32.11	9.51	Vertical	PASS
12267.0267	-57.63	-41.42	-13.00	28.42	16.21	Vertical	PASS
14636.0636	-59.29	-38.54	-13.00	25.54	20.75	Vertical	PASS

Plot for High Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
32.5875	-46.08	-76.47	-13.00	63.47	-30.39	Horizontal	PASS
104.3915	-52.55	-77.11	-13.00	64.11	-24.56	Horizontal	PASS
196.5722	-56.16	-65.75	-13.00	52.75	-9.59	Horizontal	PASS
359.9100	-53.77	-59.68	-13.00	46.68	-5.91	Horizontal	PASS
847.9827	-15.12	-11.79	-13.00	-1.21	3.33	Horizontal	NA
882.2674	-48.76	-44.73	-13.00	31.73	4.03	Horizontal	NA




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1228.0228	-48.99	-63.49	-13.00	50.49	-14.50	Horizontal	PASS
2151.1151	-49.99	-58.49	-13.00	45.49	-8.50	Horizontal	PASS
3969.2969	-49.52	-52.77	-13.00	39.77	-3.25	Horizontal	PASS
6615.6616	-53.40	-46.58	-13.00	33.58	6.82	Horizontal	PASS
9847.5848	-58.10	-42.67	-13.00	29.67	15.43	Horizontal	PASS
14290.4290	-58.21	-39.15	-13.00	26.15	19.06	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
101.4805	-48.61	-62.75	-13.00	49.75	-14.14	Vertical	PASS
175.2251	-53.56	-64.38	-13.00	51.38	-10.82	Vertical	PASS
240.2367	-52.28	-61.35	-13.00	48.35	-9.07	Vertical	PASS
359.9100	-51.67	-56.98	-13.00	43.98	-5.31	Vertical	PASS
847.6592	-15.24	-11.96	-13.00	-1.04	3.28	Vertical	NA
890.3535	-31.75	-26.19	-13.00	13.19	5.56	Vertical	NA




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1241.0241	-49.53	-62.97	-13.00	49.97	-13.44	Vertical	PASS
2243.1243	-49.97	-58.40	-13.00	45.40	-8.43	Vertical	PASS
4393.8394	-49.86	-51.41	-13.00	38.41	-1.55	Vertical	PASS
7167.7168	-54.05	-45.22	-13.00	32.22	8.83	Vertical	PASS
8537.0537	-54.61	-44.76	-13.00	31.76	9.85	Vertical	PASS
14633.6634	-59.45	-38.78	-13.00	25.78	20.67	Vertical	PASS


**LTE Band 66**

Plot for Low Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-41.58	-73.44	-13.00	60.44	-31.86	Horizontal	PASS
72.0473	-51.01	-78.76	-13.00	65.76	-27.75	Horizontal	PASS
154.2014	-47.28	-63.07	-13.00	50.07	-15.79	Horizontal	PASS
242.1774	-53.48	-57.17	-13.00	44.17	-3.69	Horizontal	PASS
359.9100	-52.62	-58.53	-13.00	45.53	-5.91	Horizontal	PASS
760.0067	-62.03	-54.37	-13.00	41.37	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1612.0612	-47.56	-61.24	-13.00	48.24	-13.68	Horizontal	PASS
2244.6245	-49.47	-57.96	-13.00	44.96	-8.49	Horizontal	PASS
5060.9061	-50.75	-49.77	-13.00	36.77	0.98	Horizontal	PASS
7447.3447	-54.50	-46.42	-13.00	33.42	8.08	Horizontal	PASS
9705.9706	-57.03	-42.55	-13.00	29.55	14.48	Horizontal	PASS
14673.2673	-58.72	-38.85	-13.00	25.85	19.87	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
103.0977	-49.78	-63.59	-13.00	50.59	-13.81	Vertical	PASS
132.2074	-48.63	-59.38	-13.00	46.38	-10.75	Vertical	PASS
181.3705	-46.10	-56.36	-13.00	43.36	-10.26	Vertical	PASS
194.9550	-48.72	-59.32	-13.00	46.32	-10.60	Vertical	PASS
359.9100	-51.17	-56.48	-13.00	43.48	-5.31	Vertical	PASS
760.0067	-65.94	-58.56	-13.00	45.56	7.38	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1200.5201	-48.41	-62.07	-13.00	49.07	-13.66	Vertical	PASS
2224.6225	-49.84	-58.50	-13.00	45.50	-8.66	Vertical	PASS
4336.8337	-49.96	-52.03	-13.00	39.03	-2.07	Vertical	PASS
7650.1650	-54.94	-44.92	-13.00	31.92	10.02	Vertical	PASS
11000.9001	-58.13	-42.45	-13.00	29.45	15.68	Vertical	PASS
14658.8659	-59.18	-38.18	-13.00	25.18	21.00	Vertical	PASS

Plot for Mid Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.70	-74.56	-13.00	61.56	-31.86	Horizontal	PASS
73.0177	-51.57	-77.40	-13.00	64.40	-25.83	Horizontal	PASS
104.0680	-45.66	-70.10	-13.00	57.10	-24.44	Horizontal	PASS
243.4712	-49.82	-53.86	-13.00	40.86	-4.04	Horizontal	PASS
359.9100	-53.32	-59.23	-13.00	46.23	-5.91	Horizontal	PASS
760.0067	-61.23	-53.57	-13.00	40.57	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1420.5421	-49.47	-63.11	-13.00	50.11	-13.64	Horizontal	PASS
1886.5887	-49.40	-61.33	-13.00	48.33	-11.93	Horizontal	PASS
3792.7793	-49.15	-53.37	-13.00	40.37	-4.22	Horizontal	PASS
6585.6586	-53.66	-46.77	-13.00	33.77	6.89	Horizontal	PASS
9693.9694	-56.99	-42.39	-13.00	29.39	14.60	Horizontal	PASS
14128.4128	-58.28	-40.14	-13.00	27.14	18.14	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
83.3678	-44.56	-67.98	-13.00	54.98	-23.42	Vertical	PASS
100.8336	-50.90	-64.65	-13.00	51.65	-13.75	Vertical	PASS
136.4121	-53.96	-61.93	-13.00	48.93	-7.97	Vertical	PASS
243.1477	-45.50	-54.30	-13.00	41.30	-8.80	Vertical	PASS
359.9100	-52.03	-57.34	-13.00	44.34	-5.31	Vertical	PASS
760.0067	-65.61	-58.23	-13.00	45.23	7.38	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1223.5224	-49.21	-62.74	-13.00	49.74	-13.53	Vertical	PASS
2087.6088	-49.79	-58.86	-13.00	45.86	-9.07	Vertical	PASS
3853.7854	-48.49	-52.29	-13.00	39.29	-3.80	Vertical	PASS
6261.6262	-49.99	-46.96	-13.00	33.96	3.03	Vertical	PASS
8289.8290	-54.85	-44.88	-13.00	31.88	9.97	Vertical	PASS
14331.2331	-57.99	-38.05	-13.00	25.05	19.94	Vertical	PASS




Plot for High Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.34	-74.20	-13.00	61.20	-31.86	Horizontal	PASS
106.9790	-47.80	-72.84	-13.00	59.84	-25.04	Horizontal	PASS
192.6909	-56.46	-64.33	-13.00	51.33	-7.87	Horizontal	PASS
243.4712	-48.46	-52.50	-13.00	39.50	-4.04	Horizontal	PASS
359.9100	-54.04	-59.95	-13.00	46.95	-5.91	Horizontal	PASS
760.0067	-62.04	-54.38	-13.00	41.38	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1396.0396	-48.86	-62.48	-13.00	49.48	-13.62	Horizontal	PASS
2258.6259	-49.28	-57.94	-13.00	44.94	-8.66	Horizontal	PASS
3016.7017	-48.91	-56.25	-13.00	43.25	-7.34	Horizontal	PASS
5764.4764	-52.04	-49.93	-13.00	36.93	2.11	Horizontal	PASS
9407.1407	-57.20	-44.07	-13.00	31.07	13.13	Horizontal	PASS
14679.2679	-59.24	-39.53	-13.00	26.53	19.71	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
131.2371	-50.86	-62.95	-13.00	49.95	-12.09	Vertical	PASS
180.7236	-42.57	-53.16	-13.00	40.16	-10.59	Vertical	PASS
244.1180	-48.69	-57.40	-13.00	44.40	-8.71	Vertical	PASS
359.9100	-51.38	-56.69	-13.00	43.69	-5.31	Vertical	PASS
483.7879	-55.53	-54.92	-13.00	41.92	0.61	Vertical	PASS
760.0067	-65.71	-58.33	-13.00	45.33	7.38	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
2049.6050	-48.95	-58.64	-13.00	45.64	-9.69	Vertical	PASS
3616.2616	-49.19	-54.88	-13.00	41.88	-5.69	Vertical	PASS
5875.9876	-52.58	-48.89	-13.00	35.89	3.69	Vertical	PASS
9396.3396	-57.55	-43.72	-13.00	30.72	13.83	Vertical	PASS
12256.2256	-58.23	-41.84	-13.00	28.84	16.39	Vertical	PASS
14326.4326	-59.23	-39.27	-13.00	26.27	19.96	Vertical	PASS


**LTE Band 71**

Plot for Low Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.76	-74.62	-13.00	61.62	-31.86	Horizontal	PASS
73.6646	-47.86	-73.66	-13.00	60.66	-25.80	Horizontal	PASS
229.5632	-53.74	-57.21	-13.00	44.21	-3.47	Horizontal	PASS
307.8359	-52.50	-60.00	-13.00	47.00	-7.50	Horizontal	PASS
359.9100	-53.15	-59.06	-13.00	46.06	-5.91	Horizontal	PASS
760.0067	-60.55	-52.89	-13.00	39.89	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1276.0276	-48.29	-62.77	-13.00	49.77	-14.48	Horizontal	PASS
2183.6184	-49.76	-58.55	-13.00	45.55	-8.79	Horizontal	PASS
3950.2950	-49.63	-52.61	-13.00	39.61	-2.98	Horizontal	PASS
6579.6580	-53.15	-46.44	-13.00	33.44	6.71	Horizontal	PASS
9697.5698	-57.75	-42.94	-13.00	29.94	14.81	Horizontal	PASS
14662.4662	-59.90	-39.75	-13.00	26.75	20.15	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
101.1571	-52.52	-66.30	-13.00	53.30	-13.78	Vertical	PASS
160.6702	-46.84	-57.95	-13.00	44.95	-11.11	Vertical	PASS
244.4415	-46.86	-55.54	-13.00	42.54	-8.68	Vertical	PASS
359.9100	-51.60	-56.91	-13.00	43.91	-5.31	Vertical	PASS
508.6929	-60.19	-58.62	-13.00	45.62	1.57	Vertical	PASS
760.0067	-65.26	-57.88	-13.00	44.88	7.38	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)


Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1478.5479	-49.90	-62.43	-13.00	49.43	-12.53	Vertical	PASS
2600.6601	-49.46	-58.53	-13.00	45.53	-9.07	Vertical	PASS
4399.8400	-50.31	-51.83	-13.00	38.83	-1.52	Vertical	PASS
7636.9637	-55.11	-45.27	-13.00	32.27	9.84	Vertical	PASS
11009.3009	-57.78	-42.38	-13.00	29.38	15.40	Vertical	PASS
14121.2121	-56.97	-38.20	-13.00	25.20	18.77	Vertical	PASS

Plot for Mid Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
86.2788	-50.47	-73.34	-13.00	60.34	-22.87	Horizontal	PASS
132.2074	-47.27	-66.14	-13.00	53.14	-18.87	Horizontal	PASS
244.7649	-55.68	-60.06	-13.00	47.06	-4.38	Horizontal	PASS
359.9100	-53.34	-59.25	-13.00	46.25	-5.91	Horizontal	PASS
527.7759	-62.57	-62.29	-13.00	49.29	0.28	Horizontal	PASS
760.0067	-61.43	-53.77	-13.00	40.77	7.66	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1413.5414	-49.76	-63.36	-13.00	50.36	-13.60	Horizontal	PASS
2168.1168	-48.86	-57.51	-13.00	44.51	-8.65	Horizontal	PASS
3955.7956	-50.31	-53.37	-13.00	40.37	-3.06	Horizontal	PASS
6261.6262	-50.92	-47.67	-13.00	34.67	3.25	Horizontal	PASS
9693.9694	-56.87	-42.27	-13.00	29.27	14.60	Horizontal	PASS
14314.4314	-58.80	-39.34	-13.00	26.34	19.46	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
73.6646	-43.54	-70.62	-13.00	57.62	-13.68	Vertical	PASS
104.0680	-46.11	-59.76	-13.00	46.76	-8.81	Vertical	PASS
174.9016	-50.87	-61.66	-13.00	48.66	-10.25	Vertical	PASS
244.7649	-50.25	-58.90	-13.00	45.90	-8.82	Vertical	PASS
359.9100	-51.05	-56.36	-13.00	43.36	-5.30	Vertical	PASS
515.8086	-58.56	-56.91	-13.00	43.91	4.96	Vertical	PASS




(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1422.5423	-49.16	-63.11	-13.00	50.11	-13.95	Vertical	PASS
2238.6239	-49.90	-58.39	-13.00	45.39	-8.49	Vertical	PASS
4778.3778	-51.70	-51.65	-13.00	38.65	0.05	Vertical	PASS
7280.5281	-51.58	-43.12	-13.00	30.12	8.46	Vertical	PASS
9837.9838	-58.39	-43.62	-13.00	30.62	14.77	Vertical	PASS
14212.4212	-57.41	-38.90	-13.00	25.90	18.51	Vertical	PASS




Plot for High Channel




(Antenna Horizontal, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
104.3915	-51.35	-65.09	-13.00	52.09	-13.74	Horizontal	PASS
129.9433	-47.59	-60.42	-13.00	47.42	-12.83	Horizontal	PASS
176.8423	-49.66	-60.91	-13.00	47.91	-11.25	Horizontal	PASS
242.1774	-47.32	-56.21	-13.00	43.21	-8.89	Horizontal	PASS
359.9100	-51.44	-56.75	-13.00	43.75	-5.31	Horizontal	PASS
760.0067	-64.69	-57.31	-13.00	44.31	7.38	Horizontal	PASS




(Antenna Horizontal, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
1396.5397	-49.25	-62.86	-13.00	49.86	-13.61	Horizontal	PASS
2283.6284	-49.45	-58.73	-13.00	45.73	-9.28	Horizontal	PASS
4416.3416	-49.56	-51.78	-13.00	38.78	-2.22	Horizontal	PASS
6600.0600	-53.55	-46.24	-13.00	33.24	7.31	Horizontal	PASS
9697.5698	-57.64	-42.83	-13.00	29.83	14.81	Horizontal	PASS
14316.8317	-58.90	-39.45	-13.00	26.45	19.45	Horizontal	PASS



(Antenna Vertical, 30MHz to 1GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
33.2344	-42.05	-73.91	-13.00	60.91	-31.86	Vertical	PASS
105.0383	-43.31	-68.11	-13.00	55.11	-24.80	Vertical	PASS
242.5008	-58.97	-62.75	-13.00	49.75	-3.78	Vertical	PASS
359.9100	-54.06	-59.97	-13.00	46.97	-5.91	Vertical	PASS
569.1764	-60.69	-60.08	-13.00	47.08	0.61	Vertical	PASS
760.0067	-61.24	-53.58	-13.00	40.58	7.66	Vertical	PASS



(Antenna Vertical, 1GHz to 18GHz)

Freq. [MHz]	Reading [dBm]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Polarity	Verdict
2058.1058	-49.15	-58.69	-13.00	45.69	-9.54	Vertical	PASS
3942.2942	-49.28	-52.42	-13.00	39.42	-3.14	Vertical	PASS
5053.4053	-50.59	-49.68	-13.00	36.68	0.91	Vertical	PASS
7803.7804	-54.55	-45.29	-13.00	32.29	9.26	Vertical	PASS
10988.8989	-57.93	-42.38	-13.00	29.38	15.55	Vertical	PASS
14308.4308	-58.75	-38.74	-13.00	25.74	20.01	Vertical	PASS



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Laboratory Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



REPORT No.: SZ24120367W05

4. Test Equipment Utilized

4.1 Conducted Test Equipment

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
Signal Analyzer	MY51511149	N9020A	Agilent	2024.06.19	2025.06.18
Communication Test Station	6200995016	MT8820C	Anritsu	2024.09.11	2025.09.10
Temperature Chamber	S022177101 00089002	KMT-36LF 1A0	KOMEG	2024.09.11	2025.09.10

4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
JS36-RSE	Tonscend	5.0.0



**4.3 Radiated Test Equipment**

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
System Simulator	152038	CMW500	R&S	2024.09.11	2025.09.10
Signal Analyzer	MY56060145	N9020A	Agilent	2025.05.13	2026.05.12
Test Antenna - Bi-Log	9163-519	VULB 9163	Schwarzbeck	2025.05.13	2026.05.12
Test Antenna - Horn	9120D-963	BBHA 9120D	Schwarzbeck	2025.05.16	2026.05.15
RF Coaxial Cable (DC-18GHz)	MRE001	PE330	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE002	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-18GHz)	MRE003	CLU18	Pasternack	2025.05.13	2026.05.12
RF Coaxial Cable (DC-40GHz)	22290045	QA360-40-KK- 0.5	Qualwave	2024.07.03	2025.07.02
RF Coaxial Cable (DC-40GHz)	22290046	QA360-40-KK F-2	Qualwave	2024.07.03	2025.07.02
Preamplifier (10MHz-6GHz)	46732	S10M100L380 2	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (2GHz-18GHz)	61171/61172	S020180L320 3	LUCIX CORP.	2025.05.13	2026.05.12
Preamplifier (18GHz-40GHz)	DS77209	DCLNA0118-4 0C-S	Decentest	2025.05.13	2026.05.12
Notch Filter	N/A	WRCGV -LTE B2	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B4	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B5	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B12	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B17	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B25	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B26	Wainwright	N/A	N/A



REPORT No.: SZ24120367W05

Notch Filter	N/A	WRCGV -LTE B66	Wainwright	N/A	N/A
Notch Filter	N/A	WRCGV -LTE B71	Wainwright	N/A	N/A
Anechoic Chamber	N/A	9m*6m*6m	CRT	2025.04.19	2028.04.18
Anechoic Chamber	N/A	9m*6m*6m	CRT	2022.11.30	2025.11.29

_____ END OF REPORT _____

