



## Annex B



### Radiated Spurious Emissions



Note: in the spectrum analyzer plots, there are markers for the cellular modem fundamental frequencies that are exempt from the spurious limits and should be ignored. The highest spurious frequency is marked and included in the test summary tables in the test report. The individual graph titles describe what filtering (notch, lowpass, or highpass) was used between the receive antenna and pre-amplifier.



**RE\_1 - 10 GHz\_Donor to Server\_459.5 MHz\_B5 connected\_1 - 10 GHz HP filter for B5**



**RE\_1 - 10 GHz\_Server to Donor\_451.5 MHz\_B5 connected\_1 - 10 GHz HP filter for B5**




**RE\_1 - 3.2 GHz\_Donor to Server\_459.5 MHz\_B3 connected\_1747.5 MHz notch filter for B3**

**RE\_1 - 3.2 GHz\_Donor to Server\_459.5 MHz\_B7 connected\_2535 MHz notch filter for B7**



**RE\_1 - 3.2 GHz\_Server to Donor\_451.5 MHz\_B3 connected\_1747.5 MHz notch filter for B3**

**RE\_1 - 3.2 GHz\_Server to Donor\_451.5 MHz\_B7 connected\_2535 MHz notch filter for B7**


**RE\_3.2 - 13 GHz\_Donor to Server\_459.5 MHz\_B3 connected\_3.2 GHz HPF for B3**

**RE\_3.2 - 13 GHz\_Donor to Server\_459.5 MHz\_B7 connected\_3.2 GHz HPF for B7**


**RE\_3.2 - 13 GHz\_Server to Donor\_451.5 MHz\_B3 connected\_3.2 GHz HPF for B3**

**RE\_3.2 - 13 GHz\_Server to Donor\_451.5 MHz\_B7 connected\_3.2 GHz HPF for B7**


**RE\_Doner to Server\_459.5 MHz\_Modem Band 3 on\_30 - 1000 MHz**

**RE\_Doner to Server\_459.5 MHz\_Modem Band 5 on\_30 - 1000 MHz**


**RE\_Doner to Server\_459.5 MHz\_Modem Band 7 on\_30 - 1000 MHz**

**RE\_Server to Doner\_451.5 MHz\_Modem Band 3 on\_30 - 1000 MHz**


**RE\_Server to Doner\_451.5 MHz\_Modem Band 5 on\_30 - 1000 MHz**

**RE\_Server to Doner\_451.5 MHz\_Modem Band 7 on\_30 - 1000 MHz**
