



Annex E

Intermodulation


Intermodulation_Doner to Server_459.975 MHz_ Booster config with duplexer_ CW




Intermodulation_Doner to Server_459.975 MHz_ Booster config with duplexer_ CW_ Pin + 3 dB




Intermodulation_ Doner to Server_D-457.025_S-461.975_Repeater config with duplexer_ CW




Intermodulation_ Doner to Server_D-457.025_S-461.975_Repeater config with duplexer_ CW_ Pin + 3 dB




Intermodulation_Donor to Server_no duplexer_Repeater mode_D-454.350_S-459.350 MHz_CW




Intermodulation_Donor to Server_no duplexer_Repeater mode_D-454.350_S-459.350 MHz_CW_
Pin + 3 dB




Intermodulation_ ISED_RBW 10 kHz_ Donor to Server_459.975 MHz_ Booster config with duplexer_ CW (ISED only)




Intermodulation_ ISED_RBW 10 kHz_ Donor to Server_ D- 457.025 MHz_ S-461.975 MHz_ Repeater config with duplexer_ CW (ISED only)




Intermodulation_ ISED_RBW 10 kHz_ Server to Donor_451.5 MHz_ Booster config with duplexer_ CW (ISED only)




Intermodulation_ ISED_RBW 10 kHz_ Server to Donor_ S- 450.025 MHz_D-453.975 MHz_ Repeater config with duplexer_ CW (ISED only)




Intermodulation_ Server to Donor_451.5 MHz_ Booster config with duplexer_ CW




Intermodulation_ Server to Donor_451.5 MHz_ Booster config with duplexer_ CW_ Pin + 3 dB




Intermodulation_Server to Donor_no duplexer_Repeater mode_S-459.350_D-454.350 MHz_CW



Intermodulation_Server to Donor_no duplexer_Repeater mode_S-459.350_D-454.350 MHz_CW_
Pin + 3 dB



Intermodulation_ Server to Donor_S-450.025_D-453.975_Repeater config with duplexer_ CW



Intermodulation_ Server to Donor_S-450.025_D-453.975_Repeater config with duplexer_ CW_ Pin + 3 dB

