


USB Wireless Device User Manual		Chinese Rays			
Project	CBSUB	Approve	Check	(Check)	Issue
Name					Peter

- 1 The Power Saver Switch is a RF transmission switch.
- 2 When the Power Saver Switch is OFF, the 7 controlled outlets just like normal outlets, they are not controlled by the Remote Switch dongle command.



- 3 When the Power Saver Switch is ON, the 7 controlled outlets are functioned by the Remote Switch Dongle command.

The Remote Switch Dongle have two function:



- a When the Remote Switch Dongle does not connect the NB, the 7 controlled outlets can be ON and OFF by switching the remote switch dongle.



- b When the Remote Switch Dongle connects the NB, the 7 controlled outlets would automatically OFF if the NB goes into sleep mode, they would be woke up when NB is working.

Warning: Changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user authority to operate the equipment.

"This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to
- Consult the dealer or an experienced radio/TV technician for help.

Chinese Rays Techonology CO., LTD.

△ C x					
△ B x					
△ A x					
Version	Description	Approve	Check	InCharge	Date