

Annex A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	932.6	-61.5	-13	Pass	9701
1000	1840	1	RMS	1840	-47.46	-13	Pass	841
1840	1920	1	RMS	1850.2	22.1	60	Pass	401
1920	3000	1	RMS	2643	-46.25	-13	Pass	1081
3000	12000	1	RMS	3700	-35.05	-13	Pass	9001
12000	20000	1	RMS	19999	-22.63	-13	Pass	8001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-56.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	932	-61.65	-13	Pass	9701
1000	1840	1	RMS	1840	-47.38	-13	Pass	841
1840	1920	1	RMS	1850.2	21.31	60	Pass	401
1920	3000	1	RMS	2643	-46.19	-13	Pass	1081
3000	12000	1	RMS	3700	-35.41	-13	Pass	9001
12000	20000	1	RMS	19993	-22.63	-13	Pass	8001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.38	-13	Pass	2986
30	1000	0.1	RMS	929.1	-61.71	-13	Pass	9701
1000	1840	1	RMS	1840	-50.09	-13	Pass	841
1840	1920	1	RMS	1879.6	21.94	60	Pass	401
1920	3000	1	RMS	2650	-46.22	-13	Pass	1081
3000	12000	1	RMS	11853	-38.01	-13	Pass	9001
12000	20000	1	RMS	19999	-22.54	-13	Pass	8001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.39	-13	Pass	2986
30	1000	0.1	RMS	938.1	-61.62	-13	Pass	9701
1000	1840	1	RMS	1839	-50.07	-13	Pass	841
1840	1920	1	RMS	1879.6	21.16	60	Pass	401
1920	3000	1	RMS	2644	-46.2	-13	Pass	1081
3000	12000	1	RMS	11854	-37.94	-13	Pass	9001
12000	20000	1	RMS	19999	-22.64	-13	Pass	8001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	1000	0.1	RMS	960.6	-61.62	-13	Pass	9701
1000	1840	1	RMS	1838	-50.15	-13	Pass	841
1840	1920	1	RMS	1908.8	21.57	60	Pass	401
1920	3000	1	RMS	2645	-46.23	-13	Pass	1081
3000	12000	1	RMS	3818	-28.08	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.88	-13	Pass	2986
30	1000	0.1	RMS	922.9	-61.63	-13	Pass	9701
1000	1840	1	RMS	1836	-50.13	-13	Pass	841
1840	1920	1	RMS	1908.8	20.8	60	Pass	401
1920	3000	1	RMS	2639	-46.21	-13	Pass	1081
3000	12000	1	RMS	3818	-29.3	-13	Pass	9001
12000	20000	1	RMS	19999	-22.63	-13	Pass	8001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	1000	0.1	RMS	922.2	-61.68	-13	Pass	9701
1000	1840	1	RMS	1840	-47.16	-13	Pass	841
1840	1920	1	RMS	1850.2	21.88	60	Pass	401
1920	3000	1	RMS	2650	-46.23	-13	Pass	1081
3000	12000	1	RMS	3700	-34.53	-13	Pass	9001
12000	20000	1	RMS	20000	-22.63	-13	Pass	8001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	934.8	-61.65	-13	Pass	9701
1000	1840	1	RMS	1840	-47.44	-13	Pass	841
1840	1920	1	RMS	1850.2	21.31	60	Pass	401
1920	3000	1	RMS	2644	-46.22	-13	Pass	1081
3000	12000	1	RMS	3701	-35.44	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	1000	0.1	RMS	922.5	-61.64	-13	Pass	9701
1000	1840	1	RMS	1839	-50.1	-13	Pass	841
1840	1920	1	RMS	1878.8	21.73	60	Pass	401
1920	3000	1	RMS	2653	-46.23	-13	Pass	1081
3000	12000	1	RMS	11849	-37.97	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.22	-13	Pass	2986
30	1000	0.1	RMS	934.4	-61.55	-13	Pass	9701
1000	1840	1	RMS	1835	-50.15	-13	Pass	841
1840	1920	1	RMS	1878.8	20.94	60	Pass	401
1920	3000	1	RMS	2652	-46.24	-13	Pass	1081
3000	12000	1	RMS	11854	-38.03	-13	Pass	9001
12000	20000	1	RMS	19988	-22.67	-13	Pass	8001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	1000	0.1	RMS	925.5	-61.59	-13	Pass	9701
1000	1840	1	RMS	1838	-50.12	-13	Pass	841
1840	1920	1	RMS	1907.2	21.3	60	Pass	401
1920	3000	1	RMS	2650	-46.23	-13	Pass	1081
3000	12000	1	RMS	3814	-30.75	-13	Pass	9001
12000	20000	1	RMS	19997	-22.58	-13	Pass	8001




1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2986
30	1000	0.1	RMS	927.9	-61.54	-13	Pass	9701
1000	1840	1	RMS	1837	-50.15	-13	Pass	841
1840	1920	1	RMS	1907.2	20.62	60	Pass	401
1920	3000	1	RMS	2640	-46.23	-13	Pass	1081
3000	12000	1	RMS	3814	-31.61	-13	Pass	9001
12000	20000	1	RMS	19997	-22.64	-13	Pass	8001




1.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.47	-13	Pass	2986
30	1000	0.1	RMS	928.7	-61.6	-13	Pass	9701
1000	1840	1	RMS	1840	-46.88	-13	Pass	841
1840	1920	1	RMS	1850.4	22.07	60	Pass	401
1920	3000	1	RMS	2640	-46.2	-13	Pass	1081
3000	12000	1	RMS	3701	-32.97	-13	Pass	9001
12000	20000	1	RMS	19999	-22.66	-13	Pass	8001




1.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.91	-13	Pass	2986
30	1000	0.1	RMS	922.2	-61.67	-13	Pass	9701
1000	1840	1	RMS	1840	-47.41	-13	Pass	841
1840	1920	1	RMS	1850.4	21.36	60	Pass	401
1920	3000	1	RMS	2642	-46.23	-13	Pass	1081
3000	12000	1	RMS	3701	-33.8	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001




1.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.61	-13	Pass	9701
1000	1840	1	RMS	1840	-50.07	-13	Pass	841
1840	1920	1	RMS	1877.8	22.05	60	Pass	401
1920	3000	1	RMS	2643	-46.23	-13	Pass	1081
3000	12000	1	RMS	3756	-33.98	-13	Pass	9001
12000	20000	1	RMS	20000	-22.66	-13	Pass	8001




1.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	1000	0.1	RMS	941.6	-61.48	-13	Pass	9701
1000	1840	1	RMS	1839	-50.13	-13	Pass	841
1840	1920	1	RMS	1877.8	21.44	60	Pass	401
1920	3000	1	RMS	2645	-46.08	-13	Pass	1081
3000	12000	1	RMS	3756	-35.61	-13	Pass	9001
12000	20000	1	RMS	20000	-22.55	-13	Pass	8001




1.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.46	-13	Pass	2986
30	1000	0.1	RMS	920.3	-61.46	-13	Pass	9701
1000	1840	1	RMS	1832	-50.03	-13	Pass	841
1840	1920	1	RMS	1905.4	21.4	60	Pass	401
1920	3000	1	RMS	2640	-46.11	-13	Pass	1081
3000	12000	1	RMS	3811	-31.32	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




1.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2986
30	1000	0.1	RMS	927.2	-61.51	-13	Pass	9701
1000	1840	1	RMS	1840	-50	-13	Pass	841
1840	1920	1	RMS	1905.4	20.87	60	Pass	401
1920	3000	1	RMS	2654	-46.1	-13	Pass	1081
3000	12000	1	RMS	3811	-31.44	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




1.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	1000	0.1	RMS	920.1	-61.48	-13	Pass	9701
1000	1840	1	RMS	1840	-47.76	-13	Pass	841
1840	1920	1	RMS	1850.6	22.27	60	Pass	401
1920	3000	1	RMS	2649	-46.11	-13	Pass	1081
3000	12000	1	RMS	3701	-33.84	-13	Pass	9001
12000	20000	1	RMS	19999	-22.52	-13	Pass	8001




1.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	945	-61.51	-13	Pass	9701
1000	1840	1	RMS	1840	-48.1	-13	Pass	841
1840	1920	1	RMS	1850.6	21.73	60	Pass	401
1920	3000	1	RMS	2642	-46.11	-13	Pass	1081
3000	12000	1	RMS	3701	-34.1	-13	Pass	9001
12000	20000	1	RMS	19995	-22.64	-13	Pass	8001




1.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	946.3	-61.4	-13	Pass	9701
1000	1840	1	RMS	1839	-49.97	-13	Pass	841
1840	1920	1	RMS	1875.6	22.42	60	Pass	401
1920	3000	1	RMS	2653	-46.12	-13	Pass	1081
3000	12000	1	RMS	3751	-35.66	-13	Pass	9001
12000	20000	1	RMS	19993	-22.64	-13	Pass	8001




1.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.26	-13	Pass	2986
30	1000	0.1	RMS	932.3	-61.44	-13	Pass	9701
1000	1840	1	RMS	1840	-49.97	-13	Pass	841
1840	1920	1	RMS	1875.6	21.68	60	Pass	401
1920	3000	1	RMS	2643	-46.08	-13	Pass	1081
3000	12000	1	RMS	3751	-36.47	-13	Pass	9001
12000	20000	1	RMS	19998	-22.53	-13	Pass	8001




1.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.16	-13	Pass	2986
30	1000	0.1	RMS	908.9	-61.4	-13	Pass	9701
1000	1840	1	RMS	1839	-49.96	-13	Pass	841
1840	1920	1	RMS	1900.6	22.01	60	Pass	401
1920	3000	1	RMS	2653	-46.07	-13	Pass	1081
3000	12000	1	RMS	3801	-34.43	-13	Pass	9001
12000	20000	1	RMS	19997	-22.65	-13	Pass	8001




1.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	1000	0.1	RMS	925.3	-61.56	-13	Pass	9701
1000	1840	1	RMS	1838	-50	-13	Pass	841
1840	1920	1	RMS	1900.6	21.34	60	Pass	401
1920	3000	1	RMS	2644	-46.1	-13	Pass	1081
3000	12000	1	RMS	3801	-34.91	-13	Pass	9001
12000	20000	1	RMS	19999	-22.7	-13	Pass	8001




1.37. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	1000	0.1	RMS	941.9	-61.53	-13	Pass	9701
1000	1840	1	RMS	1838	-43.32	-13	Pass	841
1840	1920	1	RMS	1850.8	21.93	60	Pass	401
1920	3000	1	RMS	2645	-46.05	-13	Pass	1081
3000	12000	1	RMS	3702	-35.32	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001




1.38. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	1000	0.1	RMS	935.4	-61.41	-13	Pass	9701
1000	1840	1	RMS	1838	-44.02	-13	Pass	841
1840	1920	1	RMS	1850.8	21.31	60	Pass	401
1920	3000	1	RMS	2651	-46.1	-13	Pass	1081
3000	12000	1	RMS	3702	-36.05	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




1.39. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-13	Pass	2986
30	1000	0.1	RMS	932.1	-61.53	-13	Pass	9701
1000	1840	1	RMS	1840	-49.96	-13	Pass	841
1840	1920	1	RMS	1873.4	22.17	60	Pass	401
1920	3000	1	RMS	2650	-46.03	-13	Pass	1081
3000	12000	1	RMS	3747	-36.56	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




1.40. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.44	-13	Pass	2986
30	1000	0.1	RMS	960.8	-61.47	-13	Pass	9701
1000	1840	1	RMS	1840	-49.9	-13	Pass	841
1840	1920	1	RMS	1873.4	21.43	60	Pass	401
1920	3000	1	RMS	2646	-46.1	-13	Pass	1081
3000	12000	1	RMS	3747	-37.75	-13	Pass	9001
12000	20000	1	RMS	19993	-22.61	-13	Pass	8001




1.41. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	1000	0.1	RMS	942.8	-61.51	-13	Pass	9701
1000	1840	1	RMS	1839	-49.99	-13	Pass	841
1840	1920	1	RMS	1895.8	22.43	60	Pass	401
1920	3000	1	RMS	2651	-46.08	-13	Pass	1081
3000	12000	1	RMS	3792	-35.9	-13	Pass	9001
12000	20000	1	RMS	19998	-22.57	-13	Pass	8001




1.42. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.85	-13	Pass	2986
30	1000	0.1	RMS	942.1	-61.58	-13	Pass	9701
1000	1840	1	RMS	1834	-50.03	-13	Pass	841
1840	1920	1	RMS	1895.8	21.78	60	Pass	401
1920	3000	1	RMS	2656	-46.11	-13	Pass	1081
3000	12000	1	RMS	3792	-36.26	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001




1.43. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.08	-13	Pass	2986
30	1000	0.1	RMS	913.9	-61.51	-13	Pass	9701
1000	1840	1	RMS	1833	-45.33	-13	Pass	841
1840	1920	1	RMS	1851	21.82	60	Pass	401
1920	3000	1	RMS	2653	-46.08	-13	Pass	1081
3000	12000	1	RMS	3702	-35.42	-13	Pass	9001
12000	20000	1	RMS	19999	-22.67	-13	Pass	8001




1.44. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	1000	0.1	RMS	930	-61.51	-13	Pass	9701
1000	1840	1	RMS	1833	-46.54	-13	Pass	841
1840	1920	1	RMS	1851	21.18	60	Pass	401
1920	3000	1	RMS	2652	-46.12	-13	Pass	1081
3000	12000	1	RMS	3702	-36.12	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




1.45. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.93	-13	Pass	2986
30	1000	0.1	RMS	892.9	-61.47	-13	Pass	9701
1000	1840	1	RMS	1835	-48.99	-13	Pass	841
1840	1920	1	RMS	1871	22.04	60	Pass	401
1920	3000	1	RMS	2648	-46.1	-13	Pass	1081
3000	12000	1	RMS	3742	-37.85	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




1.46. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.98	-13	Pass	2986
30	1000	0.1	RMS	919.1	-61.45	-13	Pass	9701
1000	1840	1	RMS	1836	-49.09	-13	Pass	841
1840	1920	1	RMS	1871	21.19	60	Pass	401
1920	3000	1	RMS	2654	-46.1	-13	Pass	1081
3000	12000	1	RMS	11859	-37.91	-13	Pass	9001
12000	20000	1	RMS	19997	-22.65	-13	Pass	8001




1.47. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.01	-13	Pass	2986
30	1000	0.1	RMS	920.7	-61.56	-13	Pass	9701
1000	1840	1	RMS	1840	-49.99	-13	Pass	841
1840	1920	1	RMS	1891	22.37	60	Pass	401
1920	3000	1	RMS	2643	-46.06	-13	Pass	1081
3000	12000	1	RMS	3782	-34.17	-13	Pass	9001
12000	20000	1	RMS	19998	-22.64	-13	Pass	8001



1.48. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	1000	0.1	RMS	918.8	-61.53	-13	Pass	9701
1000	1840	1	RMS	1837	-49.96	-13	Pass	841
1840	1920	1	RMS	1891	21.67	60	Pass	401
1920	3000	1	RMS	2646	-46.05	-13	Pass	1081
3000	12000	1	RMS	3782	-34.92	-13	Pass	9001
12000	20000	1	RMS	19999	-22.53	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-13	Pass	2986
30	1000	0.1	RMS	944.6	-61.57	-13	Pass	9701
1000	1700	1	RMS	1700	-47.15	-13	Pass	701
1700	1765	1	RMS	1710.238	23.34	60	Pass	401
1765	3000	1	RMS	2638	-46.1	-13	Pass	1236
3000	12000	1	RMS	3421	-26.88	-13	Pass	9001
12000	20000	1	RMS	20000	-22.67	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.48	-13	Pass	2986
30	1000	0.1	RMS	912.4	-61.45	-13	Pass	9701
1000	1700	1	RMS	1700	-47.72	-13	Pass	701
1700	1765	1	RMS	1710.238	22.62	60	Pass	401
1765	3000	1	RMS	2643	-46.07	-13	Pass	1236
3000	12000	1	RMS	3421	-27.69	-13	Pass	9001
12000	20000	1	RMS	19997	-22.57	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	1000	0.1	RMS	979.5	-61.55	-13	Pass	9701
1000	1700	1	RMS	1699	-50.44	-13	Pass	701
1700	1765	1	RMS	1732.013	23.22	60	Pass	401
1765	3000	1	RMS	2650	-45.99	-13	Pass	1236
3000	12000	1	RMS	3464	-25.66	-13	Pass	9001
12000	20000	1	RMS	20000	-22.62	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	1000	0.1	RMS	931.5	-61.54	-13	Pass	9701
1000	1700	1	RMS	1693	-50.53	-13	Pass	701
1700	1765	1	RMS	1732.013	22.51	60	Pass	401
1765	3000	1	RMS	2641	-46.1	-13	Pass	1236
3000	12000	1	RMS	3464	-26.2	-13	Pass	9001
12000	20000	1	RMS	19997	-22.65	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.59	-13	Pass	2986
30	1000	0.1	RMS	963.8	-61.48	-13	Pass	9701
1000	1700	1	RMS	1699	-50.48	-13	Pass	701
1700	1765	1	RMS	1753.788	24.02	60	Pass	401
1765	3000	1	RMS	1765	-46.01	-13	Pass	1236
3000	12000	1	RMS	3508	-28.05	-13	Pass	9001
12000	20000	1	RMS	20000	-22.5	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	1000	0.1	RMS	941.4	-61.28	-13	Pass	9701
1000	1700	1	RMS	1700	-50.48	-13	Pass	701
1700	1765	1	RMS	1753.788	23.07	60	Pass	401
1765	3000	1	RMS	2639	-46.12	-13	Pass	1236
3000	12000	1	RMS	3508	-28.88	-13	Pass	9001
12000	20000	1	RMS	19996	-22.62	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	1000	0.1	RMS	958.3	-61.39	-13	Pass	9701
1000	1700	1	RMS	1700	-47.16	-13	Pass	701
1700	1765	1	RMS	1710.238	23.29	60	Pass	401
1765	3000	1	RMS	2638	-46.12	-13	Pass	1236
3000	12000	1	RMS	3420	-26.99	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.78	-13	Pass	2986
30	1000	0.1	RMS	926.2	-61.56	-13	Pass	9701
1000	1700	1	RMS	1700	-47.69	-13	Pass	701
1700	1765	1	RMS	1710.238	22.53	60	Pass	401
1765	3000	1	RMS	2641	-46.05	-13	Pass	1236
3000	12000	1	RMS	3420	-27.83	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	1000	0.1	RMS	931.1	-61.45	-13	Pass	9701
1000	1700	1	RMS	1698	-50.48	-13	Pass	701
1700	1765	1	RMS	1731.2	23.18	60	Pass	401
1765	3000	1	RMS	2646	-46.07	-13	Pass	1236
3000	12000	1	RMS	3462	-27.16	-13	Pass	9001
12000	20000	1	RMS	20000	-22.62	-13	Pass	8001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.2	-13	Pass	2986
30	1000	0.1	RMS	923.4	-61.34	-13	Pass	9701
1000	1700	1	RMS	1698	-50.44	-13	Pass	701
1700	1765	1	RMS	1731.2	22.59	60	Pass	401
1765	3000	1	RMS	2643	-45.99	-13	Pass	1236
3000	12000	1	RMS	3462	-27.73	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.37	-13	Pass	2986
30	1000	0.1	RMS	926.4	-61.51	-13	Pass	9701
1000	1700	1	RMS	1694	-50.5	-13	Pass	701
1700	1765	1	RMS	1752.163	23.96	60	Pass	401
1765	3000	1	RMS	2649	-46.09	-13	Pass	1236
3000	12000	1	RMS	3504	-29.15	-13	Pass	9001
12000	20000	1	RMS	20000	-22.64	-13	Pass	8001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.86	-13	Pass	2986
30	1000	0.1	RMS	894.5	-61.61	-13	Pass	9701
1000	1700	1	RMS	1696	-50.53	-13	Pass	701
1700	1765	1	RMS	1752.163	22.95	60	Pass	401
1765	3000	1	RMS	2642	-46.1	-13	Pass	1236
3000	12000	1	RMS	3504	-30.07	-13	Pass	9001
12000	20000	1	RMS	19995	-22.65	-13	Pass	8001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.49	-13	Pass	2986
30	1000	0.1	RMS	924.9	-61.52	-13	Pass	9701
1000	1700	1	RMS	1700	-46.85	-13	Pass	701
1700	1765	1	RMS	1710.4	23.47	60	Pass	401
1765	3000	1	RMS	2649	-46.04	-13	Pass	1236
3000	12000	1	RMS	3421	-25.46	-13	Pass	9001
12000	20000	1	RMS	19999	-22.49	-13	Pass	8001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	1000	0.1	RMS	915.8	-61.32	-13	Pass	9701
1000	1700	1	RMS	1700	-47.37	-13	Pass	701
1700	1765	1	RMS	1710.4	22.87	60	Pass	401
1765	3000	1	RMS	2647	-46.08	-13	Pass	1236
3000	12000	1	RMS	3421	-26.22	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	1000	0.1	RMS	935.5	-61.39	-13	Pass	9701
1000	1700	1	RMS	1699	-50.42	-13	Pass	701
1700	1765	1	RMS	1730.388	23.37	60	Pass	401
1765	3000	1	RMS	2650	-46.1	-13	Pass	1236
3000	12000	1	RMS	3461	-25.67	-13	Pass	9001
12000	20000	1	RMS	19996	-22.55	-13	Pass	8001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.63	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.7	-13	Pass	2986
30	1000	0.1	RMS	943.5	-61.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.46	-13	Pass	701
1700	1765	1	RMS	1730.388	22.65	60	Pass	401
1765	3000	1	RMS	2640	-46.08	-13	Pass	1236
3000	12000	1	RMS	3461	-26.25	-13	Pass	9001
12000	20000	1	RMS	20000	-22.68	-13	Pass	8001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.99	-13	Pass	2986
30	1000	0.1	RMS	921.1	-61.45	-13	Pass	9701
1000	1700	1	RMS	1699	-50.49	-13	Pass	701
1700	1765	1	RMS	1750.375	24.17	60	Pass	401
1765	3000	1	RMS	2646	-46.1	-13	Pass	1236
3000	12000	1	RMS	3501	-28.18	-13	Pass	9001
12000	20000	1	RMS	20000	-22.54	-13	Pass	8001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.69	-13	Pass	2986
30	1000	0.1	RMS	954.4	-61.46	-13	Pass	9701
1000	1700	1	RMS	1698	-50.5	-13	Pass	701
1700	1765	1	RMS	1750.375	23.46	60	Pass	401
1765	3000	1	RMS	2641	-46.03	-13	Pass	1236
3000	12000	1	RMS	3501	-28.67	-13	Pass	9001
12000	20000	1	RMS	19996	-22.6	-13	Pass	8001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.9	-13	Pass	2986
30	1000	0.1	RMS	931.4	-61.53	-13	Pass	9701
1000	1700	1	RMS	1700	-47.86	-13	Pass	701
1700	1765	1	RMS	1710.563	23.66	60	Pass	401
1765	3000	1	RMS	2642	-46.09	-13	Pass	1236
3000	12000	1	RMS	3421	-24.64	-13	Pass	9001
12000	20000	1	RMS	20000	-22.52	-13	Pass	8001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	933.4	-61.37	-13	Pass	9701
1000	1700	1	RMS	1700	-48.12	-13	Pass	701
1700	1765	1	RMS	1710.563	23.12	60	Pass	401
1765	3000	1	RMS	2640	-46.09	-13	Pass	1236
3000	12000	1	RMS	3421	-25.29	-13	Pass	9001
12000	20000	1	RMS	19999	-22.57	-13	Pass	8001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.74	-13	Pass	2986
30	1000	0.1	RMS	991.1	-61.51	-13	Pass	9701
1000	1700	1	RMS	1698	-50.42	-13	Pass	701
1700	1765	1	RMS	1728.113	23.39	60	Pass	401
1765	3000	1	RMS	2652	-46.06	-13	Pass	1236
3000	12000	1	RMS	3456	-25.44	-13	Pass	9001
12000	20000	1	RMS	19996	-22.62	-13	Pass	8001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-56.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	1000	0.1	RMS	927.2	-61.48	-13	Pass	9701
1000	1700	1	RMS	1697	-50.48	-13	Pass	701
1700	1765	1	RMS	1728.113	22.7	60	Pass	401
1765	3000	1	RMS	2652	-46.05	-13	Pass	1236
3000	12000	1	RMS	3456	-26.09	-13	Pass	9001
12000	20000	1	RMS	19996	-22.67	-13	Pass	8001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.88	-13	Pass	2986
30	1000	0.1	RMS	930.9	-61.47	-13	Pass	9701
1000	1700	1	RMS	1673	-50.52	-13	Pass	701
1700	1765	1	RMS	1745.663	24.47	60	Pass	401
1765	3000	1	RMS	2638	-46.03	-13	Pass	1236
3000	12000	1	RMS	3491	-26.9	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	1000	0.1	RMS	946.2	-61.53	-13	Pass	9701
1000	1700	1	RMS	1587	-50.51	-13	Pass	701
1700	1765	1	RMS	1745.663	23.77	60	Pass	401
1765	3000	1	RMS	2649	-46.03	-13	Pass	1236
3000	12000	1	RMS	3491	-27.54	-13	Pass	9001
12000	20000	1	RMS	19999	-22.6	-13	Pass	8001




2.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	1000	0.1	RMS	919.9	-61.48	-13	Pass	9701
1000	1700	1	RMS	1698	-40.3	-13	Pass	701
1700	1765	1	RMS	1710.888	23.3	60	Pass	401
1765	3000	1	RMS	2644	-46.08	-13	Pass	1236
3000	12000	1	RMS	3422	-25.41	-13	Pass	9001
12000	20000	1	RMS	19995	-22.66	-13	Pass	8001




2.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.77	-13	Pass	2986
30	1000	0.1	RMS	915	-61.43	-13	Pass	9701
1000	1700	1	RMS	1698	-41.85	-13	Pass	701
1700	1765	1	RMS	1710.888	22.64	60	Pass	401
1765	3000	1	RMS	2641	-46.09	-13	Pass	1236
3000	12000	1	RMS	3422	-25.9	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




2.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	1000	0.1	RMS	915.3	-61.53	-13	Pass	9701
1000	1700	1	RMS	1699	-49.37	-13	Pass	701
1700	1765	1	RMS	1725.838	22.88	60	Pass	401
1765	3000	1	RMS	2650	-46.11	-13	Pass	1236
3000	12000	1	RMS	3452	-25.87	-13	Pass	9001
12000	20000	1	RMS	19999	-22.61	-13	Pass	8001




2.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	1000	0.1	RMS	900.5	-61.51	-13	Pass	9701
1000	1700	1	RMS	1699	-49.47	-13	Pass	701
1700	1765	1	RMS	1725.838	22.19	60	Pass	401
1765	3000	1	RMS	2649	-46.09	-13	Pass	1236
3000	12000	1	RMS	3452	-26.41	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




2.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	1000	0.1	RMS	926.7	-61.54	-13	Pass	9701
1000	1700	1	RMS	1700	-50.49	-13	Pass	701
1700	1765	1	RMS	1740.788	23.93	60	Pass	401
1765	3000	1	RMS	1767	-36.02	-13	Pass	1236
3000	12000	1	RMS	3482	-26.45	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




2.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2986
30	1000	0.1	RMS	927.2	-61.4	-13	Pass	9701
1000	1700	1	RMS	1700	-50.44	-13	Pass	701
1700	1765	1	RMS	1740.788	23.32	60	Pass	401
1765	3000	1	RMS	1767	-33.06	-13	Pass	1236
3000	12000	1	RMS	3482	-27.14	-13	Pass	9001
12000	20000	1	RMS	19995	-22.63	-13	Pass	8001




2.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.08	-13	Pass	2986
30	1000	0.1	RMS	898.6	-61.5	-13	Pass	9701
1000	1700	1	RMS	1693	-41.99	-13	Pass	701
1700	1765	1	RMS	1711.05	23.16	60	Pass	401
1765	3000	1	RMS	2640	-46.1	-13	Pass	1236
3000	12000	1	RMS	3422	-25.15	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




2.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	1000	0.1	RMS	925	-61.46	-13	Pass	9701
1000	1700	1	RMS	1693	-43.15	-13	Pass	701
1700	1765	1	RMS	1711.05	22.67	60	Pass	401
1765	3000	1	RMS	2648	-46.03	-13	Pass	1236
3000	12000	1	RMS	3422	-25.61	-13	Pass	9001
12000	20000	1	RMS	19996	-22.62	-13	Pass	8001




2.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.4	-13	Pass	2986
30	1000	0.1	RMS	918.3	-61.54	-13	Pass	9701
1000	1700	1	RMS	1688	-49.97	-13	Pass	701
1700	1765	1	RMS	1723.563	22.76	60	Pass	401
1765	3000	1	RMS	2643	-46.07	-13	Pass	1236
3000	12000	1	RMS	3447	-25.3	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




2.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	926.6	-61.45	-13	Pass	9701
1000	1700	1	RMS	1688	-50.04	-13	Pass	701
1700	1765	1	RMS	1723.563	22.02	60	Pass	401
1765	3000	1	RMS	2647	-46.12	-13	Pass	1236
3000	12000	1	RMS	3447	-25.94	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001




2.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.58	-13	Pass	2986
30	1000	0.1	RMS	931.2	-61.43	-13	Pass	9701
1000	1700	1	RMS	1700	-49.36	-13	Pass	701
1700	1765	1	RMS	1736.075	23.51	60	Pass	401
1765	3000	1	RMS	1772	-32.77	-13	Pass	1236
3000	12000	1	RMS	3472	-25.86	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	1000	0.1	RMS	950.8	-61.53	-13	Pass	9701
1000	1700	1	RMS	1700	-49.46	-13	Pass	701
1700	1765	1	RMS	1736.075	22.73	60	Pass	401
1765	3000	1	RMS	1772	-33.42	-13	Pass	1236
3000	12000	1	RMS	3472	-26.58	-13	Pass	9001
12000	20000	1	RMS	19999	-22.59	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	814	0.1	RMS	797.6	-61.87	-13	Pass	7841
814	860	0.1	RMS	824.3	18.71	60	Pass	461
860	1000	0.1	RMS	934.3	-61.84	-13	Pass	1401
1000	3000	1	RMS	2645	-46.11	-13	Pass	2001
3000	10000	1	RMS	9953	-40.79	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	814	0.1	RMS	799.9	-61.79	-13	Pass	7841
814	860	0.1	RMS	824.3	17.78	60	Pass	461
860	1000	0.1	RMS	913.6	-61.83	-13	Pass	1401
1000	3000	1	RMS	2648	-46.11	-13	Pass	2001
3000	10000	1	RMS	9949	-40.77	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58	-13	Pass	2986
30	814	0.1	RMS	794.5	-61.71	-13	Pass	7841
814	860	0.1	RMS	836.1	18.58	60	Pass	461
860	1000	0.1	RMS	926.4	-61.86	-13	Pass	1401
1000	3000	1	RMS	2643	-46.04	-13	Pass	2001
3000	10000	1	RMS	9958	-40.78	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.19	-13	Pass	2986
30	814	0.1	RMS	808.7	-61.85	-13	Pass	7841
814	860	0.1	RMS	836	17.73	60	Pass	461
860	1000	0.1	RMS	913.9	-61.91	-13	Pass	1401
1000	3000	1	RMS	2644	-46.13	-13	Pass	2001
3000	10000	1	RMS	9956	-40.79	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.04	-13	Pass	2986
30	814	0.1	RMS	808.7	-61.87	-13	Pass	7841
814	860	0.1	RMS	847.9	18.37	60	Pass	461
860	1000	0.1	RMS	913.1	-61.89	-13	Pass	1401
1000	3000	1	RMS	2643	-46.11	-13	Pass	2001
3000	10000	1	RMS	9961	-40.77	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	814	0.1	RMS	791.2	-61.84	-13	Pass	7841
814	860	0.1	RMS	847.8	17.71	60	Pass	461
860	1000	0.1	RMS	929.3	-61.83	-13	Pass	1401
1000	3000	1	RMS	2640	-46.13	-13	Pass	2001
3000	10000	1	RMS	9958	-40.75	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	814	0.1	RMS	794.2	-61.79	-13	Pass	7841
814	860	0.1	RMS	824.2	19.04	60	Pass	461
860	1000	0.1	RMS	978.4	-61.87	-13	Pass	1401
1000	3000	1	RMS	2650	-46.09	-13	Pass	2001
3000	10000	1	RMS	9956	-40.68	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.68	-13	Pass	2986
30	814	0.1	RMS	791.9	-61.82	-13	Pass	7841
814	860	0.1	RMS	824.2	17.97	60	Pass	461
860	1000	0.1	RMS	950.1	-61.95	-13	Pass	1401
1000	3000	1	RMS	2639	-46.15	-13	Pass	2001
3000	10000	1	RMS	9956	-40.76	-13	Pass	7001




3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.54	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.65	-13	Pass	2986
30	814	0.1	RMS	798.3	-61.86	-13	Pass	7841
814	860	0.1	RMS	835.2	18.79	60	Pass	461
860	1000	0.1	RMS	905.9	-61.76	-13	Pass	1401
1000	3000	1	RMS	2647	-46.11	-13	Pass	2001
3000	10000	1	RMS	9953	-40.71	-13	Pass	7001




3.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.52	-13	Pass	2986
30	814	0.1	RMS	794	-61.78	-13	Pass	7841
814	860	0.1	RMS	835.2	17.91	60	Pass	461
860	1000	0.1	RMS	910	-61.76	-13	Pass	1401
1000	3000	1	RMS	2651	-46.09	-13	Pass	2001
3000	10000	1	RMS	9956	-40.79	-13	Pass	7001




3.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	814	0.1	RMS	810.9	-61.71	-13	Pass	7841
814	860	0.1	RMS	846.2	18.74	60	Pass	461
860	1000	0.1	RMS	905.3	-61.86	-13	Pass	1401
1000	3000	1	RMS	2649	-46.11	-13	Pass	2001
3000	10000	1	RMS	9952	-40.74	-13	Pass	7001




3.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.82	-13	Pass	2986
30	814	0.1	RMS	810.7	-61.74	-13	Pass	7841
814	860	0.1	RMS	846.2	17.91	60	Pass	461
860	1000	0.1	RMS	890.8	-61.87	-13	Pass	1401
1000	3000	1	RMS	2648	-46.09	-13	Pass	2001
3000	10000	1	RMS	9954	-40.76	-13	Pass	7001




3.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	814	0.1	RMS	794.4	-61.74	-13	Pass	7841
814	860	0.1	RMS	824.3	19.29	60	Pass	461
860	1000	0.1	RMS	916	-61.88	-13	Pass	1401
1000	3000	1	RMS	2653	-46.1	-13	Pass	2001
3000	10000	1	RMS	9950	-40.61	-13	Pass	7001




3.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	814	0.1	RMS	784.9	-61.72	-13	Pass	7841
814	860	0.1	RMS	824.3	18.56	60	Pass	461
860	1000	0.1	RMS	936.6	-61.76	-13	Pass	1401
1000	3000	1	RMS	2642	-46.1	-13	Pass	2001
3000	10000	1	RMS	9956	-40.76	-13	Pass	7001




3.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.19	-13	Pass	2986
30	814	0.1	RMS	796.7	-61.65	-13	Pass	7841
814	860	0.1	RMS	834.3	18.96	60	Pass	461
860	1000	0.1	RMS	957.6	-61.69	-13	Pass	1401
1000	3000	1	RMS	2642	-46.12	-13	Pass	2001
3000	10000	1	RMS	9953	-40.75	-13	Pass	7001




3.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.46	-13	Pass	2986
30	814	0.1	RMS	809.2	-61.78	-13	Pass	7841
814	860	0.1	RMS	834.3	18.06	60	Pass	461
860	1000	0.1	RMS	917.4	-61.76	-13	Pass	1401
1000	3000	1	RMS	2650	-46.1	-13	Pass	2001
3000	10000	1	RMS	9960	-40.73	-13	Pass	7001




3.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	814	0.1	RMS	807.9	-61.91	-13	Pass	7841
814	860	0.1	RMS	844.3	19.16	60	Pass	461
860	1000	0.1	RMS	923.1	-61.72	-13	Pass	1401
1000	3000	1	RMS	2639	-46.1	-13	Pass	2001
3000	10000	1	RMS	9961	-40.71	-13	Pass	7001




3.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.54	-13	Pass	2986
30	814	0.1	RMS	812	-61.82	-13	Pass	7841
814	860	0.1	RMS	844.3	18.45	60	Pass	461
860	1000	0.1	RMS	908.9	-61.81	-13	Pass	1401
1000	3000	1	RMS	2646	-46.09	-13	Pass	2001
3000	10000	1	RMS	9954	-40.74	-13	Pass	7001




3.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	814	0.1	RMS	810.5	-61.7	-13	Pass	7841
814	860	0.1	RMS	824.6	19.97	60	Pass	461
860	1000	0.1	RMS	968	-61.79	-13	Pass	1401
1000	3000	1	RMS	2646	-46.07	-13	Pass	2001
3000	10000	1	RMS	9961	-40.75	-13	Pass	7001




3.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.75	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.76	-13	Pass	7841
814	860	0.1	RMS	824.6	19.23	60	Pass	461
860	1000	0.1	RMS	927.9	-61.78	-13	Pass	1401
1000	3000	1	RMS	2644	-46.12	-13	Pass	2001
3000	10000	1	RMS	9953	-40.72	-13	Pass	7001




3.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.98	-13	Pass	2986
30	814	0.1	RMS	799.2	-61.86	-13	Pass	7841
814	860	0.1	RMS	832.1	19.51	60	Pass	461
860	1000	0.1	RMS	916	-61.82	-13	Pass	1401
1000	3000	1	RMS	2646	-46.09	-13	Pass	2001
3000	10000	1	RMS	9953	-40.73	-13	Pass	7001




3.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.7	-13	Pass	2986
30	814	0.1	RMS	783.4	-61.8	-13	Pass	7841
814	860	0.1	RMS	832.1	18.7	60	Pass	461
860	1000	0.1	RMS	945.9	-61.62	-13	Pass	1401
1000	3000	1	RMS	2645	-46.15	-13	Pass	2001
3000	10000	1	RMS	9955	-40.71	-13	Pass	7001




3.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	814	0.1	RMS	804.5	-61.82	-13	Pass	7841
814	860	0.1	RMS	839.6	20.29	60	Pass	461
860	1000	0.1	RMS	935.1	-61.86	-13	Pass	1401
1000	3000	1	RMS	2639	-46.09	-13	Pass	2001
3000	10000	1	RMS	9953	-40.76	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	Pass	2986
30	814	0.1	RMS	802.4	-61.73	-13	Pass	7841
814	860	0.1	RMS	839.6	19.41	60	Pass	461
860	1000	0.1	RMS	972.4	-61.77	-13	Pass	1401
1000	3000	1	RMS	2646	-46.09	-13	Pass	2001
3000	10000	1	RMS	9959	-40.78	-13	Pass	7001



4. LTE_Band7


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.62	-25	Pass	2986
30	1000	0.1	RMS	889	-61.61	-25	Pass	9701
1000	2490	1	RMS	2490	-43.72	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.01	60	Pass	401
2580	3000	1	RMS	2641	-46.26	-25	Pass	421
3000	12000	1	RMS	5001	-48.16	-25	Pass	9001
12000	26000	1	RMS	25013	-35.7	-25	Pass	14001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.03	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.07	-25	Pass	2986
30	1000	0.1	RMS	933.8	-61.71	-25	Pass	9701
1000	2490	1	RMS	2490	-44.31	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.52	60	Pass	401
2580	3000	1	RMS	2646	-46.27	-25	Pass	421
3000	12000	1	RMS	5001	-49.55	-25	Pass	9001
12000	26000	1	RMS	25006	-36.52	-25	Pass	14001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-25	Pass	2986
30	1000	0.1	RMS	920.7	-61.64	-25	Pass	9701
1000	2490	1	RMS	2490	-47.4	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.59	60	Pass	401
2580	3000	1	RMS	2645	-46.25	-25	Pass	421
3000	12000	1	RMS	5066	-50.16	-25	Pass	9001
12000	26000	1	RMS	25011	-36.54	-25	Pass	14001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.93	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-25	Pass	2986
30	1000	0.1	RMS	933	-61.56	-25	Pass	9701
1000	2490	1	RMS	2489	-47.43	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.08	60	Pass	401
2580	3000	1	RMS	2647	-46.24	-25	Pass	421
3000	12000	1	RMS	5066	-50.51	-25	Pass	9001
12000	26000	1	RMS	25013	-36.46	-25	Pass	14001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.22	-25	Pass	2986
30	1000	0.1	RMS	938.6	-61.57	-25	Pass	9701
1000	2490	1	RMS	2489	-47.36	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.44	60	Pass	401
2580	3000	1	RMS	2580	-45.42	-25	Pass	421
3000	12000	1	RMS	5131	-48.1	-25	Pass	9001
12000	26000	1	RMS	25014	-36.44	-25	Pass	14001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.58	-25	Pass	2986
30	1000	0.1	RMS	924.2	-61.56	-25	Pass	9701
1000	2490	1	RMS	2490	-47.5	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.09	60	Pass	401
2580	3000	1	RMS	2580	-45.56	-25	Pass	421
3000	12000	1	RMS	5131	-48.31	-25	Pass	9001
12000	26000	1	RMS	25009	-36.5	-25	Pass	14001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.88	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.5	-25	Pass	2986
30	1000	0.1	RMS	919	-61.68	-25	Pass	9701
1000	2490	1	RMS	2483	-37.38	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.1	60	Pass	401
2580	3000	1	RMS	2644	-46.24	-25	Pass	421
3000	12000	1	RMS	5001	-44.6	-25	Pass	9001
12000	26000	1	RMS	25011	-36.47	-25	Pass	14001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.15	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-25	Pass	2986
30	1000	0.1	RMS	928.8	-61.62	-25	Pass	9701
1000	2490	1	RMS	2483	-39.26	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.65	60	Pass	401
2580	3000	1	RMS	2643	-46.26	-25	Pass	421
3000	12000	1	RMS	5001	-45.28	-25	Pass	9001
12000	26000	1	RMS	25013	-36.49	-25	Pass	14001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-25	Pass	2986
30	1000	0.1	RMS	927.7	-61.61	-25	Pass	9701
1000	2490	1	RMS	2490	-47.4	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.75	60	Pass	401
2580	3000	1	RMS	2644	-46.25	-25	Pass	421
3000	12000	1	RMS	5061	-47.5	-25	Pass	9001
12000	26000	1	RMS	25014	-36.54	-25	Pass	14001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-25	Pass	2986
30	1000	0.1	RMS	949.6	-61.56	-25	Pass	9701
1000	2490	1	RMS	2486	-47.44	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.23	60	Pass	401
2580	3000	1	RMS	2649	-46.24	-25	Pass	421
3000	12000	1	RMS	5061	-50.79	-25	Pass	9001
12000	26000	1	RMS	25010	-36.48	-25	Pass	14001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57	-25	Pass	2986
30	1000	0.1	RMS	978.5	-61.6	-25	Pass	9701
1000	2490	1	RMS	2490	-47.41	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.93	60	Pass	401
2580	3000	1	RMS	2587	-45.72	-25	Pass	421
3000	12000	1	RMS	5121	-57.5	-25	Pass	9001
12000	26000	1	RMS	25011	-36.5	-25	Pass	14001




4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.12	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-25	Pass	2986
30	1000	0.1	RMS	917.5	-61.47	-25	Pass	9701
1000	2490	1	RMS	2480	-47.38	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.35	60	Pass	401
2580	3000	1	RMS	2587	-45.92	-25	Pass	421
3000	12000	1	RMS	5121	-55.36	-25	Pass	9001
12000	26000	1	RMS	25011	-36.47	-25	Pass	14001




4.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-25	Pass	2986
30	1000	0.1	RMS	905.8	-61.69	-25	Pass	9701
1000	2490	1	RMS	2488	-40.46	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.71	60	Pass	401
2580	3000	1	RMS	2649	-46.27	-25	Pass	421
3000	12000	1	RMS	5002	-45.54	-25	Pass	9001
12000	26000	1	RMS	25007	-36.51	-25	Pass	14001




4.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-25	Pass	2986
30	1000	0.1	RMS	922.7	-61.71	-25	Pass	9701
1000	2490	1	RMS	2488	-40.24	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.28	60	Pass	401
2580	3000	1	RMS	2642	-46.23	-25	Pass	421
3000	12000	1	RMS	5002	-46.07	-25	Pass	9001
12000	26000	1	RMS	25013	-36.46	-25	Pass	14001




4.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.18	-25	Pass	2986
30	1000	0.1	RMS	958.8	-61.7	-25	Pass	9701
1000	2490	1	RMS	2490	-47.49	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.38	60	Pass	401
2580	3000	1	RMS	2651	-46.21	-25	Pass	421
3000	12000	1	RMS	5057	-46.38	-25	Pass	9001
12000	26000	1	RMS	25006	-36.46	-25	Pass	14001




4.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.13	-25	Pass	2986
30	1000	0.1	RMS	887.1	-61.72	-25	Pass	9701
1000	2490	1	RMS	2489	-47.36	-25	Pass	1491
2490	2580	1	RMS	2528.25	20.86	60	Pass	401
2580	3000	1	RMS	2650	-46.24	-25	Pass	421
3000	12000	1	RMS	5057	-47.01	-25	Pass	9001
12000	26000	1	RMS	25013	-36.44	-25	Pass	14001




4.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.76	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-25	Pass	2986
30	1000	0.1	RMS	994.7	-61.59	-25	Pass	9701
1000	2490	1	RMS	2489	-47.43	-25	Pass	1491
2490	2580	1	RMS	2555.925	22.19	60	Pass	401
2580	3000	1	RMS	2582	-37.47	-25	Pass	421
3000	12000	1	RMS	5112	-54.71	-25	Pass	9001
12000	26000	1	RMS	25013	-36.56	-25	Pass	14001




4.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57	-25	Pass	2986
30	1000	0.1	RMS	931.2	-61.78	-25	Pass	9701
1000	2490	1	RMS	2490	-47.48	-25	Pass	1491
2490	2580	1	RMS	2555.925	21.78	60	Pass	401
2580	3000	1	RMS	2582	-36.53	-25	Pass	421
3000	12000	1	RMS	5112	-52.81	-25	Pass	9001
12000	26000	1	RMS	25012	-36.5	-25	Pass	14001




4.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.83	-25	Pass	2986
30	1000	0.1	RMS	934.3	-61.69	-25	Pass	9701
1000	2490	1	RMS	2483	-41.43	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.68	60	Pass	401
2580	3000	1	RMS	2643	-46.25	-25	Pass	421
3000	12000	1	RMS	5002	-45.32	-25	Pass	9001
12000	26000	1	RMS	25013	-36.55	-25	Pass	14001




4.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.36	-25	Pass	2986
30	1000	0.1	RMS	923.1	-61.62	-25	Pass	9701
1000	2490	1	RMS	2483	-41.36	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.12	60	Pass	401
2580	3000	1	RMS	2641	-46.25	-25	Pass	421
3000	12000	1	RMS	5002	-45.61	-25	Pass	9001
12000	26000	1	RMS	25016	-36.47	-25	Pass	14001




4.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-25	Pass	2986
30	1000	0.1	RMS	925.7	-61.64	-25	Pass	9701
1000	2490	1	RMS	2490	-39.02	-25	Pass	1491
2490	2580	1	RMS	2526	21.23	60	Pass	401
2580	3000	1	RMS	2647	-46.24	-25	Pass	421
3000	12000	1	RMS	5052	-51.73	-25	Pass	9001
12000	26000	1	RMS	25014	-36.4	-25	Pass	14001




4.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.28	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-25	Pass	2986
30	1000	0.1	RMS	936.5	-61.58	-25	Pass	9701
1000	2490	1	RMS	2490	-41.77	-25	Pass	1491
2490	2580	1	RMS	2526	20.75	60	Pass	401
2580	3000	1	RMS	2645	-46.23	-25	Pass	421
3000	12000	1	RMS	5052	-54.61	-25	Pass	9001
12000	26000	1	RMS	25009	-36.53	-25	Pass	14001




4.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.57	-25	Pass	2986
30	1000	0.1	RMS	925.5	-61.64	-25	Pass	9701
1000	2490	1	RMS	2490	-47.46	-25	Pass	1491
2490	2580	1	RMS	2550.975	22.35	60	Pass	401
2580	3000	1	RMS	2587	-38.4	-25	Pass	421
3000	12000	1	RMS	11881	-61.61	-25	Pass	9001
12000	26000	1	RMS	25019	-36.62	-25	Pass	14001



4.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.39	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.25	-25	Pass	2986
30	1000	0.1	RMS	937.3	-61.65	-25	Pass	9701
1000	2490	1	RMS	2490	-47.48	-25	Pass	1491
2490	2580	1	RMS	2551.2	21.72	60	Pass	401
2580	3000	1	RMS	2587	-37.49	-25	Pass	421
3000	12000	1	RMS	11879	-61.63	-25	Pass	9001
12000	26000	1	RMS	25010	-36.44	-25	Pass	14001



5. LTE_Band66


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	955.1	-61.55	-13	Pass	9701
1000	1700	1	RMS	1700	-47.15	-13	Pass	701
1700	1790	1	RMS	1710.35	23.23	60	Pass	401
1790	3000	1	RMS	2648	-46.2	-13	Pass	1211
3000	12000	1	RMS	3421	-27.03	-13	Pass	9001
12000	20000	1	RMS	20000	-22.65	-13	Pass	8001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.66	-13	Pass	2986
30	1000	0.1	RMS	933.3	-61.51	-13	Pass	9701
1000	1700	1	RMS	1700	-47.85	-13	Pass	701
1700	1790	1	RMS	1710.35	22.37	60	Pass	401
1790	3000	1	RMS	2644	-46.14	-13	Pass	1211
3000	12000	1	RMS	3420	-27.83	-13	Pass	9001
12000	20000	1	RMS	20000	-22.66	-13	Pass	8001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.39	-13	Pass	2986
30	1000	0.1	RMS	943.2	-61.68	-13	Pass	9701
1000	1700	1	RMS	1700	-50.55	-13	Pass	701
1700	1790	1	RMS	1744.55	23.83	60	Pass	401
1790	3000	1	RMS	2644	-46.1	-13	Pass	1211
3000	12000	1	RMS	3489	-27.02	-13	Pass	9001
12000	20000	1	RMS	19998	-22.6	-13	Pass	8001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.71	-13	Pass	2986
30	1000	0.1	RMS	919.8	-61.5	-13	Pass	9701
1000	1700	1	RMS	1698	-50.63	-13	Pass	701
1700	1790	1	RMS	1744.55	22.94	60	Pass	401
1790	3000	1	RMS	2640	-46.19	-13	Pass	1211
3000	12000	1	RMS	3489	-27.75	-13	Pass	9001
12000	20000	1	RMS	19991	-22.62	-13	Pass	8001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	1000	0.1	RMS	926.4	-61.6	-13	Pass	9701
1000	1700	1	RMS	1584	-50.67	-13	Pass	701
1700	1790	1	RMS	1778.75	23.05	60	Pass	401
1790	3000	1	RMS	2644	-46.18	-13	Pass	1211
3000	12000	1	RMS	3558	-29.3	-13	Pass	9001
12000	20000	1	RMS	19998	-22.55	-13	Pass	8001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.8	-13	Pass	2986
30	1000	0.1	RMS	960.7	-61.51	-13	Pass	9701
1000	1700	1	RMS	1693	-50.68	-13	Pass	701
1700	1790	1	RMS	1778.75	22.29	60	Pass	401
1790	3000	1	RMS	2649	-46.19	-13	Pass	1211
3000	12000	1	RMS	3558	-30.02	-13	Pass	9001
12000	20000	1	RMS	19996	-22.66	-13	Pass	8001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-13	Pass	2986
30	1000	0.1	RMS	954.7	-61.65	-13	Pass	9701
1000	1700	1	RMS	1700	-46.61	-13	Pass	701
1700	1790	1	RMS	1710.125	23.06	60	Pass	401
1790	3000	1	RMS	2653	-46.24	-13	Pass	1211
3000	12000	1	RMS	3420	-26.95	-13	Pass	9001
12000	20000	1	RMS	19998	-22.62	-13	Pass	8001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.6	-13	Pass	9701
1000	1700	1	RMS	1700	-46.89	-13	Pass	701
1700	1790	1	RMS	1710.35	22.44	60	Pass	401
1790	3000	1	RMS	2644	-46.18	-13	Pass	1211
3000	12000	1	RMS	3421	-27.74	-13	Pass	9001
12000	20000	1	RMS	20000	-22.61	-13	Pass	8001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	1000	0.1	RMS	900	-61.56	-13	Pass	9701
1000	1700	1	RMS	1700	-50.6	-13	Pass	701
1700	1790	1	RMS	1743.65	23.73	60	Pass	401
1790	3000	1	RMS	2646	-46.2	-13	Pass	1211
3000	12000	1	RMS	3487	-28.57	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.2	-13	Pass	2986
30	1000	0.1	RMS	937.8	-61.69	-13	Pass	9701
1000	1700	1	RMS	1598	-50.65	-13	Pass	701
1700	1790	1	RMS	1743.65	22.89	60	Pass	401
1790	3000	1	RMS	2640	-46.16	-13	Pass	1211
3000	12000	1	RMS	3487	-29.09	-13	Pass	9001
12000	20000	1	RMS	20000	-22.67	-13	Pass	8001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.67	-13	Pass	2986
30	1000	0.1	RMS	944.3	-61.59	-13	Pass	9701
1000	1700	1	RMS	1597	-50.61	-13	Pass	701
1700	1790	1	RMS	1777.175	23.16	60	Pass	401
1790	3000	1	RMS	2645	-46.22	-13	Pass	1211
3000	12000	1	RMS	3554	-30.25	-13	Pass	9001
12000	20000	1	RMS	19996	-22.65	-13	Pass	8001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.43	-13	Pass	2986
30	1000	0.1	RMS	952.3	-61.58	-13	Pass	9701
1000	1700	1	RMS	1585	-50.66	-13	Pass	701
1700	1790	1	RMS	1777.175	22.4	60	Pass	401
1790	3000	1	RMS	2656	-46.22	-13	Pass	1211
3000	12000	1	RMS	3555	-30.93	-13	Pass	9001
12000	20000	1	RMS	20000	-22.58	-13	Pass	8001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.13	-13	Pass	2986
30	1000	0.1	RMS	923.8	-61.6	-13	Pass	9701
1000	1700	1	RMS	1700	-46.97	-13	Pass	701
1700	1790	1	RMS	1710.35	23.48	60	Pass	401
1790	3000	1	RMS	2640	-46.22	-13	Pass	1211
3000	12000	1	RMS	3421	-25.56	-13	Pass	9001
12000	20000	1	RMS	19999	-22.55	-13	Pass	8001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.27	-13	Pass	2986
30	1000	0.1	RMS	944.3	-61.48	-13	Pass	9701
1000	1700	1	RMS	1700	-47.39	-13	Pass	701
1700	1790	1	RMS	1710.35	22.82	60	Pass	401
1790	3000	1	RMS	2638	-46.22	-13	Pass	1211
3000	12000	1	RMS	3421	-26.35	-13	Pass	9001
12000	20000	1	RMS	19999	-22.65	-13	Pass	8001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	954.1	-61.66	-13	Pass	9701
1000	1700	1	RMS	1699	-50.62	-13	Pass	701
1700	1790	1	RMS	1742.75	23.89	60	Pass	401
1790	3000	1	RMS	2651	-46.24	-13	Pass	1211
3000	12000	1	RMS	3486	-26.92	-13	Pass	9001
12000	20000	1	RMS	19996	-22.66	-13	Pass	8001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	1000	0.1	RMS	929.9	-61.62	-13	Pass	9701
1000	1700	1	RMS	1700	-50.62	-13	Pass	701
1700	1790	1	RMS	1742.75	23.06	60	Pass	401
1790	3000	1	RMS	2645	-46.22	-13	Pass	1211
3000	12000	1	RMS	3486	-27.7	-13	Pass	9001
12000	20000	1	RMS	19997	-22.62	-13	Pass	8001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.23	-13	Pass	2986
30	1000	0.1	RMS	913.6	-61.54	-13	Pass	9701
1000	1700	1	RMS	1610	-50.63	-13	Pass	701
1700	1790	1	RMS	1775.375	23.4	60	Pass	401
1790	3000	1	RMS	1793	-46	-13	Pass	1211
3000	12000	1	RMS	3551	-29.36	-13	Pass	9001
12000	20000	1	RMS	19999	-22.65	-13	Pass	8001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.01	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.67	-13	Pass	9701
1000	1700	1	RMS	1684	-50.62	-13	Pass	701
1700	1790	1	RMS	1775.375	22.69	60	Pass	401
1790	3000	1	RMS	2641	-46.19	-13	Pass	1211
3000	12000	1	RMS	3551	-30.01	-13	Pass	9001
12000	20000	1	RMS	20000	-22.56	-13	Pass	8001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.81	-13	Pass	2986
30	1000	0.1	RMS	901.3	-61.61	-13	Pass	9701
1000	1700	1	RMS	1693	-42.07	-13	Pass	701
1700	1790	1	RMS	1710.575	23.54	60	Pass	401
1790	3000	1	RMS	2647	-46.22	-13	Pass	1211
3000	12000	1	RMS	3421	-24.72	-13	Pass	9001
12000	20000	1	RMS	19998	-22.61	-13	Pass	8001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.82	-13	Pass	2986
30	1000	0.1	RMS	957.8	-61.62	-13	Pass	9701
1000	1700	1	RMS	1693	-41.31	-13	Pass	701
1700	1790	1	RMS	1710.575	23.04	60	Pass	401
1790	3000	1	RMS	2645	-46.21	-13	Pass	1211
3000	12000	1	RMS	3421	-25.49	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	1000	0.1	RMS	906.8	-61.55	-13	Pass	9701
1000	1700	1	RMS	1700	-50.57	-13	Pass	701
1700	1790	1	RMS	1740.5	24.02	60	Pass	401
1790	3000	1	RMS	2656	-46.23	-13	Pass	1211
3000	12000	1	RMS	3481	-26.02	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.69	-13	Pass	2986
30	1000	0.1	RMS	937.7	-61.45	-13	Pass	9701
1000	1700	1	RMS	1700	-50.58	-13	Pass	701
1700	1790	1	RMS	1740.5	23.2	60	Pass	401
1790	3000	1	RMS	2646	-46.22	-13	Pass	1211
3000	12000	1	RMS	3481	-26.76	-13	Pass	9001
12000	20000	1	RMS	19998	-22.73	-13	Pass	8001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	936.1	-61.59	-13	Pass	9701
1000	1700	1	RMS	1698	-50.64	-13	Pass	701
1700	1790	1	RMS	1770.65	23.54	60	Pass	401
1790	3000	1	RMS	2644	-46.21	-13	Pass	1211
3000	12000	1	RMS	3541	-28.67	-13	Pass	9001
12000	20000	1	RMS	19996	-22.66	-13	Pass	8001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2986
30	1000	0.1	RMS	903.7	-61.62	-13	Pass	9701
1000	1700	1	RMS	1699	-50.65	-13	Pass	701
1700	1790	1	RMS	1770.65	22.77	60	Pass	401
1790	3000	1	RMS	2643	-46.22	-13	Pass	1211
3000	12000	1	RMS	3541	-29.09	-13	Pass	9001
12000	20000	1	RMS	19999	-22.62	-13	Pass	8001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.18	-13	Pass	2986
30	1000	0.1	RMS	946.8	-61.71	-13	Pass	9701
1000	1700	1	RMS	1697	-40.71	-13	Pass	701
1700	1790	1	RMS	1710.8	23.17	60	Pass	401
1790	3000	1	RMS	2639	-46.2	-13	Pass	1211
3000	12000	1	RMS	3422	-25.59	-13	Pass	9001
12000	20000	1	RMS	19999	-22.57	-13	Pass	8001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.11	-13	Pass	2986
30	1000	0.1	RMS	923.6	-61.65	-13	Pass	9701
1000	1700	1	RMS	1698	-42.33	-13	Pass	701
1700	1790	1	RMS	1710.8	22.49	60	Pass	401
1790	3000	1	RMS	2644	-46.19	-13	Pass	1211
3000	12000	1	RMS	3422	-26.15	-13	Pass	9001
12000	20000	1	RMS	19997	-22.56	-13	Pass	8001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.14	-13	Pass	2986
30	1000	0.1	RMS	928.7	-61.53	-13	Pass	9701
1000	1700	1	RMS	1685	-50.46	-13	Pass	701
1700	1790	1	RMS	1738.25	23.52	60	Pass	401
1790	3000	1	RMS	2641	-46.22	-13	Pass	1211
3000	12000	1	RMS	3477	-26.84	-13	Pass	9001
12000	20000	1	RMS	19999	-22.56	-13	Pass	8001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	1000	0.1	RMS	942.2	-61.6	-13	Pass	9701
1000	1700	1	RMS	1698	-50.54	-13	Pass	701
1700	1790	1	RMS	1738.25	22.64	60	Pass	401
1790	3000	1	RMS	2638	-46.21	-13	Pass	1211
3000	12000	1	RMS	3477	-27.58	-13	Pass	9001
12000	20000	1	RMS	20000	-22.59	-13	Pass	8001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.67	-13	Pass	2986
30	1000	0.1	RMS	929.3	-61.67	-13	Pass	9701
1000	1700	1	RMS	1650	-50.64	-13	Pass	701
1700	1790	1	RMS	1765.925	23.42	60	Pass	401
1790	3000	1	RMS	1792	-26.86	-13	Pass	1211
3000	12000	1	RMS	3532	-29.26	-13	Pass	9001
12000	20000	1	RMS	19997	-22.67	-13	Pass	8001




5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.65	-13	Pass	2986
30	1000	0.1	RMS	901.7	-61.66	-13	Pass	9701
1000	1700	1	RMS	1698	-50.64	-13	Pass	701
1700	1790	1	RMS	1765.925	22.69	60	Pass	401
1790	3000	1	RMS	1792	-25.31	-13	Pass	1211
3000	12000	1	RMS	3532	-29.84	-13	Pass	9001
12000	20000	1	RMS	19998	-22.65	-13	Pass	8001




5.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	921.9	-61.61	-13	Pass	9701
1000	1700	1	RMS	1693	-42.95	-13	Pass	701
1700	1790	1	RMS	1711.025	23.09	60	Pass	401
1790	3000	1	RMS	2647	-46.19	-13	Pass	1211
3000	12000	1	RMS	3422	-25.24	-13	Pass	9001
12000	20000	1	RMS	19996	-22.65	-13	Pass	8001




5.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.12	-13	Pass	2986
30	1000	0.1	RMS	929	-61.7	-13	Pass	9701
1000	1700	1	RMS	1693	-44.28	-13	Pass	701
1700	1790	1	RMS	1711.025	22.28	60	Pass	401
1790	3000	1	RMS	2640	-46.2	-13	Pass	1211
3000	12000	1	RMS	3422	-25.84	-13	Pass	9001
12000	20000	1	RMS	19999	-22.43	-13	Pass	8001




5.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.26	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.65	-13	Pass	2986
30	1000	0.1	RMS	940.4	-61.6	-13	Pass	9701
1000	1700	1	RMS	1700	-42.88	-13	Pass	701
1700	1790	1	RMS	1736	23.24	60	Pass	401
1790	3000	1	RMS	2646	-46.22	-13	Pass	1211
3000	12000	1	RMS	3472	-25.88	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001




5.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2986
30	1000	0.1	RMS	890	-61.6	-13	Pass	9701
1000	1700	1	RMS	1700	-42.73	-13	Pass	701
1700	1790	1	RMS	1736	22.62	60	Pass	401
1790	3000	1	RMS	2644	-46.17	-13	Pass	1211
3000	12000	1	RMS	3472	-26.4	-13	Pass	9001
12000	20000	1	RMS	19997	-22.63	-13	Pass	8001




5.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	1000	0.1	RMS	948	-61.54	-13	Pass	9701
1000	1700	1	RMS	1690	-50.5	-13	Pass	701
1700	1790	1	RMS	1761.2	23.44	60	Pass	401
1790	3000	1	RMS	1797	-25.29	-13	Pass	1211
3000	12000	1	RMS	3522	-29.01	-13	Pass	9001
12000	20000	1	RMS	19996	-22.71	-13	Pass	8001



5.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.67	-13	Pass	2986
30	1000	0.1	RMS	911.6	-61.52	-13	Pass	9701
1000	1700	1	RMS	1690	-50.53	-13	Pass	701
1700	1790	1	RMS	1760.975	22.55	60	Pass	401
1790	3000	1	RMS	1797	-23.91	-13	Pass	1211
3000	12000	1	RMS	3522	-29.72	-13	Pass	9001
12000	20000	1	RMS	19998	-22.53	-13	Pass	8001



--BLANK BELOW--