

15 LTE-M1_Band66

15.1. LTE-M1 1.4M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.7	99.00	26	0.051	Peak	1.4	1.12643	1.596849	N/A



15.2. LTE-M1 1.4M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.7	99.00	26	0.051	Peak	1.4	0.965793	1.257373	N/A



15.3. LTE-M1 1.4M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.126691	1.553441	N/A



15.4. LTE-M1 1.4M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.963513	1.180171	N/A



15.5. LTE-M1 1.4M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.3	99.00	26	0.051	Peak	1.4	1.12833	1.52292	N/A



15.6. LTE-M1 1.4M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.3	99.00	26	0.051	Peak	1.4	0.971012	1.340553	N/A



15.7. LTE-M1 3M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1711.5	99.00	26	0.051	Peak	1.4	1.130763	1.439198	N/A



15.8. LTE-M1 3M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1711.5	99.00	26	0.051	Peak	1.4	0.963975	1.211357	N/A



15.9. LTE-M1 3M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.132396	1.474375	N/A



15.10. LTE-M1 3M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.964406	1.204768	N/A



15.11. LTE-M1 3M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1778.5	99.00	26	0.051	Peak	1.4	1.132079	1.424855	N/A



15.12. LTE-M1 3M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1778.5	99.00	26	0.051	Peak	1.4	0.961495	1.325385	N/A



15.13. LTE-M1 5M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.051	Peak	1.4	1.133021	1.548464	N/A



15.14. LTE-M1 5M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1712.5	99.00	26	0.051	Peak	1.4	0.965306	1.252045	N/A



15.15. LTE-M1 5M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.135686	1.402119	N/A



15.16. LTE-M1 5M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.965834	1.332939	N/A



15.17. LTE-M1 5M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.051	Peak	1.4	1.125974	1.550708	N/A



15.18. LTE-M1 5M 16QAM High Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1777.5	99.00	26	0.051	Peak	1.4	0.960194	1.190929	N/A



15.19. LTE-M1 10M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1715	99.00	26	0.051	Peak	1.4	1.119052	1.385865	N/A



15.20. LTE-M1 10M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1715	99.00	26	0.051	Peak	1.4	0.966772	1.208547	N/A



15.21. LTE-M1 10M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.143012	1.441832	N/A



15.22. LTE-M1 10M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.961596	1.177948	N/A



15.23. LTE-M1 10M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1775	99.00	26	0.051	Peak	1.4	1.133177	1.387088	N/A



15.24. LTE-M1 10M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1775	99.00	26	0.051	Peak	1.4	0.963086	1.371227	N/A



15.25. LTE-M1 15M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.051	Peak	1.4	1.129096	1.438803	N/A



15.26. LTE-M1 15M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1717.5	99.00	26	0.051	Peak	1.4	0.974197	1.348132	N/A



15.27. LTE-M1 15M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.125708	1.441043	N/A



15.28. LTE-M1 15M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.960963	1.233005	N/A



15.29. LTE-M1 15M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.051	Peak	1.4	1.12036	1.397069	N/A



15.30. LTE-M1 15M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1772.5	99.00	26	0.051	Peak	1.4	0.971206	1.226799	N/A



15.31. LTE-M1 20M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.051	Peak	1.4	1.138919	1.491882	N/A



15.32. LTE-M1 20M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1720	99.00	26	0.051	Peak	1.4	0.978327	1.216091	N/A



15.33. LTE-M1 20M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	1.140545	1.386119	N/A



15.34. LTE-M1 20M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.051	Peak	1.4	0.976522	1.32387	N/A



15.35. LTE-M1 20M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.051	Peak	1.4	1.141988	1.385297	N/A



15.36. LTE-M1 20M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1770	99.00	26	0.051	Peak	1.4	0.972912	1.280908	N/A



16. LTE-M1_Band85

16.1. LTE-M1 5M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
700.5	99.00	26	0.051	Peak	1.4	1.132881	1.361963	N/A



16.2. LTE-M1 5M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
700.5	99.00	26	0.051	Peak	1.4	0.964262	1.368612	N/A



16.3. LTE-M1 5M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.051	Peak	1.4	1.109315	1.338923	N/A



16.4. LTE-M1 5M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.051	Peak	1.4	0.953616	1.265292	N/A



16.5. LTE-M1 5M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
713.5	99.00	26	0.051	Peak	1.4	1.116567	1.345221	N/A



16.6. LTE-M1 5M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
713.5	99.00	26	0.051	Peak	1.4	0.960262	1.361424	N/A



16.7. LTE-M1 10M Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
703	99.00	26	0.051	Peak	1.4	1.112704	1.387922	N/A



16.8. LTE-M1 10M Low 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
703	99.00	26	0.051	Peak	1.4	0.960369	1.275173	N/A



16.9. LTE-M1 10M Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.051	Peak	1.4	1.115128	1.388399	N/A



16.10. LTE-M1 10M Middle 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.051	Peak	1.4	0.953115	1.24524	N/A



16.11. LTE-M1 10M High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
711	99.00	26	0.051	Peak	1.4	1.12539	1.354156	N/A



16.12. LTE-M1 10M High 16QAM Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
711	99.00	26	0.051	Peak	1.4	0.966485	1.421546	N/A



17. NB-IOT_Band2


17.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.06234	0.040592	N/A



17.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.060545	0.036978	N/A



17.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.068895	0.037823	N/A



17.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.060975	0.0369	N/A



17.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1909.9	99.00	26	0.002	Peak	0.2	0.066882	0.040967	N/A



17.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1909.9	99.00	26	0.002	Peak	0.2	0.060713	0.036779	N/A



17.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.119411	0.114792	N/A



17.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.127203	0.102903	N/A



17.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.116436	0.11612	N/A



17.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.125894	0.10577	N/A



17.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1909.9	99.00	26	0.002	Peak	0.2	0.118622	0.115789	N/A



17.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1909.9	99.00	26	0.002	Peak	0.2	0.12584	0.102269	N/A



17.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.186307	0.247149	N/A



17.14 NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1880	99.00	26	0.002	Peak	0.2	0.187213	0.246489	N/A



17.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)


Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1909.9	99.00	26	0.002	Peak	0.2	0.189551	0.254694	N/A



18. NB-IOT_Band4

18.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.061069	0.038425	N/A



18.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.057502	0.036075	N/A



18.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.06353	0.038404	N/A



18.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.057611	0.035269	N/A



18.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.062785	0.041021	N/A



18.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.058824	0.034898	N/A



18.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.117743	0.115349	N/A



18.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.121681	0.104126	N/A



18.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.119075	0.115452	N/A



18.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.126265	0.105811	N/A



18.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.117893	0.115444	N/A



18.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.126152	0.112588	N/A



18.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.187954	0.247121	N/A



18.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1732.5	99.00	26	0.002	Peak	0.2	0.190412	0.254759	N/A



18.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1754.9	99.00	26	0.002	Peak	0.2	0.187101	0.255632	N/A



19. NB-IOT_Band5

19.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.1	99.00	26	0.002	Peak	0.2	0.060486	0.038523	N/A



19.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.1	99.00	26	0.002	Peak	0.2	0.05748	0.036667	N/A



19.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.067876	0.03861	N/A



19.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.059343	0.037142	N/A



19.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
848.9	99.00	26	0.002	Peak	0.2	0.062505	0.040733	N/A



19.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
848.9	99.00	26	0.002	Peak	0.2	0.058487	0.036668	N/A



19.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.1	99.00	26	0.002	Peak	0.2	0.115954	0.114972	N/A




19.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.1	99.00	26	0.002	Peak	0.2	0.122396	0.10524	N/A



19.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.130133	0.130261	N/A



19.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.12069	0.101725	N/A



19.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
848.9	99.00	26	0.002	Peak	0.2	0.122286	0.116257	N/A



19.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
848.9	99.00	26	0.002	Peak	0.2	0.120749	0.102926	N/A



19.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
824.1	99.00	26	0.002	Peak	0.2	0.186392	0.247237	N/A



19.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
836.5	99.00	26	0.002	Peak	0.2	0.186722	0.247239	N/A



19.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
848.9	99.00	26	0.002	Peak	0.2	0.186323	0.248357	N/A



20. NB-IOT_Band12

20.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
699.1	99.00	26	0.002	Peak	0.2	0.060119	0.037993	N/A



20.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
699.1	99.00	26	0.002	Peak	0.2	0.057836	0.036723	N/A



20.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707.5	99.00	26	0.002	Peak	0.2	0.061481	0.037713	N/A




20.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707.5	99.00	26	0.002	Peak	0.2	0.058226	0.036184	N/A



20.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.066708	0.037826	N/A



20.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.058279	0.037022	N/A



20.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
699.1	99.00	26	0.002	Peak	0.2	0.119407	0.11618	N/A



20.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
699.1	99.00	26	0.002	Peak	0.2	0.120714	0.103324	N/A



20.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707.5	99.00	26	0.002	Peak	0.2	0.119651	0.115453	N/A



20.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707.5	99.00	26	0.002	Peak	0.2	0.11987	0.102274	N/A



20.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.116866	0.115537	N/A



20.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.121884	0.1124	N/A



20.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
699.1	99.00	26	0.002	Peak	0.2	0.185813	0.257442	N/A



20.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707.5	99.00	26	0.002	Peak	0.2	0.185483	0.248515	N/A



20.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.18635	0.248184	N/A



21. NB-IOT_Band13

21.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
777.1	99.00	26	0.002	Peak	0.2	0.06254	0.038514	N/A



21.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
777.1	99.00	26	0.002	Peak	0.2	0.058925	0.03733	N/A



21.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
782	99.00	26	0.002	Peak	0.2	0.063317	0.038529	N/A



21.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
782	99.00	26	0.002	Peak	0.2	0.057826	0.036527	N/A



21.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
786.9	99.00	26	0.002	Peak	0.2	0.06113	0.038409	N/A



21.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
777.1	99.00	26	0.002	Peak	0.2	0.11868	0.115466	N/A



21.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
777.1	99.00	26	0.002	Peak	0.2	0.121545	0.101024	N/A



21.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
782	99.00	26	0.002	Peak	0.2	0.118919	0.11576	N/A




21.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
782	99.00	26	0.002	Peak	0.2	0.121343	0.10568	N/A



21.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
786.9	99.00	26	0.002	Peak	0.2	0.125086	0.115067	N/A



21.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
786.9	99.00	26	0.002	Peak	0.2	0.121293	0.104895	N/A



21.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
777.1	99.00	26	0.002	Peak	0.2	0.186624	0.246499	N/A



21.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
782	99.00	26	0.002	Peak	0.2	0.185845	0.257565	N/A



21.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
786.9	99.00	26	0.002	Peak	0.2	0.185769	0.248119	N/A



25. NB-IOT_Band25

25.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.063873	0.041619	N/A



25.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.060914	0.036921	N/A



25.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1882.5	99.00	26	0.002	Peak	0.2	0.064982	0.038362	N/A



25.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1882.5	99.00	26	0.002	Peak	0.2	0.06212	0.037548	N/A



25.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1914.9	99.00	26	0.002	Peak	0.2	0.066805	0.038738	N/A



25.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1914.9	99.00	26	0.002	Peak	0.2	0.061363	0.036644	N/A



25.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.117036	0.114123	N/A



25.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.126165	0.112731	N/A



25.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1882.5	99.00	26	0.002	Peak	0.2	0.114383	0.102269	N/A



25.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1882.5	99.00	26	0.002	Peak	0.2	0.126662	0.101749	N/A



25.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1914.9	99.00	26	0.002	Peak	0.2	0.118104	0.116112	N/A



25.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1914.9	99.00	26	0.002	Peak	0.2	0.129881	0.112278	N/A



25.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1850.1	99.00	26	0.002	Peak	0.2	0.188105	0.247108	N/A



25.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1882.5	99.00	26	0.002	Peak	0.2	0.186493	0.24742	N/A



25.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1914.9	99.00	26	0.002	Peak	0.2	0.189247	0.247184	N/A



26. NB-IOT_Band66

26.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.064426	0.038478	N/A



26.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.061662	0.036128	N/A



26.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.002	Peak	0.2	0.064377	0.040776	N/A



26.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.002	Peak	0.2	0.059193	0.03611	N/A



26.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.9	99.00	26	0.002	Peak	0.2	0.064017	0.038736	N/A



26.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.9	99.00	26	0.002	Peak	0.2	0.059672	0.035712	N/A



26.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.118092	0.116758	N/A



26.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.125315	0.102483	N/A



26.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.002	Peak	0.2	0.117913	0.115411	N/A



26.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.002	Peak	0.2	0.123088	0.102637	N/A



26.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.9	99.00	26	0.002	Peak	0.2	0.119126	0.116155	N/A



26.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.9	99.00	26	0.002	Peak	0.2	0.124488	0.100021	N/A



26.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1710.1	99.00	26	0.002	Peak	0.2	0.19062	0.254781	N/A



26.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1745	99.00	26	0.002	Peak	0.2	0.188728	0.254523	N/A



26.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
1779.9	99.00	26	0.002	Peak	0.2	0.187591	0.254671	N/A



27. NB-IOT_Band71

27.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
663.1	99.00	26	0.002	Peak	0.2	0.065484	0.038797	N/A



27.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
663.1	99.00	26	0.002	Peak	0.2	0.058087	0.036864	N/A



27.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
680.5	99.00	26	0.002	Peak	0.2	0.064685	0.038493	N/A



27.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
680.5	99.00	26	0.002	Peak	0.2	0.058546	0.036723	N/A



27.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
697.9	99.00	26	0.002	Peak	0.2	0.064256	0.041207	N/A



27.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
697.9	99.00	26	0.002	Peak	0.2	0.057238	0.036797	N/A



27.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
663.1	99.00	26	0.002	Peak	0.2	0.118473	0.129878	N/A



27.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
663.1	99.00	26	0.002	Peak	0.2	0.11971	0.102094	N/A



27.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
680.5	99.00	26	0.002	Peak	0.2	0.118841	0.116513	N/A



27.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
680.5	99.00	26	0.002	Peak	0.2	0.123746	0.118917	N/A



27.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
697.9	99.00	26	0.002	Peak	0.2	0.119523	0.116185	N/A



27.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
697.9	99.00	26	0.002	Peak	0.2	0.120189	0.10168	N/A



27.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
663.1	99.00	26	0.002	Peak	0.2	0.18556	0.24922	N/A



27.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
680.5	99.00	26	0.002	Peak	0.2	0.186008	0.258174	N/A



27.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
697.9	99.00	26	0.002	Peak	0.2	0.18603	0.247928	N/A



28. NB-IOT_Band85

28.1. NB-IoT 3.75K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
698.1	99.00	26	0.002	Peak	0.2	0.063314	0.038589	N/A



28.2. NB-IoT 3.75K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
698.1	99.00	26	0.002	Peak	0.2	0.058906	0.037132	N/A



28.3. NB-IoT 3.75K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.002	Peak	0.2	0.063433	0.03885	N/A



28.4. NB-IoT 3.75K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.002	Peak	0.2	0.058366	0.036759	N/A



28.5. NB-IoT 3.75K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.062201	0.037982	N/A



28.6. NB-IoT 3.75K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.059203	0.036643	N/A



28.7. NB-IoT 15K RB1 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
698.1	99.00	26	0.002	Peak	0.2	0.118229	0.116087	N/A



28.8. NB-IoT 15K RB1 Low BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
698.1	99.00	26	0.002	Peak	0.2	0.119794	0.103245	N/A



28.9. NB-IoT 15K RB1 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.002	Peak	0.2	0.11902	0.116029	N/A



28.10. NB-IoT 15K RB1 Middle BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.002	Peak	0.2	0.12259	0.101715	N/A



28.11. NB-IoT 15K RB1 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.119557	0.116023	N/A



28.12. NB-IoT 15K RB1 High BPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.12	0.102066	N/A



28.13. NB-IoT 15K RB12 Low QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
698.1	99.00	26	0.002	Peak	0.2	0.186858	0.24821	N/A



28.14. NB-IoT 15K RB12 Middle QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
707	99.00	26	0.002	Peak	0.2	0.187451	0.247148	N/A



28.15. NB-IoT 15K RB12 High QPSK Occupied Bandwidth(NTNV)

Center Frequency (MHz)	OBW Power (%)	XdB Down	RBW (MHz)	Detector	Limit (MHz)	OBW (MHz)	XdB BandWidth (MHz)	Verdict
715.9	99.00	26	0.002	Peak	0.2	0.186119	0.247954	N/A



END