






11AC40SISO_Ant1_High_5670_Peak




11AC80SISO_Ant1_Low_5290_AV







11AC80SISO_Ant1_Low_5290_Peak




11AC80SISO_Ant1_High_5290_AV




11AC80SISO_Ant1_High_5290_Peak



11AC80SISO_Ant1_Low_5530_AV




11AC80SISO_Ant1_Low_5530_Peak






11AC80SISO_Ant1_High_5610_AV



11AC80SISO_Ant1_High_5610_Peak





C.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5260	NV	NT	-35000	-6.653992	20	PASS
			LV	NT	-36000	-6.844106	20	PASS
			HV	NT	-36000	-6.844106	20	PASS
		5280	NV	NT	-36000	-6.818182	20	PASS
			LV	NT	-36000	-6.818182	20	PASS
			HV	NT	-36000	-6.818182	20	PASS
		5320	NV	NT	-36000	-6.766917	20	PASS
			LV	NT	-36000	-6.766917	20	PASS
			HV	NT	-36000	-6.766917	20	PASS
		5500	NV	NT	-37000	-6.727273	20	PASS
			LV	NT	-38000	-6.909091	20	PASS
			HV	NT	-37000	-6.727273	20	PASS
		5580	NV	NT	-38000	-6.810036	20	PASS
			LV	NT	-38000	-6.810036	20	PASS
			HV	NT	-38000	-6.810036	20	PASS
		5700	NV	NT	-39000	-6.842105	20	PASS
			LV	NT	-38000	-6.666667	20	PASS
			HV	NT	-39000	-6.842105	20	PASS
11N20SI SO	Ant1	5260	NV	NT	-35000	-6.653992	20	PASS
			LV	NT	-36000	-6.844106	20	PASS
			HV	NT	-36000	-6.844106	20	PASS
		5280	NV	NT	-36000	-6.818182	20	PASS
			LV	NT	-36000	-6.818182	20	PASS
			HV	NT	-36000	-6.818182	20	PASS
		5320	NV	NT	-36000	-6.766917	20	PASS
			LV	NT	-36000	-6.766917	20	PASS
			HV	NT	-36000	-6.766917	20	PASS
		5500	NV	NT	-38000	-6.909091	20	PASS
			LV	NT	-38000	-6.909091	20	PASS
			HV	NT	-37000	-6.727273	20	PASS
		5580	NV	NT	-38000	-6.810036	20	PASS
			LV	NT	-38000	-6.810036	20	PASS
			HV	NT	-38000	-6.810036	20	PASS
		5700	NV	NT	-38000	-6.666667	20	PASS
			LV	NT	-38000	-6.666667	20	PASS
			HV	NT	-38000	-6.666667	20	PASS



11N40SI SO	Ant1	5270	NV	NT	-35000	-6.641366	20	PASS
			LV	NT	-36000	-6.83112	20	PASS
			HV	NT	-36000	-6.83112	20	PASS
		5310	NV	NT	-36000	-6.779661	20	PASS
			LV	NT	-36000	-6.779661	20	PASS
			HV	NT	-36000	-6.779661	20	PASS
		5510	NV	NT	-37000	-6.715064	20	PASS
			LV	NT	-38000	-6.896552	20	PASS
			HV	NT	-37000	-6.715064	20	PASS
		5550	NV	NT	-38000	-6.846847	20	PASS
			LV	NT	-38000	-6.846847	20	PASS
			HV	NT	-38000	-6.846847	20	PASS
		5670	NV	NT	-39000	-6.878307	20	PASS
			LV	NT	-39000	-6.878307	20	PASS
			HV	NT	-39000	-6.878307	20	PASS
11AC20S ISO	Ant1	5260	NV	NT	-36000	-6.844106	20	PASS
			LV	NT	-36000	-6.844106	20	PASS
			HV	NT	-36000	-6.844106	20	PASS
		5280	NV	NT	-36000	-6.818182	20	PASS
			LV	NT	-36000	-6.818182	20	PASS
			HV	NT	-36000	-6.818182	20	PASS
		5320	NV	NT	-36000	-6.766917	20	PASS
			LV	NT	-36000	-6.766917	20	PASS
			HV	NT	-36000	-6.766917	20	PASS
		5500	NV	NT	-37000	-6.727273	20	PASS
			LV	NT	-37000	-6.727273	20	PASS
			HV	NT	-37000	-6.727273	20	PASS
		5580	NV	NT	-38000	-6.810036	20	PASS
			LV	NT	-38000	-6.810036	20	PASS
			HV	NT	-38000	-6.810036	20	PASS
		5700	NV	NT	-38000	-6.666667	20	PASS
			LV	NT	-38000	-6.666667	20	PASS
			HV	NT	-38000	-6.666667	20	PASS
11AC40S ISO	Ant1	5270	NV	NT	-36000	-6.83112	20	PASS
			LV	NT	-36000	-6.83112	20	PASS
			HV	NT	-36000	-6.83112	20	PASS
		5310	NV	NT	-36000	-6.779661	20	PASS
			LV	NT	-36000	-6.779661	20	PASS
			HV	NT	-36000	-6.779661	20	PASS
		5510	NV	NT	-37000	-6.715064	20	PASS
			LV	NT	-37000	-6.715064	20	PASS
			HV	NT	-38000	-6.896552	20	PASS
		5550	NV	NT	-38000	-6.846847	20	PASS



			LV	NT	-38000	-6.846847	20	PASS
			HV	NT	-38000	-6.846847	20	PASS
		5670	NV	NT	-38000	-6.70194	20	PASS
			LV	NT	-38000	-6.70194	20	PASS
			HV	NT	-39000	-6.878307	20	PASS
	11AC80S ISO	5290	NV	NT	-36000	-6.805293	20	PASS
			LV	NT	-36000	-6.805293	20	PASS
			HV	NT	-36000	-6.805293	20	PASS
		5530	NV	NT	-38000	-6.871609	20	PASS
			LV	NT	-37000	-6.690778	20	PASS
			HV	NT	-38000	-6.871609	20	PASS
		5610	NV	NT	-38000	-6.773619	20	PASS
			LV	NT	-38000	-6.773619	20	PASS
			HV	NT	-38000	-6.773619	20	PASS

Temperature								
TestMode	Antenna	Channel	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5260	NV	-30	-36000	-6.844106	20	PASS
			NV	-20	-36000	-6.844106	20	PASS
			NV	-10	-36000	-6.844106	20	PASS
			NV	0	-36000	-6.844106	20	PASS
			NV	10	-36000	-6.844106	20	PASS
			NV	20	-36000	-6.844106	20	PASS
			NV	30	-36000	-6.844106	20	PASS
			NV	40	-36000	-6.844106	20	PASS
			NV	50	-36000	-6.844106	20	PASS
		5280	NV	-30	-36000	-6.818182	20	PASS
			NV	-20	-36000	-6.818182	20	PASS
			NV	-10	-36000	-6.818182	20	PASS
			NV	0	-36000	-6.818182	20	PASS
			NV	10	-36000	-6.818182	20	PASS
			NV	20	-36000	-6.818182	20	PASS
			NV	30	-36000	-6.818182	20	PASS
			NV	40	-36000	-6.818182	20	PASS
			NV	50	-36000	-6.818182	20	PASS
		5320	NV	-30	-36000	-6.766917	20	PASS
			NV	-20	-36000	-6.766917	20	PASS
			NV	-10	-36000	-6.766917	20	PASS
			NV	0	-36000	-6.766917	20	PASS
			NV	10	-36000	-6.766917	20	PASS
			NV	20	-36000	-6.766917	20	PASS
			NV	30	-36000	-6.766917	20	PASS



			NV	40	-36000	-6.766917	20	PASS
			NV	50	-36000	-6.766917	20	PASS
		5500	NV	-30	-37000	-6.727273	20	PASS
			NV	-20	-38000	-6.909091	20	PASS
			NV	-10	-38000	-6.909091	20	PASS
			NV	0	-37000	-6.727273	20	PASS
			NV	10	-37000	-6.727273	20	PASS
			NV	20	-37000	-6.727273	20	PASS
			NV	30	-37000	-6.727273	20	PASS
			NV	40	-37000	-6.727273	20	PASS
			NV	50	-37000	-6.727273	20	PASS
		5580	NV	-30	-38000	-6.810036	20	PASS
			NV	-20	-38000	-6.810036	20	PASS
			NV	-10	-38000	-6.810036	20	PASS
			NV	0	-38000	-6.810036	20	PASS
			NV	10	-38000	-6.810036	20	PASS
			NV	20	-38000	-6.810036	20	PASS
			NV	30	-38000	-6.810036	20	PASS
			NV	40	-38000	-6.810036	20	PASS
		5700	NV	-30	-38000	-6.666667	20	PASS
			NV	-20	-38000	-6.666667	20	PASS
			NV	-10	-39000	-6.842105	20	PASS
			NV	0	-38000	-6.666667	20	PASS
			NV	10	-38000	-6.666667	20	PASS
			NV	20	-38000	-6.666667	20	PASS
			NV	30	-38000	-6.666667	20	PASS
			NV	40	-38000	-6.666667	20	PASS
			NV	50	-38000	-6.666667	20	PASS
11N20SI SO	Ant1	5260	NV	-30	-36000	-6.844106	20	PASS
			NV	-20	-36000	-6.844106	20	PASS
			NV	-10	-36000	-6.844106	20	PASS
			NV	0	-36000	-6.844106	20	PASS
			NV	10	-36000	-6.844106	20	PASS
			NV	20	-36000	-6.844106	20	PASS
			NV	30	-36000	-6.844106	20	PASS
			NV	40	-36000	-6.844106	20	PASS
			NV	50	-36000	-6.844106	20	PASS
		5280	NV	-30	-36000	-6.818182	20	PASS
			NV	-20	-36000	-6.818182	20	PASS
			NV	-10	-36000	-6.818182	20	PASS
			NV	0	-36000	-6.818182	20	PASS
			NV	10	-36000	-6.818182	20	PASS



			NV	20	-36000	-6.818182	20	PASS
			NV	30	-36000	-6.818182	20	PASS
			NV	40	-36000	-6.818182	20	PASS
			NV	50	-36000	-6.818182	20	PASS
		5320	NV	-30	-36000	-6.766917	20	PASS
			NV	-20	-36000	-6.766917	20	PASS
			NV	-10	-36000	-6.766917	20	PASS
			NV	0	-36000	-6.766917	20	PASS
			NV	10	-36000	-6.766917	20	PASS
			NV	20	-36000	-6.766917	20	PASS
			NV	30	-36000	-6.766917	20	PASS
			NV	40	-36000	-6.766917	20	PASS
			NV	50	-36000	-6.766917	20	PASS
			NV	50	-36000	-6.766917	20	PASS
		5500	NV	-30	-37000	-6.727273	20	PASS
			NV	-20	-37000	-6.727273	20	PASS
			NV	-10	-37000	-6.727273	20	PASS
			NV	0	-37000	-6.727273	20	PASS
			NV	10	-37000	-6.727273	20	PASS
			NV	20	-38000	-6.909091	20	PASS
			NV	30	-37000	-6.727273	20	PASS
			NV	40	-37000	-6.727273	20	PASS
			NV	50	-37000	-6.727273	20	PASS
		5580	NV	-30	-38000	-6.810036	20	PASS
			NV	-20	-38000	-6.810036	20	PASS
			NV	-10	-38000	-6.810036	20	PASS
			NV	0	-38000	-6.810036	20	PASS
			NV	10	-38000	-6.810036	20	PASS
			NV	20	-38000	-6.810036	20	PASS
			NV	30	-38000	-6.810036	20	PASS
			NV	40	-38000	-6.810036	20	PASS
			NV	50	-38000	-6.810036	20	PASS
		5700	NV	-30	-38000	-6.666667	20	PASS
			NV	-20	-38000	-6.666667	20	PASS
			NV	-10	-38000	-6.666667	20	PASS
			NV	0	-38000	-6.666667	20	PASS
			NV	10	-38000	-6.666667	20	PASS
			NV	20	-38000	-6.666667	20	PASS
			NV	30	-38000	-6.666667	20	PASS
			NV	40	-38000	-6.666667	20	PASS
			NV	50	-38000	-6.666667	20	PASS
11N40SI SO	Ant1	5270	NV	-30	-36000	-6.83112	20	PASS
			NV	-20	-36000	-6.83112	20	PASS
			NV	-10	-36000	-6.83112	20	PASS



			NV	0	-36000	-6.83112	20	PASS
			NV	10	-36000	-6.83112	20	PASS
			NV	20	-36000	-6.83112	20	PASS
			NV	30	-36000	-6.83112	20	PASS
			NV	40	-36000	-6.83112	20	PASS
			NV	50	-36000	-6.83112	20	PASS
		5310	NV	-30	-36000	-6.779661	20	PASS
			NV	-20	-36000	-6.779661	20	PASS
			NV	-10	-36000	-6.779661	20	PASS
			NV	0	-36000	-6.779661	20	PASS
			NV	10	-36000	-6.779661	20	PASS
			NV	20	-36000	-6.779661	20	PASS
			NV	30	-36000	-6.779661	20	PASS
			NV	40	-36000	-6.779661	20	PASS
			NV	50	-36000	-6.779661	20	PASS
		5510	NV	-30	-38000	-6.896552	20	PASS
			NV	-20	-37000	-6.715064	20	PASS
			NV	-10	-37000	-6.715064	20	PASS
			NV	0	-38000	-6.896552	20	PASS
			NV	10	-37000	-6.715064	20	PASS
			NV	20	-37000	-6.715064	20	PASS
			NV	30	-37000	-6.715064	20	PASS
			NV	40	-37000	-6.715064	20	PASS
			NV	50	-37000	-6.715064	20	PASS
		5550	NV	-30	-38000	-6.846847	20	PASS
			NV	-20	-38000	-6.846847	20	PASS
			NV	-10	-38000	-6.846847	20	PASS
			NV	0	-38000	-6.846847	20	PASS
			NV	10	-38000	-6.846847	20	PASS
			NV	20	-38000	-6.846847	20	PASS
			NV	30	-38000	-6.846847	20	PASS
			NV	40	-38000	-6.846847	20	PASS
			NV	50	-38000	-6.846847	20	PASS
		5670	NV	-30	-38000	-6.70194	20	PASS
			NV	-20	-38000	-6.70194	20	PASS
			NV	-10	-39000	-6.878307	20	PASS
			NV	0	-39000	-6.878307	20	PASS
			NV	10	-39000	-6.878307	20	PASS
			NV	20	-39000	-6.878307	20	PASS
			NV	30	-39000	-6.878307	20	PASS
			NV	40	-38000	-6.70194	20	PASS
			NV	50	-39000	-6.878307	20	PASS
11AC20S	Ant1	5260	NV	-30	-36000	-6.844106	20	PASS



ISO			NV	-20	-36000	-6.844106	20	PASS
			NV	-10	-36000	-6.844106	20	PASS
			NV	0	-36000	-6.844106	20	PASS
			NV	10	-36000	-6.844106	20	PASS
			NV	20	-36000	-6.844106	20	PASS
			NV	30	-36000	-6.844106	20	PASS
			NV	40	-36000	-6.844106	20	PASS
			NV	50	-36000	-6.844106	20	PASS
		5280	NV	-30	-36000	-6.818182	20	PASS
			NV	-20	-36000	-6.818182	20	PASS
			NV	-10	-36000	-6.818182	20	PASS
			NV	0	-36000	-6.818182	20	PASS
			NV	10	-36000	-6.818182	20	PASS
			NV	20	-36000	-6.818182	20	PASS
			NV	30	-36000	-6.818182	20	PASS
			NV	40	-36000	-6.818182	20	PASS
			NV	50	-36000	-6.818182	20	PASS
		5320	NV	-30	-36000	-6.766917	20	PASS
			NV	-20	-36000	-6.766917	20	PASS
			NV	-10	-36000	-6.766917	20	PASS
			NV	0	-36000	-6.766917	20	PASS
			NV	10	-36000	-6.766917	20	PASS
			NV	20	-36000	-6.766917	20	PASS
			NV	30	-36000	-6.766917	20	PASS
			NV	40	-36000	-6.766917	20	PASS
			NV	50	-36000	-6.766917	20	PASS
		5500	NV	-30	-37000	-6.727273	20	PASS
			NV	-20	-37000	-6.727273	20	PASS
			NV	-10	-37000	-6.727273	20	PASS
			NV	0	-37000	-6.727273	20	PASS
			NV	10	-37000	-6.727273	20	PASS
			NV	20	-38000	-6.909091	20	PASS
			NV	30	-37000	-6.727273	20	PASS
			NV	40	-38000	-6.909091	20	PASS
			NV	50	-37000	-6.727273	20	PASS
		5580	NV	-30	-38000	-6.810036	20	PASS
			NV	-20	-38000	-6.810036	20	PASS
			NV	-10	-38000	-6.810036	20	PASS
			NV	0	-38000	-6.810036	20	PASS
			NV	10	-38000	-6.810036	20	PASS
			NV	20	-38000	-6.810036	20	PASS
			NV	30	-38000	-6.810036	20	PASS
			NV	40	-38000	-6.810036	20	PASS



			NV	50	-38000	-6.810036	20	PASS
		5700	NV	-30	-38000	-6.666667	20	PASS
			NV	-20	-38000	-6.666667	20	PASS
			NV	-10	-38000	-6.666667	20	PASS
			NV	0	-38000	-6.666667	20	PASS
			NV	10	-38000	-6.666667	20	PASS
			NV	20	-38000	-6.666667	20	PASS
			NV	30	-38000	-6.666667	20	PASS
			NV	40	-38000	-6.666667	20	PASS
			NV	50	-38000	-6.666667	20	PASS
11AC40S ISO	Ant1	5270	NV	-30	-36000	-6.83112	20	PASS
			NV	-20	-36000	-6.83112	20	PASS
			NV	-10	-36000	-6.83112	20	PASS
			NV	0	-36000	-6.83112	20	PASS
			NV	10	-36000	-6.83112	20	PASS
			NV	20	-36000	-6.83112	20	PASS
			NV	30	-36000	-6.83112	20	PASS
			NV	40	-36000	-6.83112	20	PASS
			NV	50	-36000	-6.83112	20	PASS
		5310	NV	-30	-36000	-6.779661	20	PASS
			NV	-20	-36000	-6.779661	20	PASS
			NV	-10	-36000	-6.779661	20	PASS
			NV	0	-36000	-6.779661	20	PASS
			NV	10	-36000	-6.779661	20	PASS
			NV	20	-36000	-6.779661	20	PASS
			NV	30	-36000	-6.779661	20	PASS
			NV	40	-36000	-6.779661	20	PASS
			NV	50	-36000	-6.779661	20	PASS
		5510	NV	-30	-37000	-6.715064	20	PASS
			NV	-20	-37000	-6.715064	20	PASS
			NV	-10	-37000	-6.715064	20	PASS
			NV	0	-38000	-6.896552	20	PASS
			NV	10	-37000	-6.715064	20	PASS
			NV	20	-37000	-6.715064	20	PASS
			NV	30	-37000	-6.715064	20	PASS
			NV	40	-37000	-6.715064	20	PASS
			NV	50	-37000	-6.715064	20	PASS
		5550	NV	-30	-38000	-6.846847	20	PASS
			NV	-20	-38000	-6.846847	20	PASS
			NV	-10	-38000	-6.846847	20	PASS
			NV	0	-38000	-6.846847	20	PASS
			NV	10	-38000	-6.846847	20	PASS
			NV	20	-38000	-6.846847	20	PASS



			NV	30	-38000	-6.846847	20	PASS
			NV	40	-38000	-6.846847	20	PASS
			NV	50	-37000	-6.666667	20	PASS
		5670	NV	-30	-38000	-6.70194	20	PASS
			NV	-20	-39000	-6.878307	20	PASS
			NV	-10	-38000	-6.70194	20	PASS
			NV	0	-38000	-6.70194	20	PASS
			NV	10	-38000	-6.70194	20	PASS
			NV	20	-38000	-6.70194	20	PASS
			NV	30	-39000	-6.878307	20	PASS
			NV	40	-38000	-6.70194	20	PASS
			NV	50	-39000	-6.878307	20	PASS
11AC80S ISO	Ant1	5290	NV	-30	-36000	-6.805293	20	PASS
			NV	-20	-36000	-6.805293	20	PASS
			NV	-10	-36000	-6.805293	20	PASS
			NV	0	-36000	-6.805293	20	PASS
			NV	10	-36000	-6.805293	20	PASS
			NV	20	-36000	-6.805293	20	PASS
			NV	30	-36000	-6.805293	20	PASS
			NV	40	-36000	-6.805293	20	PASS
			NV	50	-36000	-6.805293	20	PASS
		5530	NV	-30	-38000	-6.871609	20	PASS
			NV	-20	-38000	-6.871609	20	PASS
			NV	-10	-37000	-6.690778	20	PASS
			NV	0	-38000	-6.871609	20	PASS
			NV	10	-38000	-6.871609	20	PASS
			NV	20	-38000	-6.871609	20	PASS
			NV	30	-37000	-6.690778	20	PASS
			NV	40	-37000	-6.690778	20	PASS
			NV	50	-37000	-6.690778	20	PASS
		5610	NV	-30	-38000	-6.773619	20	PASS
			NV	-20	-38000	-6.773619	20	PASS
			NV	-10	-38000	-6.773619	20	PASS
			NV	0	-38000	-6.773619	20	PASS
			NV	10	-38000	-6.773619	20	PASS
			NV	20	-38000	-6.773619	20	PASS
			NV	30	-38000	-6.773619	20	PASS
			NV	40	-38000	-6.773619	20	PASS
			NV	50	-38000	-6.773619	20	PASS



C.6 Duty Cycle


Test Result

TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Limit	Verdict
11A	Ant1	5260	2.04	2.07	98.55	---	PASS
		5280	2.05	2.08	98.56	---	PASS
		5320	2.05	2.08	98.56	---	PASS
		5500	2.05	2.08	98.56	---	PASS
		5580	2.05	2.08	98.56	---	PASS
		5700	2.05	2.08	98.56	---	PASS
11N20SISO	Ant1	5260	1.90	1.93	98.45	---	PASS
		5280	1.90	1.93	98.45	---	PASS
		5320	1.90	1.93	98.45	---	PASS
		5500	1.91	1.94	98.45	---	PASS
		5580	1.90	1.93	98.45	---	PASS
		5700	1.91	1.94	98.45	---	PASS
11N40SISO	Ant1	5270	0.93	0.96	96.88	---	PASS
		5310	0.93	0.96	96.88	---	PASS
		5510	0.93	0.96	96.88	---	PASS
		5550	0.93	0.96	96.88	---	PASS
		5670	0.93	0.96	96.88	---	PASS
11AC20SISO	Ant1	5260	1.91	1.94	98.45	---	PASS
		5280	1.91	1.94	98.45	---	PASS
		5320	1.91	1.94	98.45	---	PASS
		5500	1.91	1.94	98.45	---	PASS
		5580	1.91	1.94	98.45	---	PASS
		5700	1.91	1.94	98.45	---	PASS
11AC40SISO	Ant1	5270	0.94	0.97	96.91	---	PASS
		5310	0.94	0.97	96.91	---	PASS
		5510	0.94	0.97	96.91	---	PASS
		5550	0.94	0.97	96.91	---	PASS
		5670	0.94	0.97	96.91	---	PASS
11AC80SISO	Ant1	5290	0.43	0.46	93.48	---	PASS
		5530	0.43	0.46	93.48	---	PASS
		5610	0.43	0.46	93.48	---	PASS




Test Graphs


11A_Ant1_5260




11A_Ant1_5280




11A_Ant1_5320



11A_Ant1_5500




11A_Ant1_5580







11A_Ant1_5700




11N20SISO_Ant1_5260




11N20SISO_Ant1_5280



11N20SISO_Ant1_5320




11N20SISO_Ant1_5500







11N20SISO_Ant1_5580




11N20SISO_Ant1_5700




11N40SISO_Ant1_5270



11N40SISO_Ant1_5310




11N40SISO_Ant1_5510







11N40SISO_Ant1_5550




11N40SISO_Ant1_5670



11AC20SISO_Ant1_5260



11AC20SISO_Ant1_5280



11AC20SISO_Ant1_5320

