

CENTRE OF TESTING SERVICE INTERNATIONAL

OPERATE ACCORDING TO ISO/IEC 17025

FCC ID TEST REPORT

TEST REPORT NUMBER: CGZ3090513-01032-O



CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China.







	TEST REPORT For FCC ID
	47 CFR PART 15 OCT, 2009
Report Reference No	CGZ3090513-01032-O
Date of issue	13 August 2010
Testing Laboratory Name	CETRE OF TESTING SERVICE CO., LTD
Address	Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China.
Testing location/ procedure	Full application of Harmonised standards ■
	Partial application of Harmonised standards \square
	Other standard testing method \square
Applicant's name	INVESTIO HOLDINGS CO., LTD.
Address	#2011 DAEWOO Diovill Yeoksam-dong, Kangnam-gu, Seoul, Korea
Test specification	
Standard	·· 47 CFR PART 15 OCT, 2009, ANSI C63.4-2009
Test Report Form No	CTSEMC-1.0
TRF Originator	CENTRE OF TESTING SERVICE CO., LTD
Master TRF	Dated 2009-01
CENTRE OF TESTING SERVICE (CO., LTD. All rights reserved.
CENTRE OF TESTING SERVICE (material, CENTRE OF TESTING SI	I in whole or in part for non-commercial purposes as long as the CO., LTD is acknowledged as copyright owner and source of the ERVICE CO., LTD takes no responsibility for and will not assume liability der's interpretation of the reproduced material due to its placement and
Test item description	. Headrest monitor with DVD Player
Trade Mark	. SAVV/ SPECMAN/ NESA / VST/ POWER ACOUSTIK/ SPL/ FARENHEIT/ SOUND STREAM
Manufacturer	. INVESTIO HOLDINGS CO., LTD.
Model/Type reference	. NPM-909DV
Ratings	. DC 12V
Operating Frequency	88.1-89.5MHz/ MSK
Result	Positive

Compiled by:

Supervised by:

Approved by:

Quty Liu / File administrators

Jackson Zhang / Technique principal

Kevin Liang / Manager

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn





FCCID-TEST REPORT

Test Report No. : CGZ3090513-01032-O

13 August.2010

Date of issue

Type / Model	NPM-909DV
EUT	Headrest monitor with DVD Player
Applicant	INVESTIO HOLDINGS CO., LTD.
Address	#2011 DAEWOO Diovill Yeoksam-dong, Kangnam-gu, Seoul, Korea
Telephone	+82-2-21936353
Fax	+82-2-21936353
Contact	YEONGMIN OH
Manufacturer	INVESTIO HOLDINGS CO., LTD.
Address	#2011 DAEWOO Diovill Yeoksam-dong, Kangnam-gu, Seoul, Korea
Telephone	+82-2-21936353
Fax	+82-2-21936353
Contact	YEONGMIN OH
Test report holder	INVESTIO HOLDINGS CO., LTD.
Address	#2011 DAEWOO Diovill Yeoksam-dong, Kangnam-gu, Seoul, Korea
Telephone	+82-2-21936353
Fax	+82-2-21936353
Contact	YEONGMIN OH

Test Result according to the standards on page 3: Positive

The test report merely corresponds to the test sample.

It is not permitted to copy extracts of these test result without the written permission of the test laboratory.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 2 of 23





TABLE OF CONTENTS

Description	Page
1.TEST STANDARDS	5
2.SUMMARY	5
2.1 GENERAL REMARKS	5
2.2 FINAL ASSESSMENT	5
3.EQUIPMENT UNDER TEST	5
3.1 Power Supply System utilised	5
3.2 SHORT DESCRIPTION OF THE EQUIPMENT UNDER TEST (EUT)	5
3.3 EUT OPERATION MODE	
3.4 EUT CONFIGURATION	6
4.TEST ENVIRONMENT	7
4.1 Address of the test laboratory	7
4.2 TEST FACILITY	
4.3 ENVIRONMENTAL CONDITIONS	
4.4 DEFINITIONS OF SYMBOLS USED IN THIS TEST REPORT	
4.5 STATEMENT OF THE MEASUREMENT UNCERTAINTY4.6 MEASUREMENT UNCERTAINTY	
5.SUMMARY OF STANDARDS AND RESULTS	8
5.1.DESCRIPTION OF STANDARDS AND RESULTS	8
6.POWER LINE CONDUCTED EMISSION TEST	9
7.RADIATED DISTURBANCE (ELECTRIC FIELD)	10
7.1.Test Equipment	10
7.2.BLOCK DIAGRAM OF TEST SETUP	
7.3. RADIATED EMISSION LIMIT STANDARD: FCC 15.239	11
7.4.Test Procedure	
7.5.RADIATED EMISSION TEST RESULTS	12
8 BANDWIDTH TEST	19
8.1.Test Equipment	
8.2.Test Information	
8.3.Test Results	19
9.DEVIATION TO TEST SPECIFICATIONS	22

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

CENTRE OF TESTING SERVICE





41	0. MANUFACTURER/ APPROVAL HOLDER DECLARATION	ď
11	J. WANUFACTURER/ AFFRUVAL NULDER DEGLARATION	Z.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn





1.TEST STANDARDS

The tests were performed according to following standards:

- 47 CFR PART 15 OCT, 2009
- ANSI C63.4-2009

2.SUMMARY

2.1 GENERAL REMARKS

Date of receipt of test sample	18 March 2010
Testing commenced on	19 March 2010
Testing concluded on	13 August 2010

2.2 FINAL ASSESSMENT

The FCC requirements pertaining to the technical standards and tested operation modes are

fulfilled.

□ - **not** fulfilled.

The equipment under test

fulfils the FCC requirements cited on page 3.

does not fulfil the FCC requirements cited on page 3.

3.EQUIPMENT UNDER TEST

3.1 Power supply system utilised

Power supply voltage : ■ DC 12V

3.2 Short description of the Equipment under Test (EUT)

Number of tested samples: 1

Serial number: Prototype

3.3 EUT operation mode

The equipment under test was operated during the measurement under the following conditions:

□ - Standby

Test program (customer specific)

Operation mode 1: FM 88.1MHz, FM 89.1MHz, FM 89.5MHz

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O





3.4 EUT configuration

3.4.1. Description of configuration (EUT)

Description	:	Headrest monitor with DVD Player
Model Number	:	NPM-909DV
Operation frequency	:	88.1-89.5MHz
Radio Technology	:	MSK
Modulation Technology	:	MSK modulation
Antenna	:	Integral antenna, met requirement of FCC 15.239
Antenna Assembly Gain	:	2dBi (maximum)

3.4.2. Tested Supporting System Details

N/A

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

Fax: +86-20-38780406 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 6 of 23





4.TEST ENVIRONMENT

4.1 Address of the test laboratory

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

4.2 Test facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS-Lab Code: L3394

CENTRE OF TESTING SERVICE CO., LTD has been assessed and proved to be in compliance with CNAS-CL01: 2006 Accreditation Criteria for Testing and Calibration Laboratories (identical to ISO/IEC 17025: 2005 General Requirements) for the Competence of Testing and Calibration Laboratories.

IC-Registration No.: 8374

The 3m Alternate Test Site of CENTRE OF TESTING SERVICE CO., LTD has been registered by Certification and Engineering Bureau of Industry Canada for the performance of radiated measurements with Registration No. 8374 on June 24, 2009 .

FCC-Registration No.: 971995

CENTRE OF TESTING SERVICE CO., LTD, EMC Laboratory has been registered and fully described in a report filed with the FCC (Federal Communications Commission). The acceptance letter from the FCC is maintained in our files. Registration No.791995, July 21, 2009.

4.3 Environmental conditions

During the measurement the environmental conditions were within the listed ranges:

Temperature:	15~35 ° C
Humidity:	25~75 %
Atmospheric pressure:	86~106 kPa

4.4 Definitions of symbols used in this test report

- - The black square indicates that the listed condition, standard or equipment is applicable for this report.
- The empty square indicates that the listed condition, standard or equipment is **not** applicable for this report.

4.5 Statement of the measurement uncertainty

The data and results referenced in this document are true and accurate. The reader is cautioned that there may be errors within the calibration limits of the equipment and facilities. The measurement uncertainty was calculated for all measurements listed in this test report acc. to CISPR 16 - 4 "Specification for radio disturbance and immunity measuring apparatus and methods – Part 4: Uncertainty in EMC Measurements" and is documented in the CTS quality system acc. to DIN EN ISO/IEC 17025. Furthermore, component and process variability of devices similar to that tested may result in additional deviation. The manufacturer has the sole responsibility of continued compliance of the device.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

 $\label{eq:buildingF} \textbf{Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China}$

Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406 Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 7 of 23





4.6 Measurement Uncertainty

Test Item	Frequency Range	Uncertainty	Note
Conduction disturbance	150kHz~30MHz	±1.22dB	(1)
Power disturbance	30MHz~300MHz	±1.38dB	(1)
Radiation emission (3m)	30MHz~300MHz	±3.14dB	(1)
	300MHz~1000MHz	±3.18dB	(1)

^{(1).} This uncertainty represents an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2.

5. Summary of standards and results

5.1.Description of Standards and Results

The EUT have been tested according to the applicable standards as referenced below.

EMISSION					
Description of Test Item Standard Results					
Conducted Emission Test	FCC Part 15 C: 15.239 ANSI C63.4-2009	N/A			
Radiated Emission Test	FCC Part 15 C: 15.239 ANSI C63.4-2009	PASSED			
Bandwidth Test	FCC Part 15 C: 15.239 ANSI C63.4-2009	PASSED			
N/A is an abbreviation for Not Applicable.					

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-95533471 E-mail: cts@cts-lab.com.cn See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O





6. Power Line Conducted Emission Test

According to Paragraph (f) of FCC Part 15 section 15.239, Tests to demonstrate compliance with the conducted limits are not required for devices which only employ battery power for operation and which do not operate from the AC power lines or contain provisions for operation while connected to the AC power lines.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 9 of 23





7. Radiated disturbance (electric field)

7.1.Test Equipment

Radia	Radiated disturbance (electric field)						
Item	Test Equipment	Manufacturer	Model No.	Serial No.	Last Cal.		
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	100868	2009/12		
2	Biconical Antenna	ROHDE & SCHWARZ	HK116	100221	2009/12		
3	Log per Antenna	ROHDE & SCHWARZ	HL223	100226	2009/12		
4	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2009/12		
5	Signal analyzer	ROHDE & SCHWARZ	FSIQ26	100311	2009/12		

7.2.Block Diagram of Test Setup

7.2.1 Block Diagram of connection between EUT and simulators



(EUT: Headrest monitor with DVD Player)

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406


Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 10 of 23





7.2.2 Anechoic Chamber Setup Diagram



7.3. Radiated Emission Limit Standard: FCC 15.239

FRE	FREQUENCY D		DISTANCE	FIELD STRENGTHS LIMIT		
	MHz		Meters	μV/m	dB(μV)/m	
30	~	88	3	100	40.0	
88	~	216	3	150	43.5	
88		108	3	250	48.0 (Average)/ 68.0 (Peak)	
216	~	960	3	200	46.0	
960	~	1000	3	500	54.0	
Above 1000		3		0 dB(μV)/m (Peak) (μV)/m (Average)		

- Remark: (1) Emission level $dB\mu V = 20 \log Emission level \mu V/m$
 - (2) The smaller limit shall apply at the cross point between two frequency bands.
 - (3) Distance is the distance in meters between the measuring instrument, antenna and the closest point of any part of the device or system.

7.4.Test Procedure

The EUT and its simulators are placed on a turn table, which is 0.8 meter high above ground. The turn table can rotate 360 degrees to determine the position of the maximum emission level. The EUT is set 3 meters away from the receiving antenna, which is mounted on a antenna tower. The antenna can be moved up and down between 1 meter and 4 meters to find out the maximum emission level. Broadband antenna (calibrated bilog antenna) is used as receiving antenna. Both horizontal and vertical polarization of the antenna is set on Test. In order to find the maximum emission levels, all of the interface cables must be manipulated according to ANSI C63.4-2009on radiated emission Test.

The frequency range from 30MHz to 1000MHz and above 1GHz, is investigated. Please see the following pages.

All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 120kHz RBW below 1GHz and a Peak and Average detector with 1MHz RBW above 1GHz.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Fax: +86-20-38780406

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 11 of 23





All measurements for radiated emissions within the restricted bands were performed using a Quasi-Peak detector with 300kHz VBW below 1GHz and a Peak detector with 1MHz VBW above 1GHz, A average detector with 10Hz VBW above 1GHz

The test modes (TX Mode) is tested in Anechoic Chamber and all the scanning waveforms are reported on section 7.5

7.5. Radiated Emission Test Results

PASSED.

The frequency range from 30MHz to 230MHz, 230MHz to 1000MHz. is investigated. Please see the following pages.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn







Channel:	FM 88.1MHz	Result:	■ - passed
Test point:	Horizontal		□ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player			
Firm Name	INVESTIO HOLDINGS CO., LTD.			
Operating Condition	DC 12V			
Test Condition	Ambient Temperature: 25°C Humidity: 56%			
Test Date:	18 March~13 August 2010			
Operator	Roy			
MODEL NO	NPM-909DV			

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	Peak	Average	Peak	Average	Peek
88.1	43.9	51.2	48	68	4.1	16.8

30-1000MHz

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	QP	Average	QP	Average	QP
54.28		35.5		40.0		4.5
81.42		34.4		40.0		5.6
612.21		35.0		46.0		11.0
866.64		36.8		46.0		9.2
901.45		37.1		46.0		8.9

Note: 1. Emission level=Read level + Factor

2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 13 of 23







Channel:	FM 88.1MHz	Result:	■ - passed
Test point:	Vertical		□ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player				
Firm Name	INVESTIO HOLDINGS CO., LTD.				
Operating Condition	DC 12V				
Test Condition	Ambient Temperature: 25°C Humidity: 56%				
Test Date:	18 March~13 August 2010				
Operator	Roy				
MODEL NO	NPM-909DV				

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	Peak	Average	Peak	Average	Peek
88.1	44.1	52.1	48.0	68.0	3.9	15.9

30-1000MHz

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	QP	Average	QP	Average	QP
54.28		34.7		40.0	-	5.3
81.42		35.1		40.0		4.9
612.21		35.0		46.0		11.0
866.43		36.8		46.0		9.2
905.45		37.5		46.0		8.5

Note: 1. Emission level=Read level + Factor

2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 14 of 23







Channel:	FM 89.1MHz	Result:	■ - passed
Test point:	Horizontal		☐ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player
Firm Name	INVESTIO HOLDINGS CO., LTD.
Operating Condition	DC 12V
Test Condition	Ambient Temperature: 25°C Humidity: 56%
Test Date:	18 March~13 August 2010
Operator	Roy
MODEL NO	NPM-909DV

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	Peak	Average	Peak	Average	Peek
89.1	43.6	51.1	48.0	68.0	4.4	16.9

30-1000MHz

Frequency	Result	[dBµV]	Limit	[dBµV]	Dlii	mit [dBµV]
[MHz]	Average	QP	Average	QP	Average	QP
54.55		35.5		40.0		4.5
81.22		34.4		40.0		5.6
612.21		35.0		46.0	-	11.0
866.64		36.8		46.0		9.2
901.45		37.1		46.0		8.9

Note: 1. Emission level=Read level + Factor 2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 15 of 23







Channel:	FM 89.1MHz	Result:	■ - passed
Test point:	Vertical		☐ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player			
Firm Name	INVESTIO HOLDINGS CO., LTD.			
Operating Condition	DC 12V			
Test Condition	Ambient Temperature: 25°C Humidity: 56%			
Test Date:	18 March~13 August 2010			
Operator	Roy			
MODEL NO	NPM-909DV			

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	Peak	Average	Peak	Average	Peek
89.1	43.8	52.0	48.1	68.0	4.2	16.0

30-1000MHz

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	QP	Average	QP	Average	QP
54.45		34.1		40.0		5.9
81.85		35.1		40.0		4.9
678.21		35.0		46.0		11.0
866.43		36.8		46.0		9.2
905.45		37.5		46.0		8.5

Note: 1. Emission level=Read level + Factor 2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471 E-mail: cts@cts-lab.com.cn See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 16 of 23



CENTRE OF TESTING SERVICE





Channel:	FM 89.5MHz	Result:	■ - passed
Test point:	Horizontal		☐ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player			
Firm Name	INVESTIO HOLDINGS CO., LTD.			
Operating Condition	DC 12V			
Test Condition	Ambient Temperature: 25°C Humidity: 56%			
Test Date:	18 March~13 August 2010			
Operator	Roy			
MODEL NO	NPM-909DV			

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	Peak	Average	Peak	Average	Peek
89.5	44.1	50.6	48.0	68.0	3.9	17.2

30-1000MHz

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	QP	Average	QP	Average	QP
54.45		35.1		40.0		4.9
81.88		34.4		40.0		5.6
612.28		35.0		46.0		11.0
866.74		36.8		46.0		9.2
901.25		37.1		46.0		8.9

Note: 1. Emission level=Read level + Factor 2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 17 of 23







Channel:	FM 89.5MHz	Result:	■ - passed
Test point:	Vertical		☐ - not passed
Frequency range:	30-1000MHz		

EUT	Headrest monitor with DVD Player			
Firm Name	INVESTIO HOLDINGS CO., LTD.			
Operating Condition	DC 12V			
Test Condition	Ambient Temperature: 25°C Humidity: 56%			
Test Date:	18 March~13 August 2010			
Operator	Roy			
MODEL NO	NPM-909DV			

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	Peak	Average	Peak	Average	Peek
89.5	44.0	52.1	48.0	68.0	4.0	15.9

30-1000MHz

Frequency	Result [dBµV]		Limit [dBµV]		Dlimit [dBµV]	
[MHz]	Average	QP	Average	QP	Average	QP
56.28		34.5		40.0		5.5
82.77		35.1		40.0		4.9
632.52		35.0		46.0		11.0
852.35		36.8		46.0		9.2
945.12		37.5		46.0		8.5

Note: 1. Emission level=Read level + Factor

2. Factor=Antenna factor + Cable loss

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 18 of 23





8 Bandwidth test

8.1.Test Equipment

Radiated disturbance (electric field)							
Item	Test Equipment Manufacturer Model No. Serial No. Last Cal.						
1	EMI Test Receiver	ROHDE & SCHWARZ	ESCI	10868	2009/12		
2	Log per Antenna	ROHDE & SCHWARZ	HL050	100186	2009/12		
3	Spectrum	Agilent	E4407B	MY41440291	2009/12		

8.2.Test Information

EUT:	Headrest monitor with DVD Player				
M/N:	NPM-909DV				
Test Date:	01 ~11 August 2010				
Ambient Temperature:	24 ℃				
Relative Humidity:	55%				
Test standard:	d: FCC PART 15C: 15.239				
Test mode:	mode: Transmitting				
Test Frequency:	quency: FM 88.1MHz, FM 89.1MHz, FM 89.5MHz				
Test By:	Roy				

8.3.Test Results

Channel	20dB Bandwidth (kHz)	20dB Bandwidth (kHz) Limit (kHz)	
88.1MHz	147.6	200	PASS
89.1MHz	146.8	200	PASS
89.5MHz	139.1	200	PASS

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn


See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 19 of 23






FM 88.1MHz



FM 89.1MHz



Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471


E-mail: cts@cts-lab.com.cn











Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn







9. Deviation to test specifications

[NONE]

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Fax: +86-20-38780406

Tel: +86-20-85543113 (32 lines) Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn





10. Manufacturer/ Approval holder Declaration

The following identical model(s):

LM-U7080DVD HR/ LM-U9080DVD HR/ NPM-709DV/ NPM-909DV/ HDVD-73/ HDVD-93/ SHD-73/ HRD-93

Belong to the tested device:

Product description: **Headrest monitor with DVD Player**Model name: **NPM-909DV**

Differences among these models

NO	Model Number	Brand Name	Enclose	Color	PCB Layout	Structure	Figure	Button	Component
1	LM- U7080DVD HR	SAVV	same plastic	same	same	7 inch	same	laser etching	same
2	NPM- 709DV	NESA	same plastic	same	same	7 inch	same	silk-screen	same
3	HDVD-73	POWER ACOUSTIK	same plastic	same	same	7 inch	same	silk-screen	same
4	SHD-73	SPL	same plastic	same	same	7 inch	same	silk-screen	same
5	LM- U9080DVD HR	SAVV	same plastic	same	same	9 inch	same	laser etching	same
6	NPM- 709DV	NESA	same plastic	same	same	9 inch	same	silk-screen	same
7	HDVD-93	POWER ACOUSTIK	same plastic	same	same	9 inch	same	silk-screen	same
8	HRD-93	FARENHEIT	same plastic	same	same	9 inch	same	silk-screen	same

Remark: No additional models were tested.

Copyright of this report is owned by Centre of Testing Service and may not be reproduced other than in full except with the written approval of the issuing Company.

CENTRE OF TESTING SERVICE CO., LTD.

Building F, Dachuang industrial park, No.379, Zhongshan Dadao, Guangzhou, China Tel: +86-20-85543113 (32 lines) Fax: +86-20-38780406

Complaint line: +86-20-85533471

E-mail: cts@cts-lab.com.cn

See Reverse For Terms And Conditions of Service

Report No.: CGZ3090513-01032-O Page 23 of 23