

Report No.: SZEM140500254801

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan

District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

Email: ee.shenzhen@sgs.com Page: 1 of 116

FCC REPORT

Application No:SZEM1405002548RFApplicant:WGI Innovations, Ltd.Product Name:7"Trail Tab for Android

Model No.(EUT): VU100 Add Model No. VXD

Trade Mark: TRAIL TAB
FCC ID: YTT-VU100

Standards: 47 CFR Part 15, Subpart C (2013)

Date of Receipt: 2014-05-23

Date of Test: 2014-06-03 to 2014-06-13

Date of Issue: 2014-06-20

Test Result: PASS *

. * In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM140500254801

Page: 2 of 116

2 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15, Subpart C Section 15.203/15.247 (c)	ANSI C63.10 2009	PASS
AC Power Line Conducted Emission	47 CFR Part 15, Subpart C Section 15.207	ANSI C63.10 2009	PASS
Conducted Peak Output Power	47 CFR Part 15, Subpart C Section 15.247 (b)(3)	KDB558074 D01 v03r01	PASS
6dB Occupied Bandwidth	47 CFR Part 15, Subpart C Section 15.247 (a)(2)	KDB558074 D01 v03r01	PASS
Power Spectral Density	47 CFR Part 15, Subpart C Section 15.247 (e)	KDB558074 D01 v03r01	PASS
Band-edge for RF Conducted Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	KDB558074 D01 v03r01	PASS
RF Conducted Spurious Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	KDB558074 D01 v03r01	PASS
Radiated Spurious Emissions	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2009	PASS
Restricted bands around fundamental frequency (Radiated Emission)	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2009	PASS

Remark:

Model No.: VU100, VXD

Only the model VU100 was tested, since the circuitry design, PCB layout, electrical components used, internal wiring and functions were identical for all above models. Only different on model number and color.

SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM140500254801

Page: 3 of 116

3 Contents

		· · · · · · · · · · · · · · · · · · ·	Page
1	COV	/ER PAGE	1
2	TES	T SUMMARY	2
3	CON	NTENTS	3
4	GEN	NERAL INFORMATION	4
	4.1	CLIENT INFORMATION	4
	4.2	GENERAL DESCRIPTION OF EUT	
	4.3	TEST ENVIRONMENT AND MODE	6
	4.4	DESCRIPTION OF SUPPORT UNITS	6
	4.5	TEST LOCATION	6
	4.6	TEST FACILITY	
	4.7	DEVIATION FROM STANDARDS	
	4.8	ABNORMALITIES FROM STANDARD CONDITIONS	
	4.9	OTHER INFORMATION REQUESTED BY THE CUSTOMER	
	4.10	EQUIPMENT LIST	8
5	TES	T RESULTS AND MEASUREMENT DATA	11
	5.1	ANTENNA REQUIREMENT	11
	5.2	CONDUCTED EMISSIONS	
	5.3	CONDUCTED PEAK OUTPUT POWER	
	5.4	6DB OCCUPY BANDWIDTH	
	5.5	Power Spectral Density	
	5.6	BAND-EDGE FOR RF CONDUCTED EMISSIONS	
	5.7	RF CONDUCTED SPURIOUS EMISSIONS	
		LOT AS FOLLOWS:	
	5.8	RADIATED SPURIOUS EMISSIONS	
	5.8.1 5.8.2		
	5.8.2 5.9	Z Transmitter emission above 1GHz83 RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY83	
	ວ.ອ	NESTRICTED DANDS AROUND FUNDAMENTAL FREQUENCY	<i>-</i> 1 10



Report No.: SZEM140500254801

Page: 4 of 116

4 General Information

4.1 Client Information

Applicant:	WGI Innovations, Ltd.
Address of Applicant:	602 Fountain Parkway Grand Prairie, TX, 75050, United States

4.2 General Description of EUT

Product Name:	7"Trail Tab for A	Android		
Model No.:	VU100, VXD			
Trade Mark:	TRAIL TAB			
Operation Frequency:	IEEE 802.11b/g.	/n(HT20): 2412MHz to 2462MHz		
	IEEE 802.11n(H	T40): 2422MHz to 2452MHz		
Channel Numbers:	_	, IEEE 802.11n HT20: 11 Channels		
	IEEE 802.11n H	T40: 7 Channels		
Channel Separation:	5MHz			
Type of Modulation:		b: DSSS(CCK,DQPSK,DBPSK)		
	IEEE for 802.11	g: OFDM(64QAM, 16QAM, QPSK, BPSK)		
	IEEE for 802.11	n(HT20 and HT40): OFDM(64QAM, 16QAM,		
	QPSK,BPSK)			
Sample Type:	Portable produc	Portable production		
EUT Function:	7" Trail Tab for	7" Trail Tab for Android		
	IEEE for 802.11	b: 33		
Test Power Grade:	IEEE for 802.11	g: 33		
	IEEE for 802.11	n(T20 and T40) : 33		
Test Software of EUT:	Realtek MP Too	I (APP)		
Antenna Type and Gain:	Type: Integral a	ntenna		
	Gain:1.5dBi			
Power Supply:	AC Adapter:	Model: GQ12-050200-ZU		
		Input: AC 100-240V 50/60Hz 0.5A MAX		
		Output: DC 5.0V 2.0A		
	Battery:	Lithium polymer battery		
Test Voltage:	AC 120V~ 60Hz			
USB Cable:	100cm (Unshielded)			

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 5 of 116

Operation Frequency each of channel(802.11b/g/n HT20)										
Channel	Fre	equency	Channe	Frequency	Channel	Fre	quency	Char	nel	Frequency
1	24	412MHz	4	2427MHz	7	244	12MHz	10)	2457MHz
2	24	417MHz	5	2432MHz	8	244	17MHz	11		2462MHz
3	24	422MHz	6	2437MHz	9	245	52MHz			
Operation F	requ	ency each	of channe	el(802.11n HT40)					
Channe	l	Frequ	ency	Channel	Frequen	су	Chan	nel	ŀ	requency
1		2422	ИНz	4	2437MF	lz	7			2452MHz
2 2427MHz				5	2442MF	lz				
3 2432MHz				6	2447MH	lz				

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

For 802.11b/g/n (HT20):

Channel	Frequency
The Lowest channel	2412MHz
The Middle channel	2437MHz
The Highest channel	2462MHz

For 802.11n (HT40):

Channel	Frequency
The Lowest channel	2422MHz
The Middle channel	2437MHz
The Highest channel	2452MHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 6 of 116

4.3 Test Environment and Mode

Operating Environment:	
Temperature:	26.0 °C
Humidity:	55 % RH
Atmospheric Pressure:	1018 mbar
Test mode:	
Transmitting mode:	The EUT transmitted the continuous modulation test signal at the specific channel(s)
AC charge +	The EUT transmitted the continuous modulation test signal at the
Transmitting mode:	specific channel(s) and AC charge it

4.4 Description of Support Units

The EUT has been tested independent unit.

4.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.





Report No.: SZEM140500254801

Page: 7 of 116

4.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

VCCI

The 3m Semi-anechoic chamber, Full-anechoic Chamber and Shielded Room (7.5m x 4.0m x 3.0m) of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-2197, G-416, T-1153 and C-2383 respectively.

FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

Industry Canada (IC)

Two 3m Semi-anechoic chambers of SGS-CSTC Standards Technical Services Co., Ltd. have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1 & 4620C-2.

4.7 Deviation from Standards

None.

4.8 Abnormalities from Standard Conditions

None.

4.9 Other Information Requested by the Customer

None.



Report No.: SZEM140500254801

Page: 8 of 116

4.10Equipment List

	Conducted Emission	n			
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	Shielding Room	ZhongYu Electron	GB-88	SEL0042	2015-06-10
2	LISN	Rohde & Schwarz	ENV216	SEL0152	2014-10-24
3	LISN	ETS-LINDGREN	3816/2	SEL0021	2015-05-16
4	8 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T8-02	SEL0162	2014-11-10
5	4 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T4-02	SEL0163	2014-11-10
6	2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T2-02	SEL0164	2014-11-10
7	EMI Test Receiver	Rohde & Schwarz	ESCI	SEL0022	2015-05-16
8	Coaxial Cable	SGS	N/A	SEL0025	2015-05-29
9	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24
10	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2014-10-24
11	Barometer	Chang Chun	DYM3	SEL0088	2015-05-16



Report No.: SZEM140500254801

Page: 9 of 116

	RE in Chamber				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	ETS-LINDGREN	N/A	SEL0017	2015-06-10
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEL0023	2015-05-16
3	EMI Test software	AUDIX	E3	SEL0050	N/A
4	BiConiLog Antenna (26-3000MHz)	ETS-LINDGREN	3142C	SEL0015	2014-10-24
5	Double-ridged horn (1-18GHz)	ETS-LINDGREN	3117	SEL0006	2014-10-24
6	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEL0076	2014-10-24
7	Pre-amplifier (0.1-1300MHz)	Agilent Technologies	8447D	SEL0053	2015-05-16
8	Pre-Amplifier (0.1-26.5GHz)	Compliance Directions Systems Inc.	PAP-0126	SEL0168	2014-10-24
9	Coaxial cable	SGS	N/A	SEL0027	2015-05-29
10	Coaxial cable	SGS	N/A	SEL0189	2015-05-29
11	Coaxial cable	SGS	N/A	SEL0121	2015-05-29
12	Coaxial cable	SGS	N/A	SEL0178	2015-05-29
13	Band filter	Amindeon	82346	SEL0094	2015-05-16
14	Barometer	Chang Chun	DYM3	SEL0088	2015-05-16
15	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24
16	Humidity/ Temperature Indicator	Shanhai Qixiang	ZJ1-2B	SEL0103	2014-10-24
17	Signal Generator (10M-27GHz)	Rohde & Schwarz	SMR27	SEL0067	2015-05-16
18	Signal Generator	Rohde & Schwarz	SMY01	SEL0155	2014-10-24
19	Loop Antenna	Beijing Daze	ZN30401	SEL0203	2015-06-04



Report No.: SZEM140500254801

Page: 10 of 116

	RF connected test				
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal.Due date (yyyy-mm-dd)
1	DC Power Supply	Zhao Xin	RXN-305D	SEL0117	2014-10-24
2	Humidity/ Temperature Indicator	HYGRO	ZJ1-2B	SEL0033	2014-10-24
3	Spectrum Analyzer	Rohde & Schwarz	FSP	SEL0154	2014-10-24
4	Coaxial cable	SGS	N/A	SEL0178	2015-05-29
5	Coaxial cable	SGS	N/A	SEL0179	2015-05-29
6	Barometer	ChangChun	DYM3	SEL0088	2015-05-16
7	Signal Generator	Rohde & Schwarz	SML03	SEL0068	2015-05-16
8	Band filter	amideon	82346	SEL0094	2015-05-16
9	POWER METER	R&S	NRVS	SEL0144	2014-10-24
10	Attenuator	Beijin feihang taida	TST-2-6dB	SEL0205	2015-05-16
11	Power Divider(splitter)	Agilent Technologies	11636B	SEL0130	2014-10-24

Note: The calibration interval is one year, all the instruments are valid.



Report No.: SZEM140500254801

Page: 11 of 116

5 Test results and Measurement Data

5.1 Antenna Requirement

Standard requirement: 47 CFR Part 15C Section 15.203 /247(c)

15.203 requirement:


An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

EUT Antenna: Integral antenna

The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 1.5dBi.





Report No.: SZEM140500254801

Page: 12 of 116

5.2 Conducted Emissions


Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2009				
Test Frequency Range:	150kHz to 30MHz				
Limit:	Francisco de la CAMILEN	Limit (d	BuV)		
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarithn	n of the frequency.			
Test Procedure:	 The mains terminal disturb room. The EUT was connected to Impedance Stabilization linear impedance. The power call connected to a second reference plane in the same way as a multiple socket outlet strip a single LISN provided the reasonable to a second ground reference plane. Was placed on the horizontal ground reference plane. Was placed on the horizontal ground reference plane. The EUT shall be 0.4 m vertical ground reference preference plane. The LISN unit under test and bonded mounted on top of the group between the closest points the EUT and associated extends. In order to find the maximum. 	pance voltage test was a AC power source through the AC power source at the AC power source to the AC power source to the AC power source that a vertical ground reference plane, the avertical ground reference to the AC power sound reference plane and reference plane. The AC power source the AC power source that	bugh a LISN 1 (Line des a 50Ω/50μH + If the EUT were bonded to the grown being measured. A multiple power cables not exceeded. It table 0.8m above the arrangement, the Eut arrangement, the Eut reference plane. The end reference plane. The horizontal ground om the boundary of the plane for LISNs his distance was EUT. All other units co.8 m from the LISN 200.8 m from the	5Ω und s to ne EUT ear he	
	equipment and all of the in ANSI C63.10: 2009 on cor	iterface cables must be	•	to	

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 13 of 116





Report No.: SZEM140500254801


Page: 14 of 116

Measurement Data

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

Live Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE LINE

Job No. : 2548RF Test mode : AC charge+TX


		Freq	Cable Loss	LISN Factor	Read Level	Level	Limit Line	Over Limit	Remark
		MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	@	0.17399	0.02	9.70	25.58	35.30	54.77	-19.47	Average
2		0.17399	0.02	9.70	32.76	42.48	64.77	-22.29	QP
3	@	0.33208	0.01	9.74	21.35	31.09	49.40	-18.31	Average
4		0.33208	0.01	9.74	26.72	36.47	59.40	-22.93	QP
5	@	0.83047	0.02	9.80	36.05	45.87	56.00	-10.13	QP
6	@	0.83047	0.02	9.80	30.72	40.54	46.00	-5.46	Average
7		3.241	0.02	9.85	21.23	31.10	56.00	-24.90	QP
8		3.241	0.02	9.85	13.58	23.45	46.00	-22.55	Average
9		8.729	0.01	9.90	20.01	29.92	60.00	-30.08	QP
10		8.729	0.01	9.90	11.31	21.22	50.00	-28.78	Average
11		22.180	0.02	10.10	13.04	23.16	50.00	-26.84	Average
12		22.180	0.02	10.10	21.76	31.88	60.00	-28.12	QP



Report No.: SZEM140500254801

Page: 15 of 116

Neutral Line:



Site : Shielding Room

Condition : 47 CFR PART 15 B QP CE NEUTRAL

Job No. : 2548RF

Test mode : AC charge+TX

	Freq	Cable Loss	LISN Factor	Read Level		Limit Line	Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.19969	0.02	9.70	24.44	34.16	63.62	-29.46	QP
2	0.19969	0.02	9.70	15.15	24.87	53.62	-28.75	Average
3	0.40615	0.01	9.80	24.15	33.96	57.73	-23.77	QP
4	0.40615	0.01	9.80	15.51	25.32	47.73	-22.40	Average
5	0.71219	0.02	9.80	22.85	32.67	56.00	-23.33	QP
6	0.71219	0.02	9.80	13.76	23.58	46.00	-22.42	Average
7	1.153	0.02	9.80	23.38	33.20	56.00	-22.80	QP
8	1.153	0.02	9.80	14.13	23.95	46.00	-22.05	Average
9	1.449	0.02	9.80	12.21	22.03	46.00	-23.97	Average
10	1.449	0.02	9.80	22.00	31.82	56.00	-24.18	QP
11	12.716	0.01	10.00	10.04	20.05	50.00	-29.95	Average
12	12.716	0.01	10.00	20.67	30.68	60.00	-29.32	OP

Notes:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM140500254801

Page: 16 of 116

5.3 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)		
Test Method:	KDB558074 D01 v03r01		
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark:		
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Test Instruments:	Refer to section 4.10 for details		
Exploratory Test Mode:	Transmitting mode		
Final Test Mode: Through Pre-scan, find the 1Mbps of rate is the worst case 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)			
Limit:	30dBm		
Test Results:	Pass		





Report No.: SZEM140500254801

Page: 17 of 116

Pre-scan under all rate at highest channel								
Mode		802	.11b					
Data Rate	1Mbps	2Mbps	5.5Mbps	11Mbps				
Power (dBm)	16.10	15.93	15.83	15.72				
Mode				802	2.11g			
Data Rate	6Mbps	9Mbps	12Mbps	18Mbps	24Mbps	36Mbps	48Mbps	54Mbps
Power (dBm)	13.35	13.25	13.21	13.15	13.08	13.02	12.96	12.88
Mode		802.11n(HT20)						
Data Rate	6.5Mbps	13Mbps	19.5Mbps	26Mbps	39Mbps	52Mbps	58.5Mbps	65Mbps
Power (dBm)	13.01	12.85	12.81	12.76	12.73	12.67	12.64	12.54
Mode	802.11n(HT40)							
Data Rate	13.5Mbps	27Mbps	40.5Mbps	54Mbps	81Mbps	108Mbps	121.5Mbps	135Mbps
Power (dBm)	12.58	12.51	12.47	12.41	12.37	12.32	12.29	12.24

Through Pre-scan, 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40).



Report No.: SZEM140500254801

Page: 18 of 116

Measurement Data

802.11b mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	13.94	30.00	Pass			
Middle	15.44	30.00	Pass			
Highest	16.10	30.00	Pass			
_	802.11g mo	de				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	11.17	30.00	Pass			
Middle	12.67	30.00	Pass			
Highest	13.35	30.00	Pass			
	802.11n(HT20)	mode				
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	10.84	30.00	Pass			
Middle	12.35	30.00	Pass			
Highest	13.01	30.00	Pass			
802.11n(HT40)mode						
Test channel	Peak Output Power (dBm)	Limit (dBm)	Result			
Lowest	11.21	30.00	Pass			
Middle	12.04	30.00	Pass			
Highest	12.58	30.00	Pass			




Report No.: SZEM140500254801


Page: 19 of 116

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 20 of 116

Test mode: 802.11b Test channel: Highest



Test mode:	802.11g	Test channel:	Lowest
	00=9		







Report No.: SZEM140500254801

Page: 21 of 116

Test mode: 802.11g Test channel: Middle



Test mode: 802.11g Test channel: Highest






Report No.: SZEM140500254801

Page: 22 of 116

Test mode: 802.11n(HT20) Test channel: Lowest



Test mode: 802.11n(HT20) Test channel: Middle




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 23 of 116

Test mode: 802.11n(HT20) Test channel: Highest



Test mode:	802.11n(HT40)	Test channel:	Lowest
	,		







Report No.: SZEM140500254801

Page: 24 of 116

Test mode: 802.11n(HT40) Test channel: Middle








Report No.: SZEM140500254801

Page: 25 of 116

5.4 6dB Occupy Bandwidth



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 26 of 116

Measurement Data

802.11b mode								
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	9.42	≥500	Pass					
Middle	9.42	≥500	Pass					
Highest	9.42	≥500	Pass					
	802.11g mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	16.62	≥500	Pass					
Middle	16.62	≥500	Pass					
Highest	16.56	≥500	Pass					
	802.11n(HT20) mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	17.82	≥500	Pass					
Middle	17.82	≥500	Pass					
Highest	17.82	≥500	Pass					
	802.11n(HT40)mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	36.50	≥500	Pass					
Middle	36.70	≥500	Pass					
Highest	36.50	≥500	Pass					






Report No.: SZEM140500254801


Page: 27 of 116

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM140500254801

Page: 28 of 116

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest




[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 29 of 116

Test mode: 802.11g Test channel: Middle








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 30 of 116

Test mode: 802.11n(HT20) Test channel: Lowest








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 31 of 116

Test mode: 802.11n(HT20) Test channel: Highest








[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 32 of 116

Test mode: 802.11n(HT40) Test channel: Middle



Test mode: 802.11n(HT40) Test channel: Highest



[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 33 of 116

5.5 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)				
Test Method:	KDB558074 D01 v03r01				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.				
Test Instruments:	Refer to section 4.10 for details				
Exploratory Test Mode:	Transmitting mode				
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)				
Limit:	≤8.00dBm				
Test Results:	Pass				

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 34 of 116

Measurement Data

802.11b mode								
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result					
Lowest	-14.35	≤8.00	Pass					
Middle	-12.97	≤8.00	Pass					
Highest	-12.39	≤8.00	Pass					
	802.11g mode							
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result					
Lowest	-23.40	≤8.00	Pass					
Middle	-21.78	≤8.00	Pass					
Highest	-21.53	≤8.00	Pass					
	802.11n(HT20) mode							
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result					
Lowest	-23.63	≤8.00	Pass					
Middle	-22.56	≤8.00	Pass					
Highest	-21.54	≤8.00	Pass					
	802.11n(HT40) mode							
Test channel	Power Spectral Density (dBm)	Limit (dBm)	Result					
Lowest	-24.90	≤8.00	Pass					
Middle	-24.18	≤8.00	Pass					
Highest	-23.70	≤8.00	Pass					




Report No.: SZEM140500254801


Page: 35 of 116

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM140500254801

Page: 36 of 116

Test mode: 802.11b Test channel: Highest



Test mode: 802.11g Test channel: Lowest







Report No.: SZEM140500254801

Page: 37 of 116

Test mode: 802.11g Test channel: Middle











Report No.: SZEM140500254801

Page: 38 of 116

Test mode: 802.11n (HT20) Test channel: Lowest











Report No.: SZEM140500254801

Page: 39 of 116

Test mode: 802.11n (HT20) Test channel: Highest











Report No.: SZEM140500254801

Page: 40 of 116

Test mode: 802.11n (HT40) Test channel: Middle







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 41 of 116

5.6 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	KDB558074 D01 v03r01				
Test Setup:	Spectrum Analyzer Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.				
Exploratory Test Mode:	Transmitting mode				
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Instruments Used:	Refer to section 4.10 for details				
Test Results:	Pass				

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801


Page: 42 of 116

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Highest







Report No.: SZEM140500254801

Page: 43 of 116

Test mode: 802.11g Test channel: Lowest











Report No.: SZEM140500254801

Page: 44 of 116

Test mode: 802.11n (HT20) Test channel: Lowest











Report No.: SZEM140500254801

Page: 45 of 116

Test mode: 802.11n (HT40) Test channel: Lowest









Report No.: SZEM140500254801

Page: 46 of 116

5.7 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)				
Test Method:	KDB558074 D01 v03r01				
Test Setup:	Spectrum Analyzer E.U.T Non-Conducted Table Ground Reference Plane Remark: Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.				
Exploratory Test Mode:	Transmitting mode				
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)				
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread				
	spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.				
Instruments Used:	Refer to section 4.10 for details				
Test Results:	Pass				







Report No.: SZEM140500254801

Page: 47 of 116

Test plot as follows:

Test mode: 802.11b Test channel: Lowest









Report No.: SZEM140500254801

Page: 48 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 49 of 116

Test mode: 802.11b Test channel: Middle









Report No.: SZEM140500254801

Page: 50 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 51 of 116

Test mode: 802.11b Test channel: Highest









Report No.: SZEM140500254801

Page: 52 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 53 of 116

Test mode: 802.11g Test channel: Lowest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 54 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 55 of 116

Test mode: 802.11g Test channel: Middle






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM140500254801

Page: 56 of 116











Report No.: SZEM140500254801

Page: 57 of 116

Test mode: 802.11g Test channel: Highest









Report No.: SZEM140500254801

Page: 58 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 59 of 116

Test mode: 802.11n (HT20) Test channel: Lowest









Report No.: SZEM140500254801

Page: 60 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 61 of 116

Test mode: 802.11n (HT20) Test channel: Middle







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 62 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 63 of 116

Test mode: 802.11n (HT20) Test channel: Highest







[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 64 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 65 of 116

Test mode: 802.11n (HT40) Test channel: Lowest






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."


SGS

SGS-CSTC Standards Technical Services Ltd.

Report No.: SZEM140500254801

Page: 66 of 116











Report No.: SZEM140500254801

Page: 67 of 116

Test mode: 802.11n (HT40) Test channel: Middle









Report No.: SZEM140500254801

Page: 68 of 116






[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 69 of 116

Test mode: 802.11n (HT40) Test channel: Highest









Report No.: SZEM140500254801

Page: 70 of 116





Remark:

Pretest 9kHz to 25GHz, find the highest point when testing, so only the worst data were shown in the test report.

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 71 of 116

5.8 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205							
Test Method:	ANSI C63.10 2009							
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)							
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark			
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak			
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average			
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak			
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average			
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak			
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak			
	Above 1GHz	Peak	1MHz	3MHz	Peak			
	Above 10112	Peak	1MHz	10Hz	Average			
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)			
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300			
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30			
	1.705MHz-30MHz	30	-	-	30			
	30MHz-88MHz	100	40.0	Quasi-peak	3			
	88MHz-216MHz	150	43.5	Quasi-peak	3			
	216MHz-960MHz	200	46.0	Quasi-peak	3			
	960MHz-1GHz	500	54.0	Quasi-peak	3			
	Above 1GHz	500	54.0	Average	3			
Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission lim applicable to the equipment under test. This peak limit applies to the peak emission level radiated by the device.								
	emission level rad	iated by the device	e.					


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 72 of 116

Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

Test Procedure:

- a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
- b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
- f. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 73 of 116

	method as specified and then reported in a data sheet.					
	g. Test the EUT in the lowest channel ,the middle channel ,the Highest channel					
	The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.					
	i. Repeat above procedures until all frequencies measured was complete.					
Exploratory Test	Transmitting mode, AC charge +Transmitting mode					
Mode:						
Final Test Mode:	Pretest the EUT at Transmitting mode and AC charge +Transmitting mode, found the AC charge +Transmitting mode which it is worse case.					
	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; $6.5Mbps$ of rate is the worst case of $802.11n(HT20)$; $13.5Mbps$ of rate is the worst case of $802.11n(HT40)$					
	Only the worst case is recorded in the report.					
Instruments Used:	Refer to section 4.10 for details					
Test Results:	Pass					
Mode: Final Test Mode: Instruments Used:	Transmitting mode, And found the X axis positioning which it is worse case. i. Repeat above procedures until all frequencies measured was complete Transmitting mode, AC charge +Transmitting mode Pretest the EUT at Transmitting mode and AC charge +Transmitting mode found the AC charge +Transmitting mode which it is worse case. Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11 (6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40) Only the worst case is recorded in the report. Refer to section 4.10 for details					




Report No.: SZEM140500254801

Page: 74 of 116

5.8.1 Radiated emission below 1GHz

30MHz~1GHz (QP)						
Test mode:	AC charge +Transmitting mode	Vertical				



Condition: 47 CFR PART 15B 3m 3142C VERTICAL

Job No. : 2548RF

Mode : AC Charge+TX mode

	Freq			Preamp Factor				Over Limit
	MHz	dB	_dB/m	dB	dBuV	$\overline{\text{dBuV/m}}$	$\overline{\text{dBuV/m}}$	dB
1 2 3 4 5	72.34 79.24 109.41 296.18 900.15	0.87 1.08 1.23 1.88 3.60	4.71 5.12 7.49 9.54 20.20	27. 14 26. 41 26. 78	55. 89 56. 89 55. 87 50. 81 41. 31	37. 45 35. 82 38. 33	46.00	-6.05 -10.18 -7.67
6	965.54	3.67	21.13	26.47	40.48	38.81	54.00	-15.1


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 75 of 116

Test mode: AC charge +Transmitting mode	Horizontal
---	------------



Condition: 47 CFR PART 15B 3m 3142C HORIZONTAL

Job No. : 2548RF

Mode : AC Charge+TX mode

	Freq				a Preamp Read Factor Level			Over Limit
_	MHz	dB	_dB/m	dB	dBuV	$\overline{\text{dBuV/m}}$	$\overline{\text{dBuV/m}}$	dB
1 2 3 4 5	66. 27 123. 27 145. 35 182. 56 298. 27 903. 31	0.80 1.26 1.31 1.37 1.89 3.60	4.38 7.85 9.00 6.70 9.62 20.23	27. 05 26. 93 26. 77 26. 41	47.68 48.33 44.36	28.36 27.56 31.06 29.63 29.46 41.01	43.50 43.50 43.50 46.00	-11.64 -15.94 -12.44 -13.87 -16.54 -4.99



Report No.: SZEM140500254801

Page: 76 of 116

5.8.2 Transmitter emission above 1GHz

Test mode:	802	.11b	Test ch	annel:	Lowest	Remark		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
1124.226	3.56	27.42	39.20	56.77	48.55	74	-25.45	Vertical
1479.955	3.88	28.07	39.34	60.24	52.85	74	-21.15	Vertical
2678.135	4.81	32.96	40.06	55.60	53.31	74	-20.69	Vertical
4824.000	7.45	34.68	41.64	45.96	46.45	74	-27.55	Vertical
7236.000	8.76	35.90	39.85	44.75	49.56	74	-24.44	Vertical
9648.000	9.69	37.36	37.76	42.69	51.98	74	-22.02	Vertical
1468.696	3.88	28.07	39.34	60.06	52.67	74	-21.33	Horizontal
2957.654	5.02	33.33	40.27	55.65	53.73	74	-20.27	Horizontal
4191.816	6.70	34.36	41.18	53.19	53.07	74	-20.93	Horizontal
4824.000	7.45	34.68	41.64	49.36	49.85	74	-24.15	Horizontal
7236.000	8.76	35.90	39.85	47.26	52.07	74	-21.93	Horizontal
9648.000	9.69	37.36	37.76	41.34	50.63	74	-23.37	Horizontal

Test mode:	802	.11b	Test cha	annel:	Middle	Remark		Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
1104.371	3.54	27.39	39.18	55.81	47.56	74	-26.44	Vertical
1468.696	3.88	28.07	39.34	60.15	52.76	74	-21.24	Vertical
2957.654	5.02	33.33	40.27	53.73	51.81	74	-22.19	Vertical
4874.000	7.48	34.59	41.68	48.02	48.41	74	-25.59	Vertical
7311.000	8.85	35.92	39.79	47.12	52.10	74	-21.90	Vertical
9748.000	9.74	37.46	37.68	43.40	52.92	74	-21.08	Vertical
1479.955	3.88	28.07	39.34	54.67	47.28	74	-26.72	Horizontal
2957.654	5.02	33.33	40.27	49.80	47.88	74	-26.12	Horizontal
4874.000	7.48	34.59	41.68	47.37	47.76	74	-26.24	Horizontal
7311.000	8.85	35.92	39.79	45.47	50.45	74	-23.55	Horizontal
9748.000	9.74	37.46	37.68	41.42	50.94	74	-23.06	Morizontal I
11963.890	11.26	38.87	38.26	40.52	52.39	74	-21.61	Horizontal



Report No.: SZEM140500254801

Page: 77 of 116

Test mode:	802.11b		Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
1115.673	3.56	27.42	39.19	54.05	45.84	74	-28.16	Vertical
1468.696	3.88	28.07	39.34	60.59	53.20	74	-20.80	Vertical
2995.538	5.05	33.38	40.30	50.77	48.90	74	-25.10	Vertical
4924.000	7.51	34.51	41.72	47.35	47.65	74	-26.35	Vertical
7386.000	8.94	35.96	39.72	44.89	50.07	74	-23.93	Vertical
9848.000	9.78	37.54	37.58	42.83	52.57	74	-21.43	Vertical
1468.696	3.88	28.07	39.34	58.73	51.34	74	-22.66	Horizontal
2957.654	5.02	33.33	40.27	50.63	48.71	74	-25.29	Horizontal
4924.000	7.51	34.51	41.72	48.50	48.80	74	-25.20	Horizontal
7386.000	8.94	35.96	39.72	44.17	49.35	74	-24.65	Horizontal
9848.000	9.78	37.54	37.58	40.64	50.38	74	-23.62	Horizontal
12086.330	11.32	38.99	38.31	41.17	53.17	74	-20.83	Horizontal

Test mode:	802	.11g	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
1115.673	3.56	27.42	39.19	54.48	46.27	74	-27.73	Vertical
1498.912	3.89	28.10	39.35	59.62	52.26	74	-21.74	Vertical
2678.135	4.81	32.96	40.06	55.17	52.88	74	-21.12	Vertical
4824.000	7.45	34.68	41.64	47.21	47.70	74	-26.30	Vertical
7236.000	8.76	35.90	39.85	46.06	50.87	74	-23.13	Vertical
9648.000	9.69	37.36	37.76	43.14	52.43	74	-21.57	Vertical
1182.943	3.62	27.54	39.22	51.77	43.71	74	-30.29	Horizontal
1483.727	3.88	28.07	39.34	55.09	47.70	74	-26.30	Horizontal
2957.654	5.02	33.33	40.27	51.61	49.69	74	-24.31	Horizontal
4824.000	7.45	34.68	41.64	47.21	47.70	74	-26.30	Horizontal
7236.000	8.76	35.90	39.85	45.72	50.53	74	-23.47	Horizontal
9648.000	9.69	37.36	37.76	42.67	51.96	74	-22.04	Horizontal



Report No.: SZEM140500254801

Page: 78 of 116

Test mode:	802	.11g	Test ch	annel:	Middle	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarizatio n
1115.673	3.56	27.42	39.19	54.05	45.84	74	-28.16	Vertical
1479.955	3.88	28.07	39.34	60.70	53.31	74	-20.69	Vertical
2698.665	4.82	32.98	40.07	51.69	49.42	74	-24.58	Vertical
4874.000	7.48	34.59	41.68	46.02	46.41	74	-27.59	Vertical
7311.000	8.85	35.92	39.79	45.56	50.54	74	-23.46	Vertical
9748.000	9.74	37.46	37.68	42.31	51.83	74	-22.17	Vertical
1498.912	3.89	28.10	39.35	54.25	46.89	74	-27.11	Horizontal
2957.654	5.02	33.33	40.27	45.90	43.98	74	-30.02	Horizontal
4191.816	6.70	34.36	41.18	48.96	48.84	74	-25.16	Horizontal
4874.000	7.48	34.59	41.68	47.30	47.69	74	-26.31	Horizontal
7311.000	8.85	35.92	39.79	45.81	50.79	74	-23.21	Horizontal
9748.000	9.74	37.46	37.68	42.28	51.80	74	-22.20	Horizontal

Test mode:	802	.11g	Test ch	annel:	Highest	Remark	:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1112.837	3.56	27.42	39.19	54.86	46.65	74	-27.35	Vertical
1468.696	3.88	28.07	39.34	60.59	53.20	74	-20.80	Vertical
2678.135	4.81	32.96	40.06	52.54	50.25	74	-23.75	Vertical
4924.000	7.51	34.51	41.72	47.29	47.59	74	-26.41	Vertical
7386.000	8.94	35.96	39.72	45.75	50.93	74	-23.07	Vertical
9848.000	9.78	37.54	37.58	42.54	52.28	74	-21.72	Vertical
1046.885	3.49	27.29	39.16	50.93	42.55	74	-31.45	Horizontal
1468.696	3.88	28.07	39.34	53.78	46.39	74	-27.61	Horizontal
4924.000	7.51	34.51	41.72	48.10	48.40	74	-25.60	Horizontal
7386.000	8.94	35.96	39.72	45.68	50.86	74	-23.14	Horizontal
9848.000	9.78	37.54	37.58	40.72	50.46	74	-23.54	Horizontal
12086.330	11.32	38.99	38.31	40.49	52.49	74	-21.51	Horizontal



Report No.: SZEM140500254801

Page: 79 of 116

Test mode	e: 802	2.11n (HT20)	Test ch	nannel:	Lowest	Remai	rk:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1115.673	3.56	27.42	39.19	52.01	43.80	74	-30.20	Vertical
1479.955	3.88	28.07	39.34	60.06	52.67	74	-21.33	Vertical
4824.000	7.45	34.68	41.64	45.66	46.15	74	-27.85	Vertical
7236.000	8.76	35.90	39.85	43.89	48.70	74	-25.30	Vertical
9648.000	9.69	37.36	37.76	41.45	50.74	74	-23.26	Vertical
12055.600	11.31	38.95	38.30	40.56	52.52	74	-21.48	Vertical
1173.943	3.60	27.51	39.21	50.19	42.09	74	-31.91	Horizontal
1468.696	3.88	28.07	39.34	56.01	48.62	74	-25.38	Horizontal
2957.654	5.02	33.33	40.27	49.38	47.46	74	-26.54	Horizontal
4824.000	7.45	34.68	41.64	46.96	47.45	74	-26.55	Horizontal
7236.000	8.76	35.90	39.85	46.72	51.53	74	-22.47	Horizontal
9648.000	9.69	37.36	37.76	43.83	53.12	74	-20.88	Horizontal

Test mode	e: 80	2.11n (HT20)	Test ch	nannel:	Middle	Remai	·k:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	
1124.226	3.56	27.42	39.20	51.89	43.67	74	-30.33	3 Vertical
1495.101	3.89	28.10	39.35	60.55	53.19	74	-20.81	l Vertical
2957.654	5.02	33.33	40.27	49.35	47.43	74	-26.57	7 Vertical
4874.000	7.48	34.59	41.68	47.09	47.48	74	-26.52	2 Vertical
7311.000	8.85	35.92	39.79	45.80	50.78	74	-23.22	2 Vertical
9748.000	9.74	37.46	37.68	40.71	50.23	74	-23.77	7 Vertical
1195.049	3.62	27.54	39.22	50.86	42.80	74	-31.20) Horizontal
1498.912	3.89	28.10	39.35	60.13	52.77	74	-21.23	B Horizontal
2995.538	5.05	33.38	40.30	47.78	45.91	74	-28.09	Horizontal
4874.000	7.48	34.59	41.68	48.23	48.62	74	-25.38	B Horizontal
7311.000	8.85	35.92	39.79	45.85	50.83	74	-23.17	7 Horizontal
9748.000	9.74	37.46	37.68	42.11	51.63	74	-22.37	7 Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 80 of 116

Test mode	э:	802.	.11n (HT20) Test ch	nannel:	Highest	Remai	Remark: Peak	
Frequency (MHz)	Cab Los (dB	SS	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1124.226	3.5	6	27.42	39.20	54.57	46.35	74	-27.65	Vertical
1483.727	3.8	8	28.07	39.34	59.98	52.59	74	-21.41	Vertical
2698.665	4.8	2	32.98	40.07	52.68	50.41	74	-23.59	Vertical
4924.000	7.5	1	34.51	41.72	45.60	45.90	74	-28.10	Vertical
7386.000	8.9	4	35.96	39.72	46.20	51.38	74	-22.62	Vertical
9848.000	9.7	8	37.54	37.58	41.54	51.28	74	-22.72	Vertical
1173.943	3.6	O	27.51	39.21	48.11	40.01	74	-33.99	Horizontal
1498.912	3.8	6	28.10	39.35	54.92	47.56	74	-26.44	Horizontal
2957.654	5.0	2	33.33	40.27	50.01	48.09	74	-25.91	Horizontal
4924.000	7.5	1	34.51	41.72	46.92	47.22	74	-26.78	Horizontal
7386.000	8.9	4	35.96	39.72	45.66	50.84	74	-23.16	Horizontal
9848.000	9.7	8	37.54	37.58	42.05	51.79	74	-22.21	Horizontal

Test mode	e: 80	02.11n (HT40)	Test ch	annel:	Lowest	Remai	Remark: Peak	
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1115.673	3.56	27.42	39.19	55.16	46.95	74	-27.05	Vertical
1498.912	3.89	28.10	39.35	59.73	52.37	74	-21.63	Vertical
2651.004	4.78	32.91	40.05	53.61	51.25	74	-22.75	Vertical
4844.000	7.46	34.65	41.65	46.00	46.46	74	-27.54	Vertical
7266.000	8.81	35.91	39.82	45.49	50.39	74	-23.61	Vertical
9688.000	9.71	37.39	37.73	42.72	52.09	74	-21.91	Vertical
1104.371	3.54	27.39	39.18	53.08	44.83	74	-29.17	Horizontal
1468.696	3.88	28.07	39.34	56.42	49.03	74	-24.97	Horizontal
2957.654	5.02	33.33	40.27	48.86	46.94	74	-27.06	Horizontal
4844.000	7.46	34.65	41.65	45.90	46.36	74	-27.64	Horizontal
7266.000	8.81	35.91	39.82	45.80	50.70	74	-23.30	Horizontal
9688.000	9.71	37.39	37.73	42.30	51.67	74	-22.33	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 81 of 116

Test mode	e: 802	2.11n (HT40)) Test ch	annel:	Middle	Remai	·k:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1104.371	3.54	27.39	39.18	51.40	43.15	74	-30.85	Vertical
1498.912	3.89	28.10	39.35	59.87	52.51	74	-21.49	Vertical
2995.538	5.05	33.38	40.30	48.77	46.90	74	-27.10	Vertical
4874.000	7.48	34.59	41.68	46.76	47.15	74	-26.85	Vertical
7311.000	8.85	35.92	39.79	44.04	49.02	74	-24.98	Vertical
9748.000	9.74	37.46	37.68	42.23	51.75	74	-22.25	Vertical
1046.885	3.49	27.29	39.16	51.82	43.44	74	-30.56	Horizontal
1468.696	3.88	28.07	39.34	54.05	46.66	74	-27.34	Horizontal
2957.654	5.02	33.33	40.27	47.71	45.79	74	-28.21	Horizontal
4874.000	7.48	34.59	41.68	46.42	46.81	74	-27.19	Horizontal
7311.000	8.85	35.92	39.79	44.78	49.76	74	-24.24	Horizontal
9748.000	9.74	37.46	37.68	41.77	51.29	74	-22.71	Horizontal

Test mode	e: 80	2.11n (HT40)	Test ch	nannel:	Highest	Remai	·k:	Peak
Frequency (MHz)	Cable Loss (dB)	Antenna Factor (dB/m)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
1115.673	3.56	27.42	39.19	53.73	45.52	74	-28.48	Vertical
1495.101	3.89	28.10	39.35	60.18	52.82	74	-21.18	Vertical
2957.654	5.02	33.33	40.27	48.32	46.40	74	-27.60	Vertical
4904.000	7.49	34.54	41.70	45.23	45.56	74	-28.44	Vertical
7356.000	8.92	35.94	39.74	45.81	50.93	74	-23.07	Vertical
9808.000	9.76	37.51	37.61	42.41	52.07	74	-21.93	Vertical
1124.226	3.56	27.42	39.20	50.35	42.13	74	-31.87	Horizontal
1483.727	3.88	28.07	39.34	52.38	44.99	74	-29.01	Horizontal
2957.654	5.02	33.33	40.27	45.24	43.32	74	-30.68	Horizontal
4904.000	7.49	34.54	41.70	45.54	45.87	74	-28.13	Horizontal
7356.000	8.92	35.94	39.74	44.68	49.80	74	-24.20	Horizontal
9808.000	9.76	37.51	37.61	42.23	51.89	74	-22.11	Horizontal

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 82 of 116

Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.




Report No.: SZEM140500254801

Page: 83 of 116

5.9 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section	15.209 and 15.205	
Test Method:	ANSI C63.10 2009		
Test Site:	Measurement Distance: 3r	n (Semi-Anechoic Chambe	er)
Limit:	Frequency	Limit (dBuV/m @3m)	Remark
	30MHz-88MHz	40.0	Quasi-peak Value
	88MHz-216MHz	43.5	Quasi-peak Value
	216MHz-960MHz	46.0	Quasi-peak Value
	960MHz-1GHz	54.0	Quasi-peak Value
	Above 1GHz	54.0	Average Value
	Above IGHZ	74.0	Peak Value
Test Setup:			-






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 84 of 116

Test Procedure:	a. The EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	c. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	d. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	e. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	f. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	g. Test the EUT in the lowest channel, the Highest channel
	h. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.
	 Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting mode, AC charge +Transmitting mode
Final Test Mode:	Pretest the EUT at Transmitting mode and AC charge +Transmitting mode, found the AC charge +Transmitting mode which it is worse case.
	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 4.10 for details
Test Results:	Pass

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

Page: 85 of 116

Test plot as follows:

Worse case mode: 802.11b(1Mbps) Test channel: Lowest Remark: Peak Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

	Freq			Preamp Factor		Level	Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @	2390.000 2413.180					57.80 107.46		


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 86 of 116

Worse case mode: 802.11b(1Mbps) Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

Job No. : 2548RF Mode : 2412 B

CableAntenna Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dB dB dBuV dBuV/m dBuV/m dB/m 2390.000 2.98 32.51 39.85 55.34 50.99 1 0 74.00 -23.01 2 @ 2411.970 2.99 32.54 39.86 109.26 104.94 74.00 30.94






Report No.: SZEM140500254801

Page: 87 of 116

Worse case mode: 802.11b(1Mbps) Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

	E 22 - 24		Antenna	-			Limit	Over
	Freq	T088	ractor	ractor	rever	rever	Line	Limic
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0	2390.000	2.98	32.51	39.85	49.77	45.42	54.00	-8.58
2 0	2413.730	2.99	32.54	39.86	105.14	100.81	54.00	46.81


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 88 of 116

Worse case mode: 802.11b(1Mbps) Test channel: Lowest Remark: Average Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL


		Freq			•	Read Level		Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	43.48	39.13	54.00	-14.87
2	0	2413.290	2.99	32.54	39.86	102.80	98.47	54.00	44.47

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 89 of 116



Condition : FCC PART15(>1G) PK 3m VERTICAL

Job No. : 2548RF Mode : 2462 B


	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	2461.900 2483.500			39.91 39.92				



Report No.: SZEM140500254801

Page: 90 of 116

Worse case mode:	802.11b(1Mbps)	Test channel:	Highest	Remark:	Peak	Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL


Job No. : 2548RF Mode : 2462 B

	Freq		Antenna Factor	-			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0 2 0	2461.950 2483.500						74.00 74.00	30.81 -21.52



Report No.: SZEM140500254801

Page: 91 of 116



Condition : FCC PART15(>1G) AV 3m VERTICAL

	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0 2 0	2460.750 2483.500			39.91 39.92				


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 92 of 116

Worse case mode:	802.11b(1Mbps)	Test channel:	Highest	Remark:	Average	Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	2460.750 2483.500							45.16 -9.55


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 93 of 116

Worse case mode:	802.11g (6Mbps)	Test channel:	Lowest	Remark:	Peak	Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

Job No. : 2548RF Mode : 2412 G


		Freq		Antenna Factor	•			Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	58.48	54.12	74.00	-19.88
2	0	2418.460	2.99	32.54	39.88	102.70	98.35	74.00	24.35



Report No.: SZEM140500254801

Page: 94 of 116

Worse case mode: 802.11g (6Mbps) Test channel: Lowest Remark: Peak Horizontal



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

	. 2412 0	Freq			Preamp Factor			Limit Line	Over Limit
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @		2390.000 2418.460			39.85 39.88				


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 95 of 116

Worse case mode: 802.11g (6Mbps) Test channel: Lowest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

Job No. : 2548RF Mode : 2412 G


			Cablei	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	41.31	36.95	54.00	-17.05
2	0	2417.690	2.99	32.54	39.88	90.65	86.31	54.00	32.31



Report No.: SZEM140500254801

Page: 96 of 116

Worse case mode:	802.11g (6Mbps)	Test channel:	Lowest	Remark:	Average	Horizontal
------------------	-----------------	---------------	--------	---------	---------	------------



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

Job No. : 2548RF Mode : 2412 G

		_			Preamp			Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	38.95	34.60	54.00	-19.40
2	0	2415.490	2.99	32.54	39.86	87.43	83.10	54.00	29.10






Report No.: SZEM140500254801

Page: 97 of 116

Worse case mode: 802.11g (6Mbps) Test channel:	Highest	Remark:	Peak	Vertical	1
---------------------------------	-----------------	---------	---------	------	----------	---



Condition : FCC PART15(>1G) PK 3m VERTICAL

		Freq		Antenna Factor	•			Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2468.230	3.02	32.64	39.91	104.61	100.37	74.00	26.37
2	0	2483.500	3.03	32.67	39.92	65.16	60.94	74.00	-13.06


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 98 of 116

Worse case mode:	802.11g (6Mbps)	Test channel:	Highest	Remark:	Peak	Horizontal
	1					



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

Job No. : 2548RF Mode : 2462 G


1046	. 2402 0	Freq			•	Read Level		Limit Line	Over Limit
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0 2 0		2468.230 2483.500				100.16			21.92 -21.33



Report No.: SZEM140500254801

Page: 99 of 116

Worse case mode: 802.11g (6Mbps) Test channel: Highest Remark: Average Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

1046	. 2402 G	Freq			Preamp Factor			Limit Line	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @		2464.675 2483.500			39.91 39.92				34.60 -12.07


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 100 of 116

Worse case mode:	802.11g (6Mbps)	Test channel:	Highest	Remark:	Average	Horizontal
	1 3 ()					



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

loue	. 2402 G	Freq			Preamp Factor			Limit Line	
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 (2 (2463.595 2483.500			39.91 39.92				


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 101 of 116

Worse case mode:	802.11n(HT20) (6.5Mbps)	Test channel:	Lowest	Remark:	Peak	Vertical	
------------------	-----------------------------	---------------	--------	---------	------	----------	--



Condition : FCC PART15(>1G) PK 3m VERTICAL

		Freq			Preamp Factor			Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	69.46	65.11	74.00	-8.89
2	0	2417.140	2.99	32.54	39.88	105.33	100.99	74.00	26.99


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 102 of 116

Worse case mode:	802.11n(HT20) (6.5Mbps)	Test channel:	Lowest	Remark:	Peak	Horizontal	
------------------	-----------------------------	---------------	--------	---------	------	------------	--



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

			Cablei	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	61.89	57.54	74.00	-16.46
2	0	2417.140	2.99	32.54	39.88	100.64	96.30	74.00	22.30


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 103 of 116

Worse case mode:	802.11n(HT20) (6.5Mbps)	Test channel:	Lowest	Remark:	Average	Vertical	
------------------	-----------------------------	---------------	--------	---------	---------	----------	--



Condition : FCC PART15(>1G) AV 3m VERTICAL


		Cablei	Antenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0	2390.000	2.98	32.51	39.85	46.90	42.54	54.00	-11.46
2 0	2418.130	2.99	32.54	39.88	92.88	88.54	54.00	34.54

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 104 of 116



Condition : FCC PART15(>1G) AV 3m HORIZONTAL


	Freq			Preamp Factor			Limit Line	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @	2390.000 2416.700			39.85 39.88				

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 105 of 116



Condition : FCC PART15(>1G) PK 3m VERTICAL

		Freq			Preamp Factor			Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	-	2466.970						74.00	
2	0	2483.500	3.03	32.67	39.92	70.37	66.15	74.00	-7.85


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 106 of 116

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak He	k: Peak Horizontal
--	--------------------



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

Job No. : 2548RF Mode : 2462 N

			Cable	Antenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2466.970	3.02	32.64	39.91	100.30	96.05	74.00	22.05
2	ß	2483.500	3.03	32.67	39.92	61.10	56.88	74.00	-17.12






Report No.: SZEM140500254801

Page: 107 of 116

Maraa aaaa mada	802.11n(HT20)	Test	Llighoot	Domork	Averege	Vertical
Worse case mode:	(6.5Mbps)	channel:	Highest	Remark:	Average	Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

Job No. : 2548RF Mode : 2462 N


	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @	2456.575 2483.500			39.91 39.92				34.06 -9.65



Report No.: SZEM140500254801

Page: 108 of 116

Worse case mode:	802.11n(HT20)	Test	Highest	Remark:	Averege	Harizantal
worse case mode.	(6.5Mbps)	channel:	nignest	Remark.	Average	Horizontal



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

Job No. : 2548RF Mode : 2462 N

> CableAntenna Preamp Read Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dB dB/m dB dBuV dBuV/m dBuV/m dΒ 1 0 2455.630 32.64 39.91 87.74 83.48 3.01 54.00 29.48 2 @ 2483.500 3.03 32.67 39.92 41.15 36.93 54.00 -17.07


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 109 of 116

Worse case mode:	802.11n(HT40)	Toot channel:	Lowest	Remark:	Peak	Vertical
Worse case mode.	(13.5Mbps)	Test channel:	Lowest	Remark.	reak	Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

		Cable	lntenna	Preamp	Read		Limit	Over
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @	2390.000 2413.740						74.00 74.00	


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 110 of 116

Worse case mode:	802.11n(HT40)	Test channel:	Lowest	Remark:	Peak	Horizontal
Worse case mode.	(13.5Mbps)	Test Granner.	LOWEST	itemaik.	1 Can	Tionzoniai



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

Job No. : 2548RF Mode : 2422 N Ht40


	Freq			Preamp Factor			Limit Line	Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 @ 2 @	2390.000 2437.270			39.85 39.89				



Report No.: SZEM140500254801

Page: 111 of 116

Maraa aaaa mada	802.11n(HT40)	Test	Lowest	Domork	Average	Vertical
Worse case mode:	(13.5Mbps)	channel:	Lowest	Remark:	Average	Vertical



Condition : FCC PART15(>1G) AV 3m VERTICAL

		Freq			Preamp Factor			Limit Line	Over Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	-	2390.000			39.85				
2	0	2429.990	3.00	32.58	39.88	84.20	79.90	54.00	25.90


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 112 of 116

Worse case mode:	802.11n(HT40)	Test	Lowest	Remark:	Avorago	Horizontal	l
Worse case mode.	(13.5Mbps)	channel:	Lowest	Remark.	Average	Пописта	



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

			Cablei	lntenna	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2390.000	2.98	32.51	39.85	44.01	39.65	54.00	-14.35
2	0	2422.190	3.00	32.58	39.88	82.20	77.90	54.00	23.90


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 113 of 116

Morae sasa mada	802.11n(HT40)	Test	Highoot	Domorka	Dools	Vertical
Worse case mode:	(13.5Mbps)	channel:	Highest	Remark:	Peak	Vertical



Condition : FCC PART15(>1G) PK 3m VERTICAL

	Freq				Preamp Read Factor Level		Limit Line	
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 0 2 0	2443.720 2483.500						74.00 74.00	


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 114 of 116

Worse case mode:	802.11n(HT40) (13.5Mbps)	Test	Highest	Remark:	Peak	Horizontal
	(13.31/10/08)	channel:	_			



Condition : FCC PART15(>1G) PK 3m HORIZONTAL

	Freq			oleintenna Preamp oss Factor Factor			Limit Line		
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB	
1 @ 2 @	2443.480 2483.500			39.89 39.92					


[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM140500254801

Page: 115 of 116

Worse case mode:	802.11n(HT40)	Test	Highest	Remark:	Average	Vertical
	(13.5Mbps)	channel:	_			



Condition : FCC PART15(>1G) AV 3m VERTICAL

		Freq			Preamp Factor				
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	0	2448.760	3.01	32.61	39.89	86.87	82.59	54.00	28.59
2	0	2483.500	3.03	32.67	39.92	49.49	45.27	54.00	-8.73

[&]quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM140500254801

The basi

Page: 116 of 116

Worse case mode:	802.11n(HT40)	Test	Highest	Remark:	Average	Horizontal
	(13.5Mbps)	channel:				



Condition : FCC PART15(>1G) AV 3m HORIZONTAL

Job No. : 2548RF Mode : 2452 N Ht40

			CableAntenna		Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	@	2452.900	3.01	32.61	39.89	82.87	78.59	54.00	24.59
2	0	2483.500	3.03	32.67	39.92	43.72	39.50	54.00	-14.50
_	0	B.100.000	0.00		02.20			00	

Note

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor