



802.11n40 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.34	-2.60	74.0	12.66	Peak	145.00	150	Vertical	Pass
1**	2483.500	44.63	-2.60	54.0	9.37	AV	145.00	150	Vertical	Pass
2	2486.350	62.78	-2.63	74.0	11.22	Peak	157.00	150	Vertical	Pass
2**	2486.350	43.74	-2.63	54.0	10.26	AV	157.00	150	Vertical	Pass


802.11ac20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.66	-3.73	74.0	23.34	Peak	28.12	150	Horizontal	Pass
1**	2390.000	40.86	-3.73	54.0	13.14	AV	28.12	150	Horizontal	Pass
2	2325.900	52.66	-3.40	74.0	21.34	Peak	240.00	150	Horizontal	Pass
2**	2325.900	40.72	-3.40	54.0	13.28	AV	240.00	150	Horizontal	Pass


802.11 ac20 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.56	-2.60	74.0	21.44	Peak	164.00	150	Vertical	Pass
1**	2483.500	42.96	-2.60	54.0	11.04	AV	164.00	150	Vertical	Pass
2	2484.310	54.18	-2.61	74.0	19.82	Peak	161.00	150	Vertical	Pass
2**	2484.310	42.86	-2.61	54.0	11.14	AV	161.00	150	Vertical	Pass

802.11ac40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.33	-3.73	74.0	15.67	Peak	37.97	150	Vertical	Pass
1**	2390.000	45.07	-3.73	54.0	8.93	AV	37.97	150	Vertical	Pass
2	2389.900	61.36	-3.72	74.0	12.64	Peak	13.00	150	Vertical	Pass
2**	2389.900	44.91	-3.72	54.0	9.09	AV	13.00	150	Vertical	Pass

802.11 ac40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	61.76	-2.60	74.0	12.24	Peak	144.00	150	Vertical	Pass
1**	2483.500	46.11	-2.60	54.0	7.89	AV	144.00	150	Vertical	Pass
2	2484.460	64.20	-2.61	74.0	9.80	Peak	163.00	150	Vertical	Pass
2**	2484.460	45.67	-2.61	54.0	8.33	AV	163.00	150	Vertical	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.20	-3.73	74.0	22.80	Peak	290.65	150	Vertical	Pass
1**	2390.000	41.13	-3.73	54.0	12.87	AV	290.65	150	Vertical	Pass
2	2368.500	53.57	-3.00	74.0	20.43	Peak	147.00	150	Vertical	Pass
2**	2368.500	41.93	-3.00	54.0	12.07	AV	147.00	150	Vertical	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	53.66	-2.60	74.0	20.34	Peak	139.00	150	Vertical	Pass
1**	2483.500	43.15	-2.60	54.0	10.85	AV	139.00	150	Vertical	Pass
2	2483.830	54.89	-2.61	74.0	19.11	Peak	64.00	150	Vertical	Pass
2**	2483.830	46.37	-2.61	54.0	7.63	AV	64.00	150	Vertical	Pass

802.11ax40(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	63.65	-3.73	74.0	10.35	Peak	129.01	150	Vertical	Pass
1**	2390.000	48.25	-3.73	54.0	5.75	AV	129.01	150	Vertical	Pass
2	2389.400	64.71	-3.70	74.0	9.29	Peak	141.00	150	Vertical	Pass
2**	2389.400	48.53	-3.70	54.0	5.47	AV	141.00	150	Vertical	Pass

802.11ax40(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	67.06	-2.60	74.0	6.94	Peak	360.00	150	Vertical	Pass
1**	2483.500	48.96	-2.60	54.0	5.04	AV	360.00	150	Vertical	Pass
2	2483.710	67.35	-2.60	74.0	6.65	Peak	360.00	150	Vertical	Pass
2**	2483.710	49.38	-2.60	54.0	4.62	AV	360.00	150	Vertical	Pass

Aux Antenna:**802.11b LOW CHANNEL**

No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.03	-3.73	74.0	21.97	Peak	20.10	150	Vertical	Pass
1**	2390.000	41.57	-3.73	54.0	12.43	AV	20.10	150	Vertical	Pass
2	2356.700	53.61	-3.87	74.0	20.39	Peak	5.00	150	Vertical	Pass
2**	2356.700	41.18	-3.87	54.0	12.82	AV	5.00	150	Vertical	Pass


802.11b HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.79	-2.60	74.0	21.21	Peak	145.00	150	Vertical	Pass
1**	2483.500	42.40	-2.60	54.0	11.60	AV	145.00	150	Vertical	Pass
2	2499.670	54.39	-2.89	74.0	19.61	Peak	160.00	150	Vertical	Pass
2**	2499.670	42.47	-2.89	54.0	11.53	AV	160.00	150	Vertical	Pass


802.11g LOW CHANNEL

Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	52.24	-3.73	74.0	21.76	Peak	131.85	150	Vertical	Pass
1**	2390.000	41.79	-3.73	54.0	12.21	AV	131.85	150	Vertical	Pass
2	2379.400	53.30	-3.11	74.0	20.70	Peak	0.00	150	Vertical	Pass
2**	2379.400	41.65	-3.11	54.0	12.35	AV	0.00	150	Vertical	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.78	-2.60	74.0	18.22	Peak	147.00	150	Vertical	Pass
1**	2483.500	45.22	-2.60	54.0	8.78	AV	147.00	150	Vertical	Pass
2	2488.690	59.20	-2.67	74.0	14.80	Peak	129.00	150	Vertical	Pass
2**	2488.690	43.39	-2.67	54.0	10.61	AV	129.00	150	Vertical	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.75	-3.73	74.0	22.25	Peak	0.06	150	Vertical	Pass
1**	2390.000	41.73	-3.73	54.0	12.27	AV	0.06	150	Vertical	Pass
2	2374.800	53.35	-2.94	74.0	20.65	Peak	207.00	150	Vertical	Pass
2**	2374.800	41.66	-2.94	54.0	12.34	AV	207.00	150	Vertical	Pass


802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	56.49	-2.60	74.0	17.51	Peak	137.00	150	Vertical	Pass
1**	2483.500	44.45	-2.60	54.0	9.55	AV	137.00	150	Vertical	Pass
2	2483.830	58.48	-2.61	74.0	15.52	Peak	139.00	150	Vertical	Pass
2**	2483.830	45.18	-2.61	54.0	8.82	AV	139.00	150	Vertical	Pass

802.11n40 LOW CHANNEL


Bandedge_FCC-WIFI_2.4G_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.12	-3.73	74.0	15.88	Peak	144.98	150	Vertical	Pass
1**	2390.000	45.43	-3.73	54.0	8.57	AV	144.98	150	Vertical	Pass
2	2388.800	58.74	-3.67	74.0	15.26	Peak	129.00	150	Vertical	Pass
2**	2388.800	43.92	-3.67	54.0	10.08	AV	129.00	150	Vertical	Pass


802.11n40 HIGH CHANNEL

Bandedge_FCC-WIFI_2.4G_Right




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	59.71	-2.60	74.0	14.29	Peak	312.00	150	Vertical	Pass
1**	2483.500	47.93	-2.60	54.0	6.07	AV	312.00	150	Vertical	Pass
2	2483.590	61.60	-2.60	74.0	12.40	Peak	62.00	150	Vertical	Pass
2**	2483.590	47.33	-2.60	54.0	6.67	AV	62.00	150	Vertical	Pass

802.11ac20 LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.46	-3.73	74.0	22.54	Peak	240.04	150	Horizontal	Pass
1**	2390.000	41.27	-3.73	54.0	12.73	AV	240.04	150	Horizontal	Pass
2	2371.400	53.39	-2.86	74.0	20.61	Peak	19.00	150	Horizontal	Pass
2**	2371.400	41.70	-2.86	54.0	12.30	AV	19.00	150	Horizontal	Pass

802.11 ac20 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	54.60	-2.60	74.0	19.40	Peak	242.00	150	Vertical	Pass
1**	2483.500	44.29	-2.60	54.0	9.71	AV	242.00	150	Vertical	Pass
2	2483.620	56.00	-2.60	74.0	18.00	Peak	58.00	150	Vertical	Pass
2**	2483.620	44.06	-2.60	54.0	9.94	AV	58.00	150	Vertical	Pass

802.11ac40 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.41	-3.73	74.0	12.59	Peak	280.01	150	Vertical	Pass
1**	2390.000	44.86	-3.73	54.0	9.14	AV	280.01	150	Vertical	Pass
2	2389.100	63.41	-3.68	74.0	10.59	Peak	308.00	150	Vertical	Pass
2**	2389.100	45.26	-3.68	54.0	8.74	AV	308.00	150	Vertical	Pass

802.11 ac40 HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.12	-2.60	74.0	10.88	Peak	75.00	150	Vertical	Pass
1**	2483.500	47.22	-2.60	54.0	6.78	AV	75.00	150	Vertical	Pass
2	2483.980	65.24	-2.61	74.0	8.76	Peak	66.00	150	Vertical	Pass
2**	2483.980	47.62	-2.61	54.0	6.38	AV	66.00	150	Vertical	Pass
3	2484.580	64.50	-2.61	74.0	9.50	Peak	57.00	150	Vertical	Pass
3**	2484.580	48.78	-2.61	54.0	5.22	AV	57.00	150	Vertical	Pass

802.11ax20(SU) LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.84	-3.73	74.0	22.16	Peak	46.15	150	Vertical	Pass
1**	2390.000	42.06	-3.73	54.0	11.94	AV	46.15	150	Vertical	Pass
2	2372.000	53.23	-2.88	74.0	20.77	Peak	360.00	150	Vertical	Pass
2**	2372.000	41.47	-2.88	54.0	12.53	AV	360.00	150	Vertical	Pass

802.11 ax20(SU) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	55.75	-2.60	74.0	18.25	Peak	309.00	150	Vertical	Pass
1**	2483.500	44.56	-2.60	54.0	9.44	AV	309.00	150	Vertical	Pass
2	2483.560	58.14	-2.60	74.0	15.86	Peak	64.00	150	Vertical	Pass
2**	2483.560	44.85	-2.60	54.0	9.15	AV	64.00	150	Vertical	Pass

802.11ax40(SU) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	58.47	-3.73	74.0	15.53	Peak	306.96	150	Vertical	Pass
1**	2390.000	47.02	-3.73	54.0	6.98	AV	306.96	150	Vertical	Pass
2	2387.400	61.35	-3.59	74.0	12.65	Peak	49.00	150	Vertical	Pass
2**	2387.400	46.63	-3.59	54.0	7.37	AV	49.00	150	Vertical	Pass

802.11ax40(SU) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.79	-2.60	74.0	11.21	Peak	52.00	150	Vertical	Pass
1**	2483.500	48.49	-2.60	54.0	5.51	AV	52.00	150	Vertical	Pass
2	2483.710	64.12	-2.60	74.0	9.88	Peak	64.00	150	Vertical	Pass
2**	2483.710	48.05	-2.60	54.0	5.95	AV	64.00	150	Vertical	Pass
3	2484.730	60.88	-2.62	74.0	13.12	Peak	333.00	150	Vertical	Pass
3**	2484.730	49.14	-2.62	54.0	4.86	AV	333.00	150	Vertical	Pass

A.8 Power Spectral Density (PSD)

Note: All the configurations were pre tested, only the worst configuration has been reported in this report.

Test Data

Main Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-14.86	8
Middle	-13.59	8
High	-14.43	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.39	8
Middle	-11.02	8
High	-9.23	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.92	8
Middle	-11.14	8
High	-10.75	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.21	8
Middle	-10.80	8
High	-13.18	8

802.11ac-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.97	8
Middle	-10.37	8
High	-10.23	8

802.11ac-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.65	8
Middle	-10.93	8
High	-12.52	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.76	8
Middle	-11.21	8
High	-10.38	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.50	8
Middle	-8.00	8
High	-7.81	8

Aux. Antenna:

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-13.53	8
Middle	-13.51	8
High	-12.68	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.62	8
Middle	-10.26	8
High	-9.87	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.98	8
Middle	-9.45	8
High	-10.02	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.29	8
Middle	-9.90	8
High	-12.65	8

802.11ac-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.16	8
Middle	-10.18	8
High	-9.15	8

802.11ac-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.78	8
Middle	-11.86	8
High	-12.29	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-10.60	8
Middle	-11.17	8
High	-10.90	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.84	8
Middle	-9.18	8
High	-8.45	8

MIMO**802.11b Mode:**

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-11.13	8
Middle	-10.54	8
High	-10.46	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.49	8
Middle	-7.61	8
High	-6.53	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-6.94	8
Middle	-7.21	8
High	-7.36	8

802.11n-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.24	8
Middle	-7.32	8
High	-9.90	8

802.11ac-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.06	8
Middle	-7.26	8
High	-6.65	8

802.11ac-40 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.17	8
Middle	-8.36	8
High	-9.39	8

802.11ax-20 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-7.67	8
Middle	-8.18	8
High	-7.62	8

802.11ax-40 MHz(SU) Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-5.66	8
Middle	-5.54	8
High	-5.11	8

Test Plots

Main Antenna:

802.11b LOW CHANNEL




802.11b MIDDLE CHANNEL



802.11b HIGH CHANNEL




802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL



802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL



802.11n-40 MHz HIGH CHANNEL




802.11ac-20 MHz LOW CHANNEL



802.11ac-20 MHz MIDDLE CHANNEL



802.11ac-20 MHz HIGH CHANNEL




802.11ac-40 MHz LOW CHANNEL



802.11ac-40 MHz MIDDLE CHANNEL



802.11ac-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL



Aux. Antenna:

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL



802.11b HIGH CHANNEL



802.11g LOW CHANNEL



802.11g MIDDLE CHANNEL



802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11n-20 MHz MIDDLE CHANNEL




802.11n-20 MHz HIGH CHANNEL



802.11n-40 MHz LOW CHANNEL



802.11n-40 MHz MIDDLE CHANNEL




802.11n-40 MHz HIGH CHANNEL



802.11ac-20 MHz LOW CHANNEL



802.11ac-20 MHz MIDDLE CHANNEL



802.11ac-20 MHz HIGH CHANNEL



802.11ac-40 MHz LOW CHANNEL



802.11ac-40 MHz MIDDLE CHANNEL



802.11ac-40 MHz HIGH CHANNEL



802.11ax-20 MHz(SU) LOW CHANNEL



802.11ax-20 MHz(SU) MIDDLE CHANNEL




802.11ax-20 MHz(SU) HIGH CHANNEL




802.11ax-40 MHz(SU) LOW CHANNEL



802.11ax-40 MHz(SU) MIDDLE CHANNEL



802.11ax-40 MHz(SU) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH24A0814-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH24A0814-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH24A0814-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--