




## 802.11b\_LCH\_2412MHz\_Ant2 (SISO)\_NTNV




## 802.11b\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




## 802.11b\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




## 802.11g\_LCH\_2412MHz\_Ant2(SISO)\_NTNV




## 802.11g\_MCH\_2437MHz\_Ant2 (SISO)\_NTNV




## 802.11g\_HCH\_2462MHz\_Ant2 (SISO)\_NTNV




## 802.11n(HT20) LCH 2412MHz Ant2 (SISO) NTVN




## 802.11n(HT20) MCH 2437MHz Ant2 (SISO) NTVN




## 802.11n(HT20) HCH 2462MHz Ant2 (SISO) NTVN




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU26\_0\_Ant2(SISO)\_NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU52\_37\_Ant2(SISO)\_NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU106\_53\_Ant2 (SISO)\_NTNV




## 802.11ax(HEW20) LCH 2412MHz RU242 61 Ant2 (SISO) NTNV




## 802.11ax(HEW20) MCH 2437MHz RU26 4 Ant2(SISO) NTNV




## 802.11ax(HEW20) MCH 2437MHz RU52 38 Ant2 (SISO) NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU106\_54\_Ant2 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU242\_61\_An2 (SISO)\_NTNV




## 802.11ax(HEW20)\_HCH\_2462MHz\_RU26\_8\_Ant2 (SISO)\_NTNV




## 802.11ax(HEW20) HCH 2462MHz RU52 40 Ant12(SISO) NTNv



## 802.11ax(HEW20) HCH 2462MHz RU106 54 Ant2 (SISO) NTNv



## 802.11ax(HEW20) HCH 2462MHz RU242 61 Ant2 (SISO) NTNv



## 9.5 Spurious RF Conducted Emissions

1. The RF output of EUT was connected to the spectrum analyzer by RF cable. The path loss was compensated to the results for each measurement.
2. Set to the maximum power setting, the instrument center frequency is set to the nominal EUT channel center frequency enable the EUT transmit continuously.
3. Use the following spectrum analyzer settings:  
Span = wide enough to capture the peak level of the in-band emission and all spurious emissions (e.g., harmonics) from the lowest frequency generated in the EUT up through the 10<sup>th</sup> harmonic. Typically, several plots are required to cover this entire span.  
RBW = 100 kHz, VBW $\geq$ 3RBW, Sweep = auto, Detector function = peak, Trace = max hold
4. Allow the trace to stabilize. Set the marker on the peak of any spurious emission recorded.
5. The level displayed must comply with the limit specified in this Section. Submit these plots.
6. Repeat above procedures until all frequencies measured were complete.

### Limit

| Frequency Range<br>MHz | Limit (dBc) |
|------------------------|-------------|
| 30-25000               | -20         |






## Test Result

| Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | ANT | Level of Reference (dBm) | Limit (dBm) | Verdict |
|------------------|---------|-----------------|-------|--------|-----|--------------------------|-------------|---------|
| 802.11b          | SISO    | 2412            | /     | /      | 1   | 1.94                     | -18.06      | Pass    |
|                  |         | 2437            | /     | /      | 1   | 1.69                     | -18.31      | Pass    |
|                  |         | 2462            | /     | /      | 1   | 1.49                     | -18.51      | Pass    |
| 802.11g          | SISO    | 2412            | /     | /      | 1   | 0.71                     | -19.29      | Pass    |
|                  |         | 2437            | /     | /      | 1   | 0.80                     | -19.20      | Pass    |
|                  |         | 2462            | /     | /      | 1   | -0.09                    | -20.09      | Pass    |
| 802.11n (HT20)   | SISO    | 2412            | /     | /      | 1   | 0.66                     | -19.34      | Pass    |
|                  |         | 2437            | /     | /      | 1   | 0.72                     | -19.28      | Pass    |
|                  |         | 2462            | /     | /      | 1   | -0.06                    | -20.06      | Pass    |
| 802.11ax (HEW20) | SISO    | 2412            | RU26  | 0      | 1   | -0.33                    | -20.33      | Pass    |
|                  |         |                 | RU52  | 37     | 1   | 4.03                     | -15.97      | Pass    |
|                  |         |                 | RU106 | 53     | 1   | -0.17                    | -20.17      | Pass    |
|                  |         |                 | RU242 | 61     | 1   | 0.48                     | -19.52      | Pass    |
|                  |         | 2437            | RU26  | 4      | 1   | -0.44                    | -20.44      | Pass    |
|                  |         |                 | RU52  | 38     | 1   | 0.39                     | -19.61      | Pass    |
|                  |         |                 | RU106 | 53     | 1   | 0.07                     | -19.93      | Pass    |
|                  |         |                 | RU242 | 61     | 1   | 0.46                     | -19.54      | Pass    |
|                  |         | 2462            | RU26  | 8      | 1   | -1.56                    | -21.56      | Pass    |
|                  |         |                 | RU52  | 40     | 1   | -1.37                    | -21.37      | Pass    |
|                  |         |                 | RU106 | 54     | 1   | -1.29                    | -21.29      | Pass    |
|                  |         |                 | RU242 | 61     | 1   | -0.48                    | -20.48      | Pass    |


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

| Mode             | TX Type | Frequency (MHz) | RU    | RU Pos | ANT | Level of Reference (dBm) | Limit (dBm) | Verdict |
|------------------|---------|-----------------|-------|--------|-----|--------------------------|-------------|---------|
| 802.11b          | SISO    | 2412            | /     | /      | 2   | 1.85                     | -18.15      | Pass    |
|                  |         | 2437            | /     | /      | 2   | 1.95                     | -18.05      | Pass    |
|                  |         | 2462            | /     | /      | 2   | 1.62                     | -18.38      | Pass    |
| 802.11g          | SISO    | 2412            | /     | /      | 2   | 0.79                     | -19.21      | Pass    |
|                  |         | 2437            | /     | /      | 2   | 0.87                     | -19.13      | Pass    |
|                  |         | 2462            | /     | /      | 2   | 0.29                     | -19.71      | Pass    |
| 802.11n (HT20)   | SISO    | 2412            | /     | /      | 2   | 0.69                     | -19.31      | Pass    |
|                  |         | 2437            | /     | /      | 2   | 0.82                     | -19.18      | Pass    |
|                  |         | 2462            | /     | /      | 2   | 0.30                     | -19.70      | Pass    |
| 802.11ax (HEW20) | SISO    | 2412            | RU26  | 0      | 2   | -0.96                    | -20.96      | Pass    |
|                  |         |                 | RU52  | 37     | 2   | 0.57                     | -19.43      | Pass    |
|                  |         |                 | RU106 | 53     | 2   | -0.10                    | -20.10      | Pass    |
|                  |         |                 | RU242 | 61     | 2   | 0.70                     | -19.30      | Pass    |
|                  |         | 2437            | RU26  | 4      | 2   | 0.06                     | -19.94      | Pass    |
|                  |         |                 | RU52  | 38     | 2   | 0.84                     | -19.16      | Pass    |
|                  |         |                 | RU106 | 54     | 2   | 0.54                     | -19.46      | Pass    |
|                  |         |                 | RU242 | 61     | 2   | 0.74                     | -19.26      | Pass    |
|                  |         | 2462            | RU26  | 8      | 2   | -1.52                    | -21.52      | Pass    |
|                  |         |                 | RU52  | 40     | 2   | -0.89                    | -20.89      | Pass    |
|                  |         |                 | RU106 | 54     | 2   | -0.19                    | -20.19      | Pass    |
|                  |         |                 | RU242 | 61     | 2   | 0.03                     | -19.97      | Pass    |


Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

**Spurious RF conducted emissions****802.11b LCH 2412MHz Ant1 (SISO) NTN****802.11b MCH 2437MHz Ant1 (SISO) NTN****802.11b HCH 2462MHz Ant1 (SISO) NTN**


## 802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




## 802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




## 802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




## 802.11n(HT20) LCH 2412MHz Ant1 (SISO) NTNV




## 802.11n(HT20) MCH 2437MHz Ant1 (SISO) NTNV




## 802.11n(HT20) HCH 2462MHz Ant1 (SISO) NTNV




802.11ax(HEW20)\_LCH\_2412MHz\_RU26\_0\_Ant1 (SISO)\_NTNV




802.11ax(HEW20)\_LCH\_2412MHz\_RU52\_37\_Ant1 (SISO)\_NTNV




802.11ax(HEW20)\_LCH\_2412MHz\_RU106\_53\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU242\_61\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU26\_4\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU52\_38\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU106\_53\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU242\_61\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_HCH\_2462MHz\_RU26\_8\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20) HCH 2462MHz RU52 40 Ant1 (SISO) NTNv



## 802.11ax(HEW20) HCH 2462MHz RU106 54 Ant1 (SISO) NTNv




## 802.11ax(HEW20) HCH 2462MHz RU242 61 Ant1 (SISO) NTNv







## 802.11b\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




## 802.11b\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




## 802.11b\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




## 802.11g\_LCH\_2412MHz\_Ant1 (SISO) NTNv




## 802.11g\_MCH\_2437MHz\_Ant1 (SISO) NTNv




## 802.11g\_HCH\_2462MHz\_Ant1 (SISO) NTNv




## 802.11n(HT20) LCH 2412MHz Ant1 (SISO) NTNV




## 802.11n(HT20) MCH 2437MHz Ant1 (SISO) NTNV




## 802.11n(HT20) HCH 2462MHz Ant1 (SISO) NTNV




## 802.11ax(HEW20) LCH 2412MHz RU26 0 Ant1 (SISO) NTNV




## 802.11ax(HEW20) LCH 2412MHz RU52 37 Ant1 (SISO) NTNV




## 802.11ax(HEW20) LCH 2412MHz RU106 53 Ant1 (SISO) NTNV




## 802.11ax(HEW20) LCH 2412MHz RU242 61 Ant1 (SISO) NTNv




## 802.11ax(HEW20) MCH 2437MHz RU26 4 Ant1 (SISO) NTNv




## 802.11ax(HEW20) MCH 2437MHz RU52 38 Ant1 (SISO) NTNv




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU106\_53\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU242\_61\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_HCH\_2462MHz\_RU26\_8\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20) HCH 2462MHz RU52 40 Ant1 (SISO) NTNv




## 802.11ax(HEW20) HCH 2462MHz RU106 54 Ant1 (SISO) NTNv




## 802.11ax(HEW20) HCH 2462MHz RU242 61 Ant1 (SISO) NTNv




## 802.11b\_LCH\_2412MHz\_Ant1 (SISO) NTN



## 802.11b\_MCH\_2437MHz\_Ant1 (SISO) NTN




## 802.11b\_HCH\_2462MHz\_Ant1 (SISO) NTN







## 802.11g\_LCH\_2412MHz\_Ant1 (SISO)\_NTNV




## 802.11g\_MCH\_2437MHz\_Ant1 (SISO)\_NTNV




## 802.11g\_HCH\_2462MHz\_Ant1 (SISO)\_NTNV




## 802.11n(HT20) LCH 2412MHz Ant1 (SISO) NTNV




## 802.11n(HT20) MCH 2437MHz Ant1 (SISO) NTNV




## 802.11n(HT20) HCH 2462MHz Ant1 (SISO) NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU26\_0\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU52\_37\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_LCH\_2412MHz\_RU106\_53\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20) LCH 2412MHz RU242 61 Ant1 (SISO) NTN




## 802.11ax(HEW20) MCH 2437MHz RU26 4 Ant1 (SISO) NTN




## 802.11ax(HEW20) MCH 2437MHz RU52 38 Ant1 (SISO) NTN




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU106\_54\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_MCH\_2437MHz\_RU242\_61\_Ant1 (SISO)\_NTNV




## 802.11ax(HEW20)\_HCH\_2462MHz\_RU26\_8\_Ant1 (SISO)\_NTNV



## 802.11ax(HEW20) HCH 2462MHz RU52 40 Ant1 (SISO) NTN



## 802.11ax(HEW20) HCH 2462MHz RU106 54 Ant1 (SISO) NTN



## 802.11ax(HEW20) HCH 2462MHz RU242 61 Ant1 (SISO) NTN

