



5 GHz WLAN - 802.11ac 20 MHz Bandwidth

Modulation Coding Scheme: MCS7

	5260 MHz	5300 MHz	5320 MHz
26 dB Bandwidth (MHz)	20.820	20.400	20.340
99% Occupied Bandwidth (MHz)	17.661	17.666	17.662

Table 128 – SISO – Antenna Port 0




Figure 126 - 5260 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 127 - 5260 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 128 - 5300 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 129 - 5300 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 130 - 5320 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 131 - 5320 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5260 MHz	5300 MHz	5320 MHz
26 dB Bandwidth (MHz)	20.400	20.580	20.700
99% Occupied Bandwidth (MHz)	17.637	17.659	17.662

Table 129 – SISO – Antenna Port 1




Figure 132 - 5260 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 133 - 5260 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 134 - 5300 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 135 - 5300 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Figure 136 - 5320 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 137 - 5320 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Modulation Coding Scheme: MCS0

	5260 MHz	5300 MHz	5320 MHz
26 dB Bandwidth (MHz)	20.880	20.580	20.880
99% Occupied Bandwidth (MHz)	17.675	17.671	17.689

Table 130 – Worst-case Antenna Port – MIMO CDD




Figure 138 - 5260 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 139 - 5260 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



Figure 140 - 5300 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 141 - 5300 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 142 - 5320 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 143 - 5320 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11ac 40 MHz Bandwidth

Modulation Coding Scheme: MCS9

	5270 MHz	5310 MHz
26 dB Bandwidth (MHz)	42.000	42.000
99% Occupied Bandwidth (MHz)	36.348	36.367

Table 131 – SISO – Antenna Port 0



Figure 144 - 5270 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 145 - 5270 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 146 - 5310 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 147 - 5310 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0

Table 132 – SISO – Antenna Port 1

Figure 148 - 5270 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1

Figure 149 - 5270 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Figure 150 - 5310 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 151 - 5310 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1

Modulation Coding Scheme: MCS0

	5270 MHz	5310 MHz
26 dB Bandwidth (MHz)	41.640	41.400
99% Occupied Bandwidth (MHz)	36.318	36.268

Table 133 – Worst-case Antenna Port – MIMO CDD




Figure 152 - 5270 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 153 - 5270 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 154 - 5310 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 155 - 5310 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11ac 80 MHz Bandwidth

Modulation Coding Scheme: MCS5

	5290 MHz
26 dB Bandwidth (MHz)	82.320
99% Occupied Bandwidth (MHz)	75.967

Table 134 – SISO – Antenna Port 0




Figure 156 - 5290 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 157 - 5290 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5290 MHz
26 dB Bandwidth (MHz)	83.520
99% Occupied Bandwidth (MHz)	76.059

Table 135 – SISO – Antenna Port 1




Figure 158 - 5290 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 159 - 5290 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Modulation Coding Scheme: MCS0

	5290 MHz
26 dB Bandwidth (MHz)	82.560
99% Occupied Bandwidth (MHz)	76.062

Table 136 – Worst-case Antenna Port – MIMO CDD




Figure 160 - 5290 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 161 - 5290 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



U-NII-2C

5 GHz WLAN - 802.11a

Data Rate: 54 Mbps

	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	20.820	20.340	20.460
99% Occupied Bandwidth (MHz)	16.500	16.503	16.532

Table 137 – SISO – Antenna Port 0




Figure 162 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 163 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 164 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 165 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 166 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 167 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	20.160	20.100	20.280
99% Occupied Bandwidth (MHz)	16.535	16.507	16.531

Table 138 – SISO – Antenna Port 1




Figure 168 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 169 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 170 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 171 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 172 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 173 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



5 GHz WLAN - 802.11n 20 MHz Bandwidth

Modulation Coding Scheme: MCS5

	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	20.880	20.340	20.880
99% Occupied Bandwidth (MHz)	17.643	17.633	17.631

Table 139 – SISO – Antenna Port 0




Figure 174 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 175 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 176 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 177 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 178 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 179 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	20.520	21.060	20.160
99% Occupied Bandwidth (MHz)	17.627	17.638	17.632

Table 140 – SISO – Antenna Port 1




Figure 180 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 181 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 182 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 183 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 184 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 185 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1

	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	21.120	21.300	20.460
99% Occupied Bandwidth (MHz)	17.692	17.708	17.699

Table 141 – Worst-case Antenna Port – MIMO CDD




Figure 186 - 5500 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 187 - 5500 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 188 - 5600 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 189 - 5600 MHz - 99% Occupied Bandwidth– Worst-case Antenna Port




Figure 190 - 5700 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 191 - 5700 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11n 40 MHz Bandwidth

Modulation Coding Scheme: MCS6

	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	41.640	42.000	41.040
99% Occupied Bandwidth (MHz)	36.266	36.261	36.235

Table 142 – SISO – Antenna Port 0



Figure 192 - 5510 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 193 - 5510 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 194 - 5590 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 195 - 5590 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 196 - 5670 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 197 - 5670 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	43.680	42.600	41.400
99% Occupied Bandwidth (MHz)	36.230	36.272	36.244

Table 143 – SISO – Antenna Port 1




Figure 198 - 5510 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 199 - 5510 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 200 - 5590 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 201 - 5590 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 202 - 5670 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 203 - 5670 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1

Modulation Coding Scheme: MCS0

	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	56.520	71.760	70.800
99% Occupied Bandwidth (MHz)	36.351	36.363	36.349

Table 144 – Worst-case Antenna Port – MIMO CDD



Figure 204 - 5510 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 205 - 5510 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



Figure 206 - 5590 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 207 - 5590 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 208 - 5670 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 209 - 5670 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11ac 20 MHz Bandwidth

Modulation Coding Scheme: MCS7

	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	20.460	20.160	20.520
99% Occupied Bandwidth (MHz)	17.673	17.655	17.659

Table 145 – SISO – Antenna Port 0




Figure 210 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 211 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 212 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 213 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 214 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 215 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	21.360	20.520	20.640
99% Occupied Bandwidth (MHz)	17.650	17.661	17.683

Table 146 – SISO – Antenna Port 1




Figure 216 - 5500 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 217 - 5500 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 218 - 5600 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 219 - 5600 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 220 - 5700 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 221 - 5700 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Modulation Coding Scheme: MCS0

	5500 MHz	5600 MHz	5700 MHz
26 dB Bandwidth (MHz)	21.600	20.640	21.180
99% Occupied Bandwidth (MHz)	17.697	17.688	17.676

Table 147 – Worst-case Antenna Port – MIMO CDD




Figure 222 - 5500 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 223 - 5500 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 224 - 5600 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 225 - 5600 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 226 - 5700 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 227 - 5700 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11ac 40 MHz Bandwidth

Modulation Coding Scheme: MCS9

	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	41.640	41.400	42.600
99% Occupied Bandwidth (MHz)	36.330	36.401	36.361

Table 148 – SISO – Antenna Port 0



Figure 228 - 5510 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 229 - 5510 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



Figure 230 - 5590 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 231 - 5590 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 232 - 5670 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 233 - 5670 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	42.720	41.760	42.360
99% Occupied Bandwidth (MHz)	36.351	36.411	36.464

Table 149 – SISO – Antenna Port 1



Figure 234 - 5510 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 235 - 5510 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Figure 236 - 5590 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 237 - 5590 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Figure 238 - 5670 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 239 - 5670 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1



Modulation Coding Scheme: MCS0

	5510 MHz	5590 MHz	5670 MHz
26 dB Bandwidth (MHz)	61.320	60.840	61.920
99% Occupied Bandwidth (MHz)	36.343	36.329	36.315

Table 150 – Worst-case Antenna Port – MIMO CDD



Figure 240 - 5510 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 241 - 5510 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



Figure 242 - 5590 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 243 - 5590 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 244 - 5670 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 245 - 5670 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port



5 GHz WLAN - 802.11ac 80 MHz Bandwidth

Modulation Coding Scheme: MCS5

	5530 MHz	5610 MHz
26 dB Bandwidth (MHz)	83.040	82.800
99% Occupied Bandwidth (MHz)	75.961	75.981

Table 151 – SISO – Antenna Port 0




Figure 246 - 5530 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 247 - 5530 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 248 - 5610 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 249 - 5610 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5530 MHz	5610 MHz
26 dB Bandwidth (MHz)	83.040	82.560
99% Occupied Bandwidth (MHz)	75.962	76.048

Table 152 – SISO – Antenna Port 1




Figure 250 - 5530 MHz - 26 dB Emission Bandwidth




Figure 251 - 5530 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 252 - 5610 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 253 - 5610 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1

Modulation Coding Scheme: MCS0

	5530 MHz	5610 MHz
26 dB Bandwidth (MHz)	81.840	82.080
99% Occupied Bandwidth (MHz)	76.001	76.010

Table 153 – Worst-case Antenna Port – MIMO CDD



Figure 254 - 5530 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 255 - 5530 MHz - 99% Occupied Bandwidth – Worst-case Antenna Port




Figure 256 - 5610 MHz - 26 dB Emission Bandwidth – Worst-case Antenna Port




Figure 257 - 5610 MHz - 99% Occupied Bandwidth– Worst-case Antenna Port



U-NII-3

5 GHz WLAN - 802.11a

Data Rate: 54 Mbps

	5745 MHz	5785 MHz	5825 MHz
6 dB Bandwidth (MHz)	16.560	16.560	16.560
26 dB Bandwidth (MHz)	20.520	20.520	20.160
99% Occupied Bandwidth (MHz)	16.527	16.528	16.529

Table 154 – SISO – Antenna Port 0




Figure 258 - 5745 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 0



Figure 259 - 5745 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 260 - 5745 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 261 - 5785 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 0




Figure 262 - 5785 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 263 - 5785 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0




Figure 264 - 5825 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 0



Figure 265 - 5825 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 0




Figure 266 - 5825 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 0



	5745 MHz	5785 MHz	5825 MHz
6 dB Bandwidth (MHz)	16.620	16.620	16.560
26 dB Bandwidth (MHz)	20.280	19.920	20.040
99% Occupied Bandwidth (MHz)	16.515	16.525	16.521

Table 155 – SISO – Antenna Port 1



Figure 267 - 5745 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 1




Figure 268 - 5745 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 269 - 5745 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 270 - 5785 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 1



Figure 271 - 5785 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 272 - 5785 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1




Figure 273 - 5825 MHz - 6 dB DTS Bandwidth – SISO – Antenna Port 1




Figure 274 - 5825 MHz - 26 dB Emission Bandwidth – SISO – Antenna Port 1




Figure 275 - 5825 MHz - 99% Occupied Bandwidth – SISO – Antenna Port 1