Battery connector protrudes through cutout in pocket

Screw inserted here to finalize assembly

FCC Label goes in this recessed pocket

Hooks for hanging on wall bracket.

Bumps to retain battery door

#2x1/4"flat head plastite screw (Qty 1)

Rechargeable battery pack custom made by Palladium Energy, Li-Ion 3.7V 1150mAh

INSERT THIS SIDE UP

Hooks on battery door engage with "shelves" in rear housing battery pocket

INSERT THIS SIDE UP

Recesses in battery door engage with bumps on rear housing to retain battery door

Battery door slides on
and snaps in place

iTextAlert ITA-1 Hub, Front View

iTextAlert ITA-1 Hub, Top View

iTextAlert ITA-1 Hub, Bottom View

iTextAlert ITA-1 Hub, Left Side View

iTextAlert ITA-1 Hub, Right Side View

ITA-1 Hub Assembly, Top-Front View

ITA-1 Hub Assembly, Front-Right View

ITA-1 Hub Assembly, Bottom-Front View

ITA-1 Hub Assembly, Rear Iso View

Wall mount bracket

Reverse view showing how hooks on housing engage with tabs on mounting bracket

CUI Wall Adapter

Reverse view showing wall adaptor plug connected to Hub

USB cable provided for configuring sensors

View showing USB cable connected to Hub and
Sensor for the purpose of configuring the sensor