



Annex A.2 Peak to Average Ratio for SA_Part96

1. n48 30kHz


1.1. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.2. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




1.3. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.4. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.5. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.6. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




1.7. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.8. Peak to Average Ratio for SA_Part96(NTNV)(Channel:637334, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




1.9. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.10. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




1.11. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.12. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.13. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.14. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




1.15. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.16. Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




1.17. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.18. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)




1.19. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.20. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.21. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.22. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)



1.23. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



1.24. Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)



--BLANK BELOW--