


Annex A.5 Spurious Emission at Antenna Terminals for SA_Part96

1. n48 30kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.9	-40	Pass	2986
30	1000	0.1	RMS	950.3	-65.75	-40	Pass	9701
1000	3000	1	RMS	2641	-52.48	-40	Pass	2001
3000	3500	1	RMS	3150	-51.15	-40	Pass	501
3500	3750	1	RMS	3557.5	11.89	60	Pass	401
3750	6500	1	RMS	3750	-70.47	-40	Pass	2751
6500	26500	1	RMS	25016	-48.55	-40	Pass	20001




1.2. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.32	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-40	Pass	2986
30	1000	0.1	RMS	859.6	-65.63	-40	Pass	9701
1000	3000	1	RMS	2649	-52.35	-40	Pass	2001
3000	3500	1	RMS	3030	-51.03	-40	Pass	501
3500	3750	1	RMS	3550.625	19.8	60	Pass	401
3750	6500	1	RMS	3770	-70.19	-40	Pass	2751
6500	26500	1	RMS	25032	-48.75	-40	Pass	20001




1.3. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.21	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.78	-40	Pass	2986
30	1000	0.1	RMS	910.5	-65.75	-40	Pass	9701
1000	3000	1	RMS	2647	-52.42	-40	Pass	2001
3000	3500	1	RMS	3152	-51.17	-40	Pass	501
3500	3750	1	RMS	3559.375	19.69	60	Pass	401
3750	6500	1	RMS	3767	-70	-40	Pass	2751
6500	26500	1	RMS	25420	-48.24	-40	Pass	20001




1.4. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.48	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.82	-40	Pass	2986
30	1000	0.1	RMS	757.1	-65.6	-40	Pass	9701
1000	3000	1	RMS	2657	-52.46	-40	Pass	2001
3000	3500	1	RMS	3034	-51.16	-40	Pass	501
3500	3750	1	RMS	3623.75	11.62	60	Pass	401
3750	6500	1	RMS	3764	-69.71	-40	Pass	2751
6500	26500	1	RMS	25008	-48.47	-40	Pass	20001




1.5. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-55.38	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-40	Pass	2986
30	1000	0.1	RMS	995.3	-65.27	-40	Pass	9701
1000	3000	1	RMS	2659	-52.55	-40	Pass	2001
3000	3500	1	RMS	3032	-51.13	-40	Pass	501
3500	3750	1	RMS	3620.625	19.71	60	Pass	401
3750	6500	1	RMS	3754	-69.57	-40	Pass	2751
6500	26500	1	RMS	25023	-48.69	-40	Pass	20001




1.6. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.4	-40	Pass	401
0.15	30	0.01	RMS	0.16	-58.55	-40	Pass	2986
30	1000	0.1	RMS	912.8	-65.08	-40	Pass	9701
1000	3000	1	RMS	3000	-52.36	-40	Pass	2001
3000	3500	1	RMS	3025	-51.19	-40	Pass	501
3500	3750	1	RMS	3629.375	19.42	60	Pass	401
3750	6500	1	RMS	3767	-69.33	-40	Pass	2751
6500	26500	1	RMS	25421	-48.82	-40	Pass	20001




1.7. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.44	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-40	Pass	2986
30	1000	0.1	RMS	951.7	-65.59	-40	Pass	9701
1000	3000	1	RMS	2662	-52.45	-40	Pass	2001
3000	3500	1	RMS	3033	-51.11	-40	Pass	501
3500	3750	1	RMS	3691.875	11.66	60	Pass	401
3750	6500	1	RMS	3754	-69.24	-40	Pass	2751
6500	26500	1	RMS	25009	-48.63	-40	Pass	20001




1.8. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.18	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.17	-40	Pass	2986
30	1000	0.1	RMS	991.9	-65.52	-40	Pass	9701
1000	3000	1	RMS	2991	-52.39	-40	Pass	2001
3000	3500	1	RMS	3019	-51.19	-40	Pass	501
3500	3750	1	RMS	3690.625	19.76	60	Pass	401
3750	6500	1	RMS	3750	-52.53	-40	Pass	2751
6500	26500	1	RMS	25012	-48.47	-40	Pass	20001




1.9. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.15	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.91	-40	Pass	2986
30	1000	0.1	RMS	901.5	-65.78	-40	Pass	9701
1000	3000	1	RMS	2658	-52.33	-40	Pass	2001
3000	3500	1	RMS	3027	-51.23	-40	Pass	501
3500	3750	1	RMS	3699.375	19.48	60	Pass	401
3750	6500	1	RMS	3803	-67.85	-40	Pass	2751
6500	26500	1	RMS	24970	-48.56	-40	Pass	20001




1.10. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-40	Pass	2986
30	1000	0.1	RMS	813.4	-65.73	-40	Pass	9701
1000	3000	1	RMS	2655	-52.49	-40	Pass	2001
3000	3500	1	RMS	3149	-51.19	-40	Pass	501
3500	3750	1	RMS	3554.375	8.59	60	Pass	401
3750	6500	1	RMS	3750	-70.53	-40	Pass	2751
6500	26500	1	RMS	25405	-48.84	-40	Pass	20001




1.11. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.31	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.74	-40	Pass	2986
30	1000	0.1	RMS	989.8	-65.84	-40	Pass	9701
1000	3000	1	RMS	2662	-52.43	-40	Pass	2001
3000	3500	1	RMS	3150	-51.1	-40	Pass	501
3500	3750	1	RMS	3551.25	19.47	60	Pass	401
3750	6500	1	RMS	3767	-70.72	-40	Pass	2751
6500	26500	1	RMS	25020	-48.54	-40	Pass	20001




1.12. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-40	Pass	2986
30	1000	0.1	RMS	950.3	-65.36	-40	Pass	9701
1000	3000	1	RMS	2655	-52.52	-40	Pass	2001
3000	3500	1	RMS	3151	-51.11	-40	Pass	501
3500	3750	1	RMS	3568.75	19.78	60	Pass	401
3750	6500	1	RMS	3764	-70.42	-40	Pass	2751
6500	26500	1	RMS	25002	-48.89	-40	Pass	20001




1.13. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.53	-40	Pass	401
0.15	30	0.01	RMS	0.16	-56.23	-40	Pass	2986
30	1000	0.1	RMS	911.8	-66.18	-40	Pass	9701
1000	3000	1	RMS	2637	-52.29	-40	Pass	2001
3000	3500	1	RMS	3034	-51.15	-40	Pass	501
3500	3750	1	RMS	3619.375	8.51	60	Pass	401
3750	6500	1	RMS	3777	-70.37	-40	Pass	2751
6500	26500	1	RMS	25023	-48.91	-40	Pass	20001




1.14. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-55.01	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.36	-40	Pass	2986
30	1000	0.1	RMS	942.9	-65.19	-40	Pass	9701
1000	3000	1	RMS	2657	-52.41	-40	Pass	2001
3000	3500	1	RMS	3027	-51.07	-40	Pass	501
3500	3750	1	RMS	3616.25	19.35	60	Pass	401
3750	6500	1	RMS	3772	-70.11	-40	Pass	2751
6500	26500	1	RMS	25016	-48.92	-40	Pass	20001




1.15. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.96	-40	Pass	401
0.15	30	0.01	RMS	0.15	-58	-40	Pass	2986
30	1000	0.1	RMS	998.8	-65.34	-40	Pass	9701
1000	3000	1	RMS	2662	-52.46	-40	Pass	2001
3000	3500	1	RMS	3030	-51.07	-40	Pass	501
3500	3750	1	RMS	3633.75	19.61	60	Pass	401
3750	6500	1	RMS	3778	-69.38	-40	Pass	2751
6500	26500	1	RMS	25014	-48.61	-40	Pass	20001




1.16. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.23	-40	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-40	Pass	2986
30	1000	0.1	RMS	895	-65.64	-40	Pass	9701
1000	3000	1	RMS	2631	-52.22	-40	Pass	2001
3000	3500	1	RMS	3030	-51.01	-40	Pass	501
3500	3750	1	RMS	3682.5	8.54	60	Pass	401
3750	6500	1	RMS	3809	-59.72	-40	Pass	2751
6500	26500	1	RMS	25012	-48.53	-40	Pass	20001




1.17. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.08	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.5	-40	Pass	2986
30	1000	0.1	RMS	882.5	-65.39	-40	Pass	9701
1000	3000	1	RMS	2998	-52.36	-40	Pass	2001
3000	3500	1	RMS	3026	-51.12	-40	Pass	501
3500	3750	1	RMS	3681.25	19.41	60	Pass	401
3750	6500	1	RMS	3753	-66.4	-40	Pass	2751
6500	26500	1	RMS	24869	-48.52	-40	Pass	20001




1.18. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.44	-40	Pass	2986
30	1000	0.1	RMS	763	-65.51	-40	Pass	9701
1000	3000	1	RMS	2649	-52.35	-40	Pass	2001
3000	3500	1	RMS	3031	-51.11	-40	Pass	501
3500	3750	1	RMS	3698.75	19.67	60	Pass	401
3750	6500	1	RMS	3771	-63.38	-40	Pass	2751
6500	26500	1	RMS	25021	-48.39	-40	Pass	20001




1.19. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-57.42	-40	Pass	401
0.15	30	0.01	RMS	0.15	-54.65	-40	Pass	2986
30	1000	0.1	RMS	929.5	-65.92	-40	Pass	9701
1000	3000	1	RMS	2656	-52.35	-40	Pass	2001
3000	3500	1	RMS	3500	-47.25	-40	Pass	501
3500	3750	1	RMS	3566.875	6.28	60	Pass	401
3750	6500	1	RMS	3751	-69.61	-40	Pass	2751
6500	26500	1	RMS	25030	-48.5	-40	Pass	20001




1.20. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.58	-40	Pass	401
0.15	30	0.01	RMS	0.15	-59.48	-40	Pass	2986
30	1000	0.1	RMS	989.8	-65.67	-40	Pass	9701
1000	3000	1	RMS	2655	-52.33	-40	Pass	2001
3000	3500	1	RMS	3148	-51.11	-40	Pass	501
3500	3750	1	RMS	3551.25	20.36	60	Pass	401
3750	6500	1	RMS	3967	-68.56	-40	Pass	2751
6500	26500	1	RMS	25030	-48.77	-40	Pass	20001




1.21. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-40	Pass	2986
30	1000	0.1	RMS	884.5	-65.74	-40	Pass	9701
1000	3000	1	RMS	2632	-52.43	-40	Pass	2001
3000	3500	1	RMS	3153	-51.11	-40	Pass	501
3500	3750	1	RMS	3588.75	20.4	60	Pass	401
3750	6500	1	RMS	3769	-61.79	-40	Pass	2751
6500	26500	1	RMS	25004	-48.13	-40	Pass	20001




1.22. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.51	-40	Pass	401
0.15	30	0.01	RMS	0.16	-55.52	-40	Pass	2986
30	1000	0.1	RMS	901.1	-65.47	-40	Pass	9701
1000	3000	1	RMS	2637	-52.33	-40	Pass	2001
3000	3500	1	RMS	3026	-51.12	-40	Pass	501
3500	3750	1	RMS	3618.75	5.98	60	Pass	401
3750	6500	1	RMS	3750	-68.83	-40	Pass	2751
6500	26500	1	RMS	25011	-48.49	-40	Pass	20001




1.23. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.58	-40	Pass	401
0.15	30	0.01	RMS	0.16	-57.11	-40	Pass	2986
30	1000	0.1	RMS	820.1	-66.05	-40	Pass	9701
1000	3000	1	RMS	2649	-52.51	-40	Pass	2001
3000	3500	1	RMS	3027	-51.09	-40	Pass	501
3500	3750	1	RMS	3606.25	20.24	60	Pass	401
3750	6500	1	RMS	3774	-62.78	-40	Pass	2751
6500	26500	1	RMS	25022	-48.47	-40	Pass	20001




1.24. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.31	-40	Pass	401
0.15	30	0.01	RMS	0.15	-57.92	-40	Pass	2986
30	1000	0.1	RMS	763.6	-65.83	-40	Pass	9701
1000	3000	1	RMS	2657	-52.32	-40	Pass	2001
3000	3500	1	RMS	3034	-51.11	-40	Pass	501
3500	3750	1	RMS	3643.75	20.4	60	Pass	401
3750	6500	1	RMS	4060	-69.23	-40	Pass	2751
6500	26500	1	RMS	25000	-48.42	-40	Pass	20001




1.25. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-40	Pass	2986
30	1000	0.1	RMS	882.2	-65.72	-40	Pass	9701
1000	3000	1	RMS	2658	-52.38	-40	Pass	2001
3000	3500	1	RMS	3032	-51.12	-40	Pass	501
3500	3750	1	RMS	3673.75	6.16	60	Pass	401
3750	6500	1	RMS	3750	-51.45	-40	Pass	2751
6500	26500	1	RMS	25011	-48.15	-40	Pass	20001




1.26. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.58	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-40	Pass	2986
30	1000	0.1	RMS	880.2	-65.91	-40	Pass	9701
1000	3000	1	RMS	2649	-52.51	-40	Pass	2001
3000	3500	1	RMS	3030	-51.1	-40	Pass	501
3500	3750	1	RMS	3661.25	20.17	60	Pass	401
3750	6500	1	RMS	3750	-67.65	-40	Pass	2751
6500	26500	1	RMS	25021	-48.7	-40	Pass	20001



1.27. Spurious Emission at Antenna Terminals for SA_Part96(NTNV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.15	-40	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-40	Pass	2986
30	1000	0.1	RMS	930.3	-65.85	-40	Pass	9701
1000	3000	1	RMS	2642	-52.51	-40	Pass	2001
3000	3500	1	RMS	3030	-51.12	-40	Pass	501
3500	3750	1	RMS	3698.75	20.59	60	Pass	401
3750	6500	1	RMS	3750	-66.93	-40	Pass	2751
6500	26500	1	RMS	25429	-48.98	-40	Pass	20001



--BLANK BELOW--