

Appendix I : Test Result - n66

1. Conducted Output Power And E.I.R.P.

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Power (dBm)	GT - Lc (dB)	EIRP (dBm)	EIRP (mW)	EIRP Limit (mW)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	23.21	0.24	23.45	221.31	1000	PASS
n66	15	5	342500	12@6	DFT_BPSK	23.67	0.24	23.91	246.04	1000	PASS
n66	15	5	342500	1@1	DFT_BPSK	23.43	0.24	23.67	232.81	1000	PASS
n66	15	5	342500	1@23	DFT_BPSK	23.57	0.24	23.81	240.44	1000	PASS
n66	15	5	342500	25@0	DFT_QPSK	22.74	0.24	22.98	198.61	1000	PASS
n66	15	5	342500	12@6	DFT_QPSK	23.76	0.24	24	251.19	1000	PASS
n66	15	5	342500	1@1	DFT_QPSK	23.83	0.24	24.07	255.27	1000	PASS
n66	15	5	342500	1@23	DFT_QPSK	23.83	0.24	24.07	255.27	1000	PASS
n66	15	5	342500	25@0	DFT_16QAM	21.96	0.24	22.2	165.96	1000	PASS
n66	15	5	342500	12@6	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	5	342500	1@1	DFT_16QAM	23.10	0.24	23.34	215.77	1000	PASS
n66	15	5	342500	1@23	DFT_16QAM	23.07	0.24	23.31	214.29	1000	PASS
n66	15	5	342500	25@0	DFT_64QAM	21.46	0.24	21.7	147.91	1000	PASS
n66	15	5	342500	12@6	DFT_64QAM	21.31	0.24	21.55	142.89	1000	PASS
n66	15	5	342500	1@1	DFT_64QAM	21.42	0.24	21.66	146.55	1000	PASS
n66	15	5	342500	1@23	DFT_64QAM	21.41	0.24	21.65	146.22	1000	PASS
n66	15	5	342500	25@0	DFT_256QAM	19.31	0.24	19.55	90.16	1000	PASS
n66	15	5	342500	12@6	DFT_256QAM	19.27	0.24	19.51	89.33	1000	PASS
n66	15	5	342500	1@1	DFT_256QAM	19.43	0.24	19.67	92.68	1000	PASS
n66	15	5	342500	1@23	DFT_256QAM	19.43	0.24	19.67	92.68	1000	PASS
n66	15	5	342500	25@0	CP_QPSK	20.87	0.24	21.11	129.12	1000	PASS
n66	15	5	342500	13@6	CP_QPSK	22.35	0.24	22.59	181.55	1000	PASS
n66	15	5	342500	1@1	CP_QPSK	22.30	0.24	22.54	179.47	1000	PASS
n66	15	5	342500	1@23	CP_QPSK	22.24	0.24	22.48	177.01	1000	PASS
n66	15	5	342500	25@0	CP_16QAM	20.80	0.24	21.04	127.06	1000	PASS
n66	15	5	342500	13@6	CP_16QAM	21.82	0.24	22.06	160.69	1000	PASS
n66	15	5	342500	1@1	CP_16QAM	22.12	0.24	22.36	172.19	1000	PASS
n66	15	5	342500	1@23	CP_16QAM	22.05	0.24	22.29	169.43	1000	PASS
n66	15	5	342500	25@0	CP_64QAM	20.37	0.24	20.61	115.08	1000	PASS
n66	15	5	342500	13@6	CP_64QAM	20.42	0.24	20.66	116.41	1000	PASS
n66	15	5	342500	1@1	CP_64QAM	20.38	0.24	20.62	115.35	1000	PASS
n66	15	5	342500	1@23	CP_64QAM	20.38	0.24	20.62	115.35	1000	PASS
n66	15	5	342500	25@0	CP_256QAM	17.28	0.24	17.52	56.49	1000	PASS
n66	15	5	342500	13@6	CP_256QAM	17.24	0.24	17.48	55.98	1000	PASS

n66	15	5	342500	1@1	CP_256QAM	17.21	0.24	17.45	55.59	1000	PASS
n66	15	5	342500	1@23	CP_256QAM	17.19	0.24	17.43	55.34	1000	PASS
n66	15	5	349000	25@0	DFT_BPSK	23.24	0.24	23.48	222.84	1000	PASS
n66	15	5	349000	12@6	DFT_BPSK	23.67	0.24	23.91	246.04	1000	PASS
n66	15	5	349000	1@1	DFT_BPSK	23.56	0.24	23.8	239.88	1000	PASS
n66	15	5	349000	1@23	DFT_BPSK	23.59	0.24	23.83	241.55	1000	PASS
n66	15	5	349000	25@0	DFT_QPSK	22.73	0.24	22.97	198.15	1000	PASS
n66	15	5	349000	12@6	DFT_QPSK	23.71	0.24	23.95	248.31	1000	PASS
n66	15	5	349000	1@1	DFT_QPSK	23.59	0.24	23.83	241.55	1000	PASS
n66	15	5	349000	1@23	DFT_QPSK	23.67	0.24	23.91	246.04	1000	PASS
n66	15	5	349000	25@0	DFT_16QAM	21.96	0.24	22.2	165.96	1000	PASS
n66	15	5	349000	12@6	DFT_16QAM	22.62	0.24	22.86	193.2	1000	PASS
n66	15	5	349000	1@1	DFT_16QAM	22.68	0.24	22.92	195.88	1000	PASS
n66	15	5	349000	1@23	DFT_16QAM	22.76	0.24	23	199.53	1000	PASS
n66	15	5	349000	25@0	DFT_64QAM	21.42	0.24	21.66	146.55	1000	PASS
n66	15	5	349000	12@6	DFT_64QAM	21.36	0.24	21.6	144.54	1000	PASS
n66	15	5	349000	1@1	DFT_64QAM	21.44	0.24	21.68	147.23	1000	PASS
n66	15	5	349000	1@23	DFT_64QAM	21.54	0.24	21.78	150.66	1000	PASS
n66	15	5	349000	25@0	DFT_256QAM	19.32	0.24	19.56	90.36	1000	PASS
n66	15	5	349000	12@6	DFT_256QAM	19.26	0.24	19.5	89.13	1000	PASS
n66	15	5	349000	1@1	DFT_256QAM	19.42	0.24	19.66	92.47	1000	PASS
n66	15	5	349000	1@23	DFT_256QAM	19.53	0.24	19.77	94.84	1000	PASS
n66	15	5	349000	25@0	CP_QPSK	20.88	0.24	21.12	129.42	1000	PASS
n66	15	5	349000	13@6	CP_QPSK	22.35	0.24	22.59	181.55	1000	PASS
n66	15	5	349000	1@1	CP_QPSK	22.27	0.24	22.51	178.24	1000	PASS
n66	15	5	349000	1@23	CP_QPSK	22.19	0.24	22.43	174.98	1000	PASS
n66	15	5	349000	25@0	CP_16QAM	20.81	0.24	21.05	127.35	1000	PASS
n66	15	5	349000	13@6	CP_16QAM	21.83	0.24	22.07	161.06	1000	PASS
n66	15	5	349000	1@1	CP_16QAM	21.97	0.24	22.21	166.34	1000	PASS
n66	15	5	349000	1@23	CP_16QAM	22.08	0.24	22.32	170.61	1000	PASS
n66	15	5	349000	25@0	CP_64QAM	20.35	0.24	20.59	114.55	1000	PASS
n66	15	5	349000	13@6	CP_64QAM	20.33	0.24	20.57	114.02	1000	PASS
n66	15	5	349000	1@1	CP_64QAM	20.32	0.24	20.56	113.76	1000	PASS
n66	15	5	349000	1@23	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	5	349000	25@0	CP_256QAM	17.29	0.24	17.53	56.62	1000	PASS
n66	15	5	349000	13@6	CP_256QAM	17.20	0.24	17.44	55.46	1000	PASS
n66	15	5	349000	1@1	CP_256QAM	17.23	0.24	17.47	55.85	1000	PASS
n66	15	5	349000	1@23	CP_256QAM	17.30	0.24	17.54	56.75	1000	PASS
n66	15	5	355500	25@0	DFT_BPSK	23.29	0.24	23.53	225.42	1000	PASS
n66	15	5	355500	12@6	DFT_BPSK	23.80	0.24	24.04	253.51	1000	PASS
n66	15	5	355500	1@1	DFT_BPSK	23.52	0.24	23.76	237.68	1000	PASS
n66	15	5	355500	1@23	DFT_BPSK	23.58	0.24	23.82	240.99	1000	PASS
n66	15	5	355500	25@0	DFT_QPSK	22.80	0.24	23.04	201.37	1000	PASS

n66	15	5	355500	12@6	DFT_QPSK	23.87	0.24	24.11	257.63	1000	PASS
n66	15	5	355500	1@1	DFT_QPSK	23.74	0.24	23.98	250.03	1000	PASS
n66	15	5	355500	1@23	DFT_QPSK	23.75	0.24	23.99	250.61	1000	PASS
n66	15	5	355500	25@0	DFT_16QAM	22.03	0.24	22.27	168.66	1000	PASS
n66	15	5	355500	12@6	DFT_16QAM	22.70	0.24	22.94	196.79	1000	PASS
n66	15	5	355500	1@1	DFT_16QAM	22.72	0.24	22.96	197.7	1000	PASS
n66	15	5	355500	1@23	DFT_16QAM	22.73	0.24	22.97	198.15	1000	PASS
n66	15	5	355500	25@0	DFT_64QAM	21.50	0.24	21.74	149.28	1000	PASS
n66	15	5	355500	12@6	DFT_64QAM	21.40	0.24	21.64	145.88	1000	PASS
n66	15	5	355500	1@1	DFT_64QAM	21.57	0.24	21.81	151.71	1000	PASS
n66	15	5	355500	1@23	DFT_64QAM	21.55	0.24	21.79	151.01	1000	PASS
n66	15	5	355500	25@0	DFT_256QAM	19.41	0.24	19.65	92.26	1000	PASS
n66	15	5	355500	12@6	DFT_256QAM	19.37	0.24	19.61	91.41	1000	PASS
n66	15	5	355500	1@1	DFT_256QAM	19.52	0.24	19.76	94.62	1000	PASS
n66	15	5	355500	1@23	DFT_256QAM	19.58	0.24	19.82	95.94	1000	PASS
n66	15	5	355500	25@0	CP_QPSK	20.93	0.24	21.17	130.92	1000	PASS
n66	15	5	355500	13@6	CP_QPSK	22.28	0.24	22.52	178.65	1000	PASS
n66	15	5	355500	1@1	CP_QPSK	22.24	0.24	22.48	177.01	1000	PASS
n66	15	5	355500	1@23	CP_QPSK	22.21	0.24	22.45	175.79	1000	PASS
n66	15	5	355500	25@0	CP_16QAM	20.89	0.24	21.13	129.72	1000	PASS
n66	15	5	355500	13@6	CP_16QAM	21.95	0.24	22.19	165.58	1000	PASS
n66	15	5	355500	1@1	CP_16QAM	22.10	0.24	22.34	171.4	1000	PASS
n66	15	5	355500	1@23	CP_16QAM	22.16	0.24	22.4	173.78	1000	PASS
n66	15	5	355500	25@0	CP_64QAM	20.44	0.24	20.68	116.95	1000	PASS
n66	15	5	355500	13@6	CP_64QAM	20.50	0.24	20.74	118.58	1000	PASS
n66	15	5	355500	1@1	CP_64QAM	20.46	0.24	20.7	117.49	1000	PASS
n66	15	5	355500	1@23	CP_64QAM	20.45	0.24	20.69	117.22	1000	PASS
n66	15	5	355500	25@0	CP_256QAM	17.38	0.24	17.62	57.81	1000	PASS
n66	15	5	355500	13@6	CP_256QAM	17.33	0.24	17.57	57.15	1000	PASS
n66	15	5	355500	1@1	CP_256QAM	17.30	0.24	17.54	56.75	1000	PASS
n66	15	5	355500	1@23	CP_256QAM	17.33	0.24	17.57	57.15	1000	PASS
n66	15	10	343000	50@0	DFT_BPSK	23.03	0.24	23.27	212.32	1000	PASS
n66	15	10	343000	25@12	DFT_BPSK	23.58	0.24	23.82	240.99	1000	PASS
n66	15	10	343000	1@1	DFT_BPSK	23.30	0.24	23.54	225.94	1000	PASS
n66	15	10	343000	1@50	DFT_BPSK	23.37	0.24	23.61	229.61	1000	PASS
n66	15	10	343000	50@0	DFT_QPSK	22.61	0.24	22.85	192.75	1000	PASS
n66	15	10	343000	25@12	DFT_QPSK	23.63	0.24	23.87	243.78	1000	PASS
n66	15	10	343000	1@1	DFT_QPSK	23.46	0.24	23.7	234.42	1000	PASS
n66	15	10	343000	1@50	DFT_QPSK	23.46	0.24	23.7	234.42	1000	PASS
n66	15	10	343000	50@0	DFT_16QAM	21.79	0.24	22.03	159.59	1000	PASS
n66	15	10	343000	25@12	DFT_16QAM	22.70	0.24	22.94	196.79	1000	PASS
n66	15	10	343000	1@1	DFT_16QAM	22.49	0.24	22.73	187.5	1000	PASS
n66	15	10	343000	1@50	DFT_16QAM	22.49	0.24	22.73	187.5	1000	PASS

n66	15	10	343000	50@0	DFT_64QAM	21.20	0.24	21.44	139.32	1000	PASS
n66	15	10	343000	25@12	DFT_64QAM	21.21	0.24	21.45	139.64	1000	PASS
n66	15	10	343000	1@1	DFT_64QAM	21.41	0.24	21.65	146.22	1000	PASS
n66	15	10	343000	1@50	DFT_64QAM	21.38	0.24	21.62	145.21	1000	PASS
n66	15	10	343000	50@0	DFT_256QAM	19.22	0.24	19.46	88.31	1000	PASS
n66	15	10	343000	25@12	DFT_256QAM	19.10	0.24	19.34	85.9	1000	PASS
n66	15	10	343000	1@1	DFT_256QAM	19.28	0.24	19.52	89.54	1000	PASS
n66	15	10	343000	1@50	DFT_256QAM	19.26	0.24	19.5	89.13	1000	PASS
n66	15	10	343000	52@0	CP_QPSK	20.69	0.24	20.93	123.88	1000	PASS
n66	15	10	343000	26@13	CP_QPSK	22.35	0.24	22.59	181.55	1000	PASS
n66	15	10	343000	1@1	CP_QPSK	22.09	0.24	22.33	171	1000	PASS
n66	15	10	343000	1@50	CP_QPSK	22.04	0.24	22.28	169.04	1000	PASS
n66	15	10	343000	52@0	CP_16QAM	20.67	0.24	20.91	123.31	1000	PASS
n66	15	10	343000	26@13	CP_16QAM	21.73	0.24	21.97	157.4	1000	PASS
n66	15	10	343000	1@1	CP_16QAM	21.88	0.24	22.12	162.93	1000	PASS
n66	15	10	343000	1@50	CP_16QAM	21.78	0.24	22.02	159.22	1000	PASS
n66	15	10	343000	52@0	CP_64QAM	20.16	0.24	20.4	109.65	1000	PASS
n66	15	10	343000	26@13	CP_64QAM	20.20	0.24	20.44	110.66	1000	PASS
n66	15	10	343000	1@1	CP_64QAM	20.25	0.24	20.49	111.94	1000	PASS
n66	15	10	343000	1@50	CP_64QAM	20.13	0.24	20.37	108.89	1000	PASS
n66	15	10	343000	52@0	CP_256QAM	17.15	0.24	17.39	54.83	1000	PASS
n66	15	10	343000	26@13	CP_256QAM	17.16	0.24	17.4	54.95	1000	PASS
n66	15	10	343000	1@1	CP_256QAM	17.02	0.24	17.26	53.21	1000	PASS
n66	15	10	343000	1@50	CP_256QAM	17.04	0.24	17.28	53.46	1000	PASS
n66	15	10	349000	50@0	DFT_BPSK	23.08	0.24	23.32	214.78	1000	PASS
n66	15	10	349000	25@12	DFT_BPSK	23.57	0.24	23.81	240.44	1000	PASS
n66	15	10	349000	1@1	DFT_BPSK	23.48	0.24	23.72	235.5	1000	PASS
n66	15	10	349000	1@50	DFT_BPSK	23.60	0.24	23.84	242.1	1000	PASS
n66	15	10	349000	50@0	DFT_QPSK	22.63	0.24	22.87	193.64	1000	PASS
n66	15	10	349000	25@12	DFT_QPSK	23.64	0.24	23.88	244.34	1000	PASS
n66	15	10	349000	1@1	DFT_QPSK	23.51	0.24	23.75	237.14	1000	PASS
n66	15	10	349000	1@50	DFT_QPSK	23.58	0.24	23.82	240.99	1000	PASS
n66	15	10	349000	50@0	DFT_16QAM	21.78	0.24	22.02	159.22	1000	PASS
n66	15	10	349000	25@12	DFT_16QAM	22.60	0.24	22.84	192.31	1000	PASS
n66	15	10	349000	1@1	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	10	349000	1@50	DFT_16QAM	22.66	0.24	22.9	194.98	1000	PASS
n66	15	10	349000	50@0	DFT_64QAM	21.29	0.24	21.53	142.23	1000	PASS
n66	15	10	349000	25@12	DFT_64QAM	21.18	0.24	21.42	138.68	1000	PASS
n66	15	10	349000	1@1	DFT_64QAM	21.39	0.24	21.63	145.55	1000	PASS
n66	15	10	349000	1@50	DFT_64QAM	21.56	0.24	21.8	151.36	1000	PASS
n66	15	10	349000	50@0	DFT_256QAM	19.23	0.24	19.47	88.51	1000	PASS
n66	15	10	349000	25@12	DFT_256QAM	19.14	0.24	19.38	86.7	1000	PASS
n66	15	10	349000	1@1	DFT_256QAM	19.35	0.24	19.59	90.99	1000	PASS

n66	15	10	349000	1@50	DFT_256QAM	19.48	0.24	19.72	93.76	1000	PASS
n66	15	10	349000	52@0	CP_QPSK	20.71	0.24	20.95	124.45	1000	PASS
n66	15	10	349000	26@13	CP_QPSK	22.21	0.24	22.45	175.79	1000	PASS
n66	15	10	349000	1@1	CP_QPSK	21.99	0.24	22.23	167.11	1000	PASS
n66	15	10	349000	1@50	CP_QPSK	22.08	0.24	22.32	170.61	1000	PASS
n66	15	10	349000	52@0	CP_16QAM	20.72	0.24	20.96	124.74	1000	PASS
n66	15	10	349000	26@13	CP_16QAM	21.79	0.24	22.03	159.59	1000	PASS
n66	15	10	349000	1@1	CP_16QAM	21.78	0.24	22.02	159.22	1000	PASS
n66	15	10	349000	1@50	CP_16QAM	22.03	0.24	22.27	168.66	1000	PASS
n66	15	10	349000	52@0	CP_64QAM	20.18	0.24	20.42	110.15	1000	PASS
n66	15	10	349000	26@13	CP_64QAM	20.19	0.24	20.43	110.41	1000	PASS
n66	15	10	349000	1@1	CP_64QAM	20.19	0.24	20.43	110.41	1000	PASS
n66	15	10	349000	1@50	CP_64QAM	20.35	0.24	20.59	114.55	1000	PASS
n66	15	10	349000	52@0	CP_256QAM	17.16	0.24	17.4	54.95	1000	PASS
n66	15	10	349000	26@13	CP_256QAM	17.18	0.24	17.42	55.21	1000	PASS
n66	15	10	349000	1@1	CP_256QAM	17.07	0.24	17.31	53.83	1000	PASS
n66	15	10	349000	1@50	CP_256QAM	17.27	0.24	17.51	56.36	1000	PASS
n66	15	10	355000	50@0	DFT_BPSK	23.13	0.24	23.37	217.27	1000	PASS
n66	15	10	355000	25@12	DFT_BPSK	23.69	0.24	23.93	247.17	1000	PASS
n66	15	10	355000	1@1	DFT_BPSK	23.43	0.24	23.67	232.81	1000	PASS
n66	15	10	355000	1@50	DFT_BPSK	23.40	0.24	23.64	231.21	1000	PASS
n66	15	10	355000	50@0	DFT_QPSK	22.59	0.24	22.83	191.87	1000	PASS
n66	15	10	355000	25@12	DFT_QPSK	23.68	0.24	23.92	246.6	1000	PASS
n66	15	10	355000	1@1	DFT_QPSK	23.49	0.24	23.73	236.05	1000	PASS
n66	15	10	355000	1@50	DFT_QPSK	23.53	0.24	23.77	238.23	1000	PASS
n66	15	10	355000	50@0	DFT_16QAM	21.84	0.24	22.08	161.44	1000	PASS
n66	15	10	355000	25@12	DFT_16QAM	22.76	0.24	23	199.53	1000	PASS
n66	15	10	355000	1@1	DFT_16QAM	22.52	0.24	22.76	188.8	1000	PASS
n66	15	10	355000	1@50	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	10	355000	50@0	DFT_64QAM	21.29	0.24	21.53	142.23	1000	PASS
n66	15	10	355000	25@12	DFT_64QAM	21.33	0.24	21.57	143.55	1000	PASS
n66	15	10	355000	1@1	DFT_64QAM	21.43	0.24	21.67	146.89	1000	PASS
n66	15	10	355000	1@50	DFT_64QAM	21.44	0.24	21.68	147.23	1000	PASS
n66	15	10	355000	50@0	DFT_256QAM	19.28	0.24	19.52	89.54	1000	PASS
n66	15	10	355000	25@12	DFT_256QAM	19.24	0.24	19.48	88.72	1000	PASS
n66	15	10	355000	1@1	DFT_256QAM	19.34	0.24	19.58	90.78	1000	PASS
n66	15	10	355000	1@50	DFT_256QAM	19.37	0.24	19.61	91.41	1000	PASS
n66	15	10	355000	52@0	CP_QPSK	20.76	0.24	21	125.89	1000	PASS
n66	15	10	355000	26@13	CP_QPSK	22.32	0.24	22.56	180.3	1000	PASS
n66	15	10	355000	1@1	CP_QPSK	22.01	0.24	22.25	167.88	1000	PASS
n66	15	10	355000	1@50	CP_QPSK	22.06	0.24	22.3	169.82	1000	PASS
n66	15	10	355000	52@0	CP_16QAM	20.78	0.24	21.02	126.47	1000	PASS
n66	15	10	355000	26@13	CP_16QAM	21.84	0.24	22.08	161.44	1000	PASS

n66	15	10	355000	1@1	CP_16QAM	21.89	0.24	22.13	163.31	1000	PASS
n66	15	10	355000	1@50	CP_16QAM	22.02	0.24	22.26	168.27	1000	PASS
n66	15	10	355000	52@0	CP_64QAM	20.27	0.24	20.51	112.46	1000	PASS
n66	15	10	355000	26@13	CP_64QAM	20.29	0.24	20.53	112.98	1000	PASS
n66	15	10	355000	1@1	CP_64QAM	20.23	0.24	20.47	111.43	1000	PASS
n66	15	10	355000	1@50	CP_64QAM	20.30	0.24	20.54	113.24	1000	PASS
n66	15	10	355000	52@0	CP_256QAM	17.23	0.24	17.47	55.85	1000	PASS
n66	15	10	355000	26@13	CP_256QAM	17.29	0.24	17.53	56.62	1000	PASS
n66	15	10	355000	1@1	CP_256QAM	17.14	0.24	17.38	54.7	1000	PASS
n66	15	10	355000	1@50	CP_256QAM	17.11	0.24	17.35	54.33	1000	PASS
n66	15	15	343500	75@0	DFT_BPSK	23.15	0.24	23.39	218.27	1000	PASS
n66	15	15	343500	36@18	DFT_BPSK	23.64	0.24	23.88	244.34	1000	PASS
n66	15	15	343500	1@1	DFT_BPSK	23.38	0.24	23.62	230.14	1000	PASS
n66	15	15	343500	1@77	DFT_BPSK	23.50	0.24	23.74	236.59	1000	PASS
n66	15	15	343500	75@0	DFT_QPSK	22.71	0.24	22.95	197.24	1000	PASS
n66	15	15	343500	36@18	DFT_QPSK	23.72	0.24	23.96	248.89	1000	PASS
n66	15	15	343500	1@1	DFT_QPSK	23.59	0.24	23.83	241.55	1000	PASS
n66	15	15	343500	1@77	DFT_QPSK	23.59	0.24	23.83	241.55	1000	PASS
n66	15	15	343500	75@0	DFT_16QAM	21.79	0.24	22.03	159.59	1000	PASS
n66	15	15	343500	36@18	DFT_16QAM	22.72	0.24	22.96	197.7	1000	PASS
n66	15	15	343500	1@1	DFT_16QAM	22.59	0.24	22.83	191.87	1000	PASS
n66	15	15	343500	1@77	DFT_16QAM	22.65	0.24	22.89	194.54	1000	PASS
n66	15	15	343500	75@0	DFT_64QAM	21.36	0.24	21.6	144.54	1000	PASS
n66	15	15	343500	36@18	DFT_64QAM	21.32	0.24	21.56	143.22	1000	PASS
n66	15	15	343500	1@1	DFT_64QAM	21.46	0.24	21.7	147.91	1000	PASS
n66	15	15	343500	1@77	DFT_64QAM	21.50	0.24	21.74	149.28	1000	PASS
n66	15	15	343500	75@0	DFT_256QAM	19.35	0.24	19.59	90.99	1000	PASS
n66	15	15	343500	36@18	DFT_256QAM	19.28	0.24	19.52	89.54	1000	PASS
n66	15	15	343500	1@1	DFT_256QAM	19.36	0.24	19.6	91.2	1000	PASS
n66	15	15	343500	1@77	DFT_256QAM	19.41	0.24	19.65	92.26	1000	PASS
n66	15	15	343500	79@0	CP_QPSK	20.85	0.24	21.09	128.53	1000	PASS
n66	15	15	343500	39@19	CP_QPSK	22.42	0.24	22.66	184.5	1000	PASS
n66	15	15	343500	1@1	CP_QPSK	22.16	0.24	22.4	173.78	1000	PASS
n66	15	15	343500	1@77	CP_QPSK	22.20	0.24	22.44	175.39	1000	PASS
n66	15	15	343500	79@0	CP_16QAM	20.80	0.24	21.04	127.06	1000	PASS
n66	15	15	343500	39@19	CP_16QAM	21.81	0.24	22.05	160.32	1000	PASS
n66	15	15	343500	1@1	CP_16QAM	22.03	0.24	22.27	168.66	1000	PASS
n66	15	15	343500	1@77	CP_16QAM	22.02	0.24	22.26	168.27	1000	PASS
n66	15	15	343500	79@0	CP_64QAM	20.29	0.24	20.53	112.98	1000	PASS
n66	15	15	343500	39@19	CP_64QAM	20.33	0.24	20.57	114.02	1000	PASS
n66	15	15	343500	1@1	CP_64QAM	20.34	0.24	20.58	114.29	1000	PASS
n66	15	15	343500	1@77	CP_64QAM	20.33	0.24	20.57	114.02	1000	PASS
n66	15	15	343500	79@0	CP_256QAM	17.26	0.24	17.5	56.23	1000	PASS

n66	15	15	343500	39@19	CP_256QAM	17.31	0.24	17.55	56.89	1000	PASS
n66	15	15	343500	1@1	CP_256QAM	17.14	0.24	17.38	54.7	1000	PASS
n66	15	15	343500	1@77	CP_256QAM	17.16	0.24	17.4	54.95	1000	PASS
n66	15	15	349000	75@0	DFT_BPSK	23.29	0.24	23.53	225.42	1000	PASS
n66	15	15	349000	36@18	DFT_BPSK	23.72	0.24	23.96	248.89	1000	PASS
n66	15	15	349000	1@1	DFT_BPSK	23.54	0.24	23.78	238.78	1000	PASS
n66	15	15	349000	1@77	DFT_BPSK	23.57	0.24	23.81	240.44	1000	PASS
n66	15	15	349000	75@0	DFT_QPSK	22.83	0.24	23.07	202.77	1000	PASS
n66	15	15	349000	36@18	DFT_QPSK	23.73	0.24	23.97	249.46	1000	PASS
n66	15	15	349000	1@1	DFT_QPSK	23.62	0.24	23.86	243.22	1000	PASS
n66	15	15	349000	1@77	DFT_QPSK	23.67	0.24	23.91	246.04	1000	PASS
n66	15	15	349000	75@0	DFT_16QAM	21.92	0.24	22.16	164.44	1000	PASS
n66	15	15	349000	36@18	DFT_16QAM	22.72	0.24	22.96	197.7	1000	PASS
n66	15	15	349000	1@1	DFT_16QAM	22.76	0.24	23	199.53	1000	PASS
n66	15	15	349000	1@77	DFT_16QAM	22.71	0.24	22.95	197.24	1000	PASS
n66	15	15	349000	75@0	DFT_64QAM	21.48	0.24	21.72	148.59	1000	PASS
n66	15	15	349000	36@18	DFT_64QAM	21.36	0.24	21.6	144.54	1000	PASS
n66	15	15	349000	1@1	DFT_64QAM	21.55	0.24	21.79	151.01	1000	PASS
n66	15	15	349000	1@77	DFT_64QAM	21.59	0.24	21.83	152.41	1000	PASS
n66	15	15	349000	75@0	DFT_256QAM	19.46	0.24	19.7	93.33	1000	PASS
n66	15	15	349000	36@18	DFT_256QAM	19.33	0.24	19.57	90.57	1000	PASS
n66	15	15	349000	1@1	DFT_256QAM	19.51	0.24	19.75	94.41	1000	PASS
n66	15	15	349000	1@77	DFT_256QAM	19.49	0.24	19.73	93.97	1000	PASS
n66	15	15	349000	79@0	CP_QPSK	20.92	0.24	21.16	130.62	1000	PASS
n66	15	15	349000	39@19	CP_QPSK	22.30	0.24	22.54	179.47	1000	PASS
n66	15	15	349000	1@1	CP_QPSK	22.11	0.24	22.35	171.79	1000	PASS
n66	15	15	349000	1@77	CP_QPSK	22.14	0.24	22.38	172.98	1000	PASS
n66	15	15	349000	79@0	CP_16QAM	20.90	0.24	21.14	130.02	1000	PASS
n66	15	15	349000	39@19	CP_16QAM	21.86	0.24	22.1	162.18	1000	PASS
n66	15	15	349000	1@1	CP_16QAM	22.01	0.24	22.25	167.88	1000	PASS
n66	15	15	349000	1@77	CP_16QAM	22.09	0.24	22.33	171	1000	PASS
n66	15	15	349000	79@0	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	15	349000	39@19	CP_64QAM	20.40	0.24	20.64	115.88	1000	PASS
n66	15	15	349000	1@1	CP_64QAM	20.34	0.24	20.58	114.29	1000	PASS
n66	15	15	349000	1@77	CP_64QAM	20.36	0.24	20.6	114.82	1000	PASS
n66	15	15	349000	79@0	CP_256QAM	17.36	0.24	17.6	57.54	1000	PASS
n66	15	15	349000	39@19	CP_256QAM	17.39	0.24	17.63	57.94	1000	PASS
n66	15	15	349000	1@1	CP_256QAM	17.27	0.24	17.51	56.36	1000	PASS
n66	15	15	349000	1@77	CP_256QAM	17.29	0.24	17.53	56.62	1000	PASS
n66	15	15	354500	75@0	DFT_BPSK	23.32	0.24	23.56	226.99	1000	PASS
n66	15	15	354500	36@18	DFT_BPSK	23.83	0.24	24.07	255.27	1000	PASS
n66	15	15	354500	1@1	DFT_BPSK	23.57	0.24	23.81	240.44	1000	PASS
n66	15	15	354500	1@77	DFT_BPSK	23.48	0.24	23.72	235.5	1000	PASS

n66	15	15	354500	75@0	DFT_QPSK	22.87	0.24	23.11	204.64	1000	PASS
n66	15	15	354500	36@18	DFT_QPSK	23.87	0.24	24.11	257.63	1000	PASS
n66	15	15	354500	1@1	DFT_QPSK	23.55	0.24	23.79	239.33	1000	PASS
n66	15	15	354500	1@77	DFT_QPSK	23.64	0.24	23.88	244.34	1000	PASS
n66	15	15	354500	75@0	DFT_16QAM	22.02	0.24	22.26	168.27	1000	PASS
n66	15	15	354500	36@18	DFT_16QAM	22.92	0.24	23.16	207.01	1000	PASS
n66	15	15	354500	1@1	DFT_16QAM	22.66	0.24	22.9	194.98	1000	PASS
n66	15	15	354500	1@77	DFT_16QAM	22.63	0.24	22.87	193.64	1000	PASS
n66	15	15	354500	75@0	DFT_64QAM	21.53	0.24	21.77	150.31	1000	PASS
n66	15	15	354500	36@18	DFT_64QAM	21.48	0.24	21.72	148.59	1000	PASS
n66	15	15	354500	1@1	DFT_64QAM	21.45	0.24	21.69	147.57	1000	PASS
n66	15	15	354500	1@77	DFT_64QAM	21.54	0.24	21.78	150.66	1000	PASS
n66	15	15	354500	75@0	DFT_256QAM	19.47	0.24	19.71	93.54	1000	PASS
n66	15	15	354500	36@18	DFT_256QAM	19.36	0.24	19.6	91.2	1000	PASS
n66	15	15	354500	1@1	DFT_256QAM	19.44	0.24	19.68	92.9	1000	PASS
n66	15	15	354500	1@77	DFT_256QAM	19.49	0.24	19.73	93.97	1000	PASS
n66	15	15	354500	79@0	CP_QPSK	20.93	0.24	21.17	130.92	1000	PASS
n66	15	15	354500	39@19	CP_QPSK	22.36	0.24	22.6	181.97	1000	PASS
n66	15	15	354500	1@1	CP_QPSK	22.12	0.24	22.36	172.19	1000	PASS
n66	15	15	354500	1@77	CP_QPSK	22.12	0.24	22.36	172.19	1000	PASS
n66	15	15	354500	79@0	CP_16QAM	20.92	0.24	21.16	130.62	1000	PASS
n66	15	15	354500	39@19	CP_16QAM	21.95	0.24	22.19	165.58	1000	PASS
n66	15	15	354500	1@1	CP_16QAM	22.03	0.24	22.27	168.66	1000	PASS
n66	15	15	354500	1@77	CP_16QAM	22.14	0.24	22.38	172.98	1000	PASS
n66	15	15	354500	79@0	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	15	354500	39@19	CP_64QAM	20.46	0.24	20.7	117.49	1000	PASS
n66	15	15	354500	1@1	CP_64QAM	20.30	0.24	20.54	113.24	1000	PASS
n66	15	15	354500	1@77	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	15	354500	79@0	CP_256QAM	17.38	0.24	17.62	57.81	1000	PASS
n66	15	15	354500	39@19	CP_256QAM	17.42	0.24	17.66	58.34	1000	PASS
n66	15	15	354500	1@1	CP_256QAM	17.23	0.24	17.47	55.85	1000	PASS
n66	15	15	354500	1@77	CP_256QAM	17.24	0.24	17.48	55.98	1000	PASS
n66	15	20	344000	100@0	DFT_BPSK	23.13	0.24	23.37	217.27	1000	PASS
n66	15	20	344000	50@25	DFT_BPSK	23.66	0.24	23.9	245.47	1000	PASS
n66	15	20	344000	1@1	DFT_BPSK	23.33	0.24	23.57	227.51	1000	PASS
n66	15	20	344000	1@104	DFT_BPSK	23.52	0.24	23.76	237.68	1000	PASS
n66	15	20	344000	100@0	DFT_QPSK	22.61	0.24	22.85	192.75	1000	PASS
n66	15	20	344000	50@25	DFT_QPSK	23.75	0.24	23.99	250.61	1000	PASS
n66	15	20	344000	1@1	DFT_QPSK	23.56	0.24	23.8	239.88	1000	PASS
n66	15	20	344000	1@104	DFT_QPSK	23.58	0.24	23.82	240.99	1000	PASS
n66	15	20	344000	100@0	DFT_16QAM	21.83	0.24	22.07	161.06	1000	PASS
n66	15	20	344000	50@25	DFT_16QAM	22.80	0.24	23.04	201.37	1000	PASS
n66	15	20	344000	1@1	DFT_16QAM	22.51	0.24	22.75	188.36	1000	PASS

n66	15	20	344000	1@104	DFT_16QAM	22.58	0.24	22.82	191.43	1000	PASS
n66	15	20	344000	100@0	DFT_64QAM	21.35	0.24	21.59	144.21	1000	PASS
n66	15	20	344000	50@25	DFT_64QAM	21.40	0.24	21.64	145.88	1000	PASS
n66	15	20	344000	1@1	DFT_64QAM	21.47	0.24	21.71	148.25	1000	PASS
n66	15	20	344000	1@104	DFT_64QAM	21.58	0.24	21.82	152.05	1000	PASS
n66	15	20	344000	100@0	DFT_256QAM	19.26	0.24	19.5	89.13	1000	PASS
n66	15	20	344000	50@25	DFT_256QAM	19.35	0.24	19.59	90.99	1000	PASS
n66	15	20	344000	1@1	DFT_256QAM	19.39	0.24	19.63	91.83	1000	PASS
n66	15	20	344000	1@104	DFT_256QAM	19.40	0.24	19.64	92.04	1000	PASS
n66	15	20	344000	106@0	CP_QPSK	20.67	0.24	20.91	123.31	1000	PASS
n66	15	20	344000	53@26	CP_QPSK	22.35	0.24	22.59	181.55	1000	PASS
n66	15	20	344000	1@1	CP_QPSK	22.09	0.24	22.33	171	1000	PASS
n66	15	20	344000	1@104	CP_QPSK	22.02	0.24	22.26	168.27	1000	PASS
n66	15	20	344000	106@0	CP_16QAM	20.72	0.24	20.96	124.74	1000	PASS
n66	15	20	344000	53@26	CP_16QAM	21.85	0.24	22.09	161.81	1000	PASS
n66	15	20	344000	1@1	CP_16QAM	22.00	0.24	22.24	167.49	1000	PASS
n66	15	20	344000	1@104	CP_16QAM	21.98	0.24	22.22	166.72	1000	PASS
n66	15	20	344000	106@0	CP_64QAM	20.25	0.24	20.49	111.94	1000	PASS
n66	15	20	344000	53@26	CP_64QAM	20.32	0.24	20.56	113.76	1000	PASS
n66	15	20	344000	1@1	CP_64QAM	20.27	0.24	20.51	112.46	1000	PASS
n66	15	20	344000	1@104	CP_64QAM	20.28	0.24	20.52	112.72	1000	PASS
n66	15	20	344000	106@0	CP_256QAM	17.13	0.24	17.37	54.58	1000	PASS
n66	15	20	344000	53@26	CP_256QAM	17.28	0.24	17.52	56.49	1000	PASS
n66	15	20	344000	1@1	CP_256QAM	17.14	0.24	17.38	54.7	1000	PASS
n66	15	20	344000	1@104	CP_256QAM	17.17	0.24	17.41	55.08	1000	PASS
n66	15	20	349000	100@0	DFT_BPSK	23.30	0.24	23.54	225.94	1000	PASS
n66	15	20	349000	50@25	DFT_BPSK	23.78	0.24	24.02	252.35	1000	PASS
n66	15	20	349000	1@1	DFT_BPSK	23.55	0.24	23.79	239.33	1000	PASS
n66	15	20	349000	1@104	DFT_BPSK	23.51	0.24	23.75	237.14	1000	PASS
n66	15	20	349000	100@0	DFT_QPSK	22.79	0.24	23.03	200.91	1000	PASS
n66	15	20	349000	50@25	DFT_QPSK	23.81	0.24	24.05	254.1	1000	PASS
n66	15	20	349000	1@1	DFT_QPSK	23.54	0.24	23.78	238.78	1000	PASS
n66	15	20	349000	1@104	DFT_QPSK	23.53	0.24	23.77	238.23	1000	PASS
n66	15	20	349000	100@0	DFT_16QAM	21.95	0.24	22.19	165.58	1000	PASS
n66	15	20	349000	50@25	DFT_16QAM	22.87	0.24	23.11	204.64	1000	PASS
n66	15	20	349000	1@1	DFT_16QAM	22.61	0.24	22.85	192.75	1000	PASS
n66	15	20	349000	1@104	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	20	349000	100@0	DFT_64QAM	21.43	0.24	21.67	146.89	1000	PASS
n66	15	20	349000	50@25	DFT_64QAM	21.47	0.24	21.71	148.25	1000	PASS
n66	15	20	349000	1@1	DFT_64QAM	21.58	0.24	21.82	152.05	1000	PASS
n66	15	20	349000	1@104	DFT_64QAM	21.46	0.24	21.7	147.91	1000	PASS
n66	15	20	349000	100@0	DFT_256QAM	19.45	0.24	19.69	93.11	1000	PASS
n66	15	20	349000	50@25	DFT_256QAM	19.38	0.24	19.62	91.62	1000	PASS

n66	15	20	349000	1@1	DFT_256QAM	19.41	0.24	19.65	92.26	1000	PASS
n66	15	20	349000	1@104	DFT_256QAM	19.42	0.24	19.66	92.47	1000	PASS
n66	15	20	349000	106@0	CP_QPSK	20.86	0.24	21.1	128.82	1000	PASS
n66	15	20	349000	53@26	CP_QPSK	22.24	0.24	22.48	177.01	1000	PASS
n66	15	20	349000	1@1	CP_QPSK	22.03	0.24	22.27	168.66	1000	PASS
n66	15	20	349000	1@104	CP_QPSK	21.99	0.24	22.23	167.11	1000	PASS
n66	15	20	349000	106@0	CP_16QAM	20.90	0.24	21.14	130.02	1000	PASS
n66	15	20	349000	53@26	CP_16QAM	21.90	0.24	22.14	163.68	1000	PASS
n66	15	20	349000	1@1	CP_16QAM	21.90	0.24	22.14	163.68	1000	PASS
n66	15	20	349000	1@104	CP_16QAM	21.97	0.24	22.21	166.34	1000	PASS
n66	15	20	349000	106@0	CP_64QAM	20.39	0.24	20.63	115.61	1000	PASS
n66	15	20	349000	53@26	CP_64QAM	20.35	0.24	20.59	114.55	1000	PASS
n66	15	20	349000	1@1	CP_64QAM	20.29	0.24	20.53	112.98	1000	PASS
n66	15	20	349000	1@104	CP_64QAM	20.26	0.24	20.5	112.2	1000	PASS
n66	15	20	349000	106@0	CP_256QAM	17.28	0.24	17.52	56.49	1000	PASS
n66	15	20	349000	53@26	CP_256QAM	17.34	0.24	17.58	57.28	1000	PASS
n66	15	20	349000	1@1	CP_256QAM	17.19	0.24	17.43	55.34	1000	PASS
n66	15	20	349000	1@104	CP_256QAM	17.14	0.24	17.38	54.7	1000	PASS
n66	15	20	354000	100@0	DFT_BPSK	23.31	0.24	23.55	226.46	1000	PASS
n66	15	20	354000	50@25	DFT_BPSK	23.78	0.24	24.02	252.35	1000	PASS
n66	15	20	354000	1@1	DFT_BPSK	23.49	0.24	23.73	236.05	1000	PASS
n66	15	20	354000	1@104	DFT_BPSK	23.50	0.24	23.74	236.59	1000	PASS
n66	15	20	354000	100@0	DFT_QPSK	22.85	0.24	23.09	203.7	1000	PASS
n66	15	20	354000	50@25	DFT_QPSK	23.87	0.24	24.11	257.63	1000	PASS
n66	15	20	354000	1@1	DFT_QPSK	23.51	0.24	23.75	237.14	1000	PASS
n66	15	20	354000	1@104	DFT_QPSK	23.63	0.24	23.87	243.78	1000	PASS
n66	15	20	354000	100@0	DFT_16QAM	22.02	0.24	22.26	168.27	1000	PASS
n66	15	20	354000	50@25	DFT_16QAM	22.93	0.24	23.17	207.49	1000	PASS
n66	15	20	354000	1@1	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	20	354000	1@104	DFT_16QAM	22.63	0.24	22.87	193.64	1000	PASS
n66	15	20	354000	100@0	DFT_64QAM	21.53	0.24	21.77	150.31	1000	PASS
n66	15	20	354000	50@25	DFT_64QAM	21.51	0.24	21.75	149.62	1000	PASS
n66	15	20	354000	1@1	DFT_64QAM	21.48	0.24	21.72	148.59	1000	PASS
n66	15	20	354000	1@104	DFT_64QAM	21.62	0.24	21.86	153.46	1000	PASS
n66	15	20	354000	100@0	DFT_256QAM	19.50	0.24	19.74	94.19	1000	PASS
n66	15	20	354000	50@25	DFT_256QAM	19.47	0.24	19.71	93.54	1000	PASS
n66	15	20	354000	1@1	DFT_256QAM	19.38	0.24	19.62	91.62	1000	PASS
n66	15	20	354000	1@104	DFT_256QAM	19.52	0.24	19.76	94.62	1000	PASS
n66	15	20	354000	106@0	CP_QPSK	20.90	0.24	21.14	130.02	1000	PASS
n66	15	20	354000	53@26	CP_QPSK	22.32	0.24	22.56	180.3	1000	PASS
n66	15	20	354000	1@1	CP_QPSK	22.06	0.24	22.3	169.82	1000	PASS
n66	15	20	354000	1@104	CP_QPSK	22.11	0.24	22.35	171.79	1000	PASS
n66	15	20	354000	106@0	CP_16QAM	20.95	0.24	21.19	131.52	1000	PASS

n66	15	20	354000	53@26	CP_16QAM	21.97	0.24	22.21	166.34	1000	PASS
n66	15	20	354000	1@1	CP_16QAM	21.93	0.24	22.17	164.82	1000	PASS
n66	15	20	354000	1@104	CP_16QAM	22.11	0.24	22.35	171.79	1000	PASS
n66	15	20	354000	106@0	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	20	354000	53@26	CP_64QAM	20.42	0.24	20.66	116.41	1000	PASS
n66	15	20	354000	1@1	CP_64QAM	20.32	0.24	20.56	113.76	1000	PASS
n66	15	20	354000	1@104	CP_64QAM	20.41	0.24	20.65	116.14	1000	PASS
n66	15	20	354000	106@0	CP_256QAM	17.34	0.24	17.58	57.28	1000	PASS
n66	15	20	354000	53@26	CP_256QAM	17.39	0.24	17.63	57.94	1000	PASS
n66	15	20	354000	1@1	CP_256QAM	17.18	0.24	17.42	55.21	1000	PASS
n66	15	20	354000	1@104	CP_256QAM	17.27	0.24	17.51	56.36	1000	PASS
n66	15	25	344500	128@0	DFT_BPSK	23.05	0.24	23.29	213.3	1000	PASS
n66	15	25	344500	64@32	DFT_BPSK	23.73	0.24	23.97	249.46	1000	PASS
n66	15	25	344500	1@1	DFT_BPSK	23.26	0.24	23.5	223.87	1000	PASS
n66	15	25	344500	1@131	DFT_BPSK	23.52	0.24	23.76	237.68	1000	PASS
n66	15	25	344500	128@0	DFT_QPSK	22.55	0.24	22.79	190.11	1000	PASS
n66	15	25	344500	64@32	DFT_QPSK	23.71	0.24	23.95	248.31	1000	PASS
n66	15	25	344500	1@1	DFT_QPSK	23.34	0.24	23.58	228.03	1000	PASS
n66	15	25	344500	1@131	DFT_QPSK	23.52	0.24	23.76	237.68	1000	PASS
n66	15	25	344500	128@0	DFT_16QAM	21.74	0.24	21.98	157.76	1000	PASS
n66	15	25	344500	64@32	DFT_16QAM	22.69	0.24	22.93	196.34	1000	PASS
n66	15	25	344500	1@1	DFT_16QAM	22.35	0.24	22.59	181.55	1000	PASS
n66	15	25	344500	1@131	DFT_16QAM	22.62	0.24	22.86	193.2	1000	PASS
n66	15	25	344500	128@0	DFT_64QAM	21.21	0.24	21.45	139.64	1000	PASS
n66	15	25	344500	64@32	DFT_64QAM	21.27	0.24	21.51	141.58	1000	PASS
n66	15	25	344500	1@1	DFT_64QAM	21.18	0.24	21.42	138.68	1000	PASS
n66	15	25	344500	1@131	DFT_64QAM	21.31	0.24	21.55	142.89	1000	PASS
n66	15	25	344500	128@0	DFT_256QAM	19.17	0.24	19.41	87.3	1000	PASS
n66	15	25	344500	64@32	DFT_256QAM	19.22	0.24	19.46	88.31	1000	PASS
n66	15	25	344500	1@1	DFT_256QAM	19.16	0.24	19.4	87.1	1000	PASS
n66	15	25	344500	1@131	DFT_256QAM	19.30	0.24	19.54	89.95	1000	PASS
n66	15	25	344500	133@0	CP_QPSK	20.67	0.24	20.91	123.31	1000	PASS
n66	15	25	344500	67@33	CP_QPSK	22.25	0.24	22.49	177.42	1000	PASS
n66	15	25	344500	1@1	CP_QPSK	21.97	0.24	22.21	166.34	1000	PASS
n66	15	25	344500	1@131	CP_QPSK	22.09	0.24	22.33	171	1000	PASS
n66	15	25	344500	133@0	CP_16QAM	20.70	0.24	20.94	124.17	1000	PASS
n66	15	25	344500	67@33	CP_16QAM	21.74	0.24	21.98	157.76	1000	PASS
n66	15	25	344500	1@1	CP_16QAM	21.63	0.24	21.87	153.82	1000	PASS
n66	15	25	344500	1@131	CP_16QAM	21.77	0.24	22.01	158.85	1000	PASS
n66	15	25	344500	133@0	CP_64QAM	20.15	0.24	20.39	109.4	1000	PASS
n66	15	25	344500	67@33	CP_64QAM	20.29	0.24	20.53	112.98	1000	PASS
n66	15	25	344500	1@1	CP_64QAM	19.99	0.24	20.23	105.44	1000	PASS
n66	15	25	344500	1@131	CP_64QAM	20.13	0.24	20.37	108.89	1000	PASS

n66	15	25	344500	133@0	CP_256QAM	17.13	0.24	17.37	54.58	1000	PASS
n66	15	25	344500	67@33	CP_256QAM	17.27	0.24	17.51	56.36	1000	PASS
n66	15	25	344500	1@1	CP_256QAM	16.91	0.24	17.15	51.88	1000	PASS
n66	15	25	344500	1@131	CP_256QAM	17.11	0.24	17.35	54.33	1000	PASS
n66	15	25	349000	128@0	DFT_BPSK	23.08	0.24	23.32	214.78	1000	PASS
n66	15	25	349000	64@32	DFT_BPSK	23.68	0.24	23.92	246.6	1000	PASS
n66	15	25	349000	1@1	DFT_BPSK	23.45	0.24	23.69	233.88	1000	PASS
n66	15	25	349000	1@131	DFT_BPSK	23.50	0.24	23.74	236.59	1000	PASS
n66	15	25	349000	128@0	DFT_QPSK	22.66	0.24	22.9	194.98	1000	PASS
n66	15	25	349000	64@32	DFT_QPSK	23.80	0.24	24.04	253.51	1000	PASS
n66	15	25	349000	1@1	DFT_QPSK	23.40	0.24	23.64	231.21	1000	PASS
n66	15	25	349000	1@131	DFT_QPSK	23.47	0.24	23.71	234.96	1000	PASS
n66	15	25	349000	128@0	DFT_16QAM	21.84	0.24	22.08	161.44	1000	PASS
n66	15	25	349000	64@32	DFT_16QAM	22.77	0.24	23.01	199.99	1000	PASS
n66	15	25	349000	1@1	DFT_16QAM	22.56	0.24	22.8	190.55	1000	PASS
n66	15	25	349000	1@131	DFT_16QAM	22.57	0.24	22.81	190.99	1000	PASS
n66	15	25	349000	128@0	DFT_64QAM	21.26	0.24	21.5	141.25	1000	PASS
n66	15	25	349000	64@32	DFT_64QAM	21.33	0.24	21.57	143.55	1000	PASS
n66	15	25	349000	1@1	DFT_64QAM	21.30	0.24	21.54	142.56	1000	PASS
n66	15	25	349000	1@131	DFT_64QAM	21.31	0.24	21.55	142.89	1000	PASS
n66	15	25	349000	128@0	DFT_256QAM	19.25	0.24	19.49	88.92	1000	PASS
n66	15	25	349000	64@32	DFT_256QAM	19.32	0.24	19.56	90.36	1000	PASS
n66	15	25	349000	1@1	DFT_256QAM	19.23	0.24	19.47	88.51	1000	PASS
n66	15	25	349000	1@131	DFT_256QAM	19.26	0.24	19.5	89.13	1000	PASS
n66	15	25	349000	133@0	CP_QPSK	20.74	0.24	20.98	125.31	1000	PASS
n66	15	25	349000	67@33	CP_QPSK	22.30	0.24	22.54	179.47	1000	PASS
n66	15	25	349000	1@1	CP_QPSK	22.13	0.24	22.37	172.58	1000	PASS
n66	15	25	349000	1@131	CP_QPSK	22.06	0.24	22.3	169.82	1000	PASS
n66	15	25	349000	133@0	CP_16QAM	20.73	0.24	20.97	125.03	1000	PASS
n66	15	25	349000	67@33	CP_16QAM	21.82	0.24	22.06	160.69	1000	PASS
n66	15	25	349000	1@1	CP_16QAM	21.71	0.24	21.95	156.68	1000	PASS
n66	15	25	349000	1@131	CP_16QAM	21.68	0.24	21.92	155.6	1000	PASS
n66	15	25	349000	133@0	CP_64QAM	20.26	0.24	20.5	112.2	1000	PASS
n66	15	25	349000	67@33	CP_64QAM	20.29	0.24	20.53	112.98	1000	PASS
n66	15	25	349000	1@1	CP_64QAM	20.05	0.24	20.29	106.91	1000	PASS
n66	15	25	349000	1@131	CP_64QAM	20.08	0.24	20.32	107.65	1000	PASS
n66	15	25	349000	133@0	CP_256QAM	17.25	0.24	17.49	56.1	1000	PASS
n66	15	25	349000	67@33	CP_256QAM	17.28	0.24	17.52	56.49	1000	PASS
n66	15	25	349000	1@1	CP_256QAM	17.01	0.24	17.25	53.09	1000	PASS
n66	15	25	349000	1@131	CP_256QAM	17.01	0.24	17.25	53.09	1000	PASS
n66	15	25	353500	128@0	DFT_BPSK	23.17	0.24	23.41	219.28	1000	PASS
n66	15	25	353500	64@32	DFT_BPSK	23.76	0.24	24	251.19	1000	PASS
n66	15	25	353500	1@1	DFT_BPSK	23.44	0.24	23.68	233.35	1000	PASS

n66	15	25	353500	1@131	DFT_BPSK	23.48	0.24	23.72	235.5	1000	PASS
n66	15	25	353500	128@0	DFT_QPSK	22.74	0.24	22.98	198.61	1000	PASS
n66	15	25	353500	64@32	DFT_QPSK	23.84	0.24	24.08	255.86	1000	PASS
n66	15	25	353500	1@1	DFT_QPSK	23.35	0.24	23.59	228.56	1000	PASS
n66	15	25	353500	1@131	DFT_QPSK	23.50	0.24	23.74	236.59	1000	PASS
n66	15	25	353500	128@0	DFT_16QAM	21.91	0.24	22.15	164.06	1000	PASS
n66	15	25	353500	64@32	DFT_16QAM	22.83	0.24	23.07	202.77	1000	PASS
n66	15	25	353500	1@1	DFT_16QAM	22.52	0.24	22.76	188.8	1000	PASS
n66	15	25	353500	1@131	DFT_16QAM	22.60	0.24	22.84	192.31	1000	PASS
n66	15	25	353500	128@0	DFT_64QAM	21.38	0.24	21.62	145.21	1000	PASS
n66	15	25	353500	64@32	DFT_64QAM	21.43	0.24	21.67	146.89	1000	PASS
n66	15	25	353500	1@1	DFT_64QAM	21.26	0.24	21.5	141.25	1000	PASS
n66	15	25	353500	1@131	DFT_64QAM	21.34	0.24	21.58	143.88	1000	PASS
n66	15	25	353500	128@0	DFT_256QAM	19.42	0.24	19.66	92.47	1000	PASS
n66	15	25	353500	64@32	DFT_256QAM	19.38	0.24	19.62	91.62	1000	PASS
n66	15	25	353500	1@1	DFT_256QAM	19.22	0.24	19.46	88.31	1000	PASS
n66	15	25	353500	1@131	DFT_256QAM	19.36	0.24	19.6	91.2	1000	PASS
n66	15	25	353500	133@0	CP_QPSK	20.87	0.24	21.11	129.12	1000	PASS
n66	15	25	353500	67@33	CP_QPSK	22.28	0.24	22.52	178.65	1000	PASS
n66	15	25	353500	1@1	CP_QPSK	22.06	0.24	22.3	169.82	1000	PASS
n66	15	25	353500	1@131	CP_QPSK	22.04	0.24	22.28	169.04	1000	PASS
n66	15	25	353500	133@0	CP_16QAM	20.81	0.24	21.05	127.35	1000	PASS
n66	15	25	353500	67@33	CP_16QAM	21.88	0.24	22.12	162.93	1000	PASS
n66	15	25	353500	1@1	CP_16QAM	21.69	0.24	21.93	155.96	1000	PASS
n66	15	25	353500	1@131	CP_16QAM	21.83	0.24	22.07	161.06	1000	PASS
n66	15	25	353500	133@0	CP_64QAM	20.38	0.24	20.62	115.35	1000	PASS
n66	15	25	353500	67@33	CP_64QAM	20.43	0.24	20.67	116.68	1000	PASS
n66	15	25	353500	1@1	CP_64QAM	20.11	0.24	20.35	108.39	1000	PASS
n66	15	25	353500	1@131	CP_64QAM	20.16	0.24	20.4	109.65	1000	PASS
n66	15	25	353500	133@0	CP_256QAM	17.31	0.24	17.55	56.89	1000	PASS
n66	15	25	353500	67@33	CP_256QAM	17.38	0.24	17.62	57.81	1000	PASS
n66	15	25	353500	1@1	CP_256QAM	17.02	0.24	17.26	53.21	1000	PASS
n66	15	25	353500	1@131	CP_256QAM	17.07	0.24	17.31	53.83	1000	PASS
n66	15	30	345000	160@0	DFT_BPSK	23.07	0.24	23.31	214.29	1000	PASS
n66	15	30	345000	80@40	DFT_BPSK	23.73	0.24	23.97	249.46	1000	PASS
n66	15	30	345000	1@1	DFT_BPSK	23.11	0.24	23.35	216.27	1000	PASS
n66	15	30	345000	1@158	DFT_BPSK	23.36	0.24	23.6	229.09	1000	PASS
n66	15	30	345000	160@0	DFT_QPSK	22.53	0.24	22.77	189.23	1000	PASS
n66	15	30	345000	80@40	DFT_QPSK	23.71	0.24	23.95	248.31	1000	PASS
n66	15	30	345000	1@1	DFT_QPSK	23.19	0.24	23.43	220.29	1000	PASS
n66	15	30	345000	1@158	DFT_QPSK	23.30	0.24	23.54	225.94	1000	PASS
n66	15	30	345000	160@0	DFT_16QAM	21.75	0.24	21.99	158.12	1000	PASS
n66	15	30	345000	80@40	DFT_16QAM	22.78	0.24	23.02	200.45	1000	PASS

n66	15	30	345000	1@1	DFT_16QAM	22.19	0.24	22.43	174.98	1000	PASS
n66	15	30	345000	1@158	DFT_16QAM	22.40	0.24	22.64	183.65	1000	PASS
n66	15	30	345000	160@0	DFT_64QAM	21.18	0.24	21.42	138.68	1000	PASS
n66	15	30	345000	80@40	DFT_64QAM	21.28	0.24	21.52	141.91	1000	PASS
n66	15	30	345000	1@1	DFT_64QAM	21.12	0.24	21.36	136.77	1000	PASS
n66	15	30	345000	1@158	DFT_64QAM	21.22	0.24	21.46	139.96	1000	PASS
n66	15	30	345000	160@0	DFT_256QAM	19.15	0.24	19.39	86.9	1000	PASS
n66	15	30	345000	80@40	DFT_256QAM	19.29	0.24	19.53	89.74	1000	PASS
n66	15	30	345000	1@1	DFT_256QAM	19.03	0.24	19.27	84.53	1000	PASS
n66	15	30	345000	1@158	DFT_256QAM	19.15	0.24	19.39	86.9	1000	PASS
n66	15	30	345000	160@0	CP_QPSK	20.66	0.24	20.9	123.03	1000	PASS
n66	15	30	345000	80@40	CP_QPSK	22.26	0.24	22.5	177.83	1000	PASS
n66	15	30	345000	1@1	CP_QPSK	21.84	0.24	22.08	161.44	1000	PASS
n66	15	30	345000	1@158	CP_QPSK	22.05	0.24	22.29	169.43	1000	PASS
n66	15	30	345000	160@0	CP_16QAM	20.67	0.24	20.91	123.31	1000	PASS
n66	15	30	345000	80@40	CP_16QAM	21.85	0.24	22.09	161.81	1000	PASS
n66	15	30	345000	1@1	CP_16QAM	21.53	0.24	21.77	150.31	1000	PASS
n66	15	30	345000	1@158	CP_16QAM	21.63	0.24	21.87	153.82	1000	PASS
n66	15	30	345000	160@0	CP_64QAM	20.16	0.24	20.4	109.65	1000	PASS
n66	15	30	345000	80@40	CP_64QAM	20.31	0.24	20.55	113.5	1000	PASS
n66	15	30	345000	1@1	CP_64QAM	19.87	0.24	20.11	102.57	1000	PASS
n66	15	30	345000	1@158	CP_64QAM	20.04	0.24	20.28	106.66	1000	PASS
n66	15	30	345000	160@0	CP_256QAM	17.11	0.24	17.35	54.33	1000	PASS
n66	15	30	345000	80@40	CP_256QAM	17.29	0.24	17.53	56.62	1000	PASS
n66	15	30	345000	1@1	CP_256QAM	16.83	0.24	17.07	50.93	1000	PASS
n66	15	30	345000	1@158	CP_256QAM	17.00	0.24	17.24	52.97	1000	PASS
n66	15	30	349000	160@0	DFT_BPSK	23.09	0.24	23.33	215.28	1000	PASS
n66	15	30	349000	80@40	DFT_BPSK	23.68	0.24	23.92	246.6	1000	PASS
n66	15	30	349000	1@1	DFT_BPSK	23.30	0.24	23.54	225.94	1000	PASS
n66	15	30	349000	1@158	DFT_BPSK	23.28	0.24	23.52	224.91	1000	PASS
n66	15	30	349000	160@0	DFT_QPSK	22.63	0.24	22.87	193.64	1000	PASS
n66	15	30	349000	80@40	DFT_QPSK	23.70	0.24	23.94	247.74	1000	PASS
n66	15	30	349000	1@1	DFT_QPSK	23.24	0.24	23.48	222.84	1000	PASS
n66	15	30	349000	1@158	DFT_QPSK	23.26	0.24	23.5	223.87	1000	PASS
n66	15	30	349000	160@0	DFT_16QAM	21.77	0.24	22.01	158.85	1000	PASS
n66	15	30	349000	80@40	DFT_16QAM	22.71	0.24	22.95	197.24	1000	PASS
n66	15	30	349000	1@1	DFT_16QAM	22.31	0.24	22.55	179.89	1000	PASS
n66	15	30	349000	1@158	DFT_16QAM	22.34	0.24	22.58	181.13	1000	PASS
n66	15	30	349000	160@0	DFT_64QAM	21.27	0.24	21.51	141.58	1000	PASS
n66	15	30	349000	80@40	DFT_64QAM	21.29	0.24	21.53	142.23	1000	PASS
n66	15	30	349000	1@1	DFT_64QAM	21.11	0.24	21.35	136.46	1000	PASS
n66	15	30	349000	1@158	DFT_64QAM	21.19	0.24	21.43	139	1000	PASS
n66	15	30	349000	160@0	DFT_256QAM	19.23	0.24	19.47	88.51	1000	PASS

n66	15	30	349000	80@40	DFT_256QAM	19.27	0.24	19.51	89.33	1000	PASS
n66	15	30	349000	1@1	DFT_256QAM	19.11	0.24	19.35	86.1	1000	PASS
n66	15	30	349000	1@158	DFT_256QAM	19.16	0.24	19.4	87.1	1000	PASS
n66	15	30	349000	160@0	CP_QPSK	20.69	0.24	20.93	123.88	1000	PASS
n66	15	30	349000	80@40	CP_QPSK	22.29	0.24	22.53	179.06	1000	PASS
n66	15	30	349000	1@1	CP_QPSK	21.92	0.24	22.16	164.44	1000	PASS
n66	15	30	349000	1@158	CP_QPSK	21.94	0.24	22.18	165.2	1000	PASS
n66	15	30	349000	160@0	CP_16QAM	20.68	0.24	20.92	123.59	1000	PASS
n66	15	30	349000	80@40	CP_16QAM	21.84	0.24	22.08	161.44	1000	PASS
n66	15	30	349000	1@1	CP_16QAM	21.49	0.24	21.73	148.94	1000	PASS
n66	15	30	349000	1@158	CP_16QAM	21.59	0.24	21.83	152.41	1000	PASS
n66	15	30	349000	160@0	CP_64QAM	20.19	0.24	20.43	110.41	1000	PASS
n66	15	30	349000	80@40	CP_64QAM	20.31	0.24	20.55	113.5	1000	PASS
n66	15	30	349000	1@1	CP_64QAM	19.97	0.24	20.21	104.95	1000	PASS
n66	15	30	349000	1@158	CP_64QAM	19.95	0.24	20.19	104.47	1000	PASS
n66	15	30	349000	160@0	CP_256QAM	17.14	0.24	17.38	54.7	1000	PASS
n66	15	30	349000	80@40	CP_256QAM	17.23	0.24	17.47	55.85	1000	PASS
n66	15	30	349000	1@1	CP_256QAM	16.90	0.24	17.14	51.76	1000	PASS
n66	15	30	349000	1@158	CP_256QAM	16.91	0.24	17.15	51.88	1000	PASS
n66	15	30	353000	160@0	DFT_BPSK	23.21	0.24	23.45	221.31	1000	PASS
n66	15	30	353000	80@40	DFT_BPSK	23.73	0.24	23.97	249.46	1000	PASS
n66	15	30	353000	1@1	DFT_BPSK	23.25	0.24	23.49	223.36	1000	PASS
n66	15	30	353000	1@158	DFT_BPSK	23.35	0.24	23.59	228.56	1000	PASS
n66	15	30	353000	160@0	DFT_QPSK	22.69	0.24	22.93	196.34	1000	PASS
n66	15	30	353000	80@40	DFT_QPSK	23.74	0.24	23.98	250.03	1000	PASS
n66	15	30	353000	1@1	DFT_QPSK	23.19	0.24	23.43	220.29	1000	PASS
n66	15	30	353000	1@158	DFT_QPSK	23.38	0.24	23.62	230.14	1000	PASS
n66	15	30	353000	160@0	DFT_16QAM	21.86	0.24	22.1	162.18	1000	PASS
n66	15	30	353000	80@40	DFT_16QAM	22.80	0.24	23.04	201.37	1000	PASS
n66	15	30	353000	1@1	DFT_16QAM	22.37	0.24	22.61	182.39	1000	PASS
n66	15	30	353000	1@158	DFT_16QAM	22.42	0.24	22.66	184.5	1000	PASS
n66	15	30	353000	160@0	DFT_64QAM	21.34	0.24	21.58	143.88	1000	PASS
n66	15	30	353000	80@40	DFT_64QAM	21.38	0.24	21.62	145.21	1000	PASS
n66	15	30	353000	1@1	DFT_64QAM	21.14	0.24	21.38	137.4	1000	PASS
n66	15	30	353000	1@158	DFT_64QAM	21.26	0.24	21.5	141.25	1000	PASS
n66	15	30	353000	160@0	DFT_256QAM	19.29	0.24	19.53	89.74	1000	PASS
n66	15	30	353000	80@40	DFT_256QAM	19.39	0.24	19.63	91.83	1000	PASS
n66	15	30	353000	1@1	DFT_256QAM	19.10	0.24	19.34	85.9	1000	PASS
n66	15	30	353000	1@158	DFT_256QAM	19.25	0.24	19.49	88.92	1000	PASS
n66	15	30	353000	160@0	CP_QPSK	20.77	0.24	21.01	126.18	1000	PASS
n66	15	30	353000	80@40	CP_QPSK	22.34	0.24	22.58	181.13	1000	PASS
n66	15	30	353000	1@1	CP_QPSK	21.92	0.24	22.16	164.44	1000	PASS
n66	15	30	353000	1@158	CP_QPSK	21.94	0.24	22.18	165.2	1000	PASS

n66	15	30	353000	160@0	CP_16QAM	20.80	0.24	21.04	127.06	1000	PASS
n66	15	30	353000	80@40	CP_16QAM	21.86	0.24	22.1	162.18	1000	PASS
n66	15	30	353000	1@1	CP_16QAM	21.59	0.24	21.83	152.41	1000	PASS
n66	15	30	353000	1@158	CP_16QAM	21.68	0.24	21.92	155.6	1000	PASS
n66	15	30	353000	160@0	CP_64QAM	20.28	0.24	20.52	112.72	1000	PASS
n66	15	30	353000	80@40	CP_64QAM	20.34	0.24	20.58	114.29	1000	PASS
n66	15	30	353000	1@1	CP_64QAM	19.98	0.24	20.22	105.2	1000	PASS
n66	15	30	353000	1@158	CP_64QAM	20.12	0.24	20.36	108.64	1000	PASS
n66	15	30	353000	160@0	CP_256QAM	17.20	0.24	17.44	55.46	1000	PASS
n66	15	30	353000	80@40	CP_256QAM	17.33	0.24	17.57	57.15	1000	PASS
n66	15	30	353000	1@1	CP_256QAM	16.86	0.24	17.1	51.29	1000	PASS
n66	15	30	353000	1@158	CP_256QAM	16.95	0.24	17.19	52.36	1000	PASS
n66	15	40	346000	216@0	DFT_BPSK	23.96	0.24	24.2	263.03	1000	PASS
n66	15	40	346000	108@54	DFT_BPSK	24.74	0.24	24.98	314.77	1000	PASS
n66	15	40	346000	1@1	DFT_BPSK	23.94	0.24	24.18	261.82	1000	PASS
n66	15	40	346000	1@214	DFT_BPSK	24.16	0.24	24.4	275.42	1000	PASS
n66	15	40	346000	216@0	DFT_QPSK	23.54	0.24	23.78	238.78	1000	PASS
n66	15	40	346000	108@54	DFT_QPSK	23.93	0.24	24.17	261.22	1000	PASS
n66	15	40	346000	1@1	DFT_QPSK	24.71	0.24	24.95	312.61	1000	PASS
n66	15	40	346000	1@214	DFT_QPSK	24.08	0.24	24.32	270.4	1000	PASS
n66	15	40	346000	216@0	DFT_16QAM	22.63	0.24	22.87	193.64	1000	PASS
n66	15	40	346000	108@54	DFT_16QAM	23.71	0.24	23.95	248.31	1000	PASS
n66	15	40	346000	1@1	DFT_16QAM	23.00	0.24	23.24	210.86	1000	PASS
n66	15	40	346000	1@214	DFT_16QAM	23.21	0.24	23.45	221.31	1000	PASS
n66	15	40	346000	216@0	DFT_64QAM	22.18	0.24	22.42	174.58	1000	PASS
n66	15	40	346000	108@54	DFT_64QAM	22.32	0.24	22.56	180.3	1000	PASS
n66	15	40	346000	1@1	DFT_64QAM	21.78	0.24	22.02	159.22	1000	PASS
n66	15	40	346000	1@214	DFT_64QAM	21.98	0.24	22.22	166.72	1000	PASS
n66	15	40	346000	216@0	DFT_256QAM	20.09	0.24	20.33	107.89	1000	PASS
n66	15	40	346000	108@54	DFT_256QAM	20.25	0.24	20.49	111.94	1000	PASS
n66	15	40	346000	1@1	DFT_256QAM	19.68	0.24	19.92	98.17	1000	PASS
n66	15	40	346000	1@214	DFT_256QAM	19.93	0.24	20.17	103.99	1000	PASS
n66	15	40	346000	216@0	CP_QPSK	21.64	0.24	21.88	154.17	1000	PASS
n66	15	40	346000	108@54	CP_QPSK	23.31	0.24	23.55	226.46	1000	PASS
n66	15	40	346000	1@1	CP_QPSK	22.60	0.24	22.84	192.31	1000	PASS
n66	15	40	346000	1@214	CP_QPSK	22.78	0.24	23.02	200.45	1000	PASS
n66	15	40	346000	216@0	CP_16QAM	21.60	0.24	21.84	152.76	1000	PASS
n66	15	40	346000	108@54	CP_16QAM	22.75	0.24	22.99	199.07	1000	PASS
n66	15	40	346000	1@1	CP_16QAM	22.33	0.24	22.57	180.72	1000	PASS
n66	15	40	346000	1@214	CP_16QAM	22.46	0.24	22.7	186.21	1000	PASS
n66	15	40	346000	216@0	CP_64QAM	21.09	0.24	21.33	135.83	1000	PASS
n66	15	40	346000	108@54	CP_64QAM	21.28	0.24	21.52	141.91	1000	PASS
n66	15	40	346000	1@1	CP_64QAM	20.59	0.24	20.83	121.06	1000	PASS

n66	15	40	346000	1@214	CP_64QAM	20.79	0.24	21.03	126.77	1000	PASS
n66	15	40	346000	216@0	CP_256QAM	18.04	0.24	18.28	67.3	1000	PASS
n66	15	40	346000	108@54	CP_256QAM	18.17	0.24	18.41	69.34	1000	PASS
n66	15	40	346000	1@1	CP_256QAM	17.59	0.24	17.83	60.67	1000	PASS
n66	15	40	346000	1@214	CP_256QAM	17.77	0.24	18.01	63.24	1000	PASS
n66	15	40	349000	216@0	DFT_BPSK	24.02	0.24	24.26	266.69	1000	PASS
n66	15	40	349000	108@54	DFT_BPSK	24.68	0.24	24.92	310.46	1000	PASS
n66	15	40	349000	1@1	DFT_BPSK	24.03	0.24	24.27	267.3	1000	PASS
n66	15	40	349000	1@214	DFT_BPSK	24.23	0.24	24.47	279.9	1000	PASS
n66	15	40	349000	216@0	DFT_QPSK	23.61	0.24	23.85	242.66	1000	PASS
n66	15	40	349000	108@54	DFT_QPSK	23.98	0.24	24.22	264.24	1000	PASS
n66	15	40	349000	1@1	DFT_QPSK	24.71	0.24	24.95	312.61	1000	PASS
n66	15	40	349000	1@214	DFT_QPSK	24.19	0.24	24.43	277.33	1000	PASS
n66	15	40	349000	216@0	DFT_16QAM	22.72	0.24	22.96	197.7	1000	PASS
n66	15	40	349000	108@54	DFT_16QAM	23.73	0.24	23.97	249.46	1000	PASS
n66	15	40	349000	1@1	DFT_16QAM	23.10	0.24	23.34	215.77	1000	PASS
n66	15	40	349000	1@214	DFT_16QAM	23.29	0.24	23.53	225.42	1000	PASS
n66	15	40	349000	216@0	DFT_64QAM	22.23	0.24	22.47	176.6	1000	PASS
n66	15	40	349000	108@54	DFT_64QAM	22.33	0.24	22.57	180.72	1000	PASS
n66	15	40	349000	1@1	DFT_64QAM	21.85	0.24	22.09	161.81	1000	PASS
n66	15	40	349000	1@214	DFT_64QAM	22.01	0.24	22.25	167.88	1000	PASS
n66	15	40	349000	216@0	DFT_256QAM	20.12	0.24	20.36	108.64	1000	PASS
n66	15	40	349000	108@54	DFT_256QAM	20.28	0.24	20.52	112.72	1000	PASS
n66	15	40	349000	1@1	DFT_256QAM	19.77	0.24	20.01	100.23	1000	PASS
n66	15	40	349000	1@214	DFT_256QAM	19.94	0.24	20.18	104.23	1000	PASS
n66	15	40	349000	216@0	CP_QPSK	21.68	0.24	21.92	155.6	1000	PASS
n66	15	40	349000	108@54	CP_QPSK	23.25	0.24	23.49	223.36	1000	PASS
n66	15	40	349000	1@1	CP_QPSK	22.66	0.24	22.9	194.98	1000	PASS
n66	15	40	349000	1@214	CP_QPSK	22.76	0.24	23	199.53	1000	PASS
n66	15	40	349000	216@0	CP_16QAM	21.72	0.24	21.96	157.04	1000	PASS
n66	15	40	349000	108@54	CP_16QAM	22.80	0.24	23.04	201.37	1000	PASS
n66	15	40	349000	1@1	CP_16QAM	22.36	0.24	22.6	181.97	1000	PASS
n66	15	40	349000	1@214	CP_16QAM	22.51	0.24	22.75	188.36	1000	PASS
n66	15	40	349000	216@0	CP_64QAM	21.18	0.24	21.42	138.68	1000	PASS
n66	15	40	349000	108@54	CP_64QAM	21.26	0.24	21.5	141.25	1000	PASS
n66	15	40	349000	1@1	CP_64QAM	20.72	0.24	20.96	124.74	1000	PASS
n66	15	40	349000	1@214	CP_64QAM	20.89	0.24	21.13	129.72	1000	PASS
n66	15	40	349000	216@0	CP_256QAM	18.13	0.24	18.37	68.71	1000	PASS
n66	15	40	349000	108@54	CP_256QAM	18.17	0.24	18.41	69.34	1000	PASS
n66	15	40	349000	1@1	CP_256QAM	17.64	0.24	17.88	61.38	1000	PASS
n66	15	40	349000	1@214	CP_256QAM	17.78	0.24	18.02	63.39	1000	PASS
n66	15	40	352000	216@0	DFT_BPSK	24.03	0.24	24.27	267.3	1000	PASS
n66	15	40	352000	108@54	DFT_BPSK	24.72	0.24	24.96	313.33	1000	PASS

n66	15	40	352000	1@1	DFT_BPSK	24.05	0.24	24.29	268.53	1000	PASS
n66	15	40	352000	1@214	DFT_BPSK	24.21	0.24	24.45	278.61	1000	PASS
n66	15	40	352000	216@0	DFT_QPSK	23.60	0.24	23.84	242.1	1000	PASS
n66	15	40	352000	108@54	DFT_QPSK	24.00	0.24	24.24	265.46	1000	PASS
n66	15	40	352000	1@1	DFT_QPSK	24.79	0.24	25.03	318.42	1000	PASS
n66	15	40	352000	1@214	DFT_QPSK	24.15	0.24	24.39	274.79	1000	PASS
n66	15	40	352000	216@0	DFT_16QAM	22.77	0.24	23.01	199.99	1000	PASS
n66	15	40	352000	108@54	DFT_16QAM	23.76	0.24	24	251.19	1000	PASS
n66	15	40	352000	1@1	DFT_16QAM	23.07	0.24	23.31	214.29	1000	PASS
n66	15	40	352000	1@214	DFT_16QAM	23.28	0.24	23.52	224.91	1000	PASS
n66	15	40	352000	216@0	DFT_64QAM	22.17	0.24	22.41	174.18	1000	PASS
n66	15	40	352000	108@54	DFT_64QAM	22.37	0.24	22.61	182.39	1000	PASS
n66	15	40	352000	1@1	DFT_64QAM	21.87	0.24	22.11	162.55	1000	PASS
n66	15	40	352000	1@214	DFT_64QAM	22.05	0.24	22.29	169.43	1000	PASS
n66	15	40	352000	216@0	DFT_256QAM	20.20	0.24	20.44	110.66	1000	PASS
n66	15	40	352000	108@54	DFT_256QAM	20.27	0.24	20.51	112.46	1000	PASS
n66	15	40	352000	1@1	DFT_256QAM	19.81	0.24	20.05	101.16	1000	PASS
n66	15	40	352000	1@214	DFT_256QAM	19.98	0.24	20.22	105.2	1000	PASS
n66	15	40	352000	216@0	CP_QPSK	21.64	0.24	21.88	154.17	1000	PASS
n66	15	40	352000	108@54	CP_QPSK	23.28	0.24	23.52	224.91	1000	PASS
n66	15	40	352000	1@1	CP_QPSK	22.72	0.24	22.96	197.7	1000	PASS
n66	15	40	352000	1@214	CP_QPSK	22.79	0.24	23.03	200.91	1000	PASS
n66	15	40	352000	216@0	CP_16QAM	21.69	0.24	21.93	155.96	1000	PASS
n66	15	40	352000	108@54	CP_16QAM	22.79	0.24	23.03	200.91	1000	PASS
n66	15	40	352000	1@1	CP_16QAM	22.33	0.24	22.57	180.72	1000	PASS
n66	15	40	352000	1@214	CP_16QAM	22.46	0.24	22.7	186.21	1000	PASS
n66	15	40	352000	216@0	CP_64QAM	21.25	0.24	21.49	140.93	1000	PASS
n66	15	40	352000	108@54	CP_64QAM	21.35	0.24	21.59	144.21	1000	PASS
n66	15	40	352000	1@1	CP_64QAM	20.72	0.24	20.96	124.74	1000	PASS
n66	15	40	352000	1@214	CP_64QAM	20.85	0.24	21.09	128.53	1000	PASS
n66	15	40	352000	216@0	CP_256QAM	18.15	0.24	18.39	69.02	1000	PASS
n66	15	40	352000	108@54	CP_256QAM	18.20	0.24	18.44	69.82	1000	PASS
n66	15	40	352000	1@1	CP_256QAM	17.67	0.24	17.91	61.8	1000	PASS
n66	15	40	352000	1@214	CP_256QAM	17.81	0.24	18.05	63.83	1000	PASS

2. Frequency Stability


Condition		Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (Hz)	Result (ppm)	Verdict
Temperature (°C)	Voltage (V)									
20(Ref.)	3.45	n66	15	40	349000	216@0	DFT_BPSK	-0.3	-0.00017	PASS
20(Ref.)	3.85	n66	15	40	349000	216@0	DFT_BPSK	-2.6	-0.00149	PASS
20(Ref.)	4.35	n66	15	40	349000	216@0	DFT_BPSK	-1.5	-0.00086	PASS
-30	3.85	n66	15	40	349000	216@0	DFT_BPSK	-6.8	-0.0039	PASS
-20	3.85	n66	15	40	349000	216@0	DFT_BPSK	-2.3	-0.00132	PASS
-10	3.85	n66	15	40	349000	216@0	DFT_BPSK	-4.5	-0.00258	PASS
0	3.85	n66	15	40	349000	216@0	DFT_BPSK	-2.3	-0.00132	PASS
10	3.85	n66	15	40	349000	216@0	DFT_BPSK	-4.1	-0.00235	PASS
20(Ref.)	3.85	n66	15	40	349000	216@0	DFT_BPSK	-2.6	-0.00149	PASS
30	3.85	n66	15	40	349000	216@0	DFT_BPSK	-2.8	-0.0016	PASS
40	3.85	n66	15	40	349000	216@0	DFT_BPSK	-6.2	-0.00355	PASS
50	3.85	n66	15	40	349000	216@0	DFT_BPSK	-5.3	-0.00304	PASS

Note:


1. Normal Voltage = 3.85 V, Battery End Point (BEP) = 3.45 V, Maximum Voltage = 4.35 V.
2. The frequency fundamental emissions stay within the authorized frequency block.

3. Peak-to-average Ratio


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	High Limit (dB)	Verdict
n66	15	20	349000	100@0	DFT_BPSK	3.91	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	4.87	13	PASS
n66	15	20	349000	100@0	DFT_16QAM	5.68	13	PASS
n66	15	20	349000	100@0	DFT_64QAM	5.89	13	PASS
n66	15	20	349000	100@0	DFT_256QAM	6.52	13	PASS




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000
RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000
RB=100@0



n66 SCS=15kHz DFT_16QAM BW=20MHz Channel=349000
RB=100@0




n66 SCS=15kHz DFT_64QAM BW=20MHz Channel=349000
RB=100@0




n66 SCS=15kHz DFT_256QAM BW=20MHz Channel=349000
RB=100@0

4. Occupied Bandwidth


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	UL Frequency (MHz)	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	349000	1745	25@0	DFT_BPSK	4.486	4.910	PASS
n66	15	5	349000	1745	25@0	CP_QPSK	4.496	4.880	PASS
n66	15	5	349000	1745	25@0	CP_16QAM	4.496	4.950	PASS
n66	15	5	349000	1745	25@0	CP_64QAM	4.505	5.010	PASS
n66	15	5	349000	1745	25@0	CP_256QAM	4.486	4.950	PASS
n66	15	10	349000	1745	50@0	DFT_BPSK	8.971	9.640	PASS
n66	15	10	349000	1745	52@0	CP_QPSK	9.331	10.080	PASS
n66	15	10	349000	1745	52@0	CP_16QAM	9.351	10.100	PASS
n66	15	10	349000	1745	52@0	CP_64QAM	9.371	10.080	PASS
n66	15	10	349000	1745	52@0	CP_256QAM	9.291	10.100	PASS
n66	15	15	349000	1745	75@0	DFT_BPSK	13.457	14.340	PASS
n66	15	15	349000	1745	79@0	CP_QPSK	14.206	16.650	PASS
n66	15	15	349000	1745	79@0	CP_16QAM	14.206	15.000	PASS
n66	15	15	349000	1745	79@0	CP_64QAM	14.176	15.030	PASS
n66	15	15	349000	1745	79@0	CP_256QAM	14.146	14.970	PASS
n66	15	20	349000	1745	100@0	DFT_BPSK	17.942	19.440	PASS
n66	15	20	349000	1745	106@0	CP_QPSK	19.101	20.560	PASS
n66	15	20	349000	1745	106@0	CP_16QAM	19.061	23.280	PASS
n66	15	20	349000	1745	106@0	CP_64QAM	19.101	20.320	PASS
n66	15	20	349000	1745	106@0	CP_256QAM	19.021	20.360	PASS
n66	15	25	349000	1745	128@0	DFT_BPSK	22.977	24.350	PASS
n66	15	25	349000	1745	133@0	CP_QPSK	23.876	25.300	PASS
n66	15	25	349000	1745	133@0	CP_16QAM	23.826	25.350	PASS
n66	15	25	349000	1745	133@0	CP_64QAM	23.776	25.300	PASS
n66	15	25	349000	1745	133@0	CP_256QAM	23.826	25.350	PASS
n66	15	30	349000	1745	160@0	DFT_BPSK	28.951	30.960	PASS
n66	15	30	349000	1745	160@0	CP_QPSK	28.891	31.020	PASS
n66	15	30	349000	1745	160@0	CP_16QAM	29.011	32.460	PASS
n66	15	30	349000	1745	160@0	CP_64QAM	29.011	34.260	PASS
n66	15	30	349000	1745	160@0	CP_256QAM	28.951	30.960	PASS
n66	15	40	349000	1745	216@0	DFT_BPSK	38.841	41.120	PASS
n66	15	40	349000	1745	216@0	CP_QPSK	38.681	43.600	PASS
n66	15	40	349000	1745	216@0	CP_16QAM	38.761	43.440	PASS
n66	15	40	349000	1745	216@0	CP_64QAM	38.841	41.280	PASS
n66	15	40	349000	1745	216@0	CP_256QAM	38.681	41.040	PASS




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000
RB=216@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000
RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz Channel=349000
RB=25@0




n66 SCS=15kHz CP_16QAM BW=5MHz Channel=349000
RB=25@0




n66 SCS=15kHz CP_64QAM BW=5MHz Channel=349000
RB=25@0




n66 SCS=15kHz CP_256QAM BW=5MHz Channel=349000
RB=25@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000
RB=50@0




n66 SCS=15kHz CP_QPSK BW=10MHz Channel=349000
RB=52@0




n66 SCS=15kHz CP_16QAM BW=10MHz Channel=349000
RB=52@0




n66 SCS=15kHz CP_64QAM BW=10MHz Channel=349000
RB=52@0




n66 SCS=15kHz CP_256QAM BW=10MHz Channel=349000
RB=52@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000
RB=75@0




n66 SCS=15kHz CP_QPSK BW=15MHz Channel=349000
RB=79@0




n66 SCS=15kHz CP_16QAM BW=15MHz Channel=349000
RB=79@0




n66 SCS=15kHz CP_64QAM BW=15MHz Channel=349000
RB=79@0




n66 SCS=15kHz CP_256QAM BW=15MHz Channel=349000
RB=79@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000
RB=100@0




n66 SCS=15kHz CP_QPSK BW=20MHz Channel=349000
RB=106@0




n66 SCS=15kHz CP_16QAM BW=20MHz Channel=349000
RB=106@0




n66 SCS=15kHz CP_64QAM BW=20MHz Channel=349000
RB=106@0




n66 SCS=15kHz CP_256QAM BW=20MHz Channel=349000
RB=106@0




n66 SCS=15kHz DFT_BPSK BW=25MHz Channel=349000
RB=128@0




n66 SCS=15kHz CP_QPSK BW=25MHz Channel=349000
RB=133@0




n66 SCS=15kHz CP_16QAM BW=25MHz Channel=349000
RB=133@0




n66 SCS=15kHz CP_64QAM BW=25MHz Channel=349000
RB=133@0




n66 SCS=15kHz CP_256QAM BW=25MHz Channel=349000
RB=133@0




n66 SCS=15kHz DFT_BPSK BW=30MHz Channel=349000
RB=160@0




n66 SCS=15kHz CP_QPSK BW=30MHz Channel=349000
RB=160@0




n66 SCS=15kHz CP_16QAM BW=30MHz Channel=349000
RB=160@0




n66 SCS=15kHz CP_64QAM BW=30MHz Channel=349000
RB=160@0




n66 SCS=15kHz CP_256QAM BW=30MHz Channel=349000
RB=160@0




n66 SCS=15kHz CP_QPSK BW=40MHz Channel=349000
RB=216@0



n66 SCS=15kHz CP_16QAM BW=40MHz Channel=349000
RB=216@0





n66 SCS=15kHz CP_64QAM BW=40MHz Channel=349000
RB=216@0



n66 SCS=15kHz CP_256QAM BW=40MHz Channel=349000
RB=216@0


5. Conducted Band Edge






Date: 20.DEC.2023 17:06:49

n66 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=342500
RB=1@0




Date: 20.DEC.2023 17:07:16

n66 SCS=15kHz DFT_64QAM BW=5MHz LowChannel=342500
RB=25@0




Date: 20.DEC.2023 17:07:45

n66 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=342500 RB=1@0




Date: 20.DEC.2023 17:08:11

n66 SCS=15kHz DFT_256QAM BW=5MHz
LowChannel=342500 RB=25@0




Date: 22.DEC.2023 09:55:02

n66 SCS=15kHz CP_QPSK BW=5MHz LowChannel=342500
RB=25@0




Date: 20.DEC.2023 17:09:12


n66 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=355500
RB=1@24




n66 SCS=15kHz DFT_BPSK BW=5MHz HighChannel=355500
RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=355500
RB=1@24




n66 SCS=15kHz DFT_QPSK BW=5MHz HighChannel=355500
RB=25@0




n66 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=355500
RB=1@24




n66 SCS=15kHz DFT_16QAM BW=5MHz HighChannel=355500
RB=25@0




n66 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=355500
RB=1@24




n66 SCS=15kHz DFT_64QAM BW=5MHz HighChannel=355500
RB=25@0




n66 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=355500 RB=1@24




n66 SCS=15kHz DFT_256QAM BW=5MHz
HighChannel=355500 RB=25@0




n66 SCS=15kHz CP_QPSK BW=5MHz HighChannel=355500
RB=25@0



n66 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=343000
RB=1@0




n66 SCS=15kHz DFT_BPSK BW=10MHz LowChannel=343000
RB=50@0




Date: 20.DEC.2023 17:15:41

n66 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=343000
RB=1@0




Date: 20.DEC.2023 17:15:55

n66 SCS=15kHz DFT_QPSK BW=10MHz LowChannel=343000
RB=50@0




Date: 20.DEC.2023 17:16:43

n66 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=343000 RB=1@0




Date: 20.DEC.2023 17:16:56

n66 SCS=15kHz DFT_16QAM BW=10MHz
LowChannel=343000 RB=50@0





Date: 20.DEC.2023 17:17:44

n66 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=343000 RB=1@0





Date: 20.DEC.2023 17:17:57

n66 SCS=15kHz DFT_64QAM BW=10MHz
LowChannel=343000 RB=50@0





n66 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=343000 RB=1@0

n66 SCS=15kHz DFT_256QAM BW=10MHz
LowChannel=343000 RB=50@0



n66 SCS=15kHz CP_QPSK BW=10MHz LowChannel=343000
RB=52@0

n66 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=355000
RB=1@51



n66 SCS=15kHz DFT_BPSK BW=10MHz HighChannel=355000
RB=50@0

n66 SCS=15kHz DFT_QPSK BW=10MHz HighChannel=355000
RB=1@51