


802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/02/2020

5755MHz_TX




EUT Y_4TX
Setting 92
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51012G	61.78	74.00	-12.22	48.88	3	Horizontal	45	1.60	-	38.45	9.26	34.81
AV	11.50886G	46.69	54.00	-7.31	33.79	3	Horizontal	45	1.60	-	38.45	9.26	34.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/02/2020

5795MHz_TX




EUT Y_4TX
Setting 100
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.88	68.20	-0.32	62.08	3	Vertical	0	1.90	-	34.00	6.32	34.52
PK	5.785G	124.84	Inf	-Inf	118.75	3	Vertical	0	1.90	-	34.25	6.39	34.55
AV	5.791G	111.40	Inf	-Inf	105.28	3	Vertical	0	1.90	-	34.27	6.40	34.55
PK	5.932G	67.18	68.20	-1.02	60.34	3	Vertical	0	1.90	-	34.96	6.47	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/02/2020

5795MHz_TX




EUT Y_4TX
Setting 100
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	62.32	68.20	-5.88	56.51	3	Horizontal	227	2.72	-	34.00	6.32	34.51
PK	5.778G	121.08	Inf	-Inf	115.01	3	Horizontal	227	2.72	-	34.23	6.39	34.55
AV	5.778G	107.64	Inf	-Inf	101.57	3	Horizontal	227	2.72	-	34.23	6.39	34.55
PK	5.944G	64.59	68.20	-3.61	57.69	3	Horizontal	227	2.72	-	35.02	6.47	34.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/02/2020

5795MHz_TX




EUT Y_4TX
Setting 100
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58982G	64.72	74.00	-9.28	51.80	3	Vertical	49	1.59	-	38.46	9.28	34.82
AV	11.59036G	49.28	54.00	-4.72	36.36	3	Vertical	49	1.59	-	38.46	9.28	34.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

12/02/2020

5795MHz_TX




EUT Y_4TX
Setting 100
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58976G	64.55	74.00	-9.45	51.63	3	Horizontal	202	2.02	-	38.46	9.28	34.82	
AV	11.59012G	48.10	54.00	-5.90	35.18	3	Horizontal	202	2.02	-	38.46	9.28	34.82	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5210MHz_TX




EUT Y_4TX
Setting 65
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	72.98	74.00	-1.02	68.76	3	Vertical	6	1.80	-	32.80	5.87	34.45
AV	5.15G	53.59	54.00	-0.41	49.37	3	Vertical	6	1.80	-	32.80	5.87	34.45
PK	5.223G	112.82	Inf	-Inf	108.45	3	Vertical	6	1.80	-	32.87	5.96	34.46
AV	5.226G	100.03	Inf	-Inf	95.64	3	Vertical	6	1.80	-	32.88	5.97	34.46
PK	5.351G	60.34	74.00	-13.66	55.37	3	Vertical	6	1.80	-	33.15	6.29	34.47
AV	5.353G	47.35	54.00	-6.65	42.38	3	Vertical	6	1.80	-	33.15	6.29	34.47

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5210MHz_TX



EUT Y_4TX
Setting 65
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	63.59	74.00	-10.41	59.37	3	Horizontal	247	1.75	-	32.80	5.87	34.45
AV	5.15G	47.57	54.00	-6.43	43.35	3	Horizontal	247	1.75	-	32.80	5.87	34.45
PK	5.215G	110.79	Inf	-Inf	106.47	3	Horizontal	247	1.75	-	32.84	5.94	34.46
AV	5.183G	99.29	Inf	-Inf	95.06	3	Horizontal	247	1.75	-	32.80	5.89	34.46
PK	5.388G	58.45	74.00	-15.55	53.36	3	Horizontal	247	1.75	-	33.19	6.37	34.47
AV	5.366G	45.92	54.00	-8.08	40.90	3	Horizontal	247	1.75	-	33.17	6.32	34.47

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5210MHz_TX




EUT Y_4TX
Setting 65
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.62692G	55.25	74.00	-18.75	41.53	3	Vertical	155	2.30	-	38.70	9.77	34.75	
AV	15.63032G	42.70	54.00	-11.30	28.99	3	Vertical	155	2.30	-	38.70	9.77	34.76	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5210MHz_TX




EUT_Y_4TX
Setting 65
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62942G	55.54	74.00	-18.46	41.83	3	Horizontal	95	2.12	-	38.70	9.77	34.76
AV	15.6331G	42.63	54.00	-11.37	28.93	3	Horizontal	95	2.12	-	38.69	9.77	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5290MHz_TX




EUT Y_4TX
Setting 63
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.092G	57.96	74.00	-16.04	53.75	3	Vertical	0	2.10	-	32.81	5.85	34.45
AV	5.15G	45.54	54.00	-8.46	41.32	3	Vertical	0	2.10	-	32.80	5.87	34.45
PK	5.301G	112.43	Inf	-Inf	107.62	3	Vertical	0	2.10	-	33.10	6.17	34.46
AV	5.298G	99.19	Inf	-Inf	94.40	3	Vertical	0	2.10	-	33.09	6.16	34.46
PK	5.353G	70.72	74.00	-3.28	65.75	3	Vertical	0	2.10	-	33.15	6.29	34.47
AV	5.35G	53.75	54.00	-0.25	48.78	3	Vertical	0	2.10	-	33.15	6.29	34.47
PK	5.483G	59.00	68.20	-9.20	53.42	3	Vertical	0	2.10	-	33.70	6.36	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5290MHz_TX



EUT Y_4TX
Setting 63
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	57.66	74.00	-16.34	53.44	3	Horizontal	126	1.80	-	32.80	5.87	34.45
AV	5.129G	44.68	54.00	-9.32	40.47	3	Horizontal	126	1.80	-	32.80	5.86	34.45
PK	5.274G	109.96	Inf	-Inf	105.30	3	Horizontal	126	1.80	-	33.02	6.10	34.46
AV	5.299G	96.64	Inf	-Inf	91.83	3	Horizontal	126	1.80	-	33.10	6.17	34.46
PK	5.35G	59.07	74.00	-14.93	54.10	3	Horizontal	126	1.80	-	33.15	6.29	34.47
AV	5.35G	46.95	54.00	-7.05	41.98	3	Horizontal	126	1.80	-	33.15	6.29	34.47
PK	5.475G	58.84	68.20	-9.36	53.31	3	Horizontal	126	1.80	-	33.65	6.36	34.48

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5290MHz_TX




EUT Y_4TX
Setting 63
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86712G	55.91	74.00	-18.09	42.70	3	Vertical	28	1.80	-	38.51	9.73	35.03
AV	15.86628G	41.96	54.00	-12.04	28.75	3	Vertical	28	1.80	-	38.51	9.73	35.03

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5290MHz_TX




EUT Y_4TX
Setting 63
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87724G	55.27	74.00	-18.73	42.09	3	Horizontal	81	1.17	-	38.50	9.72	35.04
AV	15.86252G	41.93	54.00	-12.07	28.71	3	Horizontal	81	1.17	-	38.51	9.73	35.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5530MHz_TX



EUT Y_4TX
Setting 62
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	57.82	68.20	-10.38	52.98	3	Vertical	356	1.80	-	33.11	6.19	34.46
PK	5.458G	63.62	74.00	-10.38	58.18	3	Vertical	356	1.80	-	33.55	6.37	34.48
AV	5.46G	51.06	54.00	-2.94	45.61	3	Vertical	356	1.80	-	33.56	6.37	34.48
PK	5.468G	67.82	68.20	-0.38	62.32	3	Vertical	356	1.80	-	33.61	6.37	34.48
PK	5.532G	112.95	Inf	-Inf	107.25	3	Vertical	356	1.80	-	33.86	6.33	34.49
AV	5.541G	100.17	Inf	-Inf	94.45	3	Vertical	356	1.80	-	33.88	6.33	34.49
PK	5.759G	64.31	68.20	-3.89	58.29	3	Vertical	356	1.80	-	34.18	6.38	34.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5530MHz_TX




EUT Y_4TX
Setting 62
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31G	57.66	68.20	-10.54	52.82	3	Horizontal	246	2.15	-	33.11	6.19	34.46
PK	5.456G	59.42	74.00	-14.58	53.99	3	Horizontal	246	2.15	-	33.54	6.37	34.48
AV	5.458G	46.58	54.00	-7.42	41.14	3	Horizontal	246	2.15	-	33.55	6.37	34.48
PK	5.464G	59.79	68.20	-8.41	54.32	3	Horizontal	246	2.15	-	33.58	6.37	34.48
PK	5.526G	110.15	Inf	-Inf	104.45	3	Horizontal	246	2.15	-	33.85	6.34	34.49
AV	5.532G	97.48	Inf	-Inf	91.78	3	Horizontal	246	2.15	-	33.86	6.33	34.49
PK	5.769G	61.11	68.20	-7.09	55.06	3	Horizontal	246	2.15	-	34.21	6.38	34.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5530MHz_TX




EUT Y_4TX
Setting 62
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.05244G	55.63	74.00	-18.37	42.83	3	Vertical	200	2.85	-	38.41	9.13	34.74	
AV	11.0504G	41.77	54.00	-12.23	28.98	3	Vertical	200	2.85	-	38.41	9.12	34.74	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5530MHz_TX




EUT Y_4TX
Setting 62
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0672G	55.29	74.00	-18.71	42.49	3	Horizontal	198	2.21	-	38.41	9.13	34.74
AV	11.0686G	41.80	54.00	-12.20	29.00	3	Horizontal	198	2.21	-	38.41	9.13	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5610MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.18	74.00	-10.82	57.73	3	Vertical	0	1.80	-	33.56	6.37	34.48
AV	5.459G	48.89	54.00	-5.11	43.45	3	Vertical	0	1.80	-	33.55	6.37	34.48
PK	5.462G	63.76	68.20	-4.44	58.30	3	Vertical	0	1.80	-	33.57	6.37	34.48
PK	5.607G	117.69	Inf	-Inf	111.89	3	Vertical	0	1.80	-	34.00	6.30	34.50
AV	5.605G	104.57	Inf	-Inf	98.77	3	Vertical	0	1.80	-	34.00	6.30	34.50
PK	5.731G	67.79	68.20	-0.41	61.87	3	Vertical	0	1.80	-	34.09	6.37	34.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5610MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.05	74.00	-12.95	55.60	3	Horizontal	246	2.32	-	33.56	6.37	34.48
AV	5.459G	46.56	54.00	-7.44	41.12	3	Horizontal	246	2.32	-	33.55	6.37	34.48
PK	5.468G	62.54	68.20	-5.66	57.04	3	Horizontal	246	2.32	-	33.61	6.37	34.48
PK	5.582G	112.65	Inf	-Inf	106.88	3	Horizontal	246	2.32	-	33.96	6.31	34.50
AV	5.573G	99.18	Inf	-Inf	93.41	3	Horizontal	246	2.32	-	33.95	6.31	34.49
PK	5.759G	62.89	68.20	-5.31	56.87	3	Horizontal	246	2.32	-	34.18	6.38	34.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5610MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2238G	56.05	74.00	-17.95	43.22	3	Vertical	82	2.52	-	38.42	9.17	34.76
AV	11.22576G	42.88	54.00	-11.12	30.04	3	Vertical	82	2.52	-	38.42	9.18	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5610MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22652G	56.89	74.00	-17.11	44.05	3	Horizontal	151	1.58	-	38.42	9.18	34.76
AV	11.2298G	42.95	54.00	-11.05	30.11	3	Horizontal	151	1.58	-	38.42	9.18	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	59.63	74.00	-14.37	54.22	3	Vertical	359	1.84	-	33.52	6.37	34.48
AV	5.458G	46.85	54.00	-7.15	41.41	3	Vertical	359	1.84	-	33.55	6.37	34.48
PK	5.468G	60.66	68.20	-7.54	55.16	3	Vertical	359	1.84	-	33.61	6.37	34.48
PK	5.679G	119.90	Inf	-Inf	114.08	3	Vertical	359	1.84	-	34.00	6.34	34.52
AV	5.698G	106.74	Inf	-Inf	100.92	3	Vertical	359	1.84	-	34.00	6.35	34.53
PK	5.852G	67.79	68.20	-0.41	61.37	3	Vertical	359	1.84	-	34.56	6.43	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 90
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	58.96	74.00	-15.04	53.58	3	Horizontal	261	2.95	-	33.47	6.38	34.47
AV	5.45G	45.13	54.00	-8.87	39.73	3	Horizontal	261	2.95	-	33.50	6.37	34.47
PK	5.463G	58.06	68.20	-10.14	52.59	3	Horizontal	261	2.95	-	33.58	6.37	34.48
PK	5.682G	113.18	Inf	-Inf	107.36	3	Horizontal	261	2.95	-	34.00	6.34	34.52
AV	5.707G	100.16	Inf	-Inf	94.32	3	Horizontal	261	2.95	-	34.02	6.35	34.53
PK	5.851G	63.64	68.20	-4.56	57.23	3	Horizontal	261	2.95	-	34.55	6.43	34.57

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3972G	58.27	74.00	-15.73	45.39	3	Vertical	247	2.18	-	38.44	9.23	34.79	
AV	11.361G	44.34	54.00	-9.66	31.47	3	Vertical	247	2.18	-	38.44	9.21	34.78	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 90
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3764G	59.01	74.00	-14.99	46.14	3	Horizontal	234	1.32	-	38.44	9.22	34.79
AV	11.362G	44.31	54.00	-9.69	31.44	3	Horizontal	234	1.32	-	38.44	9.21	34.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5775MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.72	68.20	-0.48	61.91	3	Vertical	360	1.80	-	34.00	6.32	34.51
PK	5.789G	117.21	Inf	-Inf	111.10	3	Vertical	360	1.80	-	34.27	6.39	34.55
AV	5.768G	104.49	Inf	-Inf	98.45	3	Vertical	360	1.80	-	34.20	6.38	34.54
PK	5.931G	63.30	68.20	-4.90	56.47	3	Vertical	360	1.80	-	34.95	6.47	34.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5775MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.83	68.94	-1.11	62.02	3	Horizontal	360	1.80	-	34.00	6.33	34.52
PK	5.763G	117.25	Inf	-Inf	111.22	3	Horizontal	360	1.80	-	34.19	6.38	34.54
AV	5.769G	104.61	Inf	-Inf	98.56	3	Horizontal	360	1.80	-	34.21	6.38	34.54
PK	5.936G	64.28	68.20	-3.92	57.42	3	Horizontal	360	1.80	-	34.98	6.47	34.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5775MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55772G	54.14	74.00	-19.86	41.22	3	Vertical	70	2.17	-	38.46	9.27	34.81
AV	11.54332G	40.68	54.00	-13.32	27.77	3	Vertical	70	2.17	-	38.45	9.27	34.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

12/02/2020

5775MHz_TX




EUT Y_4TX
Setting 82
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55088G	54.67	74.00	-19.33	41.75	3	Horizontal	248	1.72	-	38.46	9.27	34.81
AV	11.55992G	40.69	54.00	-13.31	27.77	3	Horizontal	248	1.72	-	38.46	9.27	34.81

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 62
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	71.56	74.00	-2.44	67.34	3	Vertical	0	1.80	-	32.80	5.87	34.45
AV	5.098G	51.12	54.00	-2.88	46.92	3	Vertical	0	1.80	-	32.80	5.85	34.45
PK	5.2452G	108.51	Inf	-Inf	104.01	3	Vertical	0	1.80	-	32.94	6.02	34.46
AV	5.266G	96.26	Inf	-Inf	91.64	3	Vertical	0	1.80	-	33.00	6.08	34.46
PK	5.35G	70.19	74.00	-3.81	65.22	3	Vertical	0	1.80	-	33.15	6.29	34.47
AV	5.37G	53.70	54.00	-0.30	48.67	3	Vertical	0	1.80	-	33.17	6.33	34.47
PK	5.4612G	62.38	68.20	-5.82	56.92	3	Vertical	0	1.80	-	33.57	6.37	34.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 62
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.57	74.00	-9.43	60.35	3	Horizontal	239	1.80	-	32.80	5.87	34.45
AV	5.1124G	48.25	54.00	-5.75	44.04	3	Horizontal	239	1.80	-	32.80	5.86	34.45
PK	5.2452G	108.06	Inf	-Inf	103.56	3	Horizontal	239	1.80	-	32.94	6.02	34.46
AV	5.2468G	94.34	Inf	-Inf	89.83	3	Horizontal	239	1.80	-	32.94	6.03	34.46
PK	5.3732G	69.57	74.00	-4.43	64.53	3	Horizontal	239	1.80	-	33.17	6.34	34.47
AV	5.4036G	48.90	54.00	-5.10	43.75	3	Horizontal	239	1.80	-	33.22	6.40	34.47
PK	5.466G	58.34	68.20	-9.86	52.85	3	Horizontal	239	1.80	-	33.60	6.37	34.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 62
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.745G	57.10	74.00	-16.90	43.64	3	Vertical	310	2.58	-	38.60	9.75	34.89
AV	15.745G	42.37	54.00	-11.63	28.91	3	Vertical	310	2.58	-	38.60	9.75	34.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 62
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75944G	55.96	74.00	-18.04	42.53	3	Horizontal	325	2.50	-	38.59	9.75	34.91
AV	15.74592G	42.34	54.00	-11.66	28.88	3	Horizontal	325	2.50	-	38.60	9.75	34.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5570MHz_TX




EUT Y_4TX
Setting 66
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	59.72	68.20	-8.48	54.75	3	Vertical	0	1.03	-	33.15	6.28	34.46
PK	5.4564G	66.70	74.00	-7.30	61.27	3	Vertical	0	1.03	-	33.54	6.37	34.48
AV	5.4532G	53.89	54.00	-0.11	48.48	3	Vertical	0	1.03	-	33.52	6.37	34.48
PK	5.4676G	65.11	68.20	-3.09	59.61	3	Vertical	0	1.03	-	33.61	6.37	34.48
PK	5.6148G	110.04	Inf	-Inf	104.23	3	Vertical	0	1.03	-	34.00	6.31	34.50
AV	5.5748G	97.13	Inf	-Inf	91.36	3	Vertical	0	1.03	-	33.95	6.31	34.49
PK	5.7284G	66.28	68.20	-1.92	60.37	3	Vertical	0	1.03	-	34.09	6.36	34.54

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5570MHz_TX



EUT Y_4TX
Setting 66
01-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	58.09	68.20	-10.11	53.22	3	Horizontal	186	2.29	-	33.12	6.21	34.46
PK	5.4564G	66.02	74.00	-7.98	60.59	3	Horizontal	186	2.29	-	33.54	6.37	34.48
AV	5.4324G	50.89	54.00	-3.11	45.59	3	Horizontal	186	2.29	-	33.39	6.38	34.47
PK	5.4676G	62.87	68.20	-5.33	57.37	3	Horizontal	186	2.29	-	33.61	6.37	34.48
PK	5.5764G	108.82	Inf	-Inf	103.06	3	Horizontal	186	2.29	-	33.95	6.31	34.50
AV	5.5764G	96.32	Inf	-Inf	90.56	3	Horizontal	186	2.29	-	33.95	6.31	34.50
PK	5.746G	62.62	68.20	-5.58	56.65	3	Horizontal	186	2.29	-	34.14	6.37	34.54

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5570MHz_TX




EUT Y_4TX
Setting 66
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1348G	54.24	74.00	-19.76	41.43	3	Vertical	355	2.61	-	38.41	9.15	34.75
AV	11.134G	41.08	54.00	-12.92	28.27	3	Vertical	355	2.61	-	38.41	9.15	34.75

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

12/02/2020

5570MHz_TX



EUT Y_4TX
Setting 66
01-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.13952G	54.01	74.00	-19.99	41.20	3	Horizontal	87	2.19	-	38.41	9.15	34.75
AV	11.13188G	40.96	54.00	-13.04	28.15	3	Horizontal	87	2.19	-	38.41	9.15	34.75

