

Statement of compliance to Maximum Permissible Exposure (MPE)

Applicant : Dimplex North America Limited.
1367 Industrial Road, Cambridge, Ontario, Canada
Manufacturer : Dimplex North America Limited.
1367 Industrial Road, Cambridge, Ontario, Canada
Product Name : Bluetooth Speaker
Type/Model : 3800060100
TEST RESULT : PASS

According to §2.1091, §2.1093 and §1.1307(b), systems operating under the provisions of this section shall be operated in a manner that ensures that the public is not exposed to radio frequency energy level in excess of the Commission's guidelines.

The $S = PG / (4\pi R^2)$

Where S = power density in mW/cm^2

P = transmit power in mW

G = numeric gain of transmit antenna

R = distance (cm)

For BT, as we can see from the test report 170500717SHA-001

Frequency band (MHz)	Max power	Antenna Gain	R	S
2400-2483.5MHz	-4.98dBm	0.318mW	0.0dBi	1.0

The sum of the MPE ratios = 0.00006 mW/cm^2

This level is below the simultaneous transmission MPE test exclusion requirements (≤ 1.0).

Date of issue: Jul 22, 2017

Prepared by:



Teddy Yin (Project Engineer)

Reviewed by:



Daniel Zhao (Reviewer)

Appendix I

Definition below must be outlined in the User Manual:

To satisfy FCC RF exposure requirements, a separation distance of 20 cm or more should be maintained between the antenna of this device and persons during device operation. To ensure compliance, operations at closer than this distance is not recommended.