

Client	mySpark Technologies
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010

The logo for Global EMC Inc. features the words "GLOBAL EMC INC" in a bold, blue, sans-serif font. A red globe graphic is positioned behind the letters "E", "M", "C", and "I".



Power Line Conducted Emissions - 1

Client	<b>mySpark Technologies</b>
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010



Power Line Conducted Emissions - 2

Client	mySpark Technologies
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010



Radiated Emissions - 9 kHz to 30 MHz

Client	<b>mySpark Technologies</b>
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010




Radiated Emissions – 30 MHz to 2 GHz

Client	<b>mySpark Technologies</b>
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010



Radiated Emissions – 2GHz to 26 GHz

Client	mySpark Technologies
Product	Learn
Standard(s)	RSS 210 Issue 8:2010 / FCC Part 15 Subpart C 15:2010



Antenna Conducted Measurements.