







Mode	2																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2348.22</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>42.41</td><td>27.18</td><td>6.73</td><td>33.24</td><td>10.02</td><td>331</td><td>323</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2348.22	53.10	74.00	-20.90	42.41	27.18	6.73	33.24	10.02	331	323	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>67.66</td><td>-----</td><td>-----</td><td>56.35</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>331</td><td>323</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	67.66	-----	-----	56.35	27.60	6.84	33.16	10.03	331	323	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2348.22	53.10	74.00	-20.90	42.41	27.18	6.73	33.24	10.02	331	323	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	67.66	-----	-----	56.35	27.60	6.84	33.16	10.03	331	323	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.26</td><td>42.43</td><td>54.00</td><td>-11.57</td><td>31.52</td><td>27.28</td><td>6.80</td><td>33.20</td><td>10.03</td><td>331</td><td>323</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.26	42.43	54.00	-11.57	31.52	27.28	6.80	33.20	10.03	331	323	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>66.27</td><td>-----</td><td>-----</td><td>54.96</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>331</td><td>323</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	66.27	-----	-----	54.96	27.60	6.84	33.16	10.03	331	323	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.26	42.43	54.00	-11.57	31.52	27.28	6.80	33.20	10.03	331	323	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	66.27	-----	-----	54.96	27.60	6.84	33.16	10.03	331	323	Average																																																																																								



Mode	2											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak												



Mode	2																																																																																																	
	Band Edge - L																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2340.94</td><td>53.67</td><td>74.00</td><td>-20.33</td><td>43.07</td><td>27.11</td><td>6.72</td><td>33.25</td><td>10.02</td><td>300</td><td>275 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2340.94	53.67	74.00	-20.33	43.07	27.11	6.72	33.25	10.02	300	275 Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>68.61</td><td>-----</td><td>-----</td><td>57.30</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>300</td><td>275 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	68.61	-----	-----	57.30	27.60	6.84	33.16	10.03	300	275 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2340.94	53.67	74.00	-20.33	43.07	27.11	6.72	33.25	10.02	300	275 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	68.61	-----	-----	57.30	27.60	6.84	33.16	10.03	300	275 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.96</td><td>42.45</td><td>54.00</td><td>-11.55</td><td>31.55</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.03</td><td>300</td><td>275 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.96	42.45	54.00	-11.55	31.55	27.27	6.80	33.20	10.03	300	275 Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>67.16</td><td>-----</td><td>-----</td><td>55.85</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>300</td><td>275 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	67.16	-----	-----	55.85	27.60	6.84	33.16	10.03	300	275 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2386.96	42.45	54.00	-11.55	31.55	27.27	6.80	33.20	10.03	300	275 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																									
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2440.00	67.16	-----	-----	55.85	27.60	6.84	33.16	10.03	300	275 Average																																																																																							



Mode	2																																																					
	Band Edge - R																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																					
ANT	1																																																					
Pol.	Vertical						Fundamental																																															
Peak	Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2499.94</td><td>53.27</td><td>74.00</td><td>-20.73</td><td></td><td>41.56</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>300</td><td>275</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2499.94	53.27	74.00	-20.73		41.56	27.90	6.88	33.10	10.03	300	275	Peak	Blank					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	2499.94	53.27	74.00	-20.73		41.56	27.90	6.88	33.10	10.03	300	275	Peak																																									
Avg	Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2496.40</td><td>43.17</td><td>54.00</td><td>-10.83</td><td></td><td>31.46</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>300</td><td>275</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2496.40	43.17	54.00	-10.83		31.46	27.90	6.88	33.10	10.03	300	275	Average	Blank					
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																										
1	2496.40	43.17	54.00	-10.83		31.46	27.90	6.88	33.10	10.03	300	275	Average																																									







Mode	2																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4880.00</td><td>42.67</td><td>74.00</td><td>-31.33</td><td>65.45</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 -- -- Peak</td></tr><tr><td>2</td><td>7320.00</td><td>43.49</td><td>74.00</td><td>-30.51</td><td>58.46</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4880.00	42.67	74.00	-31.33	65.45	32.72	10.66	66.70	0.54 -- -- Peak	2	7320.00	43.49	74.00	-30.51	58.46	36.76	13.74	65.78	0.31 -- -- Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3330.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>74.45</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26 242 0 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>70.00</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 179 4 Peak</td></tr><tr><td>3</td><td>4880.00</td><td>43.01</td><td>54.00</td><td>-10.99</td><td>65.79</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 179 4 Average</td></tr><tr><td>4</td><td>6510.00</td><td>50.39</td><td>74.00</td><td>-23.61</td><td>66.86</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39 100 165 Peak</td></tr><tr><td>5</td><td>7320.00</td><td>43.82</td><td>74.00</td><td>-30.18</td><td>58.79</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3330.00	48.15	74.00	-25.85	74.45	29.60	9.17	66.33	1.26 242 0 Peak	2	4880.00	47.22	74.00	-26.78	70.00	32.72	10.66	66.70	0.54 179 4 Peak	3	4880.00	43.01	54.00	-10.99	65.79	32.72	10.66	66.70	0.54 179 4 Average	4	6510.00	50.39	74.00	-23.61	66.86	35.08	12.97	64.91	0.39 100 165 Peak	5	7320.00	43.82	74.00	-30.18	58.79	36.76	13.74	65.78	0.31 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	4880.00	42.67	74.00	-31.33	65.45	32.72	10.66	66.70	0.54 -- -- Peak																																																																																																																											
2	7320.00	43.49	74.00	-30.51	58.46	36.76	13.74	65.78	0.31 -- -- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	3330.00	48.15	74.00	-25.85	74.45	29.60	9.17	66.33	1.26 242 0 Peak																																																																																																																											
2	4880.00	47.22	74.00	-26.78	70.00	32.72	10.66	66.70	0.54 179 4 Peak																																																																																																																											
3	4880.00	43.01	54.00	-10.99	65.79	32.72	10.66	66.70	0.54 179 4 Average																																																																																																																											
4	6510.00	50.39	74.00	-23.61	66.86	35.08	12.97	64.91	0.39 100 165 Peak																																																																																																																											
5	7320.00	43.82	74.00	-30.18	58.79	36.76	13.74	65.78	0.31 -- -- Peak																																																																																																																											

Remark: The unwanted signals 3330MHz, 6510MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	2	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	3																																																																																					
	Band Edge																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.38</td><td>54.27</td><td>74.00</td><td>-19.73</td><td>42.57</td><td>27.90</td><td>6.88</td><td>33.11</td><td>10.03</td><td>214 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2492.38	54.27	74.00	-19.73	42.57	27.90	6.88	33.11	10.03	214 Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>66.84</td><td>-----</td><td>-----</td><td>55.26</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>214 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	66.84	-----	-----	55.26	27.80	6.87	33.12	10.03	214 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2492.38	54.27	74.00	-19.73	42.57	27.90	6.88	33.11	10.03	214 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2480.00	66.84	-----	-----	55.26	27.80	6.87	33.12	10.03	214 Peak																																																																												
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2499.74</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>31.60</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>214 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2499.74	43.31	54.00	-10.69	31.60	27.90	6.88	33.10	10.03	214 Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>65.03</td><td>-----</td><td>-----</td><td>53.45</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>214 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	65.03	-----	-----	53.45	27.80	6.87	33.12	10.03	214 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2499.74	43.31	54.00	-10.69	31.60	27.90	6.88	33.10	10.03	214 Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2480.00	65.03	-----	-----	53.45	27.80	6.87	33.12	10.03	214 Average																																																																												







Mode	3																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-06-18 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2487.12</td><td>53.65</td><td>74.00</td><td>-20.35</td><td>41.99</td><td>27.87</td><td>6.87</td><td>33.11</td><td>10.03</td><td>400</td><td>263</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2487.12	53.65	74.00	-20.35	41.99	27.87	6.87	33.11	10.03	400	263	Peak	Level (dBuV/m) Date: 2025-06-18 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>67.47</td><td>-----</td><td>-----</td><td>55.89</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>400</td><td>263</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	67.47	-----	-----	55.89	27.80	6.87	33.12	10.03	400	263	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2487.12	53.65	74.00	-20.35	41.99	27.87	6.87	33.11	10.03	400	263	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	67.47	-----	-----	55.89	27.80	6.87	33.12	10.03	400	263	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-06-18 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2493.92</td><td>43.29</td><td>54.00</td><td>-10.71</td><td>31.59</td><td>27.90</td><td>6.88</td><td>33.11</td><td>10.03</td><td>400</td><td>263</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2493.92	43.29	54.00	-10.71	31.59	27.90	6.88	33.11	10.03	400	263	Average	Level (dBuV/m) Date: 2025-06-18 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:1.100kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2480.00</td><td>66.07</td><td>-----</td><td>-----</td><td>54.49</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>400</td><td>263</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2480.00	66.07	-----	-----	54.49	27.80	6.87	33.12	10.03	400	263	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2493.92	43.29	54.00	-10.71	31.59	27.90	6.88	33.11	10.03	400	263	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2480.00	66.07	-----	-----	54.49	27.80	6.87	33.12	10.03	400	263	Average																																																																														







Mode	3																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4960.00</td><td>43.55</td><td>74.00</td><td>-30.45</td><td>65.58</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57 -- -- Peak</td></tr><tr><td>2</td><td>7440.00</td><td>43.87</td><td>74.00</td><td>-30.13</td><td>59.38</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4960.00	43.55	74.00	-30.45	65.58	33.02	11.01	66.63	0.57 -- -- Peak	2	7440.00	43.87	74.00	-30.13	59.38	36.24	13.86	65.93	0.32 -- -- Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3330.00</td><td>45.00</td><td>74.00</td><td>-28.20</td><td>72.10</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26 300 1 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>48.94</td><td>74.00</td><td>-25.06</td><td>70.97</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57 162 4 Peak</td></tr><tr><td>3</td><td>4960.00</td><td>43.88</td><td>74.00</td><td>-30.12</td><td>65.91</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57 162 4 Average</td></tr><tr><td>4</td><td>6615.00</td><td>47.89</td><td>74.00</td><td>-26.11</td><td>63.68</td><td>35.73</td><td>13.21</td><td>65.01</td><td>0.28 200 194 Peak</td></tr><tr><td>5</td><td>7440.00</td><td>45.03</td><td>74.00</td><td>-28.97</td><td>60.54</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3330.00	45.00	74.00	-28.20	72.10	29.60	9.17	66.33	1.26 300 1 Peak	2	4960.00	48.94	74.00	-25.06	70.97	33.02	11.01	66.63	0.57 162 4 Peak	3	4960.00	43.88	74.00	-30.12	65.91	33.02	11.01	66.63	0.57 162 4 Average	4	6615.00	47.89	74.00	-26.11	63.68	35.73	13.21	65.01	0.28 200 194 Peak	5	7440.00	45.03	74.00	-28.97	60.54	36.24	13.86	65.93	0.32 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	4960.00	43.55	74.00	-30.45	65.58	33.02	11.01	66.63	0.57 -- -- Peak																																																																																																																											
2	7440.00	43.87	74.00	-30.13	59.38	36.24	13.86	65.93	0.32 -- -- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	3330.00	45.00	74.00	-28.20	72.10	29.60	9.17	66.33	1.26 300 1 Peak																																																																																																																											
2	4960.00	48.94	74.00	-25.06	70.97	33.02	11.01	66.63	0.57 162 4 Peak																																																																																																																											
3	4960.00	43.88	74.00	-30.12	65.91	33.02	11.01	66.63	0.57 162 4 Average																																																																																																																											
4	6615.00	47.89	74.00	-26.11	63.68	35.73	13.21	65.01	0.28 200 194 Peak																																																																																																																											
5	7440.00	45.03	74.00	-28.97	60.54	36.24	13.86	65.93	0.32 -- -- Peak																																																																																																																											

Remark: The unwanted signals 3330MHz, 6615MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.







Mode	3	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL





Mode	4																																																																																																
	Band Edge																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Fundamental																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-18 						Level (dBuV/m) Date: 2025-06-18 																																																																																										
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2356.34</td><td>53.07</td><td>74.00</td><td>-20.93</td><td>42.33</td><td>27.20</td><td>6.75</td><td>33.23</td><td>10.02</td><td>300</td><td>324 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2356.34	53.07	74.00	-20.93	42.33	27.20	6.75	33.23	10.02	300	324 Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>79.00</td><td>-----</td><td>-----</td><td>67.94</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>300</td><td>324 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	79.00	-----	-----	67.94	27.40	6.82	33.19	10.03	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2356.34	53.07	74.00	-20.93	42.33	27.20	6.75	33.23	10.02	300	324 Peak																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	79.00	-----	-----	67.94	27.40	6.82	33.19	10.03	300	324 Peak																																																																																						
Avg	Level (dBuV/m) Date: 2025-06-18 						Level (dBuV/m) Date: 2025-06-18 																																																																																										
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.38</td><td>43.05</td><td>54.00</td><td>-10.95</td><td>32.22</td><td>27.22</td><td>6.79</td><td>33.21</td><td>10.03</td><td>300</td><td>324 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2382.38	43.05	54.00	-10.95	32.22	27.22	6.79	33.21	10.03	300	324 Average	Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2404.00</td><td>77.33</td><td>-----</td><td>-----</td><td>66.27</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>300</td><td>324 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2404.00	77.33	-----	-----	66.27	27.40	6.82	33.19	10.03	300
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2382.38	43.05	54.00	-10.95	32.22	27.22	6.79	33.21	10.03	300	324 Average																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	2404.00	77.33	-----	-----	66.27	27.40	6.82	33.19	10.03	300	324 Average																																																																																						



Mode	4																																																																																									
	Band Edge																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2387.36</td><td>52.98</td><td>74.00</td><td>-21.02</td><td>42.08</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.03</td><td>302</td><td>275</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2387.36	52.98	74.00	-21.02	42.08	27.27	6.80	33.20	10.03	302	275	Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>79.58</td><td>-----</td><td>-----</td><td>68.52</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>302</td><td>275</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	79.58	-----	-----	68.52	27.40	6.82	33.19	10.03	302	275	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2387.36	52.98	74.00	-21.02	42.08	27.27	6.80	33.20	10.03	302	275	Peak																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	79.58	-----	-----	68.52	27.40	6.82	33.19	10.03	302	275	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2383.79</td><td>43.17</td><td>54.00</td><td>-10.83</td><td>32.32</td><td>27.24</td><td>6.79</td><td>33.21</td><td>10.03</td><td>302</td><td>275</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2383.79	43.17	54.00	-10.83	32.32	27.24	6.79	33.21	10.03	302	275	Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2404.00</td><td>78.15</td><td>-----</td><td>-----</td><td>67.09</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>302</td><td>275</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2404.00	78.15	-----	-----	67.09	27.40	6.82	33.19	10.03	302	275	Average
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2383.79	43.17	54.00	-10.83	32.32	27.24	6.79	33.21	10.03	302	275	Average																																																																														
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																															
1	2404.00	78.15	-----	-----	67.09	27.40	6.82	33.19	10.03	302	275	Average																																																																														







Mode	4																																																																																																																																							
	Harmonic																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz																																																																																																																																							
ANT	1																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4808.00</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>75.86</td><td>32.35</td><td>10.35</td><td>66.75</td><td>0.50</td><td>114</td><td>80 Peak</td></tr><tr><td>2</td><td>4808.00</td><td>47.68</td><td>54.00</td><td>-6.32</td><td>71.23</td><td>32.35</td><td>10.35</td><td>66.75</td><td>0.50</td><td>114</td><td>80 Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4808.00	52.31	74.00	-21.69	75.86	32.35	10.35	66.75	0.50	114	80 Peak	2	4808.00	47.68	54.00	-6.32	71.23	32.35	10.35	66.75	0.50	114	80 Average	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3330.00</td><td>46.06</td><td>74.00</td><td>-27.94</td><td>72.36</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26</td><td>197</td><td>0 Peak</td></tr><tr><td>2</td><td>4808.00</td><td>56.24</td><td>74.00</td><td>-17.76</td><td>79.79</td><td>32.35</td><td>10.35</td><td>66.75</td><td>0.50</td><td>184</td><td>351 Peak</td></tr><tr><td>3</td><td>4808.00</td><td>52.09</td><td>54.00</td><td>-1.91</td><td>75.64</td><td>32.35</td><td>10.35</td><td>66.75</td><td>0.50</td><td>184</td><td>351 Average</td></tr><tr><td>4</td><td>6420.00</td><td>50.91</td><td>74.00</td><td>-23.09</td><td>67.84</td><td>34.74</td><td>12.73</td><td>64.90</td><td>0.50</td><td>117</td><td>174 Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3330.00	46.06	74.00	-27.94	72.36	29.60	9.17	66.33	1.26	197	0 Peak	2	4808.00	56.24	74.00	-17.76	79.79	32.35	10.35	66.75	0.50	184	351 Peak	3	4808.00	52.09	54.00	-1.91	75.64	32.35	10.35	66.75	0.50	184	351 Average	4	6420.00	50.91	74.00	-23.09	67.84	34.74	12.73	64.90	0.50	117	174 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	4808.00	52.31	74.00	-21.69	75.86	32.35	10.35	66.75	0.50	114	80 Peak																																																																																																																													
2	4808.00	47.68	54.00	-6.32	71.23	32.35	10.35	66.75	0.50	114	80 Average																																																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	3330.00	46.06	74.00	-27.94	72.36	29.60	9.17	66.33	1.26	197	0 Peak																																																																																																																													
2	4808.00	56.24	74.00	-17.76	79.79	32.35	10.35	66.75	0.50	184	351 Peak																																																																																																																													
3	4808.00	52.09	54.00	-1.91	75.64	32.35	10.35	66.75	0.50	184	351 Average																																																																																																																													
4	6420.00	50.91	74.00	-23.09	67.84	34.74	12.73	64.90	0.50	117	174 Peak																																																																																																																													

Remark: The unwanted signals 3330MHz, 6420MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	4	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH01_2404MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	5																																																																																												
	Band Edge - L																																																																																												
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak	Level (dBuV/m) Date: 2025-06-18 						Level (dBuV/m) Date: 2025-06-18 																																																																																						
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.82</td><td>53.29</td><td>74.00</td><td>-20.71</td><td>42.36</td><td>27.30</td><td>6.80</td><td>33.20</td><td>10.03</td><td>331</td><td>325</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2389.82	53.29	74.00	-20.71	42.36	27.30	6.80	33.20	10.03	331	325	Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>78.50</td><td>-----</td><td>-----</td><td>67.19</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>331</td><td>325</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2440.00	78.50	-----	-----	67.19	27.60	6.84	33.16	10.03	331	325
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2389.82	53.29	74.00	-20.71	42.36	27.30	6.80	33.20	10.03	331	325	Peak																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2440.00	78.50	-----	-----	67.19	27.60	6.84	33.16	10.03	331	325	Peak																																																																																	
Avg	Level (dBuV/m) Date: 2025-06-18 						Level (dBuV/m) Date: 2025-06-18 																																																																																						
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.84</td><td>42.95</td><td>54.00</td><td>-11.05</td><td>32.10</td><td>27.24</td><td>6.79</td><td>33.21</td><td>10.03</td><td>331</td><td>325</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2383.84	42.95	54.00	-11.05	32.10	27.24	6.79	33.21	10.03	331	325	Average	Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>76.80</td><td>-----</td><td>-----</td><td>65.49</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>331</td><td>325</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2440.00	76.80	-----	-----	65.49	27.60	6.84	33.16	10.03	331	325
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2383.84	42.95	54.00	-11.05	32.10	27.24	6.79	33.21	10.03	331	325	Average																																																																																	
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																
1	2440.00	76.80	-----	-----	65.49	27.60	6.84	33.16	10.03	331	325	Average																																																																																	



Mode	5											
	Band Edge - R											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz											
ANT	1											
Pol.	Horizontal						Fundamental					
Peak	</											





Mode	5																																																																																															
	Band Edge - L																																																																																															
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2316.24</td><td>53.32</td><td>74.00</td><td>-20.68</td><td>42.70</td><td>27.20</td><td>6.68</td><td>33.27</td><td>10.01</td><td>300</td><td></td><td>274</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2316.24	53.32	74.00	-20.68	42.70	27.20	6.68	33.27	10.01	300		274	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2448.00</td><td>79.06</td><td>-----</td><td>-----</td><td>67.75</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>300</td><td></td><td>274</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2448.00	79.06	-----	-----	67.75	27.60	6.84	33.16	10.03	300		274	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	2316.24	53.32	74.00	-20.68	42.70	27.20	6.68	33.27	10.01	300		274	Peak																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	2448.00	79.06	-----	-----	67.75	27.60	6.84	33.16	10.03	300		274	Peak																																																																																			
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2374.87</td><td>43.13</td><td>54.00</td><td>-10.87</td><td>32.35</td><td>27.20</td><td>6.78</td><td>33.22</td><td>10.02</td><td>300</td><td></td><td>274</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2374.87	43.13	54.00	-10.87	32.35	27.20	6.78	33.22	10.02	300		274	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2448.00</td><td>77.34</td><td>-----</td><td>-----</td><td>66.03</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>300</td><td></td><td>274</td><td>Average</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2448.00	77.34	-----	-----	66.03	27.60	6.84	33.16	10.03	300		274	Average
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	2374.87	43.13	54.00	-10.87	32.35	27.20	6.78	33.22	10.02	300		274	Average																																																																																			
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																				
1	2448.00	77.34	-----	-----	66.03	27.60	6.84	33.16	10.03	300		274	Average																																																																																			



Mode	5																																											
	Band Edge - R																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																											
ANT	1																																											
Pol.	Vertical	Fundamental																																										
Peak	Date: 2025-06-18 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2488.24</td><td>53.88</td><td>74.00</td><td>-20.12</td><td>42.21</td><td>27.88</td><td>6.87</td><td>33.11</td><td>10.03</td><td></td><td>300</td><td>274</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2488.24	53.88	74.00	-20.12	42.21	27.88	6.87	33.11	10.03		300	274	Peak	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																
1	2488.24	53.88	74.00	-20.12	42.21	27.88	6.87	33.11	10.03		300	274	Peak																															
Avg	Date: 2025-06-18 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2495.08</td><td>43.81</td><td>54.00</td><td>-10.19</td><td>32.10</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td></td><td>300</td><td>274</td><td>Average</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	2495.08	43.81	54.00	-10.19	32.10	27.90	6.88	33.10	10.03		300	274	Average	Blank
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																
1	2495.08	43.81	54.00	-10.19	32.10	27.90	6.88	33.10	10.03		300	274	Average																															







Mode	5																																																																																																																																																													
	Harmonic																																																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																													
ANT	1																																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>4880.00</td><td>53.08</td><td>74.00</td><td>-20.92</td><td>75.86</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>167</td><td>57 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>48.21</td><td>54.00</td><td>-5.79</td><td>70.99</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>167</td><td>57 Average</td></tr><tr><td>3</td><td>7320.00</td><td>42.83</td><td>74.00</td><td>-31.17</td><td>57.80</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	4880.00	53.08	74.00	-20.92	75.86	32.72	10.66	66.70	0.54	167	57 Peak	2	4880.00	48.21	54.00	-5.79	70.99	32.72	10.66	66.70	0.54	167	57 Average	3	7320.00	42.83	74.00	-31.17	57.80	36.76	13.74	65.78	0.31	--	-- Peak	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>3330.00</td><td>47.47</td><td>74.00</td><td>-26.53</td><td>73.77</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26</td><td>187</td><td>360 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>57.42</td><td>74.00</td><td>-16.58</td><td>80.20</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>181</td><td>10 Peak</td></tr><tr><td>3</td><td>4880.00</td><td>52.87</td><td>54.00</td><td>-1.13</td><td>75.65</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>181</td><td>10 Average</td></tr><tr><td>4</td><td>6510.00</td><td>49.10</td><td>74.00</td><td>-24.90</td><td>65.57</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39</td><td>100</td><td>165 Peak</td></tr><tr><td>5</td><td>7320.00</td><td>42.29</td><td>74.00</td><td>-31.71</td><td>57.26</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	1	3330.00	47.47	74.00	-26.53	73.77	29.60	9.17	66.33	1.26	187	360 Peak	2	4880.00	57.42	74.00	-16.58	80.20	32.72	10.66	66.70	0.54	181	10 Peak	3	4880.00	52.87	54.00	-1.13	75.65	32.72	10.66	66.70	0.54	181	10 Average	4	6510.00	49.10	74.00	-24.90	65.57	35.08	12.97	64.91	0.39	100	165 Peak	5	7320.00	42.29	74.00	-31.71	57.26	36.76	13.74	65.78	0.31	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																					
1	4880.00	53.08	74.00	-20.92	75.86	32.72	10.66	66.70	0.54	167	57 Peak																																																																																																																																																			
2	4880.00	48.21	54.00	-5.79	70.99	32.72	10.66	66.70	0.54	167	57 Average																																																																																																																																																			
3	7320.00	42.83	74.00	-31.17	57.80	36.76	13.74	65.78	0.31	--	-- Peak																																																																																																																																																			
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm																																																																																																																																																					
1	3330.00	47.47	74.00	-26.53	73.77	29.60	9.17	66.33	1.26	187	360 Peak																																																																																																																																																			
2	4880.00	57.42	74.00	-16.58	80.20	32.72	10.66	66.70	0.54	181	10 Peak																																																																																																																																																			
3	4880.00	52.87	54.00	-1.13	75.65	32.72	10.66	66.70	0.54	181	10 Average																																																																																																																																																			
4	6510.00	49.10	74.00	-24.90	65.57	35.08	12.97	64.91	0.39	100	165 Peak																																																																																																																																																			
5	7320.00	42.29	74.00	-31.71	57.26	36.76	13.74	65.78	0.31	--	-- Peak																																																																																																																																																			

Remark: The unwanted signals 3330MHz, 6510MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.







Mode	5	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	6																																																																																													
	Band Edge																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																													
ANT	1																																																																																													
Pol.	Horizontal					Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-18  PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.74</td><td>53.60</td><td>74.00</td><td>-20.40</td><td>41.97</td><td>27.84</td><td>6.87</td><td>33.11</td><td>10.03</td><td>210 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2483.74	53.60	74.00	-20.40	41.97	27.84	6.87	33.11	10.03	210 Peak	Level (dBuV/m) Date: 2025-06-18  PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>66.00</td><td>-----</td><td>-----</td><td>54.44</td><td>27.78</td><td>6.87</td><td>33.12</td><td>10.03</td><td>210 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	66.00	-----	-----	54.44	27.78	6.87	33.12	10.03	210 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2483.74	53.60	74.00	-20.40	41.97	27.84	6.87	33.11	10.03	210 Peak																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2478.00	66.00	-----	-----	54.44	27.78	6.87	33.12	10.03	210 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2025-06-18  AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.44</td><td>43.77</td><td>54.00</td><td>-10.23</td><td>32.12</td><td>27.86</td><td>6.87</td><td>33.11</td><td>10.03</td><td>210 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2486.44	43.77	54.00	-10.23	32.12	27.86	6.87	33.11	10.03	210 Average	Level (dBuV/m) Date: 2025-06-18  AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>63.31</td><td>-----</td><td>-----</td><td>51.75</td><td>27.78</td><td>6.87</td><td>33.12</td><td>10.03</td><td>210 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2478.00	63.31	-----	-----	51.75	27.78	6.87	33.12	10.03	210 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2486.44	43.77	54.00	-10.23	32.12	27.86	6.87	33.11	10.03	210 Average																																																																																				
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	2478.00	63.31	-----	-----	51.75	27.78	6.87	33.12	10.03	210 Average																																																																																				







Mode	6																																																																																							
	Band Edge																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																							
ANT	1																																																																																							
Pol.	Vertical					Fundamental																																																																																		
Peak	 Level (dBuV/m) Date: 2025-06-18 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2440 2452 2464 2476 2488 2500 Frequency (MHz) PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2492.44</td><td>53.98</td><td>74.00</td><td>-20.02</td><td>42.28</td><td>27.90</td><td>6.88</td><td>33.11</td><td>10.03</td><td>400</td><td>261</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2492.44	53.98	74.00	-20.02	42.28	27.90	6.88	33.11	10.03	400	261	Peak	 Level (dBuV/m) Date: 2025-06-18 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>67.52</td><td>-----</td><td>-----</td><td>55.96</td><td>27.78</td><td>6.87</td><td>33.12</td><td>10.03</td><td>400</td><td>261</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2478.00	67.52	-----	-----	55.96	27.78	6.87	33.12	10.03	400	261	Peak
		Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2492.44	53.98	74.00	-20.02	42.28	27.90	6.88	33.11	10.03	400	261	Peak																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2478.00	67.52	-----	-----	55.96	27.78	6.87	33.12	10.03	400	261	Peak																																																																												
Avg	 Level (dBuV/m) Date: 2025-06-18 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 2440 2452 2464 2476 2488 2500 Frequency (MHz) AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.30</td><td>43.83</td><td>54.00</td><td>-10.17</td><td>32.19</td><td>27.85</td><td>6.87</td><td>33.11</td><td>10.03</td><td>400</td><td>261</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2485.30	43.83	54.00	-10.17	32.19	27.85	6.87	33.11	10.03	400	261	Average	 Level (dBuV/m) Date: 2025-06-18 140 122.5 105.0 87.5 70.0 52.5 35.0 17.5 0 1000 1400 1800 2200 2600 3000 Frequency (MHz) AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:2.200kHz SMT:Auto <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2478.00</td><td>65.28</td><td>-----</td><td>-----</td><td>53.72</td><td>27.78</td><td>6.87</td><td>33.12</td><td>10.03</td><td>400</td><td>261</td><td>Average</td></tr></table>						Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	2478.00	65.28	-----	-----	53.72	27.78	6.87	33.12	10.03	400	261	Average
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2485.30	43.83	54.00	-10.17	32.19	27.85	6.87	33.11	10.03	400	261	Average																																																																												
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																												
1	2478.00	65.28	-----	-----	53.72	27.78	6.87	33.12	10.03	400	261	Average																																																																												



Mode	6																																																																																																																																			
	Harmonic																																																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal	Vertical																																																																																																																																		
Peak Avg	Level (dBuV/m) Date: 2025-06-17 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4956.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>65.70</td><td>33.01</td><td>10.99</td><td>66.64</td><td>0.57 -- -- Peak</td></tr><tr><td>2</td><td>7434.00</td><td>44.37</td><td>74.00</td><td>-29.63</td><td>59.87</td><td>36.26</td><td>13.85</td><td>65.92</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4956.00	43.63	74.00	-30.37	65.70	33.01	10.99	66.64	0.57 -- -- Peak	2	7434.00	44.37	74.00	-29.63	59.87	36.26	13.85	65.92	0.31 -- -- Peak	Level (dBuV/m) Date: 2025-06-19 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3598.00</td><td>46.58</td><td>74.00</td><td>-27.42</td><td>72.85</td><td>29.70</td><td>9.47</td><td>66.48</td><td>1.04 200 7 Peak</td></tr><tr><td>2</td><td>4956.00</td><td>48.37</td><td>74.00</td><td>-25.63</td><td>70.44</td><td>33.01</td><td>10.99</td><td>66.64</td><td>0.57 130 356 Peak</td></tr><tr><td>3</td><td>4956.00</td><td>43.27</td><td>54.00</td><td>-10.73</td><td>65.34</td><td>33.01</td><td>10.99</td><td>66.64</td><td>0.57 130 356 Average</td></tr><tr><td>4</td><td>6615.00</td><td>49.37</td><td>74.00</td><td>-24.63</td><td>65.16</td><td>35.73</td><td>13.21</td><td>65.01</td><td>0.28 100 175 Peak</td></tr><tr><td>5</td><td>7434.00</td><td>43.64</td><td>74.00</td><td>-30.36</td><td>59.14</td><td>36.26</td><td>13.85</td><td>65.92</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3598.00	46.58	74.00	-27.42	72.85	29.70	9.47	66.48	1.04 200 7 Peak	2	4956.00	48.37	74.00	-25.63	70.44	33.01	10.99	66.64	0.57 130 356 Peak	3	4956.00	43.27	54.00	-10.73	65.34	33.01	10.99	66.64	0.57 130 356 Average	4	6615.00	49.37	74.00	-24.63	65.16	35.73	13.21	65.01	0.28 100 175 Peak	5	7434.00	43.64	74.00	-30.36	59.14	36.26	13.85	65.92	0.31 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	4956.00	43.63	74.00	-30.37	65.70	33.01	10.99	66.64	0.57 -- -- Peak																																																																																																																											
2	7434.00	44.37	74.00	-29.63	59.87	36.26	13.85	65.92	0.31 -- -- Peak																																																																																																																											
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																																																											
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																											
1	3598.00	46.58	74.00	-27.42	72.85	29.70	9.47	66.48	1.04 200 7 Peak																																																																																																																											
2	4956.00	48.37	74.00	-25.63	70.44	33.01	10.99	66.64	0.57 130 356 Peak																																																																																																																											
3	4956.00	43.27	54.00	-10.73	65.34	33.01	10.99	66.64	0.57 130 356 Average																																																																																																																											
4	6615.00	49.37	74.00	-24.63	65.16	35.73	13.21	65.01	0.28 100 175 Peak																																																																																																																											
5	7434.00	43.64	74.00	-30.36	59.14	36.26	13.85	65.92	0.31 -- -- Peak																																																																																																																											

Remark: The unwanted signals 3598MHz, 6615MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	6	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH38_2478MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	7																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2316.62</td><td>53.46</td><td>74.00</td><td>-20.54</td><td>42.84</td><td>27.20</td><td>6.68</td><td>33.27</td><td>10.01</td><td>173</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2316.62	53.46	74.00	-20.54	42.84	27.20	6.68	33.27	10.01	173	226	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>69.27</td><td>-----</td><td>-----</td><td>58.21</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>173</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	69.27	-----	-----	58.21	27.40	6.82	33.19	10.03	173	226	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2316.62	53.46	74.00	-20.54	42.84	27.20	6.68	33.27	10.01	173	226	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	69.27	-----	-----	58.21	27.40	6.82	33.19	10.03	173	226	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.57</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>30.75</td><td>27.29</td><td>6.80</td><td>33.20</td><td>10.03</td><td>173</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.57	41.67	54.00	-12.33	30.75	27.29	6.80	33.20	10.03	173	226	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>67.86</td><td>-----</td><td>-----</td><td>56.80</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>173</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	67.86	-----	-----	56.80	27.40	6.82	33.19	10.03	173	226	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2388.57	41.67	54.00	-12.33	30.75	27.29	6.80	33.20	10.03	173	226	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	67.86	-----	-----	56.80	27.40	6.82	33.19	10.03	173	226	Average																																																																																								



Mode	7																																																																																														
	Band Edge																																																																																														
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																														
ANT	1																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-18 23102328.42346.82365.22383.62402 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2311.66</td><td>53.20</td><td>74.00</td><td>-20.80</td><td>42.59</td><td>27.20</td><td>6.67</td><td>33.27</td><td>10.01</td><td>6 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2311.66	53.20	74.00	-20.80	42.59	27.20	6.67	33.27	10.01	6 Peak	Level (dBuV/m) Date: 2025-06-18 10001400.1800.2200.2600.3000 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>69.58</td><td>-----</td><td>-----</td><td>58.52</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>6 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	69.58	-----	-----	58.52	27.40	6.82	33.19	10.03	6 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2311.66	53.20	74.00	-20.80	42.59	27.20	6.67	33.27	10.01	6 Peak																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2402.00	69.58	-----	-----	58.52	27.40	6.82	33.19	10.03	6 Peak																																																																																					
Avg	Level (dBuV/m) Date: 2025-06-18 23102328.42346.82365.22383.62402 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.28</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>30.84</td><td>27.27</td><td>6.80</td><td>33.20</td><td>10.03</td><td>6 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2387.28	41.74	54.00	-12.26	30.84	27.27	6.80	33.20	10.03	6 Average	Level (dBuV/m) Date: 2025-06-18 10001400.1800.2200.2600.3000 Frequency (MHz) Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>68.28</td><td>-----</td><td>-----</td><td>57.22</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>6 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	68.28	-----	-----	57.22	27.40	6.82	33.19	10.03	6 Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2387.28	41.74	54.00	-12.26	30.84	27.27	6.80	33.20	10.03	6 Average																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	2402.00	68.28	-----	-----	57.22	27.40	6.82	33.19	10.03	6 Average																																																																																					



Mode	7											
	Harmonic											
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz											
ANT	1											
Pol.	Horizontal						Vertical					
Peak Avg	Level (dBuV/m) </											



Mode	7	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	8																																																																																									
	Band Edge - L																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal	Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.66</td><td>52.70</td><td>74.00</td><td>-21.30</td><td>41.82</td><td>27.26</td><td>6.80</td><td>33.21</td><td>10.03</td><td>200</td><td>225</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.66	52.70	74.00	-21.30	41.82	27.26	6.80	33.21	10.03	200	225	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>68.58</td><td>74.00</td><td>-5.42</td><td>57.27</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>200</td><td>225</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	68.58	74.00	-5.42	57.27	27.60	6.84	33.16	10.03	200	225	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2385.66	52.70	74.00	-21.30	41.82	27.26	6.80	33.21	10.03	200	225	Peak																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2440.00	68.58	74.00	-5.42	57.27	27.60	6.84	33.16	10.03	200	225	Peak																																																																														
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2385.01</td><td>41.64</td><td>54.00</td><td>-12.36</td><td>30.77</td><td>27.25</td><td>6.80</td><td>33.21</td><td>10.03</td><td>200</td><td>225</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2385.01	41.64	54.00	-12.36	30.77	27.25	6.80	33.21	10.03	200	225	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>66.95</td><td>54.00</td><td>12.95</td><td>55.64</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>200</td><td>225</td><td>Average</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	66.95	54.00	12.95	55.64	27.60	6.84	33.16	10.03	200	225	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2385.01	41.64	54.00	-12.36	30.77	27.25	6.80	33.21	10.03	200	225	Average																																																																														
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																	
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	2440.00	66.95	54.00	12.95	55.64	27.60	6.84	33.16	10.03	200	225	Average																																																																														



Mode	8	
	Band Edge - R	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Fundamental
Peak		



Mode	8																																																																																					
	Band Edge - L																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical	Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2364.99</td><td>53.05</td><td>74.00</td><td>-20.95</td><td>42.29</td><td>27.20</td><td>6.76</td><td>33.22</td><td>10.02</td><td>6 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2364.99	53.05	74.00	-20.95	42.29	27.20	6.76	33.22	10.02	6 Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>65.68</td><td>74.00</td><td>-8.32</td><td>54.37</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>6 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	65.68	74.00	-8.32	54.37	27.60	6.84	33.16	10.03	6 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																												
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2364.99	53.05	74.00	-20.95	42.29	27.20	6.76	33.22	10.02	6 Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2440.00	65.68	74.00	-8.32	54.37	27.60	6.84	33.16	10.03	6 Peak																																																																												
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2388.91</td><td>41.54</td><td>54.00</td><td>-12.46</td><td>30.62</td><td>27.29</td><td>6.80</td><td>33.20</td><td>10.03</td><td>6 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2388.91	41.54	54.00	-12.46	30.62	27.29	6.80	33.20	10.03	6 Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2440.00</td><td>63.76</td><td>54.00</td><td>9.76</td><td>52.45</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>6 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	63.76	54.00	9.76	52.45	27.60	6.84	33.16	10.03	6 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2388.91	41.54	54.00	-12.46	30.62	27.29	6.80	33.20	10.03	6 Average																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																													
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor	Factor																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	2440.00	63.76	54.00	9.76	52.45	27.60	6.84	33.16	10.03	6 Average																																																																												







Mode	8										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak											



Mode	8																																																																																																																																																							
	Harmonic																																																																																																																																																							
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																							
ANT	1																																																																																																																																																							
Pol.	Horizontal	Vertical																																																																																																																																																						
Peak Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>4880.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>71.81</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 150 30 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>45.96</td><td>54.00</td><td>-8.04</td><td>68.74</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 150 30 Average</td></tr><tr><td>3</td><td>6510.00</td><td>48.81</td><td>74.00</td><td>-25.19</td><td>65.28</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39 200 190 Peak</td></tr><tr><td>4</td><td>7320.00</td><td>44.07</td><td>74.00</td><td>-29.93</td><td>59.04</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	4880.00	49.03	74.00	-24.97	71.81	32.72	10.66	66.70	0.54 150 30 Peak	2	4880.00	45.96	54.00	-8.04	68.74	32.72	10.66	66.70	0.54 150 30 Average	3	6510.00	48.81	74.00	-25.19	65.28	35.08	12.97	64.91	0.39 200 190 Peak	4	7320.00	44.07	74.00	-29.93	59.04	36.76	13.74	65.78	0.31 -- -- Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>3330.00</td><td>43.47</td><td>74.00</td><td>-30.53</td><td>69.77</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26 200 3 Peak</td></tr><tr><td>2</td><td>4880.00</td><td>47.27</td><td>74.00</td><td>-26.73</td><td>70.05</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 400 23 Peak</td></tr><tr><td>3</td><td>4880.00</td><td>43.53</td><td>54.00</td><td>-10.47</td><td>66.31</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54 400 23 Average</td></tr><tr><td>4</td><td>6510.00</td><td>46.61</td><td>74.00</td><td>-27.39</td><td>63.00</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39 300 160 Peak</td></tr><tr><td>5</td><td>7320.00</td><td>43.60</td><td>74.00</td><td>-30.40</td><td>58.57</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	3330.00	43.47	74.00	-30.53	69.77	29.60	9.17	66.33	1.26 200 3 Peak	2	4880.00	47.27	74.00	-26.73	70.05	32.72	10.66	66.70	0.54 400 23 Peak	3	4880.00	43.53	54.00	-10.47	66.31	32.72	10.66	66.70	0.54 400 23 Average	4	6510.00	46.61	74.00	-27.39	63.00	35.08	12.97	64.91	0.39 300 160 Peak	5	7320.00	43.60	74.00	-30.40	58.57	36.76	13.74	65.78	0.31 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																															
1	4880.00	49.03	74.00	-24.97	71.81	32.72	10.66	66.70	0.54 150 30 Peak																																																																																																																																															
2	4880.00	45.96	54.00	-8.04	68.74	32.72	10.66	66.70	0.54 150 30 Average																																																																																																																																															
3	6510.00	48.81	74.00	-25.19	65.28	35.08	12.97	64.91	0.39 200 190 Peak																																																																																																																																															
4	7320.00	44.07	74.00	-29.93	59.04	36.76	13.74	65.78	0.31 -- -- Peak																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																															
1	3330.00	43.47	74.00	-30.53	69.77	29.60	9.17	66.33	1.26 200 3 Peak																																																																																																																																															
2	4880.00	47.27	74.00	-26.73	70.05	32.72	10.66	66.70	0.54 400 23 Peak																																																																																																																																															
3	4880.00	43.53	54.00	-10.47	66.31	32.72	10.66	66.70	0.54 400 23 Average																																																																																																																																															
4	6510.00	46.61	74.00	-27.39	63.00	35.08	12.97	64.91	0.39 300 160 Peak																																																																																																																																															
5	7320.00	43.60	74.00	-30.40	58.57	36.76	13.74	65.78	0.31 -- -- Peak																																																																																																																																															

Remark: The unwanted signals 3330MHz, 6510MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	8	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	9																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 PEAK_BE_74 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.42</td><td>54.40</td><td>74.00</td><td>-19.60</td><td>42.76</td><td>27.85</td><td>6.87</td><td>33.11</td><td>10.03</td><td>192</td><td>227</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.42	54.40	74.00	-19.60	42.76	27.85	6.87	33.11	10.03	192	227	Peak	Level (dBuV/m) Date: 2025-06-18 PEAK_74 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>68.87</td><td>-----</td><td>-----</td><td>57.29</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>192</td><td>227</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	68.87	-----	-----	57.29	27.80	6.87	33.12	10.03	192	227	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.42	54.40	74.00	-19.60	42.76	27.85	6.87	33.11	10.03	192	227	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	68.87	-----	-----	57.29	27.80	6.87	33.12	10.03	192	227	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 AVG_BE_54 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2496.94</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>30.77</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>192</td><td>227</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.94	42.48	54.00	-11.52	30.77	27.90	6.88	33.10	10.03	192	227	Average	Level (dBuV/m) Date: 2025-06-18 AVG_54 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>67.18</td><td>-----</td><td>-----</td><td>55.60</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>192</td><td>227</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	67.18	-----	-----	55.60	27.80	6.87	33.12	10.03	192	227	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2496.94	42.48	54.00	-11.52	30.77	27.90	6.88	33.10	10.03	192	227	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	67.18	-----	-----	55.60	27.80	6.87	33.12	10.03	192	227	Average																																																																																								







Mode	9																																																																																																		
	Band Edge																																																																																																		
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak	Date: 2025-06-18						Date: 2025-06-18																																																																																												
	Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2491.74</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>42.72</td><td>27.90</td><td>6.88</td><td>33.11</td><td>10.03</td><td>358</td><td>258</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2491.74	54.42	74.00	-19.58	42.72	27.90	6.88	33.11	10.03	358	258	Peak	Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>64.51</td><td>-----</td><td>-----</td><td>52.93</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>358</td><td>258</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	64.51	-----	-----	52.93	27.80	6.87	33.12	10.03	358	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2491.74	54.42	74.00	-19.58	42.72	27.90	6.88	33.11	10.03	358	258	Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	64.51	-----	-----	52.93	27.80	6.87	33.12	10.03	358	258	Peak																																																																																							
Avg	Date: 2025-06-18						Date: 2025-06-18																																																																																												
	Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2496.60</td><td>42.46</td><td>54.00</td><td>-11.54</td><td>30.75</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>358</td><td>258</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2496.60	42.46	54.00	-11.54	30.75	27.90	6.88	33.10	10.03	358	258	Average	Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.100kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>2480.00</td><td>62.21</td><td>-----</td><td>-----</td><td>50.63</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>358</td><td>258</td><td>Average</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	62.21	-----	-----	50.63	27.80	6.87	33.12	10.03	358	258
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2496.60	42.46	54.00	-11.54	30.75	27.90	6.88	33.10	10.03	358	258	Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	2480.00	62.21	-----	-----	50.63	27.80	6.87	33.12	10.03	358	258	Average																																																																																							



Mode	9																																																																																																																																																																																											
	Harmonic																																																																																																																																																																																											
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																																																											
ANT	1																																																																																																																																																																																											
Pol.	Horizontal	Vertical																																																																																																																																																																																										
Peak Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3330.00</td><td>42.71</td><td>74.00</td><td>-31.29</td><td>69.01</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26</td><td>100</td><td>321</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>49.46</td><td>74.00</td><td>-24.54</td><td>71.49</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>250</td><td>39</td><td>Peak</td></tr><tr><td>3</td><td>4960.00</td><td>45.53</td><td>54.00</td><td>-8.47</td><td>67.56</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>250</td><td>39</td><td>Average</td></tr><tr><td>4</td><td>6615.00</td><td>47.18</td><td>74.00</td><td>-26.82</td><td>62.97</td><td>35.73</td><td>13.21</td><td>65.01</td><td>0.28</td><td>100</td><td>148</td><td>Peak</td></tr><tr><td>5</td><td>7440.00</td><td>43.75</td><td>74.00</td><td>-30.25</td><td>59.26</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	3330.00	42.71	74.00	-31.29	69.01	29.60	9.17	66.33	1.26	100	321	Peak	2	4960.00	49.46	74.00	-24.54	71.49	33.02	11.01	66.63	0.57	250	39	Peak	3	4960.00	45.53	54.00	-8.47	67.56	33.02	11.01	66.63	0.57	250	39	Average	4	6615.00	47.18	74.00	-26.82	62.97	35.73	13.21	65.01	0.28	100	148	Peak	5	7440.00	43.75	74.00	-30.25	59.26	36.24	13.86	65.93	0.32	--	--	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3330.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>73.72</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26</td><td>237</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4960.00</td><td>49.87</td><td>74.00</td><td>-24.13</td><td>71.90</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>304</td><td>0</td><td>Peak</td></tr><tr><td>3</td><td>4960.00</td><td>44.91</td><td>54.00</td><td>-9.09</td><td>66.94</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>304</td><td>0</td><td>Average</td></tr><tr><td>4</td><td>6615.00</td><td>46.33</td><td>74.00</td><td>-27.67</td><td>62.12</td><td>35.73</td><td>13.21</td><td>65.01</td><td>0.28</td><td>300</td><td>153</td><td>Peak</td></tr><tr><td>5</td><td>7440.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>60.00</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32</td><td>--</td><td>--</td><td>Peak</td></tr></table>		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	3330.00	47.42	74.00	-26.58	73.72	29.60	9.17	66.33	1.26	237	360	Peak	2	4960.00	49.87	74.00	-24.13	71.90	33.02	11.01	66.63	0.57	304	0	Peak	3	4960.00	44.91	54.00	-9.09	66.94	33.02	11.01	66.63	0.57	304	0	Average	4	6615.00	46.33	74.00	-27.67	62.12	35.73	13.21	65.01	0.28	300	153	Peak	5	7440.00	44.49	74.00	-29.51	60.00	36.24	13.86	65.93	0.32	--	--	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																															
1	3330.00	42.71	74.00	-31.29	69.01	29.60	9.17	66.33	1.26	100	321	Peak																																																																																																																																																																																
2	4960.00	49.46	74.00	-24.54	71.49	33.02	11.01	66.63	0.57	250	39	Peak																																																																																																																																																																																
3	4960.00	45.53	54.00	-8.47	67.56	33.02	11.01	66.63	0.57	250	39	Average																																																																																																																																																																																
4	6615.00	47.18	74.00	-26.82	62.97	35.73	13.21	65.01	0.28	100	148	Peak																																																																																																																																																																																
5	7440.00	43.75	74.00	-30.25	59.26	36.24	13.86	65.93	0.32	--	--	Peak																																																																																																																																																																																
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																																															
1	3330.00	47.42	74.00	-26.58	73.72	29.60	9.17	66.33	1.26	237	360	Peak																																																																																																																																																																																
2	4960.00	49.87	74.00	-24.13	71.90	33.02	11.01	66.63	0.57	304	0	Peak																																																																																																																																																																																
3	4960.00	44.91	54.00	-9.09	66.94	33.02	11.01	66.63	0.57	304	0	Average																																																																																																																																																																																
4	6615.00	46.33	74.00	-27.67	62.12	35.73	13.21	65.01	0.28	300	153	Peak																																																																																																																																																																																
5	7440.00	44.49	74.00	-29.51	60.00	36.24	13.86	65.93	0.32	--	--	Peak																																																																																																																																																																																

Remark: The unwanted signals 3330MHz, 6615MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.







Mode	9	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	10																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2359.59</td><td>53.18</td><td>74.00</td><td>-20.82</td><td>42.44</td><td>27.20</td><td>6.75</td><td>33.23</td><td>10.02</td><td>174</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2359.59	53.18	74.00	-20.82	42.44	27.20	6.75	33.23	10.02	174	226	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>69.48</td><td>-----</td><td>-----</td><td>58.42</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>174</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	69.48	-----	-----	58.42	27.40	6.82	33.19	10.03	174	226	Peak
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2359.59	53.18	74.00	-20.82	42.44	27.20	6.75	33.23	10.02	174	226	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	69.48	-----	-----	58.42	27.40	6.82	33.19	10.03	174	226	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2383.32</td><td>41.88</td><td>54.00</td><td>-12.12</td><td>31.04</td><td>27.23</td><td>6.79</td><td>33.21</td><td>10.03</td><td>174</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2383.32	41.88	54.00	-12.12	31.04	27.23	6.79	33.21	10.03	174	226	Average	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>67.91</td><td>-----</td><td>-----</td><td>56.85</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>174</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	67.91	-----	-----	56.85	27.40	6.82	33.19	10.03	174	226	Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2383.32	41.88	54.00	-12.12	31.04	27.23	6.79	33.21	10.03	174	226	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2402.00	67.91	-----	-----	56.85	27.40	6.82	33.19	10.03	174	226	Average																																																																																								



Mode	10																																																																																																	
	Band Edge																																																																																																	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical						Fundamental																																																																																											
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2384.56</td><td>53.54</td><td>74.00</td><td>-20.46</td><td>42.97</td><td>27.10</td><td>6.71</td><td>33.25</td><td>10.01</td><td>123</td><td>2 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2384.56	53.54	74.00	-20.46	42.97	27.10	6.71	33.25	10.01	123	2 Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>70.55</td><td>-----</td><td>-----</td><td>59.49</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>123</td><td>2 Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	70.55	-----	-----	59.49	27.40	6.82	33.19	10.03	123	2 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2384.56	53.54	74.00	-20.46	42.97	27.10	6.71	33.25	10.01	123	2 Peak																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	70.55	-----	-----	59.49	27.40	6.82	33.19	10.03	123	2 Peak																																																																																							
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2381.30</td><td>41.92</td><td>54.00</td><td>-12.08</td><td>31.10</td><td>27.21</td><td>6.79</td><td>33.21</td><td>10.03</td><td>123</td><td>2 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2381.30	41.92	54.00	-12.08	31.10	27.21	6.79	33.21	10.03	123	2 Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2402.00</td><td>69.37</td><td>-----</td><td>-----</td><td>58.31</td><td>27.40</td><td>6.82</td><td>33.19</td><td>10.03</td><td>123</td><td>2 Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2402.00	69.37	-----	-----	58.31	27.40	6.82	33.19	10.03	123	2 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2381.30	41.92	54.00	-12.08	31.10	27.21	6.79	33.21	10.03	123	2 Average																																																																																							
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	2402.00	69.37	-----	-----	58.31	27.40	6.82	33.19	10.03	123	2 Average																																																																																							



Mode	10																																																																																																																																										
	Harmonic																																																																																																																																										
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz																																																																																																																																										
ANT	1																																																																																																																																										
Pol.	Horizontal						Vertical																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-18 300060009000120001500018000 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4804.00</td><td>47.44</td><td>74.00</td><td>-26.56</td><td>71.04</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.50</td><td>100</td><td>32</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>66.45</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.50</td><td>100</td><td>32</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4804.00	47.44	74.00	-26.56	71.04	32.32	10.34	66.76	0.50	100	32	Peak	2	4804.00	42.85	54.00	-11.15	66.45	32.32	10.34	66.76	0.50	100	32	Average	Level (dBuV/m) Date: 2025-06-18 300060009000120001500018000 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3345.00</td><td>44.53</td><td>74.00</td><td>-29.47</td><td>70.84</td><td>29.60</td><td>9.19</td><td>66.34</td><td>1.24</td><td>106</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>4804.00</td><td>46.66</td><td>74.00</td><td>-27.34</td><td>70.26</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.50</td><td>324</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>4804.00</td><td>41.58</td><td>54.00</td><td>-12.42</td><td>65.18</td><td>32.32</td><td>10.34</td><td>66.76</td><td>0.50</td><td>324</td><td>360</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3345.00	44.53	74.00	-29.47	70.84	29.60	9.19	66.34	1.24	106	360	Peak	2	4804.00	46.66	74.00	-27.34	70.26	32.32	10.34	66.76	0.50	324	360	Peak	3	4804.00	41.58	54.00	-12.42	65.18	32.32	10.34	66.76	0.50	324	360	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																	
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	4804.00	47.44	74.00	-26.56	71.04	32.32	10.34	66.76	0.50	100	32	Peak																																																																																																																															
2	4804.00	42.85	54.00	-11.15	66.45	32.32	10.34	66.76	0.50	100	32	Average																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																	
1	3345.00	44.53	74.00	-29.47	70.84	29.60	9.19	66.34	1.24	106	360	Peak																																																																																																																															
2	4804.00	46.66	74.00	-27.34	70.26	32.32	10.34	66.76	0.50	324	360	Peak																																																																																																																															
3	4804.00	41.58	54.00	-12.42	65.18	32.32	10.34	66.76	0.50	324	360	Average																																																																																																																															

Remark: The unwanted signal at 3345MHz can be ignored as it falls within the non-restricted band and meets the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	10	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH00_2402MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	11																																																																																																			
	Band Edge - L																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18 231023362362238824142440 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2333.27</td><td>53.26</td><td>74.00</td><td>-20.74</td><td>42.69</td><td>27.10</td><td>6.71</td><td>33.25</td><td>10.01</td><td>171</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2333.27	53.26	74.00	-20.74	42.69	27.10	6.71	33.25	10.01	171	226	Peak	Level (dBuV/m) Date: 2025-06-18 100014001800220026003000 Frequency (MHz) Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>69.01</td><td>-----</td><td>-----</td><td>57.70</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>171</td><td>226</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	69.01	-----	-----	57.70	27.60	6.84	33.16	10.03	171	226	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2333.27	53.26	74.00	-20.74	42.69	27.10	6.71	33.25	10.01	171	226	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	69.01	-----	-----	57.70	27.60	6.84	33.16	10.03	171	226	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18 231023362362238824142440 Frequency (MHz) Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.44</td><td>41.84</td><td>54.00</td><td>-12.16</td><td>30.95</td><td>27.26</td><td>6.80</td><td>33.20</td><td>10.03</td><td>171</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2386.44	41.84	54.00	-12.16	30.95	27.26	6.80	33.20	10.03	171	226	Average	Level (dBuV/m) Date: 2025-06-18 100014001800220026003000 Frequency (MHz) Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2440.00</td><td>67.19</td><td>-----</td><td>-----</td><td>55.88</td><td>27.60</td><td>6.84</td><td>33.16</td><td>10.03</td><td>171</td><td>226</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2440.00	67.19	-----	-----	55.88	27.60	6.84	33.16	10.03	171	226	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2386.44	41.84	54.00	-12.16	30.95	27.26	6.80	33.20	10.03	171	226	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2440.00	67.19	-----	-----	55.88	27.60	6.84	33.16	10.03	171	226	Average																																																																																								



Mode	11										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Horizontal						Fundamental				
Peak	<										



Mode	11										
	Band Edge - L										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m)										



Mode	11										
	Band Edge - R										
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz										
ANT	1										
Pol.	Vertical						Fundamental				
Peak											







Mode	11																																																																																																																																													
	Harmonic																																																																																																																																													
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Horizontal	Vertical																																																																																																																																												
Peak Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4880.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>71.04</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>104 30 Peak</td></tr><tr><td>2 4880.00</td><td>44.07</td><td>54.00</td><td>-9.93</td><td>66.85</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>104 30 Average</td></tr><tr><td>3 6510.00</td><td>48.34</td><td>74.00</td><td>-25.66</td><td>64.81</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39</td><td>100 156 Peak</td></tr><tr><td>4 7320.00</td><td>42.93</td><td>74.00</td><td>-31.07</td><td>57.90</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4880.00	48.26	74.00	-25.74	71.04	32.72	10.66	66.70	0.54	104 30 Peak	2 4880.00	44.07	54.00	-9.93	66.85	32.72	10.66	66.70	0.54	104 30 Average	3 6510.00	48.34	74.00	-25.66	64.81	35.08	12.97	64.91	0.39	100 156 Peak	4 7320.00	42.93	74.00	-31.07	57.90	36.76	13.74	65.78	0.31	-- -- Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 4880.00</td><td>46.95</td><td>74.00</td><td>-27.05</td><td>69.73</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>376 20 Peak</td></tr><tr><td>2 4880.00</td><td>42.65</td><td>54.00</td><td>-11.35</td><td>65.43</td><td>32.72</td><td>10.66</td><td>66.70</td><td>0.54</td><td>376 20 Average</td></tr><tr><td>3 6510.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>62.77</td><td>35.08</td><td>12.97</td><td>64.91</td><td>0.39</td><td>100 26 Peak</td></tr><tr><td>4 7320.00</td><td>42.76</td><td>74.00</td><td>-31.24</td><td>57.73</td><td>36.76</td><td>13.74</td><td>65.78</td><td>0.31</td><td>-- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level Factor	Loss Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 4880.00	46.95	74.00	-27.05	69.73	32.72	10.66	66.70	0.54	376 20 Peak	2 4880.00	42.65	54.00	-11.35	65.43	32.72	10.66	66.70	0.54	376 20 Average	3 6510.00	46.30	74.00	-27.70	62.77	35.08	12.97	64.91	0.39	100 26 Peak	4 7320.00	42.76	74.00	-31.24	57.73	36.76	13.74	65.78	0.31	-- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 4880.00	48.26	74.00	-25.74	71.04	32.72	10.66	66.70	0.54	104 30 Peak																																																																																																																																					
2 4880.00	44.07	54.00	-9.93	66.85	32.72	10.66	66.70	0.54	104 30 Average																																																																																																																																					
3 6510.00	48.34	74.00	-25.66	64.81	35.08	12.97	64.91	0.39	100 156 Peak																																																																																																																																					
4 7320.00	42.93	74.00	-31.07	57.90	36.76	13.74	65.78	0.31	-- -- Peak																																																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor	Factor																																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																																																																					
1 4880.00	46.95	74.00	-27.05	69.73	32.72	10.66	66.70	0.54	376 20 Peak																																																																																																																																					
2 4880.00	42.65	54.00	-11.35	65.43	32.72	10.66	66.70	0.54	376 20 Average																																																																																																																																					
3 6510.00	46.30	74.00	-27.70	62.77	35.08	12.97	64.91	0.39	100 26 Peak																																																																																																																																					
4 7320.00	42.76	74.00	-31.24	57.73	36.76	13.74	65.78	0.31	-- -- Peak																																																																																																																																					

Remark: The unwanted signal at 6510MHz can be ignored as it falls within the non-restricted band and meets the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.







Mode	11	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	12																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.52</td><td>53.56</td><td>74.00</td><td>-20.44</td><td>41.88</td><td>27.89</td><td>6.87</td><td>33.11</td><td>10.03</td><td>194</td><td>228</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.52	53.56	74.00	-20.44	41.88	27.89	6.87	33.11	10.03	194	228	Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.00</td><td>68.81</td><td>-----</td><td>-----</td><td>57.23</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>194</td><td>228</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.00	68.81	-----	-----	57.23	27.80	6.87	33.12	10.03	194	228	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2488.52	53.56	74.00	-20.44	41.88	27.89	6.87	33.11	10.03	194	228	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2488.00	68.81	-----	-----	57.23	27.80	6.87	33.12	10.03	194	228	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.00</td><td>42.63</td><td>54.00</td><td>-11.37</td><td>30.92</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>194</td><td>228</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.00	42.63	54.00	-11.37	30.92	27.90	6.88	33.10	10.03	194	228	Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91200_01620_240828 HORIZONTAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2488.00</td><td>67.26</td><td>-----</td><td>-----</td><td>55.68</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>194</td><td>228</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2488.00	67.26	-----	-----	55.68	27.80	6.87	33.12	10.03	194	228	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2488.00	42.63	54.00	-11.37	30.92	27.90	6.88	33.10	10.03	194	228	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2488.00	67.26	-----	-----	55.68	27.80	6.87	33.12	10.03	194	228	Average																																																																																								







Mode	12																																																																																																			
	Band Edge																																																																																																			
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_BE_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2485.98</td><td>53.80</td><td>74.00</td><td>-20.20</td><td>42.15</td><td>27.86</td><td>6.87</td><td>33.11</td><td>10.03</td><td>358</td><td>258</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2485.98	53.80	74.00	-20.20	42.15	27.86	6.87	33.11	10.03	358	258	Peak	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>64.17</td><td>-----</td><td>-----</td><td>52.59</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>358</td><td>258</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	64.17	-----	-----	52.59	27.80	6.87	33.12	10.03	358	258	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2485.98	53.80	74.00	-20.20	42.15	27.86	6.87	33.11	10.03	358	258	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	64.17	-----	-----	52.59	27.80	6.87	33.12	10.03	358	258	Peak																																																																																								
Avg	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_BE_54 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2498.94</td><td>42.68</td><td>54.00</td><td>-11.32</td><td>30.97</td><td>27.90</td><td>6.88</td><td>33.10</td><td>10.03</td><td>358</td><td>258</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2498.94	42.68	54.00	-11.32	30.97	27.90	6.88	33.10	10.03	358	258	Average	Level (dBuV/m) Date: 2025-06-18  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL : RBW:1000.000kHz VBW:0.300kHz SMT:Auto <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2480.00</td><td>61.92</td><td>-----</td><td>-----</td><td>50.34</td><td>27.80</td><td>6.87</td><td>33.12</td><td>10.03</td><td>358</td><td>258</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	2480.00	61.92	-----	-----	50.34	27.80	6.87	33.12	10.03	358	258	Average
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2498.94	42.68	54.00	-11.32	30.97	27.90	6.88	33.10	10.03	358	258	Average																																																																																								
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	2480.00	61.92	-----	-----	50.34	27.80	6.87	33.12	10.03	358	258	Average																																																																																								



Mode	12																																																																																																																																																					
	Harmonic																																																																																																																																																					
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz																																																																																																																																																					
ANT	1																																																																																																																																																					
Pol.	Horizontal	Vertical																																																																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4960.00</td><td>48.34</td><td>74.00 -25.66</td><td>70.37</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>137</td><td>38 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>43.51</td><td>54.00 -10.49</td><td>65.54</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>137</td><td>38 Average</td></tr><tr><td>3</td><td>6615.00</td><td>47.08</td><td>74.00 -26.92</td><td>62.87</td><td>35.73</td><td>13.21</td><td>65.01</td><td>0.28</td><td>100</td><td>156 Peak</td></tr><tr><td>4</td><td>7440.00</td><td>42.87</td><td>74.00 -31.13</td><td>58.38</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	4960.00	48.34	74.00 -25.66	70.37	33.02	11.01	66.63	0.57	137	38 Peak	2	4960.00	43.51	54.00 -10.49	65.54	33.02	11.01	66.63	0.57	137	38 Average	3	6615.00	47.08	74.00 -26.92	62.87	35.73	13.21	65.01	0.28	100	156 Peak	4	7440.00	42.87	74.00 -31.13	58.38	36.24	13.86	65.93	0.32	--	-- Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: PEAK_74 3m 91280_01620_240828 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>3330.00</td><td>46.30</td><td>74.00 -27.70</td><td>72.60</td><td>29.60</td><td>9.17</td><td>66.33</td><td>1.26</td><td>300</td><td>360 Peak</td></tr><tr><td>2</td><td>4960.00</td><td>47.73</td><td>74.00 -26.27</td><td>69.76</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>341</td><td>355 Peak</td></tr><tr><td>3</td><td>4960.00</td><td>43.09</td><td>54.00 -10.91</td><td>65.12</td><td>33.02</td><td>11.01</td><td>66.63</td><td>0.57</td><td>341</td><td>355 Average</td></tr><tr><td>4</td><td>7440.00</td><td>42.87</td><td>74.00 -31.13</td><td>58.38</td><td>36.24</td><td>13.86</td><td>65.93</td><td>0.32</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor				MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	3330.00	46.30	74.00 -27.70	72.60	29.60	9.17	66.33	1.26	300	360 Peak	2	4960.00	47.73	74.00 -26.27	69.76	33.02	11.01	66.63	0.57	341	355 Peak	3	4960.00	43.09	54.00 -10.91	65.12	33.02	11.01	66.63	0.57	341	355 Average	4	7440.00	42.87	74.00 -31.13	58.38	36.24	13.86	65.93	0.32	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	4960.00	48.34	74.00 -25.66	70.37	33.02	11.01	66.63	0.57	137	38 Peak																																																																																																																																												
2	4960.00	43.51	54.00 -10.49	65.54	33.02	11.01	66.63	0.57	137	38 Average																																																																																																																																												
3	6615.00	47.08	74.00 -26.92	62.87	35.73	13.21	65.01	0.28	100	156 Peak																																																																																																																																												
4	7440.00	42.87	74.00 -31.13	58.38	36.24	13.86	65.93	0.32	--	-- Peak																																																																																																																																												
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line Margin	Level	Factor	Loss Factor	Factor																																																																																																																																																
MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																													
1	3330.00	46.30	74.00 -27.70	72.60	29.60	9.17	66.33	1.26	300	360 Peak																																																																																																																																												
2	4960.00	47.73	74.00 -26.27	69.76	33.02	11.01	66.63	0.57	341	355 Peak																																																																																																																																												
3	4960.00	43.09	54.00 -10.91	65.12	33.02	11.01	66.63	0.57	341	355 Average																																																																																																																																												
4	7440.00	42.87	74.00 -31.13	58.38	36.24	13.86	65.93	0.32	--	-- Peak																																																																																																																																												

Remark: The unwanted signals 3330MHz, 6615MHz can be ignored as they fall within the non-restricted band and meet the requirements of FCC 15.247 (d), RSS-247 section 5.5, LP0002 section 4.1.10.5.



Mode	12	
	Harmonic	
	2400-2483.5_Bluetooth-LE_GFSK_CH39_2480MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL
	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 HORIZONTAL	Level (dBuV/m) Date: 2025-06-17  Site : 03CH11-HY Condition: AVG_54 3m 91280_01620_240828 VERTICAL



Mode	13																																																																																																
	SHF																																																																																																
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																
ANT	1																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak	Level (dBuV/m) Date: 2025-06-18 PEAK_74 AVG_54 Frequency (MHz)						Level (dBuV/m) Date: 2025-06-18 PEAK_74 AVG_54 Frequency (MHz)																																																																																										
	Site : 03CH11-HY Condition: PEAK_74 1m SHF_1223_240624 HORIZONTAL						Site : 03CH11-HY Condition: PEAK_74 1m SHF_1223_240624 VERTICAL																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>24637.48</td><td>38.46</td><td>74.00</td><td>-35.54</td><td>42.42</td><td>39.25</td><td>26.48</td><td>60.15</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	24637.48	38.46	74.00	-35.54	42.42	39.25	26.48	60.15	-9.54	--	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>21940.88</td><td>38.65</td><td>74.00</td><td>-35.35</td><td>45.79</td><td>38.20</td><td>24.95</td><td>60.75</td><td>-9.54</td><td>--</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	21940.88	38.65	74.00	-35.35	45.79	38.20	24.95	60.75	-9.54	--
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	24637.48	38.46	74.00	-35.54	42.42	39.25	26.48	60.15	-9.54	--	PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	21940.88	38.65	74.00	-35.35	45.79	38.20	24.95	60.75	-9.54	--	PEAK																																																																																						



Mode	14																																																																																																																																																																																																																									
	LF																																																																																																																																																																																																																									
	2400-2483.5_Bluetooth-LE_GFSK_CH19_2440MHz																																																																																																																																																																																																																									
ANT	1																																																																																																																																																																																																																									
Pol.	Horizontal						Vertical																																																																																																																																																																																																																			
QP/ Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: QP 3m B1L06_37059801_241127 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>30.97</td><td>31.26</td><td>40.00</td><td>-8.74</td><td>38.56</td><td>24.21</td><td>0.83</td><td>32.41</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>200.72</td><td>32.83</td><td>43.50</td><td>-10.67</td><td>47.73</td><td>15.19</td><td>1.98</td><td>32.19</td><td>0.12</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>217.21</td><td>32.43</td><td>46.00</td><td>-13.57</td><td>47.29</td><td>15.13</td><td>2.06</td><td>32.19</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>420.91</td><td>34.62</td><td>46.00</td><td>-11.38</td><td>41.03</td><td>22.74</td><td>2.85</td><td>32.11</td><td>0.11</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>665.35</td><td>39.67</td><td>46.00</td><td>-6.33</td><td>41.59</td><td>26.58</td><td>3.58</td><td>32.23</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>806.97</td><td>37.80</td><td>46.00</td><td>-8.20</td><td>37.35</td><td>28.26</td><td>3.93</td><td>31.90</td><td>0.16</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	30.97	31.26	40.00	-8.74	38.56	24.21	0.83	32.41	0.07	--	Peak	2	200.72	32.83	43.50	-10.67	47.73	15.19	1.98	32.19	0.12	--	Peak	3	217.21	32.43	46.00	-13.57	47.29	15.13	2.06	32.19	0.14	--	Peak	4	420.91	34.62	46.00	-11.38	41.03	22.74	2.85	32.11	0.11	--	Peak	5	665.35	39.67	46.00	-6.33	41.59	26.58	3.58	32.23	0.15	--	Peak	6	806.97	37.80	46.00	-8.20	37.35	28.26	3.93	31.90	0.16	--	Peak	Level (dBuV/m) Date: 2025-06-18 Site : 03CH11-HY Condition: QP 3m B1L06_37059801_241127 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>51.34</td><td>33.67</td><td>40.00</td><td>-6.33</td><td>50.78</td><td>14.06</td><td>1.10</td><td>32.34</td><td>0.07</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>206.54</td><td>29.92</td><td>43.50</td><td>-13.58</td><td>44.66</td><td>15.31</td><td>2.01</td><td>32.19</td><td>0.13</td><td>--</td><td>Peak</td></tr><tr><td>3</td><td>216.24</td><td>21.98</td><td>46.00</td><td>-24.02</td><td>36.94</td><td>15.04</td><td>2.05</td><td>32.19</td><td>0.14</td><td>--</td><td>Peak</td></tr><tr><td>4</td><td>420.91</td><td>29.91</td><td>46.00</td><td>-16.09</td><td>36.32</td><td>22.74</td><td>2.85</td><td>32.11</td><td>0.11</td><td>--</td><td>Peak</td></tr><tr><td>5</td><td>664.38</td><td>39.96</td><td>46.00</td><td>-6.04</td><td>41.89</td><td>26.58</td><td>3.58</td><td>32.24</td><td>0.15</td><td>--</td><td>Peak</td></tr><tr><td>6</td><td>832.19</td><td>32.99</td><td>46.00</td><td>-13.01</td><td>31.96</td><td>28.68</td><td>4.01</td><td>31.78</td><td>0.12</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	51.34	33.67	40.00	-6.33	50.78	14.06	1.10	32.34	0.07	--	Peak	2	206.54	29.92	43.50	-13.58	44.66	15.31	2.01	32.19	0.13	--	Peak	3	216.24	21.98	46.00	-24.02	36.94	15.04	2.05	32.19	0.14	--	Peak	4	420.91	29.91	46.00	-16.09	36.32	22.74	2.85	32.11	0.11	--	Peak	5	664.38	39.96	46.00	-6.04	41.89	26.58	3.58	32.24	0.15	--	Peak	6	832.19	32.99	46.00	-13.01	31.96	28.68	4.01	31.78	0.12	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																
1	30.97	31.26	40.00	-8.74	38.56	24.21	0.83	32.41	0.07	--	Peak																																																																																																																																																																																																															
2	200.72	32.83	43.50	-10.67	47.73	15.19	1.98	32.19	0.12	--	Peak																																																																																																																																																																																																															
3	217.21	32.43	46.00	-13.57	47.29	15.13	2.06	32.19	0.14	--	Peak																																																																																																																																																																																																															
4	420.91	34.62	46.00	-11.38	41.03	22.74	2.85	32.11	0.11	--	Peak																																																																																																																																																																																																															
5	665.35	39.67	46.00	-6.33	41.59	26.58	3.58	32.23	0.15	--	Peak																																																																																																																																																																																																															
6	806.97	37.80	46.00	-8.20	37.35	28.26	3.93	31.90	0.16	--	Peak																																																																																																																																																																																																															
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																																
1	51.34	33.67	40.00	-6.33	50.78	14.06	1.10	32.34	0.07	--	Peak																																																																																																																																																																																																															
2	206.54	29.92	43.50	-13.58	44.66	15.31	2.01	32.19	0.13	--	Peak																																																																																																																																																																																																															
3	216.24	21.98	46.00	-24.02	36.94	15.04	2.05	32.19	0.14	--	Peak																																																																																																																																																																																																															
4	420.91	29.91	46.00	-16.09	36.32	22.74	2.85	32.11	0.11	--	Peak																																																																																																																																																																																																															
5	664.38	39.96	46.00	-6.04	41.89	26.58	3.58	32.24	0.15	--	Peak																																																																																																																																																																																																															
6	832.19	32.99	46.00	-13.01	31.96	28.68	4.01	31.78	0.12	--	Peak																																																																																																																																																																																																															



Appendix F. Duty Cycle Plots

Antenna	Band	Duty Cycle (%)	T(us)	1/T(kHz)	VBW Setting
1	Bluetooth - LE for 125Kbps	46.40	11600	0.086	100Hz
1	Bluetooth - LE for 500Kbps	50.00	3998	0.250	300Hz
1	Bluetooth - LE for 1Mbps	46.48	930	1.075	1.1kHz
1	Bluetooth - LE for 2Mbps	23.54	471	2.123	2.2kHz

