

**S2i
GSM mobile phone
User Manual**

Icon	Explain
	Said SIM card a network signal strength, bar a few more stronger the signal
	Said SIM Card 2 network signal strength, as amended, the stronger the more the signal.
	The battery capacity ,be the number of the more power the more adequate.
	Alarm clock opening, if the alarm set off, will not be displayed.
	Keypad lock is activated
	SIM card 1 has unread messages
	SIM card 2 has unread messages
	SIM card adapter 1 unconditional
	SIM card adapter 2 unconditional
	Background music play
	SIM card 1missed calls
	SIM card 2 missed calls
	General pattern
	Conference mode
	Outdoor mode

	Silent mode
2	Function menu

3.1 Fast functional use

- standby mode, click the "Menu" on access to main menu interface; click on the "right soft key" to access the phonebook list interface; select numbers for direct access by dialing key on the dial-up interface.
- all main menu or sub menu interface, click on the appropriate menu icon to the desired function into the options.
- In the standby interface can be up and down left and right arrow keys to enter the corresponding shortcut menu. (Respectively shortcuts, alarm clock, camera, write text messages.)
- In the function menu, under normal circumstances, you can press the hold button return to the standby state.

3.2 Information center

3.2.1 SMS

You can send and receive short message service center free text messages in chinese english, the phone supports enhanced messaging (EMS),you can insert a picture in the short message, animations, ring tones, can also use the templates to produce short information.

and music information.

3.2.1.2 Inbox

Enter the Write box menu to view the text messages had been received. Received under non-idle screen a short message, the phone will issue a vibration (if the ring is set to vibration mode) or tone (if the ringing mode is set to ring), the screen prompts received news. If you do not want to immediately read out of the interface after the icon will display a short message area icon, and received a short message priority Cunzai SIM card, until the SIM card is full, change deposit to your phone. To read the new information, you can enter the inbox list, click "OK" to read the new text messages.

Delete current text messages.

Editor:

Receive information on current editor.

Transmit:

Edited with an option to send to one person or group to send multi-send.

Copy to phone:

Copy to SIM card:

does not appear.

Move to mobile

Move to SIM card

Chat:

Y

Remove all:

Copy all

Use numbers

The sender number and the current text message number (3-40 digits) is extracted to the list displayed, select any one of which can be dial-up or save operation

3.2.1.3 outbox

Into the outbox list to view your saved in the machine (including the SIM card and mobile phone) text messages.

Messages in the outbox view details, click on "options" content with the inbox.

3.2.1.5 Message setting

Using the short message function , you need to do the appropriate setting, go to settings sub-menu, you can select the following settings.

Note: the validity of the information and fax, pager, e-mail needs of network operators to support implementation.

- Status settings: on the news report, set back path. If you click on "Open" then open the options menu; If you then click "Close" then turn this option off feature.

Note: this feature requires network operators to support implementation.♦

Select SIM card or mobile phone.

3.2.2 Multimedia message

Through the MMS service, you can send voice and text contain pictures, news.

- **Inbox**

This menu allows you to view your received MMS. select a multimedia message, enter the following options (Note: MMS messages and text messages are in the same inbox view.)

View: view MMS content

SMS Re: reply with SMS

3.2.3 Chat

Set the number and chat.

3.2.4 Voice mail

- ❖ SIM card 1 language-mail: edit SIM card 1,voice mail numbers.

- ❖ SIM card 2 language-mail: edit SIM card 2,the voice mailbox number.

3.2.5 Cell Broadcast

- ❖ SIM card 1 cell broadcast: edit SIM card 1,cell broadcast.

- ❖ SIM card 2 cell broadcast : edit the SIM card 2,cell broadcast.

Network operators need to provide this service.

3.3 Call center

3.3.1 Call history

3.3.1.1 Missed calls

Send SMS send a short message to the number.

Send MMS send MMS to the number.

3.3.1.2 Dialed

In view dialed details, click on "Options"
content does not answer the phone .

3.3.1.3 Received calls

To enter the phone menu, display the current record has been received cell phone telephone numbers list.

In view the phone details, click on "options" content with the missed call.

3.3.1.4 Delete call records

3.3.1.5 Call duration

- Last call time

show the length of time the last phone call.

- **Dialed a total of**
Display dialed the total length of time.
- **Has a total phone.**
Show the total time to answer the phone the length of time.
- **Zero all the time**
Records of these three with zero time.

3.3.1.6 Call Accounting
Click "ok" to enter the call billing sub-menu, can view records of phone call charges to date.

- **Last call cost**
View last call billing.
- **All call charges**
View all calls total billing.
- **Zero call costs.**
Enter the PIN2 code for the removal of call billing records.
- **Cost limits**
By entering the PIN2 code to read, modify or cancel the function. .
- **Prices and exchange rates**

3.3.1.7 SMS Counter
Enter the submenu ,you can view the current has been sent and received ,the number of short messages.

FCC Statement

1. This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:
 - (1) This device may not cause harmful interference.
 - (2) This device must accept any interference received, including interference that may cause undesired operation.
2. Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE:

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation.

This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

Reorient or relocate the receiving antenna.

Increase the separation between the equipment and receiver.

Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

Consult the dealer or an experienced radio/TV technician for help.

SAR Information Statement

Your wireless phone is a radio transmitter and receiver. It is designed and manufactured not to exceed the emission limits for exposure to radiofrequency (RF) energy set by the Federal Communications Commission of the U.S. Government. These limits are part of comprehensive guidelines and establish permitted levels of RF energy for the general population. The guidelines are based on standards that were developed by independent scientific organizations through periodic and thorough evaluation of scientific studies. The standards include a substantial safety margin designed to assure the safety of all

persons, regardless of age and health. The exposure standard for wireless mobile phones employs a unit of measurement known as the Specific Absorption Rate, or SAR. The SAR limit set by the FCC is 1.6 W/kg. * Tests for SAR are conducted with the phone transmitting at its highest certified power level in all tested frequency bands. Although the SAR is determined at the highest certified power level, the actual SAR level of the phone while operating can be well below the maximum value. This is because the phone is designed to operate at multiple power levels so as to use only the power required to reach the network. In general, the closer you are to a wireless base station antenna, the lower the power output. Before a phone model is available for sale to the public, it must be tested and certified to the FCC that it does not exceed the limit established by the government adopted requirement for safe exposure. The tests are performed in positions and locations (e.g., at the ear and worn on the body) as required by the FCC for each model. The highest SAR value for this model phone when tested for use at the ear is **0.78W/Kg** and when worn on the body, as described in this user guide, is **0.76W/Kg** (Body-worn measurements differ among phone models, depending upon available accessories and FCC requirements). While there may be differences between the SAR levels of various phones and at various positions, they all meet the government requirement for safe exposure. The FCC has granted an Equipment Authorization for this model phone with all reported SAR levels evaluated as in compliance with the FCC RF exposure guidelines. SAR information on this model phone is on file with the FCC and can be found under the Display Grant section of <http://www.fcc.gov/oet/fccid> after searching on FCC ID: **Z87ABBAS21** Additional information on Specific Absorption Rates (SAR) can be found on the Cellular Telecommunications Industry Association (CTIA) web-site at <http://www.wow-com.com>. * In the United States and Canada, the SAR limit for mobile phones used by the public is 1.6 watts/kg (W/kg) averaged over one gram of tissue. The standard incorporates a substantial margin of safety to give additional protection for the public and to account for any variations in measurements.

Body-worn Operation

This device was tested for typical body-worn operations. To comply with RF exposure requirements, a minimum separation distance of **15mm** must be maintained between the user's body and the handset, including the antenna. Third-party belt-clips, holsters, and similar accessories used by this device should not contain any metallic components. Body-worn accessories that do not meet these requirements may not comply with RF exposure requirements and should be avoided. Use only the supplied or an approved antenna.