

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 3GHz~6GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-65.22	-68.74	-41.62	-21.25	20.37
5785	-64.08	-69.79	-41.05	-21.25	19.80
5825	-64.08	-67.72	-40.52	-21.25	19.27

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-85.14	-85.07	-60.09	-41.25	18.84
5200	-85.28	-85.09	-60.17	-41.25	18.92
5240	-86.30	-85.23	-60.72	-41.25	19.47

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-73.17	-72.58	-47.85	-21.25	26.60
5200	-72.94	-72.51	-47.71	-21.25	26.46
5240	-73.20	-72.93	-48.05	-21.25	26.80

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-85.15	-85.16	-60.14	-41.25	18.89
5210	-85.14	-84.94	-60.03	-41.25	18.78

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-73.06	-72.58	-47.80	-21.25	26.55
5210	-72.59	-72.75	-47.66	-21.25	26.41

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-84.79	-84.61	-59.69	-41.25	18.44
5785	-84.38	-84.74	-59.55	-41.25	18.30
5825	-84.62	-84.75	-59.67	-41.25	18.42

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-72.70	-72.58	-47.63	-21.25	26.38
5785	-72.18	-71.60	-46.87	-21.25	25.62
5825	-71.28	-72.15	-46.68	-21.25	25.43

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-86.48	-85.19	-60.78	-41.25	19.53
5785	-85.05	-85.08	-60.05	-41.25	18.80
5825	-85.16	-85.10	-60.12	-41.25	18.87

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 6GHz~9GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-73.26	-72.93	-48.08	-21.25	26.83
5785	-72.87	-72.43	-47.63	-21.25	26.38
5825	-72.40	-73.11	-47.73	-21.25	26.48

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 9GHz~18GHz

Frequency (MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-80.69	-80.56	-55.61	-41.25	14.36
5200	-80.55	-80.56	-55.54	-41.25	14.29
5240	-80.59	-80.65	-55.61	-41.25	14.36

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 9GHz~18GHz

Frequency (MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-68.46	-69.07	-43.74	-21.25	22.49
5200	-68.34	-68.53	-43.42	-21.25	22.17
5240	-68.07	-67.76	-42.90	-21.25	21.65

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 9GHz~18GHz

Frequency (MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-80.61	-80.63	-55.61	-41.25	14.36
5210	-80.50	-80.74	-55.61	-41.25	14.36

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 9GHz~18GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-68.10	-69.46	-43.72	-21.25	22.47
5210	-68.55	-69.06	-43.79	-21.25	22.54

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 9GHz~18GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-80.65	-80.64	-55.63	-41.25	14.38
5785	-80.76	-80.68	-55.71	-41.25	14.46
5825	-80.72	-80.92	-55.81	-41.25	14.56

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 9GHz~18GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-68.46	-68.36	-43.40	-21.25	22.15
5785	-68.24	-67.98	-43.10	-21.25	21.85
5825	-67.79	-68.51	-43.12	-21.25	21.87

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 9GHz~18GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-80.73	-80.65	-55.68	-41.25	14.43
5785	-80.81	-80.55	-55.67	-41.25	14.42
5825	-80.74	-80.73	-55.72	-41.25	14.47

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 9GHz~18GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-68.32	-67.91	-43.10	-21.25	21.85
5785	-68.31	-69.19	-43.72	-21.25	22.47
5825	-68.64	-68.44	-43.53	-21.25	22.28

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-75.62	-75.55	-50.57	-41.25	9.32
5200	-75.59	-75.76	-50.66	-41.25	9.41
5240	-75.79	-75.48	-50.62	-41.25	9.37

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5180	-63.09	-63.07	-38.07	-21.25	16.82
5200	-63.07	-63.15	-38.10	-21.25	16.85
5240	-63.68	-62.99	-38.31	-21.25	17.06

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-75.46	-75.66	-50.55	-41.25	9.30
5210	-75.68	-75.57	-50.61	-41.25	9.36

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5200	-63.18	-63.34	-38.25	-21.25	17.00
5210	-63.66	-63.06	-38.34	-21.25	17.09

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-75.16	-75.26	-50.20	-41.25	8.95
5785	-75.14	-75.20	-50.16	-41.25	8.91
5825	-75.07	-75.06	-50.05	-41.25	8.80

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5745	-62.59	-62.66	-37.61	-21.25	16.36
5785	-62.57	-62.96	-37.75	-21.25	16.50
5825	-62.29	-62.81	-37.53	-21.25	16.28

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-75.60	-75.52	-50.55	-41.25	9.30
5785	-75.84	-75.84	-50.83	-41.25	9.58
5825	-75.58	-75.59	-50.57	-41.25	9.32




Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2 / 18GHz~40GHz

Frequency(MHz)	Chain 1 (PX1) Spurious Level (dBm)	Chain 2 (PX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5765	-62.96	-63.56	-38.24	-21.25	16.99
5785	-63.21	-62.92	-38.05	-21.25	16.80
5825	-62.77	-62.59	-37.67	-21.25	16.42




For Antenna 1:

Plot on Configuration QPSK, 20M / 5180 MHz / Average / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 07:43:14


Plot on Configuration QPSK, 20M / 5180 MHz / Average / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 07:47:31




Plot on Configuration QPSK, 20M / 5180 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 07:49:04


Plot on Configuration QPSK, 20M / 5180 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 07:56:32




Plot on Configuration QPSK, 20M / 5200 MHz / Average / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 07:58:10


Plot on Configuration QPSK, 20M / 5200 MHz / Average / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 07:58:46




Plot on Configuration QPSK, 20M / 5200 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 07:59:27


Plot on Configuration QPSK, 20M / 5200 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 08:00:15




Plot on Configuration QPSK, 20M / 5240 MHz / Average / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 08:01:30


Plot on Configuration QPSK, 20M / 5240 MHz / Average / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 08:02:21




Plot on Configuration QPSK, 20M / 5240 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 30.SEP.2017 08:04:40


Plot on Configuration QPSK, 20M / 5240 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30.SEP.2017 08:05:25




Plot on Configuration QPSK, 80M / 5190 MHz / Average / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 10:37:18


Plot on Configuration QPSK, 80M / 5190 MHz / Average / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 10:54:41




Plot on Configuration QPSK, 80M / 5190 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 10:38:22


Plot on Configuration QPSK, 80M / 5190 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 10:40:56




Plot on Configuration QPSK, 80M / 5200 MHz / Average / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 10:42:17


Plot on Configuration QPSK, 80M / 5200 MHz / Average / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 10:42:55




Plot on Configuration QPSK, 80M / 5200 MHz / Peak / Port 1 / 1GHz~3GHz




Date: 30 SEP 2017 10:45:13

Plot on Configuration QPSK, 80M / 5200 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 10:47:02



Spectrum 2 [X] [X] [X]

Ref Level -8.50 dBm Offset 1.50 dB ● RBW 1 MHz
 ● Att 0 dB SWT 2 s ● VBW 1 kHz Mode Auto Sweep

● 1Pk View

M1[1] -89.41 dBm
 2.67149 GHz

-20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm
 -100 dBm

M1

Start 1.0 GHz 691 pts Stop 3.0 GHz

Date: 30 SEP 2017 10:47:48


The screenshot shows a Spectrum Analyzer interface with the following details:

- Title Bar:** "Spectrum 2" with three window control buttons (X, X, X).
- Parameters:**
 - Ref Level: -8.50 dBm
 - Att: 0 dB
 - Offset: 1.50 dB
 - RBW: 1 MHz
 - SWT: 2 s
 - VBW: 1 kHz
 - Mode: Auto Sweep
- View:** "1Pk View" (selected).
- Grid:** A 10x10 grid with frequency markers at 1.0 GHz and 3.0 GHz. The vertical axis represents power in dBm, ranging from -20 to -100.
- Signal:** A flat noise floor is visible at approximately -90 dBm. A small peak is labeled "M1" with a downward arrow.
- Measurements:**
 - M1[1] is displayed at the top right.
 - The value -89.35 dBm is shown next to the M1 label.
 - The frequency 2.68886 GHz is also displayed.
- Bottom Bar:**
 - Start 1.0 GHz
 - 691 pts
 - Stop 3.0 GHz
 - Date/Time: 20.08.2017

Date: 30 SEP 2017 10:48:23




Plot on Configuration QPSK, 80M / 5210 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 30 SEP 2017 10:51:42


Plot on Configuration QPSK, 80M / 5210 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 30 SEP 2017 10:51:43




Plot on Configuration QPSK, 20M / 5745 MHz / Average / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 15:28:19


Plot on Configuration QPSK, 20M / 5745 MHz / Average / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 15:28:42




Plot on Configuration QPSK, 20M / 5745 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 15:30:04


Plot on Configuration QPSK, 20M / 5745 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 15:30:20




Plot on Configuration QPSK, 20M / 5785 MHz / Average / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 15:29:04


Plot on Configuration QPSK, 20M / 5785 MHz / Average / Port 2 / 1GHz~3GHz




Date: 28 SEP 2017 15:29:17



Plot on Configuration QPSK, 20M / 5785 MHz / Peak / Port 1 / 1GHz~3GHz




Plot on Configuration QPSK, 20M / 5785 MHz / Peak / Port 2 / 1GHz~3GHz






Plot on Configuration QPSK, 20M / 5825 MHz / Average / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 15:29:32


Plot on Configuration QPSK, 20M / 5825 MHz / Average / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 15:29:45




Plot on Configuration QPSK, 20M / 5825 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 15:31:18


Plot on Configuration QPSK, 20M / 5825 MHz / Peak / Port 2 / 1GHz~3GHz




Date: 28 SEP 2017 15:31:32



Plot on Configuration QPSK, 80M / 5765 MHz / Average / Port 1 / 1GHz~3GHz




Plot on Configuration QPSK, 80M / 5765 MHz / Average / Port 2 / 1GHz~3GHz






Plot on Configuration QPSK, 80M / 5765 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 16:52:47


Plot on Configuration QPSK, 80M / 5765 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 16:53:11




Plot on Configuration QPSK, 80M / 5785 MHz / Average / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 16:53:29


Plot on Configuration QPSK, 80M / 5785 MHz / Average / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 16:53:43




Plot on Configuration QPSK, 80M / 5785 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 16:54:02


Plot on Configuration QPSK, 80M / 5785 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 16:54:17




Plot on Configuration QPSK, 80M / 5805 MHz / Average / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 16:54:35


Plot on Configuration QPSK, 80M / 5805 MHz / Average / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 16:54:49




Plot on Configuration QPSK, 80M / 5805 MHz / Peak / Port 1 / 1GHz~3GHz



Date: 28 SEP 2017 16:55:05


Plot on Configuration QPSK, 80M / 5805 MHz / Peak / Port 2 / 1GHz~3GHz



Date: 28 SEP 2017 16:57:54




Plot on Configuration QPSK, 20M / 5180 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:01:24


Plot on Configuration QPSK, 20M / 5180 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:03:47




Plot on Configuration QPSK, 20M / 5180 MHz / Peak / Port 1 / 3GHz~6GHz




Date: 3.OCT.2017 02:02:16

Plot on Configuration QPSK, 20M / 5180 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 3.OCT.2017 02:04:26

Plot on Configuration QPSK, 20M / 5200 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017, 02:08:25


Plot on Configuration QPSK, 20M / 5200 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017, 02:10:42




Plot on Configuration QPSK, 20M / 5200 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:09:08


Plot on Configuration QPSK, 20M / 5200 MHz / Peak / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:11:17




Plot on Configuration QPSK, 20M / 5240 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:13:27


Plot on Configuration QPSK, 20M / 5240 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:17:58




Plot on Configuration QPSK, 20M / 5240 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:14:17


Plot on Configuration QPSK, 20M / 5240 MHz / Peak / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:18:53




Plot on Configuration QPSK, 80M / 5190 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:25:35


Plot on Configuration QPSK, 80M / 5190 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:28:09




Plot on Configuration QPSK, 80M / 5190 MHz / Peak / Port 1 / 3GHz~6GHz




Date: 3.OCT.2017 02:28:17

Plot on Configuration QPSK, 80M / 5190 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 3.OCT.2017 02:29:09

Plot on Configuration QPSK, 80M / 5200 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:31:16


Plot on Configuration QPSK, 80M / 5200 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:34:28




Plot on Configuration QPSK, 80M / 5200 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:32:10


Plot on Configuration QPSK, 80M / 5200 MHz / Peak / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:35:10




Plot on Configuration QPSK, 80M / 5210 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 02:37:08


Plot on Configuration QPSK, 80M / 5210 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 02:39:40




Plot on Configuration QPSK, 80M / 5210 MHz / Peak / Port 1 / 3GHz~6GHz




Date: 3.OCT.2017 02:37:48

Plot on Configuration QPSK, 80M / 5210 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 3.OCT.2017 02:40:35

Plot on Configuration QPSK, 20M / 5745 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 14:46:56


Plot on Configuration QPSK, 20M / 5745 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 14:49:28




Plot on Configuration QPSK, 20M / 5745 MHz / Peak / Port 1 / 3GHz~6GHz




Date: 3.OCT.2017 14:47:22

Plot on Configuration QPSK, 20M / 5745 MHz / Peak / Port 2 / 3GHz~6GHz




Date: 3.OCT.2017 14:48:59

Plot on Configuration QPSK, 20M / 5785 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 14:52:57


Plot on Configuration QPSK, 20M / 5785 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 14:50:35




Plot on Configuration QPSK, 20M / 5785 MHz / Peak / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 14:52:35


Plot on Configuration QPSK, 20M / 5785 MHz / Peak / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 14:51:09




Plot on Configuration QPSK, 20M / 5825 MHz / Average / Port 1 / 3GHz~6GHz



Date: 3.OCT.2017 14:53:58

Plot on Configuration QPSK, 20M / 5825 MHz / Average / Port 2 / 3GHz~6GHz



Date: 3.OCT.2017 14:56:36