



Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 1 / 18GHz~40GHz




Date: 13.OCT.2017 11:28:08

Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 2 / 18GHz~40GHz




Date: 13.OCT.2017 11:31:16

Plot on Configuration QPSK, 80M / 5510 MHz / Average / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:36:06

Plot on Configuration QPSK, 80M / 5510 MHz / Average / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:38:03

Plot on Configuration QPSK, 80M / 5510 MHz / Peak / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:36:51

Plot on Configuration QPSK, 80M / 5510 MHz / Peak / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:39:03

Plot on Configuration QPSK, 80M / 5610 MHz / Average / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:40:37

Plot on Configuration QPSK, 80M / 5610 MHz / Average / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:43:18

Plot on Configuration QPSK, 80M / 5610 MHz / Peak / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:42:29

Plot on Configuration QPSK, 80M / 5610 MHz / Peak / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:44:18

Plot on Configuration QPSK, 80M / 5650 MHz / Average / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:45:26

Plot on Configuration QPSK, 80M / 5650 MHz / Average / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:50:17

Plot on Configuration QPSK, 80M / 5650 MHz / Peak / Port 1 / 18GHz~40GHz




Date: 8.OCT.2017 01:46:34

Plot on Configuration QPSK, 80M / 5650 MHz / Peak / Port 2 / 18GHz~40GHz




Date: 8.OCT.2017 01:48:19

Plot on Configuration QPSK, 80M / 5720 MHz / Average / Port 1 / 18GHz~40GHz




Date: 13.OCT.2017 11:49:23

Plot on Configuration QPSK, 80M / 5720 MHz / Average / Port 2 / 18GHz~40GHz




Date: 13.OCT.2017 11:48:00

Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 1 / 18GHz~40GHz



Date: 13.OCT.2017 11:49:42

Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 2 / 18GHz~40GHz



Date: 13.OCT.2017 11:47:27

4.6. Band Edge Emissions Measurement

4.6.1. Limit

For transmitters operating in the 5.15-5.35 GHz band: all emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

For transmitters operating in the 5.470-5.725 GHz band: all emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.

For transmitters operating in the 5.725-5.85 GHz band: all emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

In addition, In case the emission fall within the restricted band specified on 15.205(a), then the 15.209(a) limit in the table below has to be followed.

Frequencies (MHz)	Field Strength (micровolts/meter)	Measurement Distance (meters)
0.009~0.490	2400/F(kHz)	300
0.490~1.705	24000/F(kHz)	30
1.705~30.0	30	30
30~88	100	3
88~216	150	3
216~960	200	3
Above 960	500	3

4.6.2. Measuring Instruments and Setting

Please refer to section 5 of equipments list in this report. The following table is the setting of the spectrum analyzer.

Spectrum Parameter	Setting
Attenuation	Auto
Span Frequency	100 MHz
RBW / VBW (Emission in restricted band)	1 MHz / 3 MHz for Peak, 1 MHz / 1/T for Average
RBW / VBW (Emission in non-restricted band)	1 MHz / 3 MHz for Peak

4.6.3. Test Procedures

The test procedure is the same as section 4.4.3.

4.6.4. Test Setup Layout

This test setup layout is the same as that shown in section 4.4.4.

4.6.5. Test Deviation

There is no deviation with the original standard.

4.6.6. EUT Operation during Test

The EUT was programmed to be in continuously transmitting mode.

4.6.7. Test Result of Band Edge and Fundamental Emissions

For Antenna 1:

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5260 MHz	-62.74	-59.06	-55.51	-41.25	14.26
5300 MHz	-50.62	-47.49	-43.77	-41.25	2.52
5320 MHz	-47.76	-45.43	-41.43	-41.25	0.18
5250 MHz	-61.21	-52.04	-49.54	-41.25	8.29

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5260 MHz	-50.26	-42.43	-39.77	-21.25	18.52
5300 MHz	-36.10	-32.49	-28.92	-21.25	7.67
5320 MHz	-30.76	-29.98	-25.34	-21.25	4.09
5250 MHz	-44.76	-35.74	-33.23	-21.25	11.98

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5290 MHz	-45.43	-47.61	-41.37	-41.25	0.12
5300 MHz	-46.50	-46.98	-41.72	-41.25	0.47
5310 MHz	-46.37	-46.35	-41.35	-41.25	0.10
5250 MHz	-45.36	-48.26	-41.56	-41.25	0.31

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5290 MHz	-30.54	-31.63	-26.04	-21.25	4.79
5300 MHz	-29.78	-33.02	-26.09	-21.25	4.84
5310 MHz	-27.65	-26.01	-21.74	-21.25	0.49
5250 MHz	-27.49	-31.92	-24.15	-21.25	2.90

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5500 MHz	-55.30	-54.52	-49.88	-41.25	8.63
5580 MHz	-46.70	-63.60	-44.61	-41.25	3.36
5650 MHz	-43.77	-57.91	-41.61	-41.25	0.36
5720 MHz	-54.32	-53.98	-49.14	-41.25	7.89

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5500 MHz	-41.49	-43.24	-37.27	-21.25	16.02
5580 MHz	-27.83	-51.58	-25.81	-21.25	4.56
5650 MHz	-25.99	-45.82	-23.95	-21.25	2.70
5720 MHz	-41.20	-41.11	-36.14	-21.25	14.89

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5510 MHz	-45.24	-48.09	-41.42	-41.25	0.17
5610 MHz	-45.43	-48.44	-41.67	-41.25	0.42
5650 MHz	-50.66	-44.69	-41.71	-41.25	0.46
5720 MHz	-53.04	-54.52	-48.71	-41.25	7.46

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5510 MHz	-31.07	-37.00	-28.08	-21.25	6.83
5610 MHz	-30.84	-34.80	-27.37	-21.25	6.12
5650 MHz	-35.32	-28.53	-25.70	-21.25	4.45
5720 MHz	-39.31	-40.28	-34.76	-21.25	13.51

For Antenna 2:

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5260 MHz	-64.56	-69.42	-41.33	-41.25	0.08
5300 MHz	-65.66	-68.23	-41.75	-41.25	0.50
5320 MHz	-65.46	-68.07	-41.56	-41.25	0.31
5250 MHz	-65.10	-67.87	-41.26	-41.25	0.01

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5260 MHz	-52.15	-57.46	-29.03	-21.25	7.78
5300 MHz	-53.02	-56.25	-29.33	-21.25	8.08
5320 MHz	-51.43	-50.12	-25.72	-21.25	4.47
5250 MHz	-52.58	-55.00	-28.61	-21.25	7.36

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5290 MHz	-66.19	-68.05	-42.01	-41.25	0.76
5300 MHz	-66.05	-67.43	-41.68	-41.25	0.43
5250 MHz	-65.78	-68.01	-41.74	-41.25	0.49

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5290 MHz	-53.22	-55.48	-29.19	-21.25	7.94
5300 MHz	-54.45	-54.74	-29.58	-21.25	8.33
5250 MHz	-53.38	-55.15	-29.17	-21.25	7.92

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Average / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5500 MHz	-66.60	-66.43	-41.50	-41.25	0.25
5580 MHz	-65.02	-68.95	-41.54	-41.25	0.29
5650 MHz	-70.84	-71.00	-45.91	-41.25	4.66
5720 MHz	-72.74	-73.81	-48.23	-41.25	6.98

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 20M / Peak / Port 1 + Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5500 MHz	-53.42	-53.99	-28.69	-21.25	7.44
5580 MHz	-51.79	-56.06	-28.41	-21.25	7.16
5650 MHz	-51.85	-54.69	-28.03	-21.25	6.78
5720 MHz	-60.49	-61.57	-35.99	-21.25	14.74

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Average / Port 1 +Port 2


Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5510 MHz	-65.60	-67.21	-41.32	-41.25	0.07
5610 MHz	-70.56	-70.99	-45.76	-41.25	4.51
5650 MHz	-70.39	-71.00	-45.67	-41.25	4.42
5720 MHz	-73.01	-74.20	-48.55	-41.25	7.30

Temperature	27.1°C	Humidity	79%
Test Engineer	Ron Huang	Configurations	QPSK, 80M / Peak / Port 1 +Port 2

Frequency(MHz)	Port 1 (TX1) Spurious Level (dBm)	Port 2 (TX2) Spurious Level (dBm)	Total Spurious Level (dBm)	Limit (dBm)	Margin (dB)
5510 MHz	-52.34	-56.46	-28.92	-21.25	7.67
5610 MHz	-51.75	-54.63	-27.95	-21.25	6.70
5650 MHz	-51.80	-54.38	-27.89	-21.25	6.64
5720 MHz	-60.39	-60.75	-35.56	-21.25	14.31


For Antenna 1:

Plot on Configuration QPSK, 20M / 5260 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 10:56:38

Plot on Configuration QPSK, 20M / 5260 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 10:52:15

Plot on Configuration QPSK, 20M / 5260 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 10:57:48

Plot on Configuration QPSK, 20M / 5260 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 10:53:48

Plot on Configuration QPSK, 20M / 5300 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 11:18:42

Plot on Configuration QPSK, 20M / 5300 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 11:22:38

Plot on Configuration QPSK, 20M / 5300 MHz / Peak / Port 1 (TX1)



Date: 11.OCT.2017 11:20:16

Plot on Configuration QPSK, 20M / 5300 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 11:23:37

Plot on Configuration QPSK, 20M / 5320 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 11:42:17

Plot on Configuration QPSK, 20M / 5320 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 11:44:28

Plot on Configuration QPSK, 20M / 5320 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 11:43:12

Plot on Configuration QPSK, 20M / 5320 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 11:44:58


Plot on Configuration QPSK, 20M / 5250 MHz / Average / Port 1 (TX1)




Plot on Configuration QPSK, 20M / 5250 MHz / Average / Port 2 (TX2)



Plot on Configuration QPSK, 20M / 5250 MHz / Peak / Port 1 (TX1)



Plot on Configuration QPSK, 20M / 5250 MHz / Peak / Port 2 (TX2)



Plot on Configuration QPSK, 80M / 5290 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 11:51:59

Plot on Configuration QPSK, 80M / 5290 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 11:55:02

Plot on Configuration QPSK, 80M / 5290 MHz / Peak / Port 1 (TX1)



Date: 11.OCT.2017 11:52:48

Plot on Configuration QPSK, 80M / 5290 MHz / Peak / Port 2 (TX2)



Date: 11.OCT.2017 11:55:40

Plot on Configuration QPSK, 80M / 5300 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 12:00:42

Plot on Configuration QPSK, 80M / 5300 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 12:03:20

Plot on Configuration QPSK, 80M / 5300 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 12:05:36

Plot on Configuration QPSK, 80M / 5300 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 12:04:11

Plot on Configuration QPSK, 80M / 5310 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 14:22:54

Plot on Configuration QPSK, 80M / 5310 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 14:19:22

Plot on Configuration QPSK, 80M / 5310 MHz / Peak / Port 1 (TX1)



Date: 11.OCT.2017 14:21:58

Plot on Configuration QPSK, 80M / 5310 MHz / Peak / Port 2 (TX2)



Date: 11.OCT.2017 14:24:10

Plot on Configuration QPSK, 80M / 5250 MHz / Average / Port 1 (TX1)



Date: 17.OCT.2017 17:50:04

Plot on Configuration QPSK, 80M / 5250 MHz / Average / Port 2 (TX2)



Date: 17.OCT.2017 17:46:59



Spectrum

Spectrum 2 **Spectrum 3** **Spectrum 4**

Ref Level 4.50 dBm **Offset** 14.50 dB **RBW** 1 MHz **Att** 0 dB **SWT** 1 ms **VBW** 3 MHz **Mode** Sweep

1Pk Max

M1 **M2**

M1[1] **M2[1]**

-27.49 dBm
5.148700 GHz
-29.52 dBm
5.350720 GHz

CF 5.25 GHz **691 pts** **Span** 400.0 MHz

17:10:2017

Spectrum | **Spectrum 2** | **Spectrum 3** | **Spectrum 4**

Ref Level 4.50 dBm | **Offset** 14.50 dB | **RBW** 1 MHz | **VBW** 3 MHz | **Mode** Sweep

Att 0 dB | **SWT** 1 ms

1Pk View

0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
-80 dBm
-90 dBm


CF 5.25 GHz | 691 pts | Span 400.0 MHz

M1[1]
-31.92 dBm
5.131330 GHz

M2[1]
-35.86 dBm
5.351880 GHz


Issued Date : Jul. 26, 2018

Plot on Configuration QPSK, 20M / 5500 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 15:33:25

Plot on Configuration QPSK, 20M / 5500 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 15:24:43

Plot on Configuration QPSK, 20M / 5500 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 15:34:46

Plot on Configuration QPSK, 20M / 5500 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 15:23:15

Plot on Configuration QPSK, 20M / 5580 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 15:38:58

Plot on Configuration QPSK, 20M / 5580 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 15:41:47

Plot on Configuration QPSK, 20M / 5580 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 15:44:22

Plot on Configuration QPSK, 20M / 5580 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 15:42:45

Plot on Configuration QPSK, 20M / 5650 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 16:28:06

Plot on Configuration QPSK, 20M / 5650 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 16:21:14

Plot on Configuration QPSK, 20M / 5650 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 16:29:13

Plot on Configuration QPSK, 20M / 5650 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 16:24:22

Plot on Configuration QPSK, 20M / 5720 MHz / Average / Port 1 (TX1)




Date: 12.OCT.2017 16:43:56

Plot on Configuration QPSK, 20M / 5720 MHz / Average / Port 2 (TX2)




Date: 12.OCT.2017 16:36:42

Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 1 (TX1)




Date: 12.OCT.2017 16:40:01

Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 2 (TX2)




Date: 12.OCT.2017 16:38:42

Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 1 (TX1)




Date: 12.OCT.2017 15:23:58

Plot on Configuration QPSK, 20M / 5720 MHz / Peak / Port 2 (TX2)




Date: 12.OCT.2017 15:43:10

Plot on Configuration QPSK, 80M / 5510 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 16:37:46

Plot on Configuration QPSK, 80M / 5510 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 16:40:36

Plot on Configuration QPSK, 80M / 5510 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 16:38:35

Plot on Configuration QPSK, 80M / 5510 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 16:41:28

Plot on Configuration QPSK, 80M / 5610 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 16:51:26

Plot on Configuration QPSK, 80M / 5610 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 16:53:48

Plot on Configuration QPSK, 80M / 5610 MHz / Peak / Port 1 (TX1)




Date: 11.OCT.2017 16:52:10

Plot on Configuration QPSK, 80M / 5610 MHz / Peak / Port 2 (TX2)




Date: 11.OCT.2017 16:55:03

Plot on Configuration QPSK, 80M / 5650 MHz / Average / Port 1 (TX1)




Date: 11.OCT.2017 17:27:26

Plot on Configuration QPSK, 80M / 5650 MHz / Average / Port 2 (TX2)




Date: 11.OCT.2017 17:23:35


Plot on Configuration QPSK, 80M / 5650 MHz / Peak / Port 1 (TX1)



Plot on Configuration QPSK, 80M / 5650 MHz / Peak / Port 2 (TX2)




Plot on Configuration QPSK, 80M / 5720 MHz / Average / Port 1 (TX1)




Date: 12.OCT.2017 16:45:56

Plot on Configuration QPSK, 80M / 5720 MHz / Average / Port 2 (TX2)




Date: 12.OCT.2017 16:49:42

Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 1 (TX1)




Date: 12.OCT.2017 16:46:51

Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 2 (TX2)




Date: 12.OCT.2017 16:48:24

Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 1 (TX1)



Date: 12.OCT.2017 15:21:42


Plot on Configuration QPSK, 80M / 5720 MHz / Peak / Port 2 (TX2)



Date: 12.OCT.2017 15:19:30


For Antenna 2:

Plot on Configuration QPSK, 20M / 5260 MHz / Average / Port 1 (TX1)




Date: 3.OCT.2017 23:14:32

Plot on Configuration QPSK, 20M / 5260 MHz / Average / Port 2 (TX2)




Date: 3.OCT.2017 23:10:20

Plot on Configuration QPSK, 20M / 5260 MHz / Peak / Port 1 (TX1)




Date: 3.OCT.2017 23:14:59

Plot on Configuration QPSK, 20M / 5260 MHz / Peak / Port 2 (TX2)




Date: 3.OCT.2017 23:11:59

Plot on Configuration QPSK, 20M / 5300 MHz / Average / Port 1 (TX1)




Date: 3.OCT.2017 23:23:01

Plot on Configuration QPSK, 20M / 5300 MHz / Average / Port 2 (TX2)




Date: 3.OCT.2017 23:25:22

Plot on Configuration QPSK, 20M / 5300 MHz / Peak / Port 1 (TX1)



Date: 3.OCT.2017 23:23:37

Plot on Configuration QPSK, 20M / 5300 MHz / Peak / Port 2 (TX2)




Date: 3.OCT.2017 23:25:45

Plot on Configuration QPSK, 20M / 5320 MHz / Average / Port 1 (TX1)



Date: 3.OCT.2017 23:35:11

Plot on Configuration QPSK, 20M / 5320 MHz / Average / Port 2 (TX2)



Date: 3.OCT.2017 23:37:08



Spectrum 2 Spectrum 3 Spectrum 4

Ref Level 4.50 dBm Offset 14.50 dB RBW 1 MHz
 Att 0 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep

1Pk View

0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm
 -90 dBm

CF 5.32 GHz 691 pts Span 400.0 MHz

M1[1] -51.43 dBm
 5.350580 GHz

M1

Spectrum Spectrum 2 Spectrum 3 Spectrum 4

Ref Level 4.50 dBm Offset 14.50 dB RBW 1 MHz
Att 0 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep

1Pk View


0 dBm
-10 dBm
-20 dBm
-30 dBm
-40 dBm
-50 dBm
-60 dBm
-70 dBm
-80 dBm
-90 dBm

M1[1] -50.12 dBm
5.353000 GHz

CF 5.32 GHz 691 pts Span 400.0 MHz


Issued Date : Jul. 26, 2018

Plot on Configuration QPSK, 20M / 5320 MHz / Peak / Port 1 (TX1)




Date: 20.OCT.2017 09:53:12

Plot on Configuration QPSK, 20M / 5320 MHz / Peak / Port 2 (TX2)




Date: 20.OCT.2017 09:43:18


Plot on Configuration QPSK, 20M / 5250 MHz / Average / Port 1 (TX1)



Plot on Configuration QPSK, 20M / 5250 MHz / Average / Port 2 (TX2)




Plot on Configuration QPSK, 20M / 5250 MHz / Peak / Port 1 (TX1)



Date: 17.OCT.2017 17:09:03

Plot on Configuration QPSK, 20M / 5250 MHz / Peak / Port 2 (TX2)



Date: 17.OCT.2017 16:55:27