


802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4344G	56.62	74.00	-17.38	4.96	3	Vertical	19	1.50	-	51.66
AV	5.4504G	44.13	54.00	-9.87	4.99	3	Vertical	19	1.50	-	39.14
PK	5.464G	56.10	68.20	-12.10	5.03	3	Vertical	19	1.50	-	51.07
PK	5.5816G	107.50	Inf	-Inf	4.95	3	Vertical	19	1.50	-	102.55
AV	5.5736G	96.94	Inf	-Inf	4.96	3	Vertical	19	1.50	-	91.98
PK	5.7376G	56.52	68.20	-11.68	5.21	3	Vertical	19	1.50	-	51.31

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4592G	56.93	74.00	-17.07	5.02	3	Horizontal	357	1.94	-	51.91
AV	5.4512G	44.49	54.00	-9.51	4.99	3	Horizontal	357	1.94	-	39.50
PK	5.4624G	56.65	68.20	-11.55	5.02	3	Horizontal	357	1.94	-	51.63
PK	5.576G	112.47	Inf	-Inf	4.96	3	Horizontal	357	1.94	-	107.51
AV	5.5736G	102.04	Inf	-Inf	4.96	3	Horizontal	357	1.94	-	97.08
PK	5.7352G	56.45	68.20	-11.75	5.20	3	Horizontal	357	1.94	-	51.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1692G	57.26	74.00	-16.74	13.87	3	Vertical	322	1.57	-	43.39
AV	11.1598G	44.36	54.00	-9.64	13.88	3	Vertical	322	1.57	-	30.48

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-K-3
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1621G	60.13	74.00	-13.87	13.88	3	Horizontal	27	1.47	-	46.25
AV	11.1607G	47.43	54.00	-6.57	13.88	3	Horizontal	27	1.47	-	33.55

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6936G	106.95	Inf	-Inf	5.03	3	Vertical	38	1.04	-	101.92
AV	5.706G	96.54	Inf	-Inf	5.07	3	Vertical	38	1.04	-	91.47
PK	5.7268G	67.98	68.20	-0.22	5.17	3	Vertical	38	1.04	-	62.81

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6932G	106.64	Inf	-Inf	5.03	3	Horizontal	36	1.60	-	101.61
AV	5.694G	96.46	Inf	-Inf	5.04	3	Horizontal	36	1.60	-	91.42
PK	5.736G	67.74	68.20	-0.46	5.20	3	Horizontal	36	1.60	-	62.54

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.391G	56.55	74.00	-17.45	13.48	3	Vertical	274	2.06	-	43.07
AV	11.3946G	43.02	54.00	-10.98	13.48	3	Vertical	274	2.06	-	29.54

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 28
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39292G	56.07	74.00	-17.93	13.48	3	Horizontal	155	1.32	-	42.59
AV	11.4084G	43.02	54.00	-10.98	13.45	3	Horizontal	155	1.32	-	29.57

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	106.96	Inf	-Inf	5.10	3	Vertical	0	1.82	-	101.86
AV	5.7136G	96.31	Inf	-Inf	5.10	3	Vertical	0	1.82	-	91.21
PK	5.8976G	57.66	68.20	-10.54	5.78	3	Vertical	0	1.82	-	51.88

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.716G	108.83	Inf	-Inf	5.11	3	Horizontal	350	1.80	-	103.72
AV	5.7272G	98.42	Inf	-Inf	5.17	3	Horizontal	350	1.80	-	93.25
PK	5.8752G	57.39	68.20	-10.81	5.72	3	Horizontal	350	1.80	-	51.67

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.44042G	61.53	74.00	-12.47	13.39	3	Vertical	19	2.57	-	48.14
AV	11.44072G	47.62	54.00	-6.38	13.39	3	Vertical	19	2.57	-	34.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43862G	61.20	74.00	-12.80	13.39	3	Horizontal	173	1.86	-	47.81
AV	11.4397G	47.71	54.00	-6.29	13.39	3	Horizontal	173	1.86	-	34.32

802.11ac_VHT20_Nss1,(MCS0)_1TX

5260MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1384G	57.62	74.00	-16.38	5.14	3	Vertical	345	1.88	-	52.48
AV	5.0816G	44.62	54.00	-9.38	5.22	3	Vertical	345	1.88	-	39.40
PK	5.256G	110.42	Inf	-Inf	4.61	3	Vertical	345	1.88	-	105.81
AV	5.2544G	99.19	Inf	-Inf	4.61	3	Vertical	345	1.88	-	94.58
PK	5.3944G	57.18	74.00	-16.82	4.86	3	Vertical	345	1.88	-	52.32
AV	5.4208G	44.57	54.00	-9.43	4.93	3	Vertical	345	1.88	-	39.64

802.11ac_VHT20_Nss1,(MCS0)_1TX

5260MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.0968G	56.86	74.00	-17.14	5.30	3	Horizontal	16	1.66	-	51.56
AV	5.0776G	44.63	54.00	-9.37	5.20	3	Horizontal	16	1.66	-	39.43
PK	5.2672G	112.94	Inf	-Inf	4.56	3	Horizontal	16	1.66	-	108.38
AV	5.2656G	102.54	Inf	-Inf	4.57	3	Horizontal	16	1.66	-	97.97
PK	5.3632G	57.30	74.00	-16.70	4.72	3	Horizontal	16	1.66	-	52.58
AV	5.4336G	44.45	54.00	-9.55	4.96	3	Horizontal	16	1.66	-	39.49

802.11ac_VHT20_Nss1,(MCS0)_1TX

5260MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.77604G	58.55	74.00	-15.45	13.68	3	Vertical	360	2.01	-	44.87
AV	15.77928G	44.76	54.00	-9.24	13.67	3	Vertical	360	2.01	-	31.09

802.11ac_VHT20_Nss1,(MCS0)_1TX

5260MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.7764G	62.83	74.00	-11.17	13.68	3	Horizontal	43	1.95	-	49.15
AV	15.7772G	49.01	54.00	-4.99	13.68	3	Horizontal	43	1.95	-	35.33

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3048G	109.57	Inf	-Inf	4.44	3	Vertical	342	2.02	-	105.13
AV	5.3036G	99.17	Inf	-Inf	4.44	3	Vertical	342	2.02	-	94.73
PK	5.3504G	62.36	74.00	-11.64	4.65	3	Vertical	342	2.02	-	57.71
AV	5.35G	47.88	54.00	-6.12	4.65	3	Vertical	342	2.02	-	43.23

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.316G	106.54	Inf	-Inf	4.49	3	Vertical	341	2.04	-	102.05
AV	5.3132G	96.15	Inf	-Inf	4.48	3	Vertical	341	2.04	-	91.67
PK	5.3536G	63.31	74.00	-10.69	4.67	3	Vertical	341	2.04	-	58.64
AV	5.35G	50.32	54.00	-3.68	4.65	3	Vertical	341	2.04	-	45.67

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.294G	113.03	Inf	-Inf	4.44	3	Horizontal	342	2.46	-	108.59
AV	5.2934G	102.40	Inf	-Inf	4.45	3	Horizontal	342	2.46	-	97.95
PK	5.35G	62.89	74.00	-11.11	4.65	3	Horizontal	342	2.46	-	58.24
AV	5.3504G	49.82	54.00	-4.18	4.65	3	Horizontal	342	2.46	-	45.17

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.322G	110.02	Inf	-Inf	4.52	3	Horizontal	341	2.41	-	105.50
AV	5.326G	99.67	Inf	-Inf	4.55	3	Horizontal	341	2.41	-	95.12
PK	5.3501G	66.50	74.00	-7.50	4.65	3	Horizontal	341	2.41	-	61.85
AV	5.3504G	53.59	54.00	-0.41	4.65	3	Horizontal	341	2.41	-	48.94

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60186G	57.72	74.00	-16.28	13.65	3	Vertical	13	2.62	-	44.07
AV	10.6017G	44.34	54.00	-9.66	13.65	3	Vertical	13	2.62	-	30.69
PK	15.8985G	57.38	74.00	-16.62	13.28	3	Vertical	14	1.89	-	44.10
AV	15.90228G	44.56	54.00	-9.44	13.26	3	Vertical	14	1.89	-	31.30

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6283G	56.24	74.00	-17.76	13.71	3	Vertical	133	2.50	-	42.53
AV	10.63988G	43.06	54.00	-10.94	13.71	3	Vertical	133	2.50	-	29.35
PK	15.9663G	58.07	74.00	-15.93	13.05	3	Vertical	15	1.92	-	45.02
AV	15.96192G	44.33	54.00	-9.67	13.06	3	Vertical	15	1.92	-	31.27

802.11ac VHT20_Nss1,(MCS0)_1TX

5300MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60534G	56.53	74.00	-17.47	13.66	3	Horizontal	18	1.67	-	42.87
AV	10.60128G	45.36	54.00	-8.64	13.65	3	Horizontal	18	1.67	-	31.71
PK	15.8991G	61.97	74.00	-12.03	13.27	3	Horizontal	52	2.30	-	48.70
AV	15.90036G	47.72	54.00	-6.28	13.27	3	Horizontal	52	2.30	-	34.45

802.11ac VHT20_Nss1,(MCS0)_1TX

5320MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.6283G	56.18	74.00	-17.82	13.70	3	Horizontal	209	1.32	-	42.48
AV	10.63958G	43.12	54.00	-10.88	13.71	3	Horizontal	209	1.32	-	29.41
PK	15.9717G	58.85	74.00	-15.15	13.03	3	Horizontal	18	2.00	-	45.82
AV	15.96294G	45.55	54.00	-8.45	13.06	3	Horizontal	18	2.00	-	32.49

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX

26/10/2019




EUT_Y_1TX
Setting 25
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.442G	56.95	74.00	-17.05	4.98	3	Vertical	290	1.64	-	51.97
AV	5.46G	44.89	54.00	-9.11	5.02	3	Vertical	290	1.64	-	39.87
PK	5.4668G	61.39	68.20	-6.81	5.03	3	Vertical	290	1.64	-	56.36
PK	5.5044G	103.44	Inf	-Inf	5.09	3	Vertical	290	1.64	-	98.35
AV	5.5052G	93.55	Inf	-Inf	5.09	3	Vertical	290	1.64	-	88.46

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX

26/10/2019




EUT_Y_1TX
Setting 25
06-S-5-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	60.26	74.00	-13.74	5.02	3	Horizontal	359	2.02	-	55.24
AV	5.46G	47.00	54.00	-7.00	5.02	3	Horizontal	359	2.02	-	41.98
PK	5.4692G	67.82	68.20	-0.38	5.04	3	Horizontal	359	2.02	-	62.78
PK	5.5016G	109.28	Inf	-Inf	5.10	3	Horizontal	359	2.02	-	104.18
AV	5.5056G	99.04	Inf	-Inf	5.09	3	Horizontal	359	2.02	-	93.95

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX

26/10/2019




EUT_Y_1TX
Setting 25
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99184G	56.33	74.00	-17.67	14.15	3	Vertical	321	2.99	-	42.18
AV	11.00774G	43.39	54.00	-10.61	14.15	3	Vertical	321	2.99	-	29.24

802.11ac VHT20_Nss1,(MCS0)_1TX

5500MHz_TX

26/10/2019




EUT_Y_1TX
Setting 25
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.99712G	56.80	74.00	-17.20	14.16	3	Horizontal	218	1.63	-	42.64
AV	11.00672G	43.46	54.00	-10.54	14.15	3	Horizontal	218	1.63	-	29.31

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3848G	58.05	74.00	-15.95	4.82	3	Vertical	13	1.42	-	53.23
AV	5.4424G	45.39	54.00	-8.61	4.98	3	Vertical	13	1.42	-	40.41
PK	5.468G	57.51	68.20	-10.69	5.04	3	Vertical	13	1.42	-	52.47
PK	5.5776G	109.53	Inf	-Inf	4.95	3	Vertical	13	1.42	-	104.58
AV	5.5744G	98.87	Inf	-Inf	4.96	3	Vertical	13	1.42	-	93.01
PK	5.7736G	57.92	68.20	-10.28	5.36	3	Vertical	13	1.42	-	52.56

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4544G	58.12	74.00	-15.88	5.00	3	Horizontal	350	1.80	-	53.12
AV	5.4536G	45.47	54.00	-8.53	5.00	3	Horizontal	350	1.80	-	40.47
PK	5.468G	57.19	68.20	-11.01	5.04	3	Horizontal	350	1.80	-	52.15
PK	5.5824G	115.37	Inf	-Inf	4.95	3	Horizontal	350	1.80	-	110.42
AV	5.5744G	104.43	Inf	-Inf	4.96	3	Horizontal	350	1.80	-	99.47
PK	5.7688G	57.71	68.20	-10.49	5.36	3	Horizontal	350	1.80	-	52.35

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1582G	56.12	74.00	-17.88	13.88	3	Vertical	26	2.51	-	42.24
AV	11.14674G	42.89	54.00	-11.11	13.91	3	Vertical	26	2.51	-	28.98

802.11ac VHT20_Nss1,(MCS0)_1TX

5580MHz_TX

26/10/2019




EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.1687G	56.54	74.00	-17.46	13.87	3	Horizontal	143	1.47	-	42.67
AV	11.15496G	42.83	54.00	-11.17	13.90	3	Horizontal	143	1.47	-	28.93

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 24
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.695G	102.60	Inf	-Inf	5.05	3	Vertical	32	1.50	-	97.55
AV	5.6938G	92.44	Inf	-Inf	5.04	3	Vertical	32	1.50	-	87.40
PK	5.7252G	63.18	68.20	-5.02	5.16	3	Vertical	32	1.50	-	58.02

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7136G	107.82	Inf	-Inf	5.10	3	Vertical	36	1.17	-	102.72
AV	5.7136G	97.26	Inf	-Inf	5.10	3	Vertical	36	1.17	-	92.16
PK	5.8728G	57.69	68.20	-10.51	5.71	3	Vertical	36	1.17	-	51.98

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 24
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6952G	107.35	Inf	-Inf	5.05	3	Horizontal	347	1.60	-	102.30
AV	5.6926G	96.94	Inf	-Inf	5.03	3	Horizontal	347	1.60	-	91.91
PK	5.726G	68.18	68.20	-0.02	5.16	3	Horizontal	347	1.60	-	63.02

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-W-3-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.7216G	110.66	Inf	-Inf	5.15	3	Horizontal	345	1.57	-	105.51
AV	5.7136G	100.10	Inf	-Inf	5.10	3	Horizontal	345	1.57	-	95.00
PK	5.9092G	58.56	68.20	-9.64	5.79	3	Horizontal	345	1.57	-	52.77

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 24
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39994G	59.21	74.00	-14.79	13.46	3	Vertical	312	2.10	-	45.75
AV	11.3985G	44.79	54.00	-9.21	13.46	3	Vertical	312	2.10	-	31.33

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43844G	59.31	74.00	-14.69	13.39	3	Vertical	25	1.59	-	45.92
AV	11.44048G	45.43	54.00	-8.57	13.39	3	Vertical	25	1.59	-	32.04

802.11ac VHT20_Nss1,(MCS0)_1TX

5700MHz_TX

26/10/2019


EUT_Y_1TX
Setting 24
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.39718G	57.24	74.00	-16.76	13.46	3	Horizontal	269	1.39	-	43.78
AV	11.40018G	43.97	54.00	-10.03	13.46	3	Horizontal	269	1.39	-	30.51

802.11ac VHT20_Nss1,(MCS0)_1TX

5720MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.43814G	58.71	74.00	-15.29	13.39	3	Horizontal	240	1.81	-	45.32
AV	11.44084G	45.45	54.00	-8.55	13.39	3	Horizontal	240	1.81	-	32.06

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1476G	56.53	74.00	-17.47	5.10	3	Vertical	329	1.99	-	51.43
AV	5.1494G	44.81	54.00	-9.19	5.09	3	Vertical	329	1.99	-	39.72
PK	5.2814G	106.82	Inf	-Inf	4.50	3	Vertical	329	1.99	-	102.32
AV	5.282G	96.77	Inf	-Inf	4.50	3	Vertical	329	1.99	-	92.27
PK	5.35G	63.15	74.00	-10.85	4.65	3	Vertical	329	1.99	-	58.50
AV	5.3504G	50.92	54.00	-3.08	4.65	3	Vertical	329	1.99	-	46.27

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.1488G	56.99	74.00	-17.01	5.10	3	Horizontal	339	2.42	-	51.89
AV	5.144G	45.32	54.00	-8.68	5.12	3	Horizontal	339	2.42	-	40.20
PK	5.2826G	110.77	Inf	-Inf	4.50	3	Horizontal	339	2.42	-	106.27
AV	5.2832G	100.72	Inf	-Inf	4.50	3	Horizontal	339	2.42	-	96.22
PK	5.35G	65.43	74.00	-8.57	4.65	3	Horizontal	339	2.42	-	60.78
AV	5.35G	51.84	54.00	-2.16	4.65	3	Horizontal	339	2.42	-	47.19

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.81348G	58.07	74.00	-15.93	13.55	3	Vertical	314	1.72	-	44.52
AV	15.82374G	45.44	54.00	-8.56	13.52	3	Vertical	314	1.72	-	31.92

802.11ac VHT40_Nss1,(MCS0)_1TX

5270MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.80304G	58.13	74.00	-15.87	13.60	3	Horizontal	305	2.37	-	44.53
AV	15.8052G	45.26	54.00	-8.74	13.59	3	Horizontal	305	2.37	-	31.67

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX

30/10/2019


EUT_Y_1TX
Setting 27
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3188G	101.95	Inf	-Inf	4.50	3	Vertical	337	2.20	-	97.45
AV	5.3196G	92.16	Inf	-Inf	4.51	3	Vertical	337	2.20	-	87.65
PK	5.35G	64.05	74.00	-9.95	4.65	3	Vertical	337	2.20	-	59.40
AV	5.35G	52.42	54.00	-1.58	4.65	3	Vertical	337	2.20	-	47.77

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX

30/10/2019


EUT_Y_1TX
Setting 27
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.3196G	104.36	Inf	-Inf	4.51	3	Horizontal	340	2.40	-	99.85
AV	5.2964G	94.74	Inf	-Inf	4.43	3	Horizontal	340	2.40	-	90.31
PK	5.35G	67.32	74.00	-6.68	4.65	3	Horizontal	340	2.40	-	62.67
AV	5.35G	53.62	54.00	-0.38	4.65	3	Horizontal	340	2.40	-	48.97

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.61478G	57.30	74.00	-16.70	13.67	3	Vertical	12	2.47	-	43.63
AV	10.61418G	44.12	54.00	-9.88	13.67	3	Vertical	12	2.47	-	30.45
PK	15.94032G	58.01	74.00	-15.99	13.13	3	Vertical	135	1.98	-	44.88
AV	15.93312G	45.30	54.00	-8.70	13.15	3	Vertical	135	1.98	-	32.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5310MHz_TX

26/10/2019


EUT_Y_1TX
Setting 27
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	10.60692G	57.00	74.00	-17.00	13.66	3	Horizontal	231	2.25	-	43.34
AV	10.61772G	44.15	54.00	-9.85	13.67	3	Horizontal	231	2.25	-	30.48
PK	15.94038G	57.60	74.00	-16.40	13.13	3	Horizontal	50	2.29	-	44.47
AV	15.93066G	45.14	54.00	-8.86	13.16	3	Horizontal	50	2.29	-	31.98

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25.5
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	63.09	74.00	-10.91	5.00	3	Vertical	17	1.49	-	58.09
AV	5.456G	49.65	54.00	-4.35	5.00	3	Vertical	17	1.49	-	44.65
PK	5.4696G	63.76	68.20	-4.44	5.04	3	Vertical	17	1.49	-	58.72
PK	5.5252G	100.95	Inf	-Inf	5.05	3	Vertical	17	1.49	-	95.90
AV	5.5232G	91.16	Inf	-Inf	5.05	3	Vertical	17	1.49	-	86.11

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25.5
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.454G	64.26	74.00	-9.74	5.00	3	Horizontal	351	1.50	-	59.26
AV	5.46G	51.46	54.00	-2.54	5.02	3	Horizontal	351	1.50	-	46.44
PK	5.47G	67.20	68.20	-1.00	5.04	3	Horizontal	351	1.50	-	62.16
PK	5.518G	105.76	Inf	-Inf	5.06	3	Horizontal	351	1.50	-	100.70
AV	5.5236G	96.20	Inf	-Inf	5.05	3	Horizontal	351	1.50	-	91.15

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25.5
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01808G	56.35	74.00	-17.65	14.12	3	Vertical	251	2.22	-	42.23
AV	11.02894G	44.13	54.00	-9.87	14.11	3	Vertical	251	2.22	-	30.02

802.11ac VHT40_Nss1,(MCS0)_1TX

5510MHz_TX

26/10/2019


EUT_Y_1TX
Setting 25.5
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.01352G	56.54	74.00	-17.46	14.14	3	Horizontal	160	2.77	-	42.40
AV	11.01112G	44.17	54.00	-9.83	14.14	3	Horizontal	160	2.77	-	30.03

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4556G	57.58	74.00	-16.42	5.00	3	Vertical	18	1.01	-	52.58
AV	5.4588G	46.69	54.00	-7.31	5.02	3	Vertical	18	1.01	-	41.67
PK	5.4692G	59.36	68.20	-8.84	5.04	3	Vertical	18	1.01	-	54.32
PK	5.5364G	104.84	Inf	-Inf	5.04	3	Vertical	18	1.01	-	99.80
AV	5.5348G	94.86	Inf	-Inf	5.04	3	Vertical	18	1.01	-	89.82
PK	5.7452G	57.12	68.20	-11.08	5.25	3	Vertical	18	1.01	-	51.87

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.458G	63.79	74.00	-10.21	5.01	3	Horizontal	354	1.69	-	58.78
AV	5.4572G	51.22	54.00	-2.78	5.00	3	Horizontal	354	1.69	-	46.22
PK	5.47G	66.00	68.20	-2.20	5.04	3	Horizontal	354	1.69	-	60.96
PK	5.5372G	110.80	Inf	-Inf	5.04	3	Horizontal	354	1.69	-	105.76
AV	5.5372G	100.58	Inf	-Inf	5.04	3	Horizontal	354	1.69	-	95.54
PK	5.75G	56.70	68.20	-11.50	5.27	3	Horizontal	354	1.69	-	51.43

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10162G	56.88	74.00	-17.12	13.98	3	Vertical	322	1.63	-	42.90
AV	11.1138G	44.44	54.00	-9.56	13.96	3	Vertical	322	1.63	-	30.48

802.11ac VHT40_Nss1,(MCS0)_1TX

5550MHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.10006G	56.83	74.00	-17.17	13.98	3	Horizontal	317	2.30	-	42.85
AV	11.10348G	44.44	54.00	-9.56	13.97	3	Horizontal	317	2.30	-	30.47

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6568G	101.56	Inf	-Inf	5.00	3	Vertical	15	1.50	-	96.56
AV	5.6574G	92.00	Inf	-Inf	5.00	3	Vertical	15	1.50	-	87.00
PK	5.7258G	60.98	68.20	-7.22	5.16	3	Vertical	15	1.50	-	55.82

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.6814G	105.94	Inf	-Inf	5.03	3	Horizontal	349	1.62	-	100.91
AV	5.6568G	96.77	Inf	-Inf	5.00	3	Horizontal	349	1.62	-	91.77
PK	5.7252G	66.69	68.20	-1.51	5.16	3	Horizontal	349	1.62	-	61.53

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.33268G	57.63	74.00	-16.37	13.57	3	Vertical	26	1.50	-	44.06
AV	11.33562G	44.99	54.00	-9.01	13.57	3	Vertical	26	1.50	-	31.42

802.11ac VHT40_Nss1,(MCS0)_1TX

5670MHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.34414G	57.31	74.00	-16.69	13.55	3	Horizontal	309	1.57	-	43.76
AV	11.33904G	45.28	54.00	-8.72	13.56	3	Horizontal	309	1.57	-	31.72

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4508G	56.88	74.00	-17.12	4.99	3	Vertical	323	1.86	-	51.89
AV	5.4496G	45.67	54.00	-8.33	5.00	3	Vertical	323	1.86	-	40.67
PK	5.4688G	56.07	68.20	-12.13	5.04	3	Vertical	323	1.86	-	51.03
PK	5.6944G	104.62	Inf	-Inf	5.04	3	Vertical	323	1.86	-	99.58
AV	5.7016G	94.83	Inf	-Inf	5.06	3	Vertical	323	1.86	-	89.77
PK	5.896G	57.86	68.20	-10.34	5.78	3	Vertical	323	1.86	-	52.08

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.4508G	56.58	74.00	-17.42	4.99	3	Horizontal	346	1.78	-	51.59
AV	5.4568G	45.26	54.00	-8.74	5.00	3	Horizontal	346	1.78	-	40.26
PK	5.4616G	56.29	68.20	-11.91	5.02	3	Horizontal	346	1.78	-	51.27
PK	5.7016G	106.81	Inf	-Inf	5.06	3	Horizontal	346	1.78	-	101.75
AV	5.6992G	97.02	Inf	-Inf	5.05	3	Horizontal	346	1.78	-	91.97
PK	5.9272G	57.63	68.20	-10.57	5.79	3	Horizontal	346	1.78	-	51.84

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.42486G	61.40	74.00	-12.60	13.42	3	Vertical	69	2.44	-	47.98
AV	11.42276G	48.40	54.00	-5.60	13.43	3	Vertical	69	2.44	-	34.97

802.11ac VHT40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_V_1TX
Setting 32
06-E-2
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.41658G	61.35	74.00	-12.65	13.44	3	Horizontal	26	1.50	-	47.91
AV	11.41958G	48.55	54.00	-5.45	13.43	3	Horizontal	26	1.50	-	35.12

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX

26/10/2019




EUT_Y_1TX
Setting 19
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.124G	56.81	74.00	-17.19	5.21	3	Vertical	10	2.08	-	51.60
AV	5.09G	45.34	54.00	-8.66	5.26	3	Vertical	10	2.08	-	40.08
PK	5.279G	96.12	Inf	-Inf	4.51	3	Vertical	10	2.08	-	91.61
AV	5.312G	84.88	Inf	-Inf	4.47	3	Vertical	10	2.08	-	80.41
PK	5.35G	64.28	74.00	-9.72	4.65	3	Vertical	10	2.08	-	59.63
AV	5.35G	51.86	54.00	-2.14	4.65	3	Vertical	10	2.08	-	47.21
PK	5.513G	57.00	68.20	-11.20	5.07	3	Vertical	10	2.08	-	51.93

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX

26/10/2019




EUT_Y_1TX
Setting 19
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.049G	57.29	74.00	-16.71	5.05	3	Horizontal	339	2.43	-	52.24
AV	5.081G	45.38	54.00	-8.62	5.22	3	Horizontal	339	2.43	-	40.16
PK	5.279G	98.77	Inf	-Inf	4.51	3	Horizontal	339	2.43	-	94.26
AV	5.26G	87.10	Inf	-Inf	4.59	3	Horizontal	339	2.43	-	82.51
PK	5.351G	66.38	74.00	-7.62	4.66	3	Horizontal	339	2.43	-	61.72
AV	5.35G	53.89	54.00	-0.11	4.65	3	Horizontal	339	2.43	-	49.24
PK	5.487G	56.90	68.20	-11.30	5.07	3	Horizontal	339	2.43	-	51.83

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX

26/10/2019




EUT_Y_1TX
Setting 19
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.8404G	57.04	74.00	-16.96	13.47	3	Vertical	43	2.40	-	43.57
AV	15.84792G	44.95	54.00	-9.05	13.44	3	Vertical	43	2.40	-	31.51

802.11ac VHT80_Nss1,(MCS0)_1TX

5290MHz_TX

26/10/2019




EUT_Y_1TX
Setting 19
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	15.85448G	57.50	74.00	-16.50	13.42	3	Horizontal	73	2.58	-	44.08
AV	15.83432G	44.92	54.00	-9.08	13.49	3	Horizontal	73	2.58	-	31.43

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX

26/10/2019




EUT_Y_1TX
Setting 20
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.338G	56.17	68.20	-12.03	4.60	3	Vertical	31	1.68	-	51.57
PK	5.459G	60.09	74.00	-13.91	5.02	3	Vertical	31	1.68	-	55.07
AV	5.459G	48.04	54.00	-5.96	5.02	3	Vertical	31	1.68	-	43.02
PK	5.47G	65.21	68.20	-2.99	5.04	3	Vertical	31	1.68	-	60.17
PK	5.519G	96.79	Inf	-Inf	5.06	3	Vertical	31	1.68	-	91.73
AV	5.501G	85.52	Inf	-Inf	5.10	3	Vertical	31	1.68	-	80.42
PK	5.75G	56.74	68.20	-11.46	5.27	3	Vertical	31	1.68	-	51.47

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX

26/10/2019




EUT_Y_1TX
Setting 20
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.344G	56.64	68.20	-11.56	4.63	3	Horizontal	356	1.83	-	52.01
PK	5.46G	62.89	74.00	-11.11	5.02	3	Horizontal	356	1.83	-	57.87
AV	5.46G	51.00	54.00	-3.00	5.02	3	Horizontal	356	1.83	-	45.08
PK	5.469G	68.05	68.20	-0.15	5.04	3	Horizontal	356	1.83	-	63.01
PK	5.519G	102.95	Inf	-Inf	5.06	3	Horizontal	356	1.83	-	97.89
AV	5.513G	91.52	Inf	-Inf	5.07	3	Horizontal	356	1.83	-	86.45
PK	5.749G	57.14	68.20	-11.06	5.27	3	Horizontal	356	1.83	-	51.87

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX

26/10/2019




EUT_Y_1TX
Setting 20
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.07232G	55.87	74.00	-18.13	14.03	3	Vertical	198	1.81	-	41.84
AV	11.02464G	44.06	54.00	-9.94	14.11	3	Vertical	198	1.81	-	29.95

802.11ac VHT80_Nss1,(MCS0)_1TX

5530MHz_TX

26/10/2019




EUT_Y_1TX
Setting 20
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.02544G	57.02	74.00	-16.98	14.11	3	Horizontal	301	2.12	-	42.91
AV	11.03216G	44.01	54.00	-9.99	14.10	3	Horizontal	301	2.12	-	29.91

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.457G	57.07	74.00	-16.93	5.00	3	Vertical	15	1.50	-	52.07
AV	5.449G	45.57	54.00	-8.43	5.00	3	Vertical	15	1.50	-	40.57
PK	5.466G	58.21	68.20	-9.99	5.03	3	Vertical	15	1.50	-	53.18
PK	5.679G	100.06	Inf	-Inf	5.02	3	Vertical	15	1.50	-	95.04
AV	5.665G	89.17	Inf	-Inf	4.99	3	Vertical	15	1.50	-	84.18
PK	5.855G	57.84	68.20	-10.36	5.66	3	Vertical	15	1.50	-	52.18

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.44G	56.49	74.00	-17.51	4.97	3	Horizontal	346	1.70	-	51.52
AV	5.457G	44.94	54.00	-9.06	5.00	3	Horizontal	346	1.70	-	39.94
PK	5.465G	56.74	68.20	-11.46	5.03	3	Horizontal	346	1.70	-	51.71
PK	5.679G	104.51	Inf	-Inf	5.02	3	Horizontal	346	1.70	-	99.49
AV	5.661G	93.16	Inf	-Inf	5.00	3	Horizontal	346	1.70	-	88.16
PK	5.871G	60.13	68.20	-8.07	5.70	3	Horizontal	346	1.70	-	54.43

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4088G	56.88	74.00	-17.12	13.45	3	Vertical	25	1.46	-	43.43
AV	11.3784G	44.45	54.00	-9.55	13.50	3	Vertical	25	1.46	-	30.95

802.11ac VHT80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TX

26/10/2019


EUT_Y_1TX
Setting 32
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.4072G	59.95	74.00	-14.05	13.45	3	Horizontal	26	1.42	-	46.50
AV	11.3929G	46.87	54.00	-7.13	13.48	3	Horizontal	26	1.42	-	33.39

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX

26/10/2019


EUT_Y_1TX
Setting 31
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	61.08	74.00	-12.92	5.02	3	Vertical	13	1.47	-	56.06
AV	5.458G	48.81	54.00	-5.19	5.01	3	Vertical	13	1.47	-	43.80
PK	5.467G	62.83	68.20	-5.37	5.03	3	Vertical	13	1.47	-	57.80
PK	5.599G	101.97	Inf	-Inf	4.91	3	Vertical	13	1.47	-	97.06
AV	5.591G	90.92	Inf	-Inf	4.93	3	Vertical	13	1.47	-	85.99
PK	5.73G	61.61	68.20	-6.59	5.17	3	Vertical	13	1.47	-	56.44

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX

26/10/2019


EUT_Y_1TX
Setting 31
06-J-1-10
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	5.46G	64.46	74.00	-9.54	5.02	3	Horizontal	351	1.78	-	59.44
AV	5.46G	51.48	54.00	-2.52	5.02	3	Horizontal	351	1.78	-	46.46
PK	5.468G	67.74	68.20	-0.46	5.04	3	Horizontal	351	1.78	-	62.70
PK	5.599G	107.13	Inf	-Inf	4.91	3	Horizontal	351	1.78	-	102.22
AV	5.582G	96.32	Inf	-Inf	4.95	3	Horizontal	351	1.78	-	91.37
PK	5.729G	66.96	68.20	-1.24	5.18	3	Horizontal	351	1.78	-	61.78

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX

26/10/2019


EUT_Y_1TX
Setting 31
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.19248G	57.11	74.00	-16.89	13.82	3	Vertical	279	2.52	-	43.29
AV	11.2112G	44.75	54.00	-9.25	13.79	3	Vertical	279	2.52	-	30.96

802.11ac VHT80_Nss1,(MCS0)_1TX

5610MHz_TX

26/10/2019

EUT_Y_1TX
Setting 31
06-J-1
FSP(100142)

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)
PK	11.23088G	58.51	74.00	-15.49	13.75	3	Horizontal	27	1.42	-	44.76
AV	11.24432G	45.56	54.00	-8.44	13.73	3	Horizontal	27	1.42	-	31.83