


802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	63.03	68.20	-5.17	55.32	3	Vertical	341	3.00	-	34.02	6.60	32.91
PK	5.829G	121.90	Inf	-Inf	113.60	3	Vertical	341	3.00	-	34.63	6.60	32.93
AV	5.83G	111.84	Inf	-Inf	103.53	3	Vertical	341	3.00	-	34.64	6.60	32.93
PK	6.044G	62.08	68.20	-6.12	53.15	3	Vertical	341	3.00	-	35.21	6.67	32.95

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.637G	62.20	68.20	-6.00	54.49	3	Horizontal	27	1.77	-	34.02	6.60	32.91	
PK	5.83G	123.08	Inf	-Inf	114.77	3	Horizontal	27	1.77	-	34.64	6.60	32.93	
AV	5.83G	113.61	Inf	-Inf	105.30	3	Horizontal	27	1.77	-	34.64	6.60	32.93	
PK	5.96G	61.98	68.20	-6.22	53.19	3	Horizontal	27	1.77	-	35.14	6.60	32.95	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64512G	57.09	74.00	-16.91	42.41	3	Vertical	137	1.80	-	38.60	8.91	32.83
AV	11.65484G	44.07	54.00	-9.93	29.39	3	Vertical	137	1.80	-	38.60	8.91	32.83
PK	17.4714G	65.73	68.20	-2.47	44.40	3	Vertical	0	2.72	-	42.27	10.94	31.88

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65036G	56.60	74.00	-17.40	41.92	3	Horizontal	242	1.80	-	38.60	8.91	32.83	
AV	11.6564G	43.68	54.00	-10.32	29.00	3	Horizontal	242	1.80	-	38.60	8.91	32.83	
PK	17.4718G	65.69	68.20	-2.51	44.36	3	Horizontal	5	1.81	-	42.27	10.94	31.88	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.66	68.20	-4.54	55.88	3	Vertical	290	1.32	-	34.09	6.60	32.91
PK	5.744G	117.13	Inf	-Inf	109.10	3	Vertical	290	1.32	-	34.35	6.60	32.92
AV	5.744G	105.41	Inf	-Inf	97.38	3	Vertical	290	1.32	-	34.35	6.60	32.92
PK	5.965G	61.31	68.20	-6.89	52.50	3	Vertical	290	1.32	-	35.16	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.658G	73.93	74.12	-0.19	66.17	3	Horizontal	324	1.80	-	34.08	6.60	32.92
PK	5.742G	127.44	Inf	-Inf	119.42	3	Horizontal	324	1.80	-	34.34	6.60	32.92
AV	5.743G	115.19	Inf	-Inf	107.17	3	Horizontal	324	1.80	-	34.34	6.60	32.92
PK	5.987G	62.13	68.20	-6.07	53.23	3	Horizontal	324	1.80	-	35.25	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49384G	55.45	74.00	-18.55	40.99	3	Vertical	349	1.97	-	38.40	8.87	32.81
AV	11.4932G	41.57	54.00	-12.43	27.11	3	Vertical	349	1.97	-	38.40	8.87	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4857G	55.98	74.00	-18.02	41.52	3	Horizontal	220	1.92	-	38.40	8.87	32.81	
AV	11.4943G	41.44	54.00	-12.56	26.98	3	Horizontal	220	1.92	-	38.40	8.87	32.81	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	62.07	68.20	-6.13	54.57	3	Vertical	344	3.00	-	33.82	6.59	32.91
PK	5.78G	123.33	Inf	-Inf	115.26	3	Vertical	344	3.00	-	34.40	6.60	32.93
AV	5.779G	110.76	Inf	-Inf	102.69	3	Vertical	344	3.00	-	34.40	6.60	32.93
PK	6.022G	62.36	68.20	-5.84	53.42	3	Vertical	344	3.00	-	35.26	6.63	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.594G	62.79	68.20	-5.41	55.30	3	Horizontal	324	1.80	-	33.81	6.59	32.91	
PK	5.786G	125.21	Inf	-Inf	117.14	3	Horizontal	324	1.80	-	34.40	6.60	32.93	
AV	5.786G	113.42	Inf	-Inf	105.35	3	Horizontal	324	1.80	-	34.40	6.60	32.93	
PK	5.926G	61.95	68.20	-6.25	53.29	3	Horizontal	324	1.80	-	35.00	6.60	32.94	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57164G	56.11	74.00	-17.89	41.50	3	Vertical	161	1.01	-	38.54	8.89	32.82	
AV	11.57228G	42.33	54.00	-11.67	27.72	3	Vertical	161	1.01	-	38.54	8.89	32.82	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5744G	56.11	74.00	-17.89	41.49	3	Horizontal	119	1.46	-	38.55	8.89	32.82	
AV	11.57418G	42.30	54.00	-11.70	27.68	3	Horizontal	119	1.46	-	38.55	8.89	32.82	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	62.08	68.20	-6.12	54.40	3	Vertical	358	3.00	-	33.99	6.60	32.91	
PK	5.823G	122.37	Inf	-Inf	114.12	3	Vertical	358	3.00	-	34.58	6.60	32.93	
AV	5.823G	109.78	Inf	-Inf	101.53	3	Vertical	358	3.00	-	34.58	6.60	32.93	
PK	6.071G	61.90	68.20	-6.30	52.90	3	Vertical	358	3.00	-	35.24	6.71	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.628G	63.33	68.20	-4.87	55.67	3	Horizontal	329	1.80	-	33.97	6.60	32.91	
PK	5.821G	125.06	Inf	-Inf	116.82	3	Horizontal	329	1.80	-	34.57	6.60	32.93	
AV	5.821G	113.22	Inf	-Inf	104.98	3	Horizontal	329	1.80	-	34.57	6.60	32.93	
PK	6.026G	62.27	68.20	-5.93	53.33	3	Horizontal	329	1.80	-	35.25	6.64	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65436G	57.78	74.00	-16.22	43.10	3	Vertical	66	1.44	-	38.60	8.91	32.83
AV	11.64504G	42.93	54.00	-11.07	28.25	3	Vertical	66	1.44	-	38.60	8.91	32.83
PK	17.4734G	65.47	68.20	-2.73	44.14	3	Vertical	239	1.89	-	42.27	10.94	31.88

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.6547G	57.17	74.00	-16.83	42.49	3	Horizontal	258	1.69	-	38.60	8.91	32.83	
AV	11.65034G	42.99	54.00	-11.01	28.31	3	Horizontal	258	1.69	-	38.60	8.91	32.83	
PK	17.47048G	65.73	68.20	-2.47	44.41	3	Horizontal	188	1.19	-	42.27	10.94	31.89	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 17.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.553G	61.23	68.20	-6.97	53.70	3	Vertical	308	2.71	-	33.89	6.55	32.91
PK	5.761G	113.95	Inf	-Inf	105.88	3	Vertical	308	2.71	-	34.40	6.60	32.93
AV	5.761G	101.05	Inf	-Inf	92.98	3	Vertical	308	2.71	-	34.40	6.60	32.93
PK	5.95G	62.26	68.20	-5.94	53.51	3	Vertical	308	2.71	-	35.10	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 17.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	67.78	70.42	-2.64	60.01	3	Horizontal	329	1.80	-	34.09	6.60	32.92
PK	5.76G	121.95	Inf	-Inf	113.88	3	Horizontal	329	1.80	-	34.40	6.60	32.93
AV	5.761G	109.50	Inf	-Inf	101.43	3	Horizontal	329	1.80	-	34.40	6.60	32.93
PK	5.992G	62.00	68.20	-6.20	53.08	3	Horizontal	329	1.80	-	35.27	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 17.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50954G	55.36	74.00	-18.64	40.87	3	Vertical	221	1.46	-	38.42	8.88	32.81
AV	11.5137G	41.37	54.00	-12.63	26.87	3	Vertical	221	1.46	-	38.43	8.88	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 17.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51094G	55.07	74.00	-18.93	40.58	3	Horizontal	239	1.53	-	38.42	8.88	32.81
AV	11.50802G	41.39	54.00	-12.61	26.90	3	Horizontal	239	1.53	-	38.42	8.88	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 18.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	63.34	68.20	-4.86	55.55	3	Vertical	0	3.00	-	34.10	6.60	32.91
PK	5.784G	118.72	Inf	-Inf	110.65	3	Vertical	0	3.00	-	34.40	6.60	32.93
AV	5.803G	106.36	Inf	-Inf	98.27	3	Vertical	0	3.00	-	34.42	6.60	32.93
PK	5.933G	62.05	68.20	-6.15	53.36	3	Vertical	0	3.00	-	35.03	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 18.5
01-A-K-5-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.652G	66.99	69.68	-2.69	59.21	3	Horizontal	330	1.89	-	34.10	6.60	32.92	
PK	5.8G	123.38	Inf	-Inf	115.31	3	Horizontal	330	1.89	-	34.40	6.60	32.93	
AV	5.8G	109.97	Inf	-Inf	101.90	3	Horizontal	330	1.89	-	34.40	6.60	32.93	
PK	5.96G	61.94	68.20	-6.26	53.15	3	Horizontal	330	1.89	-	35.14	6.60	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 18.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.5902G	56.32	74.00	-17.68	41.66	3	Vertical	195	1.91	-	38.58	8.90	32.82	
AV	11.58826G	42.31	54.00	-11.69	27.65	3	Vertical	195	1.91	-	38.58	8.90	32.82	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 18.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.58934G	56.23	74.00	-17.77	41.57	3	Horizontal	23	1.89	-	38.58	8.90	32.82	
AV	11.5916G	42.32	54.00	-11.68	27.66	3	Horizontal	23	1.89	-	38.58	8.90	32.82	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.632G	61.81	68.20	-6.39	54.13	3	Vertical	309	2.66	-	33.99	6.60	32.91	
PK	5.76G	107.11	Inf	-Inf	99.04	3	Vertical	309	2.66	-	34.40	6.60	32.93	
AV	5.762G	95.06	Inf	-Inf	86.99	3	Vertical	309	2.66	-	34.40	6.60	32.93	
PK	5.986G	62.55	68.20	-5.65	53.66	3	Vertical	309	2.66	-	35.24	6.60	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	66.54	68.20	-1.66	58.80	3	Horizontal	331	1.80	-	34.05	6.60	32.91
PK	5.781G	115.65	Inf	-Inf	107.58	3	Horizontal	331	1.80	-	34.40	6.60	32.93
AV	5.76G	103.50	Inf	-Inf	95.43	3	Horizontal	331	1.80	-	34.40	6.60	32.93
PK	6.021G	61.66	68.20	-6.54	52.72	3	Horizontal	331	1.80	-	35.26	6.63	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55052G	56.19	74.00	-17.81	41.62	3	Vertical	246	2.28	-	38.50	8.89	32.82
AV	11.55498G	42.00	54.00	-12.00	27.42	3	Vertical	246	2.28	-	38.51	8.89	32.82

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.54556G	56.41	74.00	-17.59	41.85	3	Horizontal	124	2.50	-	38.49	8.89	32.82	
AV	11.55078G	41.88	54.00	-12.12	27.31	3	Horizontal	124	2.50	-	38.50	8.89	32.82	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.1484G	53.93	54.00	-0.07	3	Horizontal	44	1.59	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	59.08	74.00	-14.92	52.48	3	Vertical	339	1.18	-	33.50	5.25	32.15
AV	5.15G	45.77	54.00	-8.23	39.17	3	Vertical	339	1.18	-	33.50	5.25	32.15
PK	5.1744G	117.17	Inf	-Inf	110.55	3	Vertical	339	1.18	-	33.50	5.27	32.15
AV	5.1728G	103.97	Inf	-Inf	97.35	3	Vertical	339	1.18	-	33.50	5.27	32.15

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1478G	69.16	74.00	-4.84	62.56	3	Horizontal	47	1.77	-	33.50	5.25	32.15	
AV	5.149G	53.58	54.00	-0.42	46.98	3	Horizontal	47	1.77	-	33.50	5.25	32.15	
PK	5.187G	118.17	Inf	-Inf	111.53	3	Horizontal	47	1.77	-	33.50	5.29	32.15	
AV	5.1872G	108.58	Inf	-Inf	101.94	3	Horizontal	47	1.77	-	33.50	5.29	32.15	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.36056G	64.31	68.20	-3.89	51.39	3	Vertical	17	1.59	-	38.44	7.44	32.96	
PK	15.54002G	53.33	74.00	-20.67	38.96	3	Vertical	22	1.27	-	37.78	9.79	33.20	
AV	15.53992G	41.34	54.00	-12.66	26.97	3	Vertical	22	1.27	-	37.78	9.79	33.20	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36048G	63.33	68.20	-4.87	50.41	3	Horizontal	23	1.89	-	38.44	7.44	32.96
PK	15.53996G	54.05	74.00	-19.95	39.68	3	Horizontal	290	1.30	-	37.78	9.79	33.20
AV	15.53994G	41.32	54.00	-12.68	26.95	3	Horizontal	290	1.30	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	67.21	74.00	-6.79	60.61	3	Vertical	339	1.26	-	33.50	5.25	32.15
AV	5.1472G	48.92	54.00	-5.08	42.32	3	Vertical	339	1.26	-	33.50	5.25	32.15
PK	5.1936G	120.58	Inf	-Inf	113.94	3	Vertical	339	1.26	-	33.50	5.29	32.15
AV	5.1932G	110.83	Inf	-Inf	104.19	3	Vertical	339	1.26	-	33.50	5.29	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	72.26	74.00	-1.74	65.66	3	Horizontal	44	1.59	-	33.50	5.25	32.15	
AV	5.1484G	53.93	54.00	-0.07	47.33	3	Horizontal	44	1.59	-	33.50	5.25	32.15	
PK	5.2068G	122.03	Inf	-Inf	115.37	3	Horizontal	44	1.59	-	33.51	5.30	32.15	
AV	5.2068G	111.97	Inf	-Inf	105.31	3	Horizontal	44	1.59	-	33.51	5.30	32.15	

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3996G	65.56	68.20	-2.64	52.68	3	Vertical	341	1.70	-	38.40	7.46	32.98
PK	15.59704G	53.83	74.00	-20.17	39.66	3	Vertical	174	1.61	-	37.61	9.82	33.26
AV	15.59984G	41.15	54.00	-12.85	27.00	3	Vertical	174	1.61	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40048G	63.74	68.20	-4.46	50.86	3	Horizontal	23	1.89	-	38.40	7.46	32.98
PK	15.59986G	53.51	74.00	-20.49	39.36	3	Horizontal	239	2.91	-	37.60	9.82	33.27
AV	15.59984G	40.83	54.00	-13.17	26.68	3	Horizontal	239	2.91	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1146G	57.62	74.00	-16.38	51.06	3	Vertical	340	1.30	-	33.50	5.21	32.15
AV	5.111G	45.15	54.00	-8.85	38.59	3	Vertical	340	1.30	-	33.50	5.21	32.15
PK	5.2328G	120.72	Inf	-Inf	113.98	3	Vertical	340	1.30	-	33.57	5.32	32.15
AV	5.2328G	110.91	Inf	-Inf	104.17	3	Vertical	340	1.30	-	33.57	5.32	32.15
PK	5.3732G	57.23	74.00	-16.77	50.23	3	Vertical	340	1.30	-	33.75	5.39	32.14
AV	5.3876G	45.09	54.00	-8.91	38.06	3	Vertical	340	1.30	-	33.78	5.39	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1032G	58.01	74.00	-15.99	51.46	3	Horizontal	51	1.91	-	33.50	5.20	32.15
AV	5.0912G	45.67	54.00	-8.33	39.17	3	Horizontal	51	1.91	-	33.46	5.19	32.15
PK	5.2472G	120.27	Inf	-Inf	113.51	3	Horizontal	51	1.91	-	33.59	5.32	32.15
AV	5.2472G	110.86	Inf	-Inf	104.10	3	Horizontal	51	1.91	-	33.59	5.32	32.15
PK	5.3576G	57.91	74.00	-16.09	50.95	3	Horizontal	51	1.91	-	33.72	5.38	32.14
AV	5.363G	45.35	54.00	-8.65	38.38	3	Horizontal	51	1.91	-	33.73	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48048G	63.05	68.20	-5.15	50.20	3	Vertical	340	1.64	-	38.40	7.49	33.04
PK	15.72326G	52.96	74.00	-21.04	39.09	3	Vertical	271	2.18	-	37.40	9.88	33.41
AV	15.7198G	40.15	54.00	-13.85	26.29	3	Vertical	271	2.18	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48064G	60.18	68.20	-8.02	47.33	3	Horizontal	21	1.80	-	38.40	7.49	33.04
PK	15.7191G	52.83	74.00	-21.17	38.97	3	Horizontal	283	2.85	-	37.40	9.87	33.41
AV	15.71928G	39.84	54.00	-14.16	25.98	3	Horizontal	283	2.85	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.612G	57.26	68.20	-10.94	49.92	3	Vertical	317	1.51	-	33.88	5.60	32.14	
PK	5.752G	119.90	Inf	-Inf	112.65	3	Vertical	317	1.51	-	33.80	5.60	32.15	
AV	5.752G	110.02	Inf	-Inf	102.77	3	Vertical	317	1.51	-	33.80	5.60	32.15	
PK	5.955G	57.90	68.20	-10.30	50.21	3	Vertical	317	1.51	-	34.10	5.75	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.612G	58.44	68.20	-9.76	51.10	3	Horizontal	312	1.82	-	33.88	5.60	32.14	
PK	5.737G	120.41	Inf	-Inf	113.18	3	Horizontal	312	1.82	-	33.77	5.60	32.14	
AV	5.738G	111.50	Inf	-Inf	104.26	3	Horizontal	312	1.82	-	33.78	5.60	32.14	
PK	5.975G	57.64	68.20	-10.56	49.93	3	Horizontal	312	1.82	-	34.10	5.77	32.16	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49176G	57.01	74.00	-16.99	43.35	3	Vertical	315	2.85	-	38.98	7.90	33.22	
AV	11.49206G	44.07	54.00	-9.93	30.41	3	Vertical	315	2.85	-	38.98	7.90	33.22	
PK	17.23344G	62.02	68.20	-6.18	42.57	3	Vertical	148	2.96	-	42.10	10.62	33.27	

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.4913G	57.11	74.00	-16.89	43.45	3	Horizontal	294	2.31	-	38.98	7.90	33.22	
AV	11.49204G	44.24	54.00	-9.76	30.58	3	Horizontal	294	2.31	-	38.98	7.90	33.22	
PK	17.23616G	58.90	68.20	-9.30	39.44	3	Horizontal	58	1.08	-	42.11	10.62	33.27	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.613G	56.90	68.20	-11.30	49.57	3	Vertical	338	1.04	-	33.87	5.60	32.14	
PK	5.778G	119.15	Inf	-Inf	111.96	3	Vertical	338	1.04	-	33.74	5.60	32.15	
AV	5.778G	109.83	Inf	-Inf	102.64	3	Vertical	338	1.04	-	33.74	5.60	32.15	
PK	5.93G	57.41	68.20	-10.79	49.78	3	Vertical	338	1.04	-	34.06	5.73	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.627G	57.52	68.20	-10.68	50.21	3	Horizontal	313	1.76	-	33.85	5.60	32.14	
PK	5.777G	120.97	Inf	-Inf	113.77	3	Horizontal	313	1.76	-	33.75	5.60	32.15	
AV	5.778G	111.33	Inf	-Inf	104.14	3	Horizontal	313	1.76	-	33.74	5.60	32.15	
PK	6.008G	58.15	68.20	-10.05	50.38	3	Horizontal	313	1.76	-	34.13	5.80	32.16	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57256G	57.01	74.00	-16.99	43.10	3	Vertical	162	1.20	-	39.22	7.93	33.24	
AV	11.57224G	44.37	54.00	-9.63	30.46	3	Vertical	162	1.20	-	39.22	7.93	33.24	
PK	17.3548G	61.61	68.20	-6.59	41.33	3	Vertical	18	2.18	-	42.74	10.68	33.14	

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57472G	57.53	74.00	-16.47	43.62	3	Horizontal	127	2.48	-	39.22	7.93	33.24	
AV	11.572G	44.39	54.00	-9.61	30.48	3	Horizontal	127	2.48	-	39.22	7.93	33.24	
PK	17.35352G	60.85	68.20	-7.35	40.58	3	Horizontal	94	2.76	-	42.73	10.68	33.14	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.642G	56.59	68.20	-11.61	49.31	3	Vertical	355	2.97	-	33.82	5.60	32.14	
PK	5.817G	117.24	Inf	-Inf	110.04	3	Vertical	355	2.97	-	33.73	5.62	32.15	
AV	5.817G	108.24	Inf	-Inf	101.04	3	Vertical	355	2.97	-	33.73	5.62	32.15	
PK	6.022G	58.91	68.20	-9.29	51.08	3	Vertical	355	2.97	-	34.19	5.80	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.631G	57.24	68.20	-10.96	49.94	3	Horizontal	301	1.66	-	33.84	5.60	32.14	
PK	5.828G	120.66	Inf	-Inf	113.42	3	Horizontal	301	1.66	-	33.76	5.63	32.15	
AV	5.828G	110.68	Inf	-Inf	103.44	3	Horizontal	301	1.66	-	33.76	5.63	32.15	
PK	5.988G	57.94	68.20	-10.26	50.21	3	Horizontal	301	1.66	-	34.10	5.79	32.16	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64432G	58.63	74.00	-15.37	44.59	3	Vertical	8	2.24	-	39.34	7.96	33.26	
AV	11.64376G	44.85	54.00	-9.15	30.81	3	Vertical	8	2.24	-	39.34	7.96	33.26	
PK	17.47836G	61.85	68.20	-6.35	40.45	3	Vertical	7	1.79	-	43.65	10.74	32.99	

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65264G	59.93	74.00	-14.07	45.88	3	Horizontal	316	2.79	-	39.35	7.96	33.26	
AV	11.65192G	46.53	54.00	-7.47	32.48	3	Horizontal	316	2.79	-	39.35	7.96	33.26	
PK	17.47284G	61.63	68.20	-6.57	40.28	3	Horizontal	101	2.27	-	43.61	10.74	33.00	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	70.15	74.00	-3.85	63.55	3	Vertical	338	1.24	-	33.50	5.25	32.15	
AV	5.148G	52.96	54.00	-1.04	46.36	3	Vertical	338	1.24	-	33.50	5.25	32.15	
PK	5.188G	118.30	Inf	-Inf	111.66	3	Vertical	338	1.24	-	33.50	5.29	32.15	
AV	5.1872G	106.08	Inf	-Inf	99.44	3	Vertical	338	1.24	-	33.50	5.29	32.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	67.50	74.00	-6.50	60.90	3	Horizontal	46	1.79	-	33.50	5.25	32.15	
AV	5.15G	51.74	54.00	-2.26	45.14	3	Horizontal	46	1.79	-	33.50	5.25	32.15	
PK	5.172G	119.84	Inf	-Inf	113.22	3	Horizontal	46	1.79	-	33.50	5.27	32.15	
AV	5.1728G	106.94	Inf	-Inf	100.32	3	Horizontal	46	1.79	-	33.50	5.27	32.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3591G	66.36	68.20	-1.84	53.44	3	Vertical	341	1.81	-	38.44	7.44	32.96
PK	15.5618G	54.48	74.00	-19.52	40.19	3	Vertical	0	1.16	-	37.71	9.80	33.22
AV	15.5398G	41.56	54.00	-12.44	27.19	3	Vertical	0	1.16	-	37.78	9.79	33.20

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3567G	65.47	68.20	-2.73	52.55	3	Horizontal	4	1.51	-	38.44	7.44	32.96
PK	15.53124G	53.88	74.00	-20.12	39.47	3	Horizontal	202	2.54	-	37.81	9.79	33.19
AV	15.53132G	40.24	54.00	-13.76	25.83	3	Horizontal	202	2.54	-	37.81	9.79	33.19

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	70.19	74.00	-3.81	63.59	3	Vertical	338	1.85	-	33.50	5.25	32.15	
AV	5.148G	52.82	54.00	-1.18	46.22	3	Vertical	338	1.85	-	33.50	5.25	32.15	
PK	5.2064G	120.95	Inf	-Inf	114.29	3	Vertical	338	1.85	-	33.51	5.30	32.15	
AV	5.2068G	108.97	Inf	-Inf	102.31	3	Vertical	338	1.85	-	33.51	5.30	32.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.47	74.00	-5.53	61.87	3	Horizontal	46	1.78	-	33.50	5.25	32.15
AV	5.15G	52.83	54.00	-1.17	46.23	3	Horizontal	46	1.78	-	33.50	5.25	32.15
PK	5.1928G	123.14	Inf	-Inf	116.50	3	Horizontal	46	1.78	-	33.50	5.29	32.15
AV	5.192G	110.17	Inf	-Inf	103.53	3	Horizontal	46	1.78	-	33.50	5.29	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3999G	67.38	68.20	-0.82	54.50	3	Vertical	341	1.74	-	38.40	7.46	32.98
PK	15.59962G	54.72	74.00	-19.28	40.57	3	Vertical	358	1.80	-	37.60	9.82	33.27
AV	15.5999G	41.66	54.00	-12.34	27.51	3	Vertical	358	1.80	-	37.60	9.82	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3976G	65.71	68.20	-2.49	52.83	3	Horizontal	3	1.66	-	38.40	7.46	32.98
PK	15.60386G	53.46	74.00	-20.54	39.32	3	Horizontal	132	2.42	-	37.59	9.82	33.27
AV	15.60424G	39.75	54.00	-14.25	25.61	3	Horizontal	132	2.42	-	37.59	9.82	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1098G	57.70	74.00	-16.30	51.14	3	Vertical	338	1.78	-	33.50	5.21	32.15
AV	5.1464G	44.77	54.00	-9.23	38.17	3	Vertical	338	1.78	-	33.50	5.25	32.15
PK	5.2466G	122.73	Inf	-Inf	115.97	3	Vertical	338	1.78	-	33.59	5.32	32.15
AV	5.2472G	110.61	Inf	-Inf	103.85	3	Vertical	338	1.78	-	33.59	5.32	32.15
PK	5.3816G	56.98	74.00	-17.02	49.97	3	Vertical	338	1.78	-	33.76	5.39	32.14
AV	5.3702G	44.49	54.00	-9.51	37.50	3	Vertical	338	1.78	-	33.74	5.39	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.096G	58.14	74.00	-15.86	51.61	3	Horizontal	48	1.68	-	33.48	5.20	32.15
AV	5.0936G	45.19	54.00	-8.81	38.68	3	Horizontal	48	1.68	-	33.47	5.19	32.15
PK	5.2316G	122.88	Inf	-Inf	116.15	3	Horizontal	48	1.68	-	33.56	5.32	32.15
AV	5.2316G	110.36	Inf	-Inf	103.63	3	Horizontal	48	1.68	-	33.56	5.32	32.15
PK	5.3606G	58.46	74.00	-15.54	51.50	3	Horizontal	48	1.68	-	33.72	5.38	32.14
AV	5.3504G	45.25	54.00	-8.75	38.31	3	Horizontal	48	1.68	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4778G	65.51	68.20	-2.69	52.66	3	Vertical	342	1.64	-	38.40	7.49	33.04
PK	15.7201G	53.04	74.00	-20.96	39.18	3	Vertical	41	2.27	-	37.40	9.87	33.41
AV	15.71984G	40.28	54.00	-13.72	26.42	3	Vertical	41	2.27	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4766G	62.88	68.20	-5.32	50.02	3	Horizontal	3	1.79	-	38.40	7.49	33.03
PK	15.7204G	54.44	74.00	-19.56	40.58	3	Horizontal	354	1.80	-	37.40	9.87	33.41
AV	15.7198G	40.90	54.00	-13.10	27.04	3	Horizontal	354	1.80	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.502G	57.70	68.20	-10.50	50.43	3	Vertical	331	1.50	-	33.90	5.50	32.13	
PK	5.753G	120.70	Inf	-Inf	113.46	3	Vertical	331	1.50	-	33.79	5.60	32.15	
AV	5.754G	109.73	Inf	-Inf	102.49	3	Vertical	331	1.50	-	33.79	5.60	32.15	
PK	5.962G	57.65	68.20	-10.55	49.95	3	Vertical	331	1.50	-	34.10	5.76	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.65G	58.50	68.20	-9.70	51.24	3	Horizontal	313	1.78	-	33.80	5.60	32.14	
PK	5.741G	122.62	Inf	-Inf	115.38	3	Horizontal	313	1.78	-	33.78	5.60	32.14	
AV	5.742G	110.39	Inf	-Inf	103.15	3	Horizontal	313	1.78	-	33.78	5.60	32.14	
PK	5.947G	57.59	68.20	-10.61	49.91	3	Horizontal	313	1.78	-	34.09	5.75	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49272G	55.14	74.00	-18.86	41.47	3	Vertical	329	1.92	-	38.99	7.90	33.22	
AV	11.4908G	41.87	54.00	-12.13	28.21	3	Vertical	329	1.92	-	38.98	7.90	33.22	
PK	17.23756G	60.96	68.20	-7.24	41.50	3	Vertical	346	1.80	-	42.11	10.62	33.27	

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.48G	56.28	74.00	-17.72	42.65	3	Horizontal	298	1.74	-	38.96	7.89	33.22	
AV	11.47936G	42.50	54.00	-11.50	28.87	3	Horizontal	298	1.74	-	38.96	7.89	33.22	
PK	17.23884G	64.31	68.20	-3.89	44.84	3	Horizontal	342	2.14	-	42.12	10.62	33.27	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.62G	57.60	68.20	-10.60	50.28	3	Vertical	330	1.44	-	33.86	5.60	32.14	
PK	5.794G	122.20	Inf	-Inf	115.04	3	Vertical	330	1.44	-	33.71	5.60	32.15	
AV	5.794G	109.78	Inf	-Inf	102.62	3	Vertical	330	1.44	-	33.71	5.60	32.15	
PK	5.952G	57.67	68.20	-10.53	49.98	3	Vertical	330	1.44	-	34.10	5.75	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.568G	57.83	68.20	-10.37	50.49	3	Horizontal	287	1.78	-	33.90	5.57	32.13	
PK	5.789G	121.69	Inf	-Inf	114.52	3	Horizontal	287	1.78	-	33.72	5.60	32.15	
AV	5.789G	109.69	Inf	-Inf	102.52	3	Horizontal	287	1.78	-	33.72	5.60	32.15	
PK	6.003G	57.63	68.20	-10.57	49.88	3	Horizontal	287	1.78	-	34.11	5.80	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57064G	54.23	74.00	-19.77	40.33	3	Vertical	330	1.80	-	39.21	7.93	33.24
AV	11.56992G	41.37	54.00	-12.63	27.47	3	Vertical	330	1.80	-	39.21	7.93	33.24
PK	17.36708G	61.04	68.20	-7.16	40.64	3	Vertical	345	1.76	-	42.84	10.68	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56224G	57.21	74.00	-16.79	43.34	3	Horizontal	325	1.80	-	39.19	7.92	33.24
AV	11.5624G	42.63	54.00	-11.37	28.76	3	Horizontal	325	1.80	-	39.19	7.92	33.24
PK	17.35108G	63.57	68.20	-4.63	43.32	3	Horizontal	327	2.02	-	42.71	10.68	33.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.596G	57.30	68.20	-10.90	49.94	3	Vertical	360	2.50	-	33.90	5.60	32.14	
PK	5.829G	119.64	Inf	-Inf	112.40	3	Vertical	360	2.50	-	33.76	5.63	32.15	
AV	5.828G	108.45	Inf	-Inf	101.21	3	Vertical	360	2.50	-	33.76	5.63	32.15	
PK	5.977G	57.86	68.20	-10.34	50.14	3	Vertical	360	2.50	-	34.10	5.78	32.16	

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.08	68.20	-11.12	49.80	3	Horizontal	320	1.79	-	33.82	5.60	32.14
PK	5.828G	120.82	Inf	-Inf	113.58	3	Horizontal	320	1.79	-	33.76	5.63	32.15
AV	5.829G	109.30	Inf	-Inf	102.06	3	Horizontal	320	1.79	-	33.76	5.63	32.15
PK	6.06G	57.83	68.20	-10.37	49.87	3	Horizontal	320	1.79	-	34.32	5.80	32.16

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65408G	56.97	74.00	-17.03	42.92	3	Vertical	37	1.80	-	39.35	7.96	33.26
AV	11.65432G	42.45	54.00	-11.55	28.40	3	Vertical	37	1.80	-	39.35	7.96	33.26
PK	17.46548G	63.14	68.20	-5.06	41.86	3	Vertical	7	1.71	-	43.56	10.73	33.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.64208G	59.32	74.00	-14.68	45.28	3	Horizontal	327	1.80	-	39.34	7.96	33.26	
AV	11.6424G	45.10	54.00	-8.90	31.06	3	Horizontal	327	1.80	-	39.34	7.96	33.26	
PK	17.47164G	65.26	68.20	-2.94	43.92	3	Horizontal	1	1.82	-	43.60	10.74	33.00	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.136G	65.11	74.00	-8.89	58.52	3	Vertical	344	1.22	-	33.50	5.24	32.15	
AV	5.136G	49.42	54.00	-4.58	42.83	3	Vertical	344	1.22	-	33.50	5.24	32.15	
PK	5.194G	115.18	Inf	-Inf	108.54	3	Vertical	344	1.22	-	33.50	5.29	32.15	
AV	5.194G	102.03	Inf	-Inf	95.39	3	Vertical	344	1.22	-	33.50	5.29	32.15	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1436G	69.73	74.00	-4.27	63.14	3	Horizontal	48	1.87	-	33.50	5.24	32.15	
AV	5.1444G	53.89	54.00	-0.11	47.30	3	Horizontal	48	1.87	-	33.50	5.24	32.15	
PK	5.1816G	114.25	Inf	-Inf	107.62	3	Horizontal	48	1.87	-	33.50	5.28	32.15	
AV	5.1824G	102.45	Inf	-Inf	95.82	3	Horizontal	48	1.87	-	33.50	5.28	32.15	

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 17
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3806G	60.84	68.20	-7.36	47.94	3	Vertical	340	1.80	-	38.42	7.45	32.97
PK	15.592G	52.96	74.00	-21.04	38.78	3	Vertical	95	2.08	-	37.62	9.82	33.26
AV	15.5697G	39.91	54.00	-14.09	25.64	3	Vertical	95	2.08	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT X_4TX
Setting 17
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3772G	61.25	68.20	-6.95	48.35	3	Horizontal	4	1.49	-	38.42	7.45	32.97
PK	15.56516G	52.70	74.00	-21.30	38.43	3	Horizontal	204	1.98	-	37.70	9.80	33.23
AV	15.5698G	39.47	54.00	-14.53	25.20	3	Horizontal	204	1.98	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_X_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	66.44	74.00	-7.56	59.85	3	Vertical	336	1.80	-	33.50	5.24	32.15
AV	5.1382G	52.70	54.00	-1.30	46.11	3	Vertical	336	1.80	-	33.50	5.24	32.15
PK	5.2384G	117.26	Inf	-Inf	110.51	3	Vertical	336	1.80	-	33.58	5.32	32.15
AV	5.2372G	105.97	Inf	-Inf	99.23	3	Vertical	336	1.80	-	33.57	5.32	32.15
PK	5.3566G	58.61	74.00	-15.39	51.66	3	Vertical	336	1.80	-	33.71	5.38	32.14
AV	5.3572G	44.95	54.00	-9.05	38.00	3	Vertical	336	1.80	-	33.71	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	69.94	74.00	-4.06	63.35	3	Horizontal	47	1.56	-	33.50	5.24	32.15
AV	5.1454G	53.62	54.00	-0.38	47.02	3	Horizontal	47	1.56	-	33.50	5.25	32.15
PK	5.2414G	118.80	Inf	-Inf	112.05	3	Horizontal	47	1.56	-	33.58	5.32	32.15
AV	5.2228G	106.91	Inf	-Inf	100.20	3	Horizontal	47	1.56	-	33.55	5.31	32.15
PK	5.3524G	58.57	74.00	-15.43	51.63	3	Horizontal	47	1.56	-	33.70	5.38	32.14
AV	5.3632G	46.02	54.00	-7.98	39.05	3	Horizontal	47	1.56	-	33.73	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4574G	63.22	68.20	-4.98	50.36	3	Vertical	343	1.58	-	38.40	7.48	33.02
PK	15.69368G	52.41	74.00	-21.59	38.52	3	Vertical	262	2.55	-	37.41	9.86	33.38
AV	15.68996G	39.28	54.00	-14.72	25.37	3	Vertical	262	2.55	-	37.42	9.86	33.37

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT X_4TX
Setting 21
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45748G	61.69	68.20	-6.51	48.83	3	Horizontal	3	1.78	-	38.40	7.48	33.02
PK	15.68736G	52.57	74.00	-21.43	38.65	3	Horizontal	260	1.28	-	37.43	9.86	33.37
AV	15.6945G	39.26	54.00	-14.74	25.37	3	Horizontal	260	1.28	-	37.41	9.86	33.38

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	63.27	68.20	-4.93	55.99	3	Vertical	344	1.97	-	33.82	5.60	32.14
PK	5.759G	117.59	Inf	-Inf	110.36	3	Vertical	344	1.97	-	33.78	5.60	32.15
AV	5.758G	106.11	Inf	-Inf	98.88	3	Vertical	344	1.97	-	33.78	5.60	32.15
PK	5.987G	57.39	68.20	-10.81	49.66	3	Vertical	344	1.97	-	34.10	5.79	32.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.653G	68.86	70.42	-1.56	61.61	3	Horizontal	311	1.87	-	33.79	5.60	32.14	
PK	5.752G	120.66	Inf	-Inf	113.41	3	Horizontal	311	1.87	-	33.80	5.60	32.15	
AV	5.753G	108.86	Inf	-Inf	101.62	3	Horizontal	311	1.87	-	33.79	5.60	32.15	
PK	5.927G	58.12	68.20	-10.08	50.50	3	Horizontal	311	1.87	-	34.05	5.73	32.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51121G	53.05	74.00	-20.95	39.34	3	Vertical	329	1.80	-	39.03	7.90	33.22
AV	11.51G	40.02	54.00	-13.98	26.31	3	Vertical	329	1.80	-	39.03	7.90	33.22
PK	17.26656G	59.66	68.20	-8.54	40.07	3	Vertical	236	1.70	-	42.20	10.63	33.24

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50032G	54.02	74.00	-19.98	40.34	3	Horizontal	297	1.80	-	39.00	7.90	33.22	
AV	11.50065G	40.86	54.00	-13.14	27.18	3	Horizontal	297	1.80	-	39.00	7.90	33.22	
PK	17.26258G	59.76	68.20	-8.44	40.18	3	Horizontal	120	1.97	-	42.19	10.63	33.24	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.633G	57.68	68.20	-10.52	50.39	3	Vertical	344	1.95	-	33.83	5.60	32.14	
PK	5.797G	117.18	Inf	-Inf	110.02	3	Vertical	344	1.95	-	33.71	5.60	32.15	
AV	5.798G	105.43	Inf	-Inf	98.28	3	Vertical	344	1.95	-	33.70	5.60	32.15	
PK	5.94G	58.42	68.20	-9.78	50.76	3	Vertical	344	1.95	-	34.08	5.74	32.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	5.65G	59.12	68.20	-9.08	51.86	3	Horizontal	333	1.82	-	33.80	5.60	32.14	
PK	5.793G	118.80	Inf	-Inf	111.64	3	Horizontal	333	1.82	-	33.71	5.60	32.15	
AV	5.793G	107.85	Inf	-Inf	100.69	3	Horizontal	333	1.82	-	33.71	5.60	32.15	
PK	5.929G	59.32	68.20	-8.88	51.69	3	Horizontal	333	1.82	-	34.06	5.73	32.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.59583G	52.39	74.00	-21.61	38.40	3	Vertical	151	2.84	-	39.29	7.94	33.24	
AV	11.5945G	39.12	54.00	-14.88	25.14	3	Vertical	151	2.84	-	39.28	7.94	33.24	
PK	17.37631G	60.42	68.20	-7.78	39.93	3	Vertical	312	1.63	-	42.91	10.69	33.11	

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.60287G	55.01	74.00	-18.99	41.02	3	Horizontal	327	1.86	-	39.30	7.94	33.25
AV	11.60122G	42.00	54.00	-12.00	28.01	3	Horizontal	327	1.86	-	39.30	7.94	33.25
PK	17.3894G	61.07	68.20	-7.13	40.46	3	Horizontal	312	2.18	-	43.02	10.69	33.10

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 14.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	64.58	74.00	-9.42	57.99	3	Vertical	340	1.23	-	33.50	5.24	32.15
AV	5.137G	50.94	54.00	-3.06	44.35	3	Vertical	340	1.23	-	33.50	5.24	32.15
PK	5.236G	108.78	Inf	-Inf	102.04	3	Vertical	340	1.23	-	33.57	5.32	32.15
AV	5.216G	96.72	Inf	-Inf	90.03	3	Vertical	340	1.23	-	33.53	5.31	32.15
PK	5.451G	57.20	74.00	-16.80	49.98	3	Vertical	340	1.23	-	33.90	5.45	32.13
AV	5.354G	44.40	54.00	-9.60	37.45	3	Vertical	340	1.23	-	33.71	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 14.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	66.41	74.00	-7.59	59.82	3	Horizontal	44	1.56	-	33.50	5.24	32.15
AV	5.145G	53.53	54.00	-0.47	46.93	3	Horizontal	44	1.56	-	33.50	5.25	32.15
PK	5.203G	110.19	Inf	-Inf	103.53	3	Horizontal	44	1.56	-	33.51	5.30	32.15
AV	5.222G	97.39	Inf	-Inf	90.69	3	Horizontal	44	1.56	-	33.54	5.31	32.15
PK	5.357G	57.16	74.00	-16.84	50.21	3	Horizontal	44	1.56	-	33.71	5.38	32.14
AV	5.367G	44.86	54.00	-9.14	37.89	3	Horizontal	44	1.56	-	33.73	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_X_4TX
Setting 14.5
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.39852G	55.88	68.20	-12.32	43.00	3	Vertical	342	1.68	-	38.40	7.46	32.98	
PK	15.63032G	52.78	74.00	-21.22	38.71	3	Vertical	54	3.00	-	37.54	9.83	33.30	
AV	15.62984G	39.63	54.00	-14.37	25.56	3	Vertical	54	3.00	-	37.54	9.83	33.30	

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT X_4TX
Setting 14.5
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39672G	54.21	68.20	-13.99	41.33	3	Horizontal	3	1.79	-	38.40	7.46	32.98
PK	15.63386G	52.77	74.00	-21.23	38.71	3	Horizontal	64	2.43	-	37.53	9.84	33.31
AV	15.62836G	39.12	54.00	-14.88	25.05	3	Horizontal	64	2.43	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	67.53	68.20	-0.67	60.26	3	Vertical	328	1.49	-	33.81	5.60	32.14	
PK	5.764G	115.77	Inf	-Inf	108.55	3	Vertical	328	1.49	-	33.77	5.60	32.15	
AV	5.765G	101.73	Inf	-Inf	94.51	3	Vertical	328	1.49	-	33.77	5.60	32.15	
PK	5.927G	64.18	68.20	-4.02	56.56	3	Vertical	328	1.49	-	34.05	5.73	32.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.634G	68.04	68.20	-0.16	60.75	3	Horizontal	308	1.79	-	33.83	5.60	32.14	
PK	5.773G	115.31	Inf	-Inf	108.11	3	Horizontal	308	1.79	-	33.75	5.60	32.15	
AV	5.773G	103.58	Inf	-Inf	96.38	3	Horizontal	308	1.79	-	33.75	5.60	32.15	
PK	5.925G	65.01	68.20	-3.19	57.39	3	Horizontal	308	1.79	-	34.05	5.73	32.16	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT_X_4TX
Setting 21
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.56404G	51.61	74.00	-22.39	37.73	3	Vertical	18	2.57	-	39.19	7.93	33.24	
AV	11.54814G	38.36	54.00	-15.64	24.53	3	Vertical	18	2.57	-	39.14	7.92	33.23	

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT_X_4TX
Setting 21
02-B-B-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57448G	51.47	74.00	-22.53	37.56	3	Horizontal	346	2.84	-	39.22	7.93	33.24	
AV	11.56776G	38.65	54.00	-15.35	24.76	3	Horizontal	346	2.84	-	39.20	7.93	33.24	



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	AV	1.201316G	42.15	54.00	-11.85	Vertical

Mode 2



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.20132G	44.64	74.00	-29.36	-6.20	3	Vertical	300	1.50	-	50.84	24.80	3.80	34.80
AV	1.201316G	42.15	54.00	-11.85	-6.20	3	Vertical	300	1.50	"Worst"	48.35	24.80	3.80	34.80

Mode 2



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.21346G	43.15	74.00	-30.85	-6.23	3	Horizontal	330	2.00	-	49.38	24.77	3.82	34.82
AV	1.21252G	40.22	54.00	-13.78	-6.23	3	Horizontal	330	2.00	"Worst"	46.45	24.77	3.82	34.82