


























































Radiated Emissions below 1GHz

Appendix E.1

Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 2	Pass	PK	67.83M	36.84	40.00	-3.16	Horizontal

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	30.90M	33.65	40.00	-6.35	-3.85	3	Vertical	252	2.00	"Worst"	37.50	23.42	1.22	28.49
QP	62.98M	25.46	40.00	-14.54	-15.04	3	Vertical	236	1.00	-	40.50	12.00	1.44	28.48
QP	67.83M	25.20	40.00	-14.80	-15.10	3	Vertical	360	1.00	-	40.30	11.98	1.40	28.48
PK	194.9M	36.43	43.50	-7.07	-11.19	3	Vertical	202	2.00	-	47.62	14.83	2.00	28.02
PK	600.36M	37.87	46.00	-8.13	-2.11	3	Vertical	3	1.25	-	39.98	24.01	3.20	29.32
PK	633.34M	36.55	46.00	-9.45	-1.54	3	Vertical	5	1.25	-	38.09	24.47	3.33	29.34

Mode 2



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
QP	31.94M	33.93	40.00	-6.07	-4.27	3	Horizontal	210	2.00	-	38.20	22.98	1.24	28.49
PK	62.98M	35.62	40.00	-4.38	-15.04	3	Horizontal	345	3.00	-	50.66	12.00	1.44	28.48
PK	67.83M	36.84	40.00	-3.16	-15.10	3	Horizontal	61	3.00	"Worst"	51.94	11.98	1.40	28.48
PK	197.81M	34.09	43.50	-9.41	-11.08	3	Horizontal	281	2.00	-	45.17	14.92	2.00	28.00
QP	334.58M	40.51	46.00	-5.49	-6.09	3	Horizontal	0	1.00	-	46.60	19.43	2.50	28.02
PK	600.36M	37.27	46.00	-8.73	-2.11	3	Horizontal	225	1.25	-	39.38	24.01	3.20	29.32




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	AV	17.87958G	52.11	54.00	-1.89	3	Horizontal	251	1.79	-

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	60.60	88.20	-27.60	51.94	3	Vertical	326	1.45	-	35.00	6.60	32.94
RMS	5.9072G	50.55	68.20	-17.65	41.96	3	Vertical	326	1.45	-	34.93	6.60	32.94
PK	5.9464G	109.09	Inf	-Inf	100.34	3	Vertical	326	1.45	-	35.09	6.60	32.94
RMS	5.9462G	99.36	Inf	-Inf	90.62	3	Vertical	326	1.45	-	35.08	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9066G	61.95	88.20	-26.25	53.36	3	Horizontal	52	2.57	-	34.93	6.60	32.94	
RMS	5.907G	50.55	68.20	-17.65	41.96	3	Horizontal	52	2.57	-	34.93	6.60	32.94	
PK	5.9526G	110.73	Inf	-Inf	101.97	3	Horizontal	52	2.57	-	35.11	6.60	32.95	
RMS	5.9462G	100.18	Inf	-Inf	91.44	3	Horizontal	52	2.57	-	35.08	6.60	32.94	

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96664G	61.66	88.20	-26.54	42.19	3	Vertical	156	1.80	-	40.90	9.88	31.31
AV	13.97396G	48.39	68.20	-19.81	28.91	3	Vertical	156	1.80	-	40.90	9.89	31.31
PK	17.8746G	65.22	74.00	-8.78	43.16	3	Vertical	0	1.72	-	42.70	11.06	31.70
AV	17.87706G	51.92	54.00	-2.08	29.85	3	Vertical	0	1.72	-	42.71	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9073G	58.83	74.00	-15.17	44.22	3	Horizontal	324	2.13	-	38.50	8.98	32.87	
AV	11.90712G	44.94	54.00	-9.06	30.33	3	Horizontal	324	2.13	-	38.50	8.98	32.87	
PK	17.85846G	66.04	74.00	-7.96	44.06	3	Horizontal	251	1.79	-	42.63	11.06	31.71	
AV	17.87958G	52.11	54.00	-1.89	30.03	3	Horizontal	251	1.79	-	42.72	11.06	31.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 7.5
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9122G	61.53	88.20	-26.67	52.92	3	Vertical	327	2.19	-	34.95	6.60	32.94	
RMS	5.8774G	50.57	68.20	-17.63	42.06	3	Vertical	327	2.19	-	34.85	6.60	32.94	
PK	6.1666G	109.73	Inf	-Inf	100.46	3	Vertical	327	2.19	-	35.37	6.85	32.95	
RMS	6.1666G	100.07	Inf	-Inf	90.80	3	Vertical	327	2.19	-	35.37	6.85	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 7.5
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9062G	60.53	88.20	-27.67	51.95	3	Horizontal	325	1.80	-	34.92	6.60	32.94	
RMS	5.8894G	50.55	68.20	-17.65	42.01	3	Horizontal	325	1.80	-	34.88	6.60	32.94	
PK	6.1666G	108.78	Inf	-Inf	99.51	3	Horizontal	325	1.80	-	35.37	6.85	32.95	
RMS	6.1666G	99.10	Inf	-Inf	89.83	3	Horizontal	325	1.80	-	35.37	6.85	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35058G	56.38	74.00	-17.62	41.07	3	Vertical	108	1.98	-	38.60	9.16	32.45
AV	12.35186G	42.70	54.00	-11.30	27.38	3	Vertical	108	1.98	-	38.60	9.16	32.44

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.3481G	56.70	74.00	-17.30	41.39	3	Horizontal	244	1.17	-	38.60	9.16	32.45	
AV	12.34776G	42.66	54.00	-11.34	27.35	3	Horizontal	244	1.17	-	38.60	9.16	32.45	

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.52104G	47.76	83.54	-35.78	45.14	1	Vertical	336	1.63	-	37.79	14.91	50.08
AV	18.52476G	34.01	63.54	-29.53	31.39	1	Vertical	336	1.63	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51006G	47.03	83.54	-36.51	44.42	1	Horizontal	34	1.41	-	37.80	14.90	50.09
AV	18.5136G	33.73	63.54	-29.81	31.12	1	Horizontal	34	1.41	-	37.79	14.91	50.09

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9038G	60.60	88.20	-27.60	52.02	3	Vertical	26	1.07	-	34.92	6.60	32.94
RMS	5.8654G	50.50	68.20	-17.70	42.01	3	Vertical	26	1.07	-	34.83	6.60	32.94
PK	6.4054G	109.19	Inf	-Inf	99.56	3	Vertical	26	1.07	-	35.58	7.00	32.95
RMS	6.4078G	98.69	Inf	-Inf	89.07	3	Vertical	26	1.07	-	35.57	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_X_4TX
Setting 7.5
01-F-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8366G	60.53	88.20	-27.67	52.17	3	Horizontal	340	1.80	-	34.69	6.60	32.93	
RMS	5.8702G	50.52	68.20	-17.68	42.02	3	Horizontal	340	1.80	-	34.84	6.60	32.94	
PK	6.4198G	109.16	Inf	-Inf	99.59	3	Horizontal	340	1.80	-	35.52	7.00	32.95	
RMS	6.4078G	99.52	Inf	-Inf	89.90	3	Horizontal	340	1.80	-	35.57	7.00	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.82954G	57.88	88.20	-30.32	41.12	3	Vertical	277	1.14	-	39.23	9.37	31.84	
RMS	12.83174G	43.62	68.20	-24.58	26.86	3	Vertical	277	1.14	-	39.23	9.37	31.84	

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83348G	57.61	88.20	-30.59	40.83	3	Horizontal	149	1.05	-	39.23	9.38	31.83
RMS	12.82722G	43.60	68.20	-24.60	26.84	3	Horizontal	149	1.05	-	39.23	9.37	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24786G	47.23	83.54	-36.31	43.98	1	Vertical	24	1.58	-	37.70	15.20	49.65
AV	19.24164G	33.46	63.54	-30.08	30.20	1	Vertical	24	1.58	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT X_4TX
Setting 7.5
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.24214G	47.20	83.54	-36.34	43.94	1	Horizontal	353	1.53	-	37.71	15.20	49.65
AV	19.24852G	33.43	63.54	-30.11	30.18	1	Horizontal	353	1.53	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9022G	60.74	88.20	-27.46	52.17	3	Vertical	26	1.04	-	34.91	6.60	32.94	
RMS	5.8902G	50.49	68.20	-17.71	41.95	3	Vertical	26	1.04	-	34.88	6.60	32.94	
PK	6.4278G	109.32	Inf	-Inf	99.78	3	Vertical	26	1.04	-	35.49	7.00	32.95	
RMS	6.4278G	98.24	Inf	-Inf	88.70	3	Vertical	26	1.04	-	35.49	7.00	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8878G	60.56	88.20	-27.64	52.02	3	Horizontal	316	1.80	-	34.88	6.60	32.94	
RMS	5.8494G	50.48	68.20	-17.72	42.01	3	Horizontal	316	1.80	-	34.80	6.60	32.93	
PK	6.4398G	109.27	Inf	-Inf	99.78	3	Horizontal	316	1.80	-	35.44	7.00	32.95	
RMS	6.4398G	98.89	Inf	-Inf	89.40	3	Horizontal	316	1.80	-	35.44	7.00	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86862G	57.95	88.20	-30.25	41.08	3	Vertical	131	1.69	-	39.27	9.39	31.79
RMS	12.87432G	43.81	68.20	-24.39	26.93	3	Vertical	131	1.69	-	39.27	9.39	31.78

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.86544G	57.48	88.20	-30.72	40.61	3	Horizontal	49	1.05	-	39.27	9.39	31.79	
RMS	12.87208G	43.75	68.20	-24.45	26.87	3	Horizontal	49	1.05	-	39.27	9.39	31.78	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.301G	47.31	83.54	-36.23	44.01	1	Vertical	356	1.58	-	37.74	15.22	49.66	
AV	19.30964G	33.78	63.54	-29.76	30.47	1	Vertical	356	1.58	-	37.75	15.22	49.66	

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.30898G	47.08	83.54	-36.46	43.77	1	Horizontal	34	1.51	-	37.75	15.22	49.66
AV	19.30294G	33.75	63.54	-29.79	30.45	1	Horizontal	34	1.51	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8846G	60.52	88.20	-27.68	51.99	3	Vertical	20	1.80	-	34.87	6.60	32.94	
RMS	5.887G	50.51	68.20	-17.69	41.98	3	Vertical	20	1.80	-	34.87	6.60	32.94	
PK	6.4702G	106.15	Inf	-Inf	96.62	3	Vertical	20	1.80	-	35.48	7.00	32.95	
RMS	6.4678G	96.54	Inf	-Inf	87.02	3	Vertical	20	1.80	-	35.47	7.00	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.887G	60.61	88.20	-27.59	52.08	3	Horizontal	317	1.80	-	34.87	6.60	32.94	
RMS	5.8798G	50.54	68.20	-17.66	42.02	3	Horizontal	317	1.80	-	34.86	6.60	32.94	
PK	6.4774G	108.92	Inf	-Inf	99.36	3	Horizontal	317	1.80	-	35.51	7.00	32.95	
RMS	6.4798G	98.95	Inf	-Inf	89.38	3	Horizontal	317	1.80	-	35.52	7.00	32.95	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94718G	58.53	88.20	-29.67	41.35	3	Vertical	211	2.57	-	39.44	9.43	31.69
RMS	12.94506G	44.32	68.20	-23.88	27.14	3	Vertical	211	2.57	-	39.44	9.43	31.69

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.9526G	58.28	88.20	-29.92	41.07	3	Horizontal	166	1.12	-	39.46	9.43	31.68	
RMS	12.95246G	44.34	68.20	-23.86	27.13	3	Horizontal	166	1.12	-	39.46	9.43	31.68	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT X_4TX
Setting 7
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42436G	47.79	83.54	-35.75	44.36	1	Vertical	127	1.51	-	37.84	15.27	49.68	
AV	19.42336G	33.67	63.54	-29.87	30.24	1	Vertical	127	1.51	-	37.84	15.27	49.68	

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_X_4TX
Setting 7
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.42596G	47.86	83.54	-35.68	44.44	1	Horizontal	254	1.54	-	37.84	15.27	49.69	
AV	19.42828G	33.66	63.54	-29.88	30.24	1	Horizontal	254	1.54	-	37.84	15.27	49.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	63.52	88.20	-24.68	54.96	3	Vertical	184	1.75	-	34.90	6.60	32.94
RMS	5.8682G	51.31	68.20	-16.89	42.81	3	Vertical	184	1.75	-	34.84	6.60	32.94
PK	6.5234G	102.51	Inf	-Inf	92.78	3	Vertical	184	1.75	-	35.69	7.00	32.96
RMS	6.5234G	93.13	Inf	-Inf	83.40	3	Vertical	184	1.75	-	35.69	7.00	32.96
PK	7.1814G	62.51	88.20	-25.69	51.39	3	Vertical	184	1.75	-	37.03	7.21	33.12
RMS	7.215G	51.83	68.20	-16.37	40.62	3	Vertical	184	1.75	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	60.13	88.20	-28.07	51.60	3	Horizontal	234	2.98	-	34.87	6.60	32.94
RMS	5.9214G	50.21	68.20	-17.99	41.56	3	Horizontal	234	2.98	-	34.99	6.60	32.94
PK	6.5234G	105.27	Inf	-Inf	95.54	3	Horizontal	234	2.98	-	35.69	7.00	32.96
RMS	6.5234G	96.69	Inf	-Inf	86.96	3	Horizontal	234	2.98	-	35.69	7.00	32.96
PK	7.1394G	63.30	88.20	-24.90	52.39	3	Horizontal	234	2.98	-	36.82	7.23	33.14
RMS	7.2094G	52.67	68.20	-15.53	41.47	3	Horizontal	234	2.98	-	37.10	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.03012G	58.45	88.20	-29.75	40.94	3	Vertical	207	1.68	-	39.63	9.46	31.58	
RMS	13.02994G	46.65	68.20	-21.55	29.14	3	Vertical	207	1.68	-	39.63	9.46	31.58	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02188G	58.20	88.20	-30.00	40.71	3	Horizontal	187	2.41	-	39.62	9.46	31.59
RMS	13.03008G	45.95	68.20	-22.25	28.44	3	Horizontal	187	2.41	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54022G	47.28	83.54	-36.26	43.78	1	Vertical	57	1.56	-	37.88	15.32	49.70	
AV	19.54342G	33.56	63.54	-29.98	30.06	1	Vertical	57	1.56	-	37.88	15.32	49.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.54308G	46.46	83.54	-37.08	42.96	1	Horizontal	250	1.55	-	37.88	15.32	49.70	
AV	19.54542G	33.66	63.54	-29.88	30.16	1	Horizontal	250	1.55	-	37.88	15.32	49.70	

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8854G	59.88	88.20	-28.32	51.35	3	Vertical	183	1.58	-	34.87	6.60	32.94
RMS	5.9218G	49.91	68.20	-18.29	41.26	3	Vertical	183	1.58	-	34.99	6.60	32.94
PK	6.5434G	102.66	Inf	-Inf	92.86	3	Vertical	183	1.58	-	35.77	7.00	32.97
RMS	6.5434G	94.08	Inf	-Inf	84.28	3	Vertical	183	1.58	-	35.77	7.00	32.97
PK	7.1706G	62.80	88.20	-25.40	51.74	3	Vertical	183	1.58	-	36.98	7.21	33.13
RMS	7.2238G	52.76	68.20	-15.44	41.55	3	Vertical	183	1.58	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8462G	60.15	88.20	-28.05	51.71	3	Horizontal	235	3.00	-	34.77	6.60	32.93
RMS	5.9218G	49.98	68.20	-18.22	41.33	3	Horizontal	235	3.00	-	34.99	6.60	32.94
PK	6.5434G	105.87	Inf	-Inf	96.07	3	Horizontal	235	3.00	-	35.77	7.00	32.97
RMS	6.5434G	96.75	Inf	-Inf	86.95	3	Horizontal	235	3.00	-	35.77	7.00	32.97
PK	7.1566G	62.56	88.20	-25.64	51.54	3	Horizontal	235	3.00	-	36.93	7.22	33.13
RMS	7.2238G	52.72	68.20	-15.48	41.51	3	Horizontal	235	3.00	-	37.10	7.22	33.11

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.06758G	59.21	88.20	-28.99	41.59	3	Vertical	210	2.48	-	39.67	9.48	31.53	
RMS	13.07266G	45.57	68.20	-22.63	27.95	3	Vertical	210	2.48	-	39.67	9.48	31.53	

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06908G	59.32	88.20	-28.88	41.70	3	Horizontal	128	2.53	-	39.67	9.48	31.53
RMS	13.07298G	45.49	68.20	-22.71	27.87	3	Horizontal	128	2.53	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.60436G	47.27	83.54	-36.27	43.77	1	Vertical	284	1.53	-	37.86	15.34	49.70
AV	19.601G	33.49	63.54	-30.05	29.99	1	Vertical	284	1.53	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60226G	46.60	83.54	-36.94	43.10	1	Horizontal	209	1.51	-	37.86	15.34	49.70
AV	19.60676G	33.70	63.54	-29.84	30.20	1	Horizontal	209	1.51	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	104.01	Inf	-Inf	94.14	3	Vertical	185	2.60	-	35.92	7.00	33.05	
RMS	6.7038G	94.31	Inf	-Inf	84.44	3	Vertical	185	2.60	-	35.92	7.00	33.05	
PK	7.2142G	62.57	88.20	-25.63	51.37	3	Vertical	185	2.60	-	37.10	7.21	33.11	
RMS	7.245G	52.86	68.20	-15.34	41.61	3	Vertical	185	2.60	-	37.10	7.25	33.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7038G	106.37	Inf	-Inf	96.50	3	Horizontal	227	1.00	-	35.92	7.00	33.05	
RMS	6.7038G	96.50	Inf	-Inf	86.63	3	Horizontal	227	1.00	-	35.92	7.00	33.05	
PK	7.168G	62.39	88.20	-25.81	51.33	3	Horizontal	227	1.00	-	36.97	7.22	33.13	
RMS	7.245G	52.87	68.20	-15.33	41.62	3	Horizontal	227	1.00	-	37.10	7.25	33.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.38518G	59.89	74.00	-14.11	41.23	3	Vertical	108	2.54	-	40.17	9.62	31.13	
AV	13.38576G	46.39	54.00	-7.61	27.73	3	Vertical	108	2.54	-	40.17	9.62	31.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.39064G	59.67	74.00	-14.33	40.99	3	Horizontal	309	1.32	-	40.18	9.63	31.13	
AV	13.38536G	46.44	54.00	-7.56	27.78	3	Horizontal	309	1.32	-	40.17	9.62	31.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0843G	47.06	83.54	-36.48	43.78	1	Vertical	315	1.54	-	37.47	15.54	49.73
AV	20.08082G	33.54	63.54	-30.00	30.27	1	Vertical	315	1.54	-	37.46	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.0854G	46.69	83.54	-36.85	43.41	1	Horizontal	189	1.57	-	37.47	15.54	49.73
AV	20.08624G	33.45	63.54	-30.09	30.17	1	Horizontal	189	1.57	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8494G	106.46	Inf	-Inf	95.91	3	Vertical	171	1.00	-	36.60	7.07	33.12	
RMS	6.8508G	95.49	Inf	-Inf	84.94	3	Vertical	171	1.00	-	36.59	7.08	33.12	
PK	7.2008G	62.91	88.20	-25.29	51.73	3	Vertical	171	1.00	-	37.10	7.20	33.12	
RMS	7.205G	52.43	68.20	-15.77	41.24	3	Vertical	171	1.00	-	37.10	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8466G	102.78	Inf	-Inf	92.26	3	Horizontal	143	3.00	-	36.57	7.07	33.12	
RMS	6.8634G	94.11	Inf	-Inf	83.64	3	Horizontal	143	3.00	-	36.49	7.10	33.12	
PK	7.1588G	62.09	88.20	-26.11	51.06	3	Horizontal	143	3.00	-	36.94	7.22	33.13	
RMS	7.2008G	52.46	68.20	-15.74	41.28	3	Horizontal	143	3.00	-	37.10	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.71006G	62.65	88.20	-25.55	43.48	3	Vertical	97	1.82	-	40.53	9.77	31.13	
RMS	13.71338G	49.34	68.20	-18.86	30.17	3	Vertical	97	1.82	-	40.54	9.77	31.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7079G	62.91	88.20	-25.29	43.75	3	Horizontal	37	2.04	-	40.52	9.77	31.13	
RMS	13.7135G	49.26	68.20	-18.94	30.09	3	Horizontal	37	2.04	-	40.54	9.77	31.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.56384G	48.40	74.00	-25.60	44.74	1	Vertical	189	2.79	-	37.78	15.75	49.87
AV	20.56472G	35.27	54.00	-18.73	31.61	1	Vertical	189	2.79	-	37.78	15.75	49.87

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.5643G	48.41	83.54	-35.13	44.75	1	Horizontal	354	1.50	-	37.78	15.75	49.87	
AV	20.56622G	35.06	63.54	-28.48	31.40	1	Horizontal	354	1.50	-	37.78	15.75	49.87	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8834G	102.36	Inf	-Inf	92.03	3	Vertical	186	2.48	-	36.33	7.13	33.13	
RMS	6.8834G	94.11	Inf	-Inf	83.78	3	Vertical	186	2.48	-	36.33	7.13	33.13	
PK	7.2208G	63.28	88.20	-24.92	52.07	3	Vertical	186	2.48	-	37.10	7.22	33.11	
RMS	7.2124G	52.56	68.20	-15.64	41.36	3	Vertical	186	2.48	-	37.10	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8666G	102.85	Inf	-Inf	92.41	3	Horizontal	144	3.00	-	36.47	7.10	33.13	
RMS	6.8666G	93.15	Inf	-Inf	82.71	3	Horizontal	144	3.00	-	36.47	7.10	33.13	
PK	7.1956G	62.71	88.20	-25.49	51.55	3	Horizontal	144	3.00	-	37.08	7.20	33.12	
RMS	7.2096G	52.56	68.20	-15.64	41.36	3	Horizontal	144	3.00	-	37.10	7.21	33.11	

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75138G	62.90	88.20	-25.30	43.62	3	Vertical	48	1.46	-	40.65	9.79	31.16
RMS	13.74764G	49.92	68.20	-18.28	30.65	3	Vertical	48	1.46	-	40.64	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75474G	63.47	88.20	-24.73	44.18	3	Horizontal	111	1.54	-	40.66	9.79	31.16
RMS	13.75208G	49.80	68.20	-18.40	30.51	3	Horizontal	111	1.54	-	40.66	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62454G	48.28	74.00	-25.72	44.50	1	Vertical	103	2.60	-	37.85	15.78	49.85
AV	20.62304G	35.15	54.00	-18.85	31.37	1	Vertical	103	2.60	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62348G	48.76	83.54	-34.78	44.98	1	Horizontal	133	1.57	-	37.85	15.78	49.85
AV	20.62524G	35.20	63.54	-28.34	31.42	1	Horizontal	133	1.57	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	104.36	Inf	-Inf	94.12	3	Vertical	188	3.00	-	36.22	7.16	33.14	
RMS	6.9034G	93.29	Inf	-Inf	83.05	3	Vertical	188	3.00	-	36.22	7.16	33.14	
PK	7.2352G	63.31	88.20	-24.89	52.08	3	Vertical	188	3.00	-	37.10	7.24	33.11	
RMS	7.2408G	52.70	68.20	-15.50	41.46	3	Vertical	188	3.00	-	37.10	7.24	33.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.9034G	103.31	Inf	-Inf	93.07	3	Horizontal	144	2.97	-	36.22	7.16	33.14	
RMS	6.9034G	94.03	Inf	-Inf	83.79	3	Horizontal	144	2.97	-	36.22	7.16	33.14	
PK	7.1918G	62.87	88.20	-25.33	51.72	3	Horizontal	144	2.97	-	37.07	7.20	33.12	
RMS	7.245G	52.69	68.20	-15.51	41.44	3	Horizontal	144	2.97	-	37.10	7.25	33.10	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78964G	63.61	88.20	-24.59	44.22	3	Vertical	268	2.58	-	40.77	9.81	31.19	
RMS	13.785G	50.37	68.20	-17.83	31.00	3	Vertical	268	2.58	-	40.75	9.80	31.18	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.78796G	63.87	88.20	-24.33	44.50	3	Horizontal	146	1.81	-	40.76	9.80	31.19	
RMS	13.79438G	50.39	68.20	-17.81	30.99	3	Horizontal	146	1.81	-	40.78	9.81	31.19	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.6857G	47.33	83.54	-36.21	43.43	1	Vertical	76	1.52	-	37.92	15.81	49.83	
AV	20.6868G	34.40	63.54	-29.14	30.50	1	Vertical	76	1.52	-	37.92	15.81	49.83	

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68698G	47.50	83.54	-36.04	43.60	1	Horizontal	209	1.51	-	37.92	15.81	49.83
AV	20.68938G	34.38	63.54	-29.16	30.46	1	Horizontal	209	1.51	-	37.93	15.81	49.82

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.987G	103.03	Inf	-Inf	92.58	3	Vertical	198	1.61	-	36.35	7.28	33.18	
RMS	6.987G	93.02	Inf	-Inf	82.57	3	Vertical	198	1.61	-	36.35	7.28	33.18	
PK	7.1934G	62.84	88.20	-25.36	51.69	3	Vertical	198	1.61	-	37.07	7.20	33.12	
RMS	7.1942G	52.18	68.20	-16.02	41.02	3	Vertical	198	1.61	-	37.08	7.20	33.12	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0038G	103.10	Inf	-Inf	92.67	3	Horizontal	148	2.97	-	36.32	7.30	33.19	
RMS	7.0038G	94.48	Inf	-Inf	84.05	3	Horizontal	148	2.97	-	36.32	7.30	33.19	
PK	7.1382G	62.88	88.20	-25.32	51.98	3	Horizontal	148	2.97	-	36.81	7.23	33.14	
RMS	7.1886G	52.18	68.20	-16.02	41.04	3	Horizontal	148	2.97	-	37.05	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.99334G	63.44	88.20	-24.76	43.97	3	Vertical	297	1.63	-	40.90	9.90	31.33	
RMS	13.9864G	50.15	68.20	-18.05	30.68	3	Vertical	297	1.63	-	40.90	9.89	31.32	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.98864G	63.46	88.20	-24.74	43.99	3	Horizontal	17	1.12	-	40.90	9.89	31.32	
RMS	13.9919G	49.94	68.20	-18.26	30.46	3	Horizontal	17	1.12	-	40.90	9.90	31.32	

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.98876G	47.32	83.54	-36.22	43.46	1	Vertical	77	1.58	-	37.62	15.94	49.70
AV	20.9885G	33.44	63.54	-30.10	29.58	1	Vertical	77	1.58	-	37.62	15.94	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98108G	46.86	83.54	-36.68	43.00	1	Horizontal	167	1.57	-	37.63	15.94	49.71
AV	20.98892G	33.45	63.54	-30.09	29.58	1	Horizontal	167	1.57	-	37.62	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0938G	106.76	Inf	-Inf	96.16	3	Vertical	184	1.10	-	36.51	7.25	33.16	
RMS	7.0938G	96.20	Inf	-Inf	85.60	3	Vertical	184	1.10	-	36.51	7.25	33.16	
PK	7.1542G	63.13	88.20	-25.07	52.12	3	Vertical	184	1.10	-	36.92	7.22	33.13	
RMS	7.1894G	52.15	68.20	-16.05	41.00	3	Vertical	184	1.10	-	37.06	7.21	33.12	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1018G	105.46	Inf	-Inf	94.85	3	Horizontal	148	2.34	-	36.51	7.25	33.15
RMS	7.1026G	96.12	Inf	-Inf	85.50	3	Horizontal	148	2.34	-	36.52	7.25	33.15
PK	7.1858G	62.68	88.20	-25.52	51.55	3	Horizontal	148	2.34	-	37.04	7.21	33.12
RMS	7.189G	52.17	68.20	-16.03	41.02	3	Horizontal	148	2.34	-	37.06	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.19398G	62.62	88.20	-25.58	43.37	3	Vertical	141	1.51	-	40.81	9.96	31.52	
RMS	14.18604G	48.56	68.20	-19.64	29.30	3	Vertical	141	1.51	-	40.81	9.96	31.51	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.18702G	62.93	88.20	-25.27	43.67	3	Horizontal	102	2.36	-	40.81	9.96	31.51	
RMS	14.18708G	48.56	68.20	-19.64	29.30	3	Horizontal	102	2.36	-	40.81	9.96	31.51	

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.28444G	47.60	83.54	-35.94	43.52	1	Vertical	12	1.56	-	37.64	16.08	49.64
AV	21.2835G	34.42	63.54	-29.12	30.34	1	Vertical	12	1.56	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.2881G	47.79	83.54	-35.75	43.70	1	Horizontal	11	1.50	-	37.65	16.08	49.64
AV	21.28G	34.36	63.54	-29.18	30.28	1	Horizontal	11	1.50	-	37.64	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1255G	75.53	88.20	-12.67	64.73	3	Vertical	185	1.06	-	36.70	7.24	33.14	
PK	7.11243G	97.03	Inf	-Inf	86.34	3	Vertical	185	1.06	-	36.60	7.24	33.15	
RMS	7.1255G	63.50	68.20	-4.70	52.70	3	Vertical	185	1.06	-	36.70	7.24	33.14	
RMS	7.1134G	87.72	Inf	-Inf	77.02	3	Vertical	185	1.06	-	36.61	7.24	33.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.1255G	72.47	88.20	-15.73	61.67	3	Horizontal	137	2.34	-	36.70	7.24	33.14	
PK	7.10998G	96.17	Inf	-Inf	85.49	3	Horizontal	137	2.34	-	36.58	7.25	33.15	
RMS	7.1255G	61.60	68.20	-6.60	50.80	3	Horizontal	137	2.34	-	36.70	7.24	33.14	
RMS	7.1079G	86.41	Inf	-Inf	75.75	3	Horizontal	137	2.34	-	36.56	7.25	33.15	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.2349G	62.85	88.20	-25.35	43.71	3	Vertical	286	1.79	-	40.73	9.97	31.56	
RMS	14.23382G	48.54	68.20	-19.66	29.40	3	Vertical	286	1.79	-	40.73	9.97	31.56	

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22584G	62.42	88.20	-25.78	43.25	3	Horizontal	176	1.79	-	40.75	9.97	31.55
RMS	14.22922G	48.60	68.20	-19.60	29.44	3	Horizontal	176	1.79	-	40.74	9.97	31.55

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT_X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34386G	47.89	83.54	-35.65	43.71	1	Vertical	54	1.51	-	37.71	16.10	49.63
AV	21.3458G	34.39	63.54	-29.15	30.20	1	Vertical	54	1.51	-	37.71	16.11	49.63

802.11ax HEW20_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT X_4TX
Setting 7
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.34802G	47.97	83.54	-35.57	43.77	1	Horizontal	232	1.58	-	37.72	16.11	49.63
AV	21.3404G	34.23	63.54	-29.31	30.05	1	Horizontal	232	1.58	-	37.71	16.10	49.63

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8822G	61.03	88.20	-27.17	52.51	3	Vertical	329	1.37	-	34.86	6.60	32.94	
RMS	5.9164G	50.52	68.20	-17.68	41.89	3	Vertical	329	1.37	-	34.97	6.60	32.94	
PK	5.9758G	107.88	Inf	-Inf	99.03	3	Vertical	329	1.37	-	35.20	6.60	32.95	
RMS	5.9752G	98.28	Inf	-Inf	89.43	3	Vertical	329	1.37	-	35.20	6.60	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	61.22	88.20	-26.98	52.58	3	Horizontal	302	1.49	-	34.98	6.60	32.94
RMS	5.9248G	51.12	68.20	-17.08	42.46	3	Horizontal	302	1.49	-	35.00	6.60	32.94
PK	5.9656G	110.40	Inf	-Inf	101.59	3	Horizontal	302	1.49	-	35.16	6.60	32.95
RMS	5.9662G	99.98	Inf	-Inf	91.17	3	Horizontal	302	1.49	-	35.16	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.9329G	56.11	74.00	-17.89	41.50	3	Vertical	270	2.95	-	38.50	8.98	32.87	
AV	11.93288G	42.14	54.00	-11.86	27.53	3	Vertical	270	2.95	-	38.50	8.98	32.87	
PK	17.89436G	65.44	74.00	-8.56	43.28	3	Vertical	107	2.92	-	42.78	11.07	31.69	
AV	17.89444G	52.03	54.00	-1.97	29.87	3	Vertical	107	2.92	-	42.78	11.07	31.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92764G	55.93	74.00	-18.07	41.32	3	Horizontal	302	2.89	-	38.50	8.98	32.87
AV	11.92776G	42.11	54.00	-11.89	27.50	3	Horizontal	302	2.89	-	38.50	8.98	32.87
PK	17.89436G	65.74	74.00	-8.26	43.58	3	Horizontal	274	2.11	-	42.78	11.07	31.69
AV	17.89288G	52.03	54.00	-1.97	29.88	3	Horizontal	274	2.11	-	42.77	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.92G	60.43	88.20	-27.77	51.79	3	Vertical	326	2.16	-	34.98	6.60	32.94
RMS	5.8752G	50.46	68.20	-17.74	41.95	3	Vertical	326	2.16	-	34.85	6.60	32.94
PK	6.1552G	108.89	Inf	-Inf	99.69	3	Vertical	326	2.16	-	35.32	6.83	32.95
RMS	6.1762G	99.10	Inf	-Inf	89.79	3	Vertical	326	2.16	-	35.40	6.86	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9228G	61.57	88.20	-26.63	52.92	3	Horizontal	328	1.80	-	34.99	6.60	32.94	
RMS	5.8556G	50.46	68.20	-17.74	41.99	3	Horizontal	328	1.80	-	34.81	6.60	32.94	
PK	6.1636G	109.03	Inf	-Inf	99.78	3	Horizontal	328	1.80	-	35.35	6.85	32.95	
RMS	6.1636G	99.11	Inf	-Inf	89.86	3	Horizontal	328	1.80	-	35.35	6.85	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.32816G	56.21	74.00	-17.79	40.97	3	Vertical	296	2.73	-	38.56	9.15	32.47	
AV	12.32788G	42.63	54.00	-11.37	27.39	3	Vertical	296	2.73	-	38.56	9.15	32.47	

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.331G	56.33	74.00	-17.67	41.09	3	Horizontal	323	2.43	-	38.56	9.15	32.47
AV	12.32774G	42.56	54.00	-11.44	27.32	3	Horizontal	323	2.43	-	38.56	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 4
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.49042G	46.80	83.54	-36.74	44.21	1	Vertical	284	1.51	-	37.79	14.90	50.10
AV	18.49748G	33.62	63.54	-29.92	31.02	1	Vertical	284	1.51	-	37.80	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_X_4TX
Setting 4
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49742G	47.31	83.54	-36.23	44.71	1	Horizontal	209	1.57	-	37.80	14.90	50.10
AV	18.49078G	33.72	63.54	-29.82	31.13	1	Horizontal	209	1.57	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8242G	59.91	88.20	-28.29	51.65	3	Vertical	26	1.12	-	34.59	6.60	32.93	
RMS	5.85G	50.42	68.20	-17.78	41.95	3	Vertical	26	1.12	-	34.80	6.60	32.93	
PK	6.3978G	108.83	Inf	-Inf	99.19	3	Vertical	26	1.12	-	35.59	7.00	32.95	
RMS	6.417G	98.58	Inf	-Inf	89.00	3	Vertical	26	1.12	-	35.53	7.00	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 9
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8386G	60.37	88.20	-27.83	51.99	3	Horizontal	299	1.80	-	34.71	6.60	32.93	
RMS	5.8626G	50.43	68.20	-17.77	41.94	3	Horizontal	299	1.80	-	34.83	6.60	32.94	
PK	6.405G	108.74	Inf	-Inf	99.11	3	Horizontal	299	1.80	-	35.58	7.00	32.95	
RMS	6.4074G	99.12	Inf	-Inf	89.50	3	Horizontal	299	1.80	-	35.57	7.00	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80702G	57.86	88.20	-30.34	41.16	3	Vertical	280	2.59	-	39.21	9.36	31.87
RMS	12.81434G	43.50	68.20	-24.70	26.78	3	Vertical	280	2.59	-	39.21	9.37	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81316G	57.53	88.20	-30.67	40.81	3	Horizontal	16	1.28	-	39.21	9.37	31.86
RMS	12.80592G	43.47	68.20	-24.73	26.77	3	Horizontal	16	1.28	-	39.21	9.36	31.87

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.21464G	46.89	83.54	-36.65	43.60	1	Vertical	245	1.54	-	37.74	15.19	49.64	
AV	19.21008G	33.38	63.54	-30.16	30.09	1	Vertical	245	1.54	-	37.75	15.18	49.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.21306G	47.31	83.54	-36.23	44.02	1	Horizontal	236	1.51	-	37.74	15.19	49.64	
AV	19.21672G	33.44	63.54	-30.10	30.15	1	Horizontal	236	1.51	-	37.74	15.19	49.64	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8834G	60.68	88.20	-27.52	52.15	3	Vertical	27	1.00	-	34.87	6.60	32.94	
RMS	5.86G	50.42	68.20	-17.78	41.94	3	Vertical	27	1.00	-	34.82	6.60	32.94	
PK	6.4346G	107.52	Inf	-Inf	98.01	3	Vertical	27	1.00	-	35.46	7.00	32.95	
RMS	6.4372G	97.15	Inf	-Inf	87.65	3	Vertical	27	1.00	-	35.45	7.00	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8834G	60.30	88.20	-27.90	51.77	3	Horizontal	318	1.80	-	34.87	6.60	32.94	
RMS	5.873G	50.51	68.20	-17.69	42.00	3	Horizontal	318	1.80	-	34.85	6.60	32.94	
PK	6.4502G	107.76	Inf	-Inf	98.31	3	Horizontal	318	1.80	-	35.40	7.00	32.95	
RMS	6.4476G	98.70	Inf	-Inf	89.24	3	Horizontal	318	1.80	-	35.41	7.00	32.95	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 9
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8884G	57.81	88.20	-30.39	40.88	3	Vertical	0	1.95	-	39.29	9.40	31.76
RMS	12.89196G	43.75	68.20	-24.45	26.82	3	Vertical	0	1.95	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 9
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89118G	57.23	88.20	-30.97	40.30	3	Horizontal	104	1.37	-	39.29	9.40	31.76
RMS	12.8889G	43.82	68.20	-24.38	26.89	3	Horizontal	104	1.37	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33686G	47.15	83.54	-36.39	43.82	1	Vertical	181	1.52	-	37.77	15.23	49.67	
AV	19.3367G	33.41	63.54	-30.13	30.08	1	Vertical	181	1.52	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.33792G	46.88	83.54	-36.66	43.54	1	Horizontal	320	1.52	-	37.77	15.24	49.67	
AV	19.33254G	33.39	63.54	-30.15	30.06	1	Horizontal	320	1.52	-	37.77	15.23	49.67	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 8.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.738G	60.30	88.20	-27.90	52.32	3	Vertical	25	1.00	-	34.30	6.60	32.92
RMS	5.897G	50.39	68.20	-17.81	41.84	3	Vertical	25	1.00	-	34.89	6.60	32.94
PK	6.476G	105.10	Inf	-Inf	95.55	3	Vertical	25	1.00	-	35.50	7.00	32.95
RMS	6.497G	96.52	Inf	-Inf	86.88	3	Vertical	25	1.00	-	35.59	7.00	32.95
PK	7.166G	63.45	88.20	-24.75	52.40	3	Vertical	25	1.00	-	36.96	7.22	33.13
RMS	7.217G	53.57	68.20	-14.63	42.36	3	Vertical	25	1.00	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 8.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.759G	60.73	88.20	-27.47	52.66	3	Horizontal	332	1.80	-	34.40	6.60	32.93	
RMS	5.858G	50.41	68.20	-17.79	41.93	3	Horizontal	332	1.80	-	34.82	6.60	32.94	
PK	6.482G	107.93	Inf	-Inf	98.35	3	Horizontal	332	1.80	-	35.53	7.00	32.95	
RMS	6.482G	98.98	Inf	-Inf	89.40	3	Horizontal	332	1.80	-	35.53	7.00	32.95	
PK	7.175G	64.02	88.20	-24.18	52.94	3	Horizontal	332	1.80	-	37.00	7.21	33.13	
RMS	7.235G	53.59	68.20	-14.61	42.37	3	Horizontal	332	1.80	-	37.10	7.23	33.11	

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 8.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97G	58.03	88.20	-30.17	40.74	3	Vertical	266	2.41	-	39.51	9.44	31.66
RMS	12.97258G	44.47	68.20	-23.73	27.17	3	Vertical	266	2.41	-	39.52	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT X_4TX
Setting 8.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96984G	58.25	88.20	-29.95	40.96	3	Horizontal	109	1.35	-	39.51	9.44	31.66
RMS	12.97466G	44.48	68.20	-23.72	27.17	3	Horizontal	109	1.35	-	39.52	9.44	31.65

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.45488G	46.66	83.54	-36.88	43.21	1	Vertical	295	1.54	-	37.86	15.28	49.69
AV	19.45016G	33.43	63.54	-30.11	29.98	1	Vertical	295	1.54	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_X_4TX
Setting 9
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.45364G	48.10	83.54	-35.44	44.65	1	Horizontal	188	1.58	-	37.86	15.28	49.69	
AV	19.4537G	33.34	63.54	-30.20	29.89	1	Horizontal	188	1.58	-	37.86	15.28	49.69	

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8726G	59.34	88.20	-28.86	50.83	3	Vertical	184	1.70	-	34.85	6.60	32.94
RMS	5.9062G	49.93	68.20	-18.27	41.35	3	Vertical	184	1.70	-	34.92	6.60	32.94
PK	6.5334G	101.58	Inf	-Inf	91.82	3	Vertical	184	1.70	-	35.73	7.00	32.97
RMS	6.5334G	94.04	Inf	-Inf	84.28	3	Vertical	184	1.70	-	35.73	7.00	32.97
PK	7.1914G	62.43	88.20	-25.77	51.28	3	Vertical	184	1.70	-	37.07	7.20	33.12
RMS	7.211G	53.01	68.20	-15.19	41.81	3	Vertical	184	1.70	-	37.10	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	59.79	88.20	-28.41	51.14	3	Horizontal	233	1.00	-	34.99	6.60	32.94
RMS	5.9034G	49.90	68.20	-18.30	41.33	3	Horizontal	233	1.00	-	34.91	6.60	32.94
PK	6.5334G	106.19	Inf	-Inf	96.43	3	Horizontal	233	1.00	-	35.73	7.00	32.97
RMS	6.5306G	96.55	Inf	-Inf	86.79	3	Horizontal	233	1.00	-	35.72	7.00	32.96
PK	7.141G	62.64	88.20	-25.56	51.72	3	Horizontal	233	1.00	-	36.83	7.23	33.14
RMS	7.2166G	53.04	68.20	-15.16	41.83	3	Horizontal	233	1.00	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0473G	58.34	88.20	-29.86	40.78	3	Vertical	124	1.96	-	39.65	9.47	31.56
RMS	13.05G	45.92	68.20	-22.28	28.36	3	Vertical	124	1.96	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04988G	58.46	88.20	-29.74	40.90	3	Horizontal	63	2.91	-	39.65	9.47	31.56
RMS	13.04994G	46.16	68.20	-22.04	28.60	3	Horizontal	63	2.91	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57524G	46.94	83.54	-36.60	43.44	1	Vertical	118	1.54	-	37.87	15.33	49.70
AV	19.57182G	33.25	63.54	-30.29	29.75	1	Vertical	118	1.54	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57708G	46.48	83.54	-37.06	42.98	1	Horizontal	348	1.55	-	37.87	15.33	49.70
AV	19.57152G	33.16	63.54	-30.38	29.66	1	Horizontal	348	1.55	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	104.72	Inf	-Inf	94.89	3	Vertical	360	3.00	-	35.81	7.00	32.98
RMS	6.5554G	96.30	Inf	-Inf	86.47	3	Vertical	360	3.00	-	35.81	7.00	32.98
PK	7.1554G	62.93	88.20	-25.27	51.92	3	Vertical	360	3.00	-	36.92	7.22	33.13
RMS	7.1386G	53.35	68.20	-14.85	42.45	3	Vertical	360	3.00	-	36.81	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5746G	107.92	Inf	-Inf	98.06	3	Horizontal	51	1.01	-	35.85	7.00	32.99
RMS	6.5722G	99.51	Inf	-Inf	89.65	3	Horizontal	51	1.01	-	35.84	7.00	32.98
PK	7.1482G	63.23	88.20	-24.97	52.25	3	Horizontal	51	1.01	-	36.89	7.23	33.14
RMS	7.1386G	53.39	68.20	-14.81	42.49	3	Horizontal	51	1.01	-	36.81	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1304G	58.48	88.20	-29.72	40.67	3	Vertical	46	1.42	-	39.76	9.51	31.46
RMS	13.13254G	44.88	68.20	-23.32	27.05	3	Vertical	46	1.42	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13398G	58.40	88.20	-29.80	40.57	3	Horizontal	225	1.36	-	39.77	9.51	31.45
RMS	13.1325G	44.89	68.20	-23.31	27.06	3	Horizontal	225	1.36	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.69758G	46.92	83.54	-36.62	43.42	1	Vertical	313	1.54	-	37.82	15.38	49.70
AV	19.69388G	32.82	63.54	-30.72	29.32	1	Vertical	313	1.54	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.691G	46.16	83.54	-37.38	42.66	1	Horizontal	117	1.55	-	37.82	15.38	49.70
AV	19.69504G	32.78	63.54	-30.76	29.28	1	Horizontal	117	1.55	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.675G	106.03	Inf	-Inf	96.11	3	Vertical	4	2.26	-	35.95	7.00	33.03	
RMS	6.675G	96.30	Inf	-Inf	86.38	3	Vertical	4	2.26	-	35.95	7.00	33.03	
PK	7.133G	64.19	88.20	-24.01	53.34	3	Vertical	4	2.26	-	36.76	7.23	33.14	
RMS	7.147G	53.36	68.20	-14.84	42.39	3	Vertical	4	2.26	-	36.88	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.691G	106.62	Inf	-Inf	96.74	3	Horizontal	65	2.57	-	35.92	7.00	33.04	
RMS	6.691G	98.15	Inf	-Inf	88.27	3	Horizontal	65	2.57	-	35.92	7.00	33.04	
PK	7.131G	63.35	88.20	-24.85	52.51	3	Horizontal	65	2.57	-	36.75	7.23	33.14	
RMS	7.133G	53.34	68.20	-14.86	42.49	3	Horizontal	65	2.57	-	36.76	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37366G	59.66	74.00	-14.34	41.04	3	Vertical	8	2.53	-	40.15	9.62	31.15	
AV	13.36706G	45.76	54.00	-8.24	27.17	3	Vertical	8	2.53	-	40.13	9.62	31.16	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.37294G	59.62	74.00	-14.38	41.00	3	Horizontal	241	2.92	-	40.15	9.62	31.15	
AV	13.3731G	45.73	54.00	-8.27	27.11	3	Horizontal	241	2.92	-	40.15	9.62	31.15	

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.05876G	45.31	83.54	-38.23	42.05	1	Vertical	181	1.57	-	37.45	15.53	49.72
AV	20.05432G	32.32	63.54	-31.22	29.08	1	Vertical	181	1.57	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05884G	46.89	83.54	-36.65	43.63	1	Horizontal	351	1.50	-	37.45	15.53	49.72
AV	20.05142G	32.38	63.54	-31.16	29.14	1	Horizontal	351	1.50	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8338G	107.28	Inf	-Inf	96.87	3	Vertical	3	2.67	-	36.47	7.05	33.11	
RMS	6.8354G	96.70	Inf	-Inf	86.28	3	Vertical	3	2.67	-	36.48	7.05	33.11	
PK	7.1346G	63.55	88.20	-24.65	52.68	3	Vertical	3	2.67	-	36.78	7.23	33.14	
RMS	7.1426G	53.35	68.20	-14.85	42.42	3	Vertical	3	2.67	-	36.84	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8482G	105.87	Inf	-Inf	95.33	3	Horizontal	72	2.52	-	36.59	7.07	33.12	
RMS	6.8482G	98.02	Inf	-Inf	87.48	3	Horizontal	72	2.52	-	36.59	7.07	33.12	
PK	7.1458G	63.79	88.20	-24.41	52.83	3	Horizontal	72	2.52	-	36.87	7.23	33.14	
RMS	7.2434G	53.32	68.20	-14.88	42.08	3	Horizontal	72	2.52	-	37.10	7.24	33.10	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.6944G	62.10	88.20	-26.10	42.97	3	Vertical	170	2.12	-	40.49	9.76	31.12	
RMS	13.6932G	48.05	68.20	-20.15	28.92	3	Vertical	170	2.12	-	40.49	9.76	31.12	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.69352G	61.81	88.20	-26.39	42.68	3	Horizontal	352	1.92	-	40.49	9.76	31.12	
RMS	13.695G	48.15	68.20	-20.05	29.02	3	Horizontal	352	1.92	-	40.49	9.76	31.12	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	20.5315G	48.06	83.54	-35.48	44.47	1	Vertical	180	1.55	-	37.74	15.74	49.89	
AV	20.53848G	34.08	63.54	-29.46	30.47	1	Vertical	180	1.55	-	37.75	15.74	49.88	

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53572G	47.42	83.54	-36.12	43.83	1	Horizontal	100	1.50	-	37.74	15.74	49.89
AV	20.53542G	34.04	63.54	-29.50	30.45	1	Horizontal	100	1.50	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8766G	103.34	Inf	-Inf	92.97	3	Vertical	18	1.36	-	36.39	7.11	33.13	
RMS	6.8766G	94.33	Inf	-Inf	83.96	3	Vertical	18	1.36	-	36.39	7.11	33.13	
PK	7.1622G	63.39	88.20	-24.81	52.35	3	Vertical	18	1.36	-	36.95	7.22	33.13	
RMS	7.144G	53.27	68.20	-14.93	42.33	3	Vertical	18	1.36	-	36.85	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8738G	103.68	Inf	-Inf	93.29	3	Horizontal	325	1.22	-	36.41	7.11	33.13	
RMS	6.892G	95.01	Inf	-Inf	84.75	3	Horizontal	325	1.22	-	36.26	7.14	33.14	
PK	7.137G	64.04	88.20	-24.16	53.15	3	Horizontal	325	1.22	-	36.80	7.23	33.14	
RMS	7.1426G	53.26	68.20	-14.94	42.33	3	Horizontal	325	1.22	-	36.84	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76528G	63.19	88.20	-25.01	43.87	3	Vertical	188	1.47	-	40.70	9.79	31.17
RMS	13.7717G	49.52	68.20	-18.68	30.17	3	Vertical	188	1.47	-	40.72	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77058G	62.94	88.20	-25.26	43.60	3	Horizontal	150	2.93	-	40.71	9.80	31.17
RMS	13.77178G	49.48	68.20	-18.72	30.13	3	Horizontal	150	2.93	-	40.72	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6541G	47.35	83.54	-36.19	43.52	1	Vertical	159	1.53	-	37.88	15.79	49.84
AV	20.65078G	33.90	63.54	-29.64	30.07	1	Vertical	159	1.53	-	37.88	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65076G	47.38	83.54	-36.16	43.55	1	Horizontal	79	1.54	-	37.88	15.79	49.84
AV	20.6534G	33.90	63.54	-29.64	30.07	1	Horizontal	79	1.54	-	37.88	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9226G	107.05	Inf	-Inf	96.68	3	Vertical	5	1.03	-	36.34	7.18	33.15
RMS	6.9238G	97.41	Inf	-Inf	87.03	3	Vertical	5	1.03	-	36.34	7.19	33.15
PK	7.1722G	63.64	88.20	-24.56	52.57	3	Vertical	5	1.03	-	36.99	7.21	33.13
RMS	7.1434G	53.52	68.20	-14.68	42.58	3	Vertical	5	1.03	-	36.85	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	108.15	Inf	-Inf	97.72	3	Horizontal	50	2.48	-	36.39	7.20	33.16
RMS	6.9334G	98.85	Inf	-Inf	88.41	3	Horizontal	50	2.48	-	36.40	7.20	33.16
PK	7.1854G	63.34	88.20	-24.86	52.21	3	Horizontal	50	2.48	-	37.04	7.21	33.12
RMS	7.1374G	53.49	68.20	-14.71	42.60	3	Horizontal	50	2.48	-	36.80	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.84898G	63.70	88.20	-24.50	44.25	3	Vertical	154	1.38	-	40.85	9.83	31.23	
RMS	13.84938G	49.87	68.20	-18.33	30.42	3	Vertical	154	1.38	-	40.85	9.83	31.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.85474G	63.73	88.20	-24.47	44.28	3	Horizontal	263	1.04	-	40.85	9.83	31.23	
RMS	13.85018G	49.87	68.20	-18.33	30.42	3	Horizontal	263	1.04	-	40.85	9.83	31.23	

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.7769G	48.04	83.54	-35.50	44.02	1	Vertical	19	1.56	-	37.96	15.85	49.79
AV	20.77696G	33.70	63.54	-29.84	29.68	1	Vertical	19	1.56	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.77134G	47.62	83.54	-35.92	43.59	1	Horizontal	38	1.52	-	37.97	15.85	49.79	
AV	20.77396G	33.73	63.54	-29.81	29.71	1	Horizontal	38	1.52	-	37.96	15.85	49.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0042G	108.62	Inf	-Inf	98.18	3	Vertical	6	1.00	-	36.33	7.30	33.19
RMS	7.0034G	99.56	Inf	-Inf	89.13	3	Vertical	6	1.00	-	36.32	7.30	33.19
PK	7.1834G	63.83	88.20	-24.37	52.71	3	Vertical	6	1.00	-	37.03	7.21	33.12
RMS	7.129G	53.49	68.20	-14.71	42.66	3	Vertical	6	1.00	-	36.73	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0202G	107.15	Inf	-Inf	96.62	3	Horizontal	312	2.15	-	36.42	7.29	33.18	
RMS	6.9986G	96.79	Inf	-Inf	86.37	3	Horizontal	312	2.15	-	36.31	7.30	33.19	
PK	7.1602G	63.65	88.20	-24.55	52.62	3	Horizontal	312	2.15	-	36.94	7.22	33.13	
RMS	7.1282G	53.44	68.20	-14.76	42.61	3	Horizontal	312	2.15	-	36.73	7.24	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.00794G	63.30	88.20	-24.90	43.84	3	Vertical	201	1.60	-	40.90	9.90	31.34	
RMS	14.00742G	49.26	68.20	-18.94	29.80	3	Vertical	201	1.60	-	40.90	9.90	31.34	

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00956G	62.98	88.20	-25.22	43.52	3	Horizontal	83	1.87	-	40.90	9.90	31.34
RMS	14.00596G	49.27	68.20	-18.93	29.81	3	Horizontal	83	1.87	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01152G	46.89	83.54	-36.65	43.03	1	Vertical	98	1.55	-	37.60	15.96	49.70
AV	21.01472G	33.24	63.54	-30.30	29.38	1	Vertical	98	1.55	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0167G	46.95	83.54	-36.59	43.09	1	Horizontal	318	1.51	-	37.60	15.96	49.70
AV	21.01968G	33.29	63.54	-30.25	29.43	1	Horizontal	318	1.51	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0806G	103.67	Inf	-Inf	93.03	3	Vertical	192.8	1.90	-	36.54	7.26	33.16	
RMS	7.0802G	94.29	Inf	-Inf	83.65	3	Vertical	192.8	1.90	-	36.54	7.26	33.16	
PK	7.139G	64.28	88.20	-23.92	53.38	3	Vertical	192.8	1.90	-	36.81	7.23	33.14	
RMS	7.137G	53.55	68.20	-14.65	42.66	3	Vertical	192.8	1.90	-	36.80	7.23	33.14	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0894G	108.50	Inf	-Inf	97.88	3	Horizontal	62	2.46	-	36.52	7.26	33.16
RMS	7.0906G	98.28	Inf	-Inf	87.67	3	Horizontal	62	2.46	-	36.52	7.25	33.16
PK	7.1506G	64.24	88.20	-23.96	53.26	3	Horizontal	62	2.46	-	36.90	7.22	33.14
RMS	7.1314G	53.57	68.20	-14.63	42.73	3	Horizontal	62	2.46	-	36.75	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.168G	62.59	88.20	-25.61	43.30	3	Vertical	346	2.39	-	40.83	9.95	31.49	
RMS	14.16632G	48.48	68.20	-19.72	29.19	3	Vertical	346	2.39	-	40.83	9.95	31.49	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17368G	63.25	88.20	-24.95	43.97	3	Horizontal	77	2.53	-	40.83	9.95	31.50
RMS	14.16644G	48.46	68.20	-19.74	29.17	3	Horizontal	77	2.53	-	40.83	9.95	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	21.25934G	47.60	83.54	-35.94	43.57	1	Vertical	112	1.58	-	37.61	16.07	49.65	
AV	21.25102G	34.19	63.54	-29.35	30.18	1	Vertical	112	1.58	-	37.60	16.06	49.65	

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_X_4TX
Setting 9.5
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.25708G	48.07	83.54	-35.47	44.04	1	Horizontal	264	1.58	-	37.61	16.07	49.65
AV	21.25392G	34.11	63.54	-29.43	30.10	1	Horizontal	264	1.58	-	37.60	16.06	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8634G	61.17	88.20	-27.03	52.68	3	Vertical	326	1.80	-	34.83	6.60	32.94	
RMS	5.9154G	51.19	68.20	-17.01	42.57	3	Vertical	326	1.80	-	34.96	6.60	32.94	
PK	5.9954G	107.52	Inf	-Inf	98.59	3	Vertical	326	1.80	-	35.28	6.60	32.95	
RMS	5.9762G	96.91	Inf	-Inf	88.06	3	Vertical	326	1.80	-	35.20	6.60	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9226G	62.64	88.20	-25.56	53.99	3	Horizontal	306	1.80	-	34.99	6.60	32.94	
RMS	5.9242G	52.40	68.20	-15.80	43.74	3	Horizontal	306	1.80	-	35.00	6.60	32.94	
PK	5.9842G	108.50	Inf	-Inf	99.61	3	Horizontal	306	1.80	-	35.24	6.60	32.95	
RMS	5.9842G	98.65	Inf	-Inf	89.76	3	Horizontal	306	1.80	-	35.24	6.60	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.95764G	57.11	74.00	-16.89	42.49	3	Vertical	0	1.48	-	38.50	8.99	32.87	
AV	11.97006G	43.64	54.00	-10.36	29.03	3	Vertical	0	1.48	-	38.50	8.99	32.88	
PK	17.95362G	66.55	74.00	-7.45	44.27	3	Vertical	1	1.49	-	42.85	11.09	31.66	
AV	17.95122G	52.20	54.00	-1.80	29.92	3	Vertical	1	1.49	-	42.85	11.09	31.66	

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.98164G	57.65	74.00	-16.35	43.03	3	Horizontal	326	1.03	-	38.50	9.00	32.88
AV	11.98218G	44.61	54.00	-9.39	29.99	3	Horizontal	326	1.03	-	38.50	9.00	32.88
PK	17.95068G	66.19	74.00	-7.81	43.91	3	Horizontal	360	1.74	-	42.85	11.09	31.66
AV	17.95458G	52.26	54.00	-1.74	29.98	3	Horizontal	360	1.74	-	42.85	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 12.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8906G	60.52	88.20	-27.68	51.98	3	Vertical	328	2.15	-	34.88	6.60	32.94	
RMS	5.8738G	50.34	68.20	-17.86	41.83	3	Vertical	328	2.15	-	34.85	6.60	32.94	
PK	6.1354G	109.36	Inf	-Inf	100.21	3	Vertical	328	2.15	-	35.30	6.80	32.95	
RMS	6.1366G	99.05	Inf	-Inf	89.90	3	Vertical	328	2.15	-	35.30	6.80	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 12.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.911G	61.53	88.20	-26.67	52.93	3	Horizontal	330	1.80	-	34.94	6.60	32.94	
RMS	5.8714G	50.27	68.20	-17.93	41.77	3	Horizontal	330	1.80	-	34.84	6.60	32.94	
PK	6.1462G	108.96	Inf	-Inf	99.79	3	Horizontal	330	1.80	-	35.30	6.82	32.95	
RMS	6.1438G	99.09	Inf	-Inf	89.92	3	Horizontal	330	1.80	-	35.30	6.82	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 12.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28804G	56.79	74.00	-17.21	41.70	3	Vertical	70	1.33	-	38.48	9.13	32.52
AV	12.29368G	42.45	54.00	-11.55	27.35	3	Vertical	70	1.33	-	38.49	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT X_4TX
Setting 12.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28716G	56.08	74.00	-17.92	41.00	3	Horizontal	305	1.76	-	38.47	9.13	32.52
AV	12.28876G	42.49	54.00	-11.51	27.40	3	Horizontal	305	1.76	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 12.5
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	18.434G	46.95	83.54	-36.59	44.49	1	Vertical	154	1.50	-	37.72	14.87	50.13	
AV	18.43804G	32.87	63.54	-30.67	30.38	1	Vertical	154	1.50	-	37.73	14.88	50.12	

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_X_4TX
Setting 12.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43736G	47.10	83.54	-36.44	44.64	1	Horizontal	335	1.53	-	37.72	14.87	50.13
AV	18.43796G	32.93	63.54	-30.61	30.44	1	Horizontal	335	1.53	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8066G	60.67	88.20	-27.53	52.55	3	Vertical	27	1.06	-	34.45	6.60	32.93	
RMS	5.8474G	50.16	68.20	-18.04	41.71	3	Vertical	27	1.06	-	34.78	6.60	32.93	
PK	6.3754G	107.37	Inf	-Inf	97.88	3	Vertical	27	1.06	-	35.45	6.99	32.95	
RMS	6.397G	97.67	Inf	-Inf	88.04	3	Vertical	27	1.06	-	35.58	7.00	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7922G	60.00	88.20	-28.20	51.93	3	Horizontal	300	1.80	-	34.40	6.60	32.93	
RMS	5.8498G	50.18	68.20	-18.02	41.71	3	Horizontal	300	1.80	-	34.80	6.60	32.93	
PK	6.385G	108.35	Inf	-Inf	98.80	3	Horizontal	300	1.80	-	35.51	6.99	32.95	
RMS	6.3658G	98.79	Inf	-Inf	89.37	3	Horizontal	300	1.80	-	35.39	6.98	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	12.7662G	57.49	88.20	-30.71	40.94	3	Vertical	54	1.90	-	39.13	9.34	31.92	
RMS	12.77254G	43.47	68.20	-24.73	26.88	3	Vertical	54	1.90	-	39.15	9.35	31.91	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 11.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76886G	56.69	88.20	-31.51	40.12	3	Horizontal	310	2.64	-	39.14	9.35	31.92
RMS	12.7703G	43.42	68.20	-24.78	26.84	3	Horizontal	310	2.64	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT X_4TX
Setting 11.5
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.15524G	47.29	83.54	-36.25	43.95	1	Vertical	353	1.51	-	37.81	15.16	49.63	
AV	19.15548G	33.50	63.54	-30.04	30.16	1	Vertical	353	1.51	-	37.81	15.16	49.63	

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_X_4TX
Setting 11.5
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.15602G	47.52	83.54	-36.02	44.18	1	Horizontal	185	1.55	-	37.81	15.16	49.63
AV	19.1583G	33.44	63.54	-30.10	30.10	1	Horizontal	185	1.55	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 12
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9034G	60.40	88.20	-27.80	51.83	3	Vertical	25	1.01	-	34.91	6.60	32.94	
RMS	5.8644G	50.20	68.20	-18.00	41.71	3	Vertical	25	1.01	-	34.83	6.60	32.94	
PK	6.4572G	107.04	Inf	-Inf	97.56	3	Vertical	25	1.01	-	35.43	7.00	32.95	
RMS	6.4572G	97.62	Inf	-Inf	88.14	3	Vertical	25	1.01	-	35.43	7.00	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 12
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8618G	61.09	88.20	-27.11	52.61	3	Horizontal	333	1.80	-	34.82	6.60	32.94	
RMS	5.8696G	50.20	68.20	-18.00	41.70	3	Horizontal	333	1.80	-	34.84	6.60	32.94	
PK	6.4624G	108.58	Inf	-Inf	99.08	3	Horizontal	333	1.80	-	35.45	7.00	32.95	
RMS	6.4806G	98.96	Inf	-Inf	89.39	3	Horizontal	333	1.80	-	35.52	7.00	32.95	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 12
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93408G	57.29	88.20	-30.91	40.17	3	Vertical	259	1.67	-	39.40	9.42	31.70
RMS	12.9334G	43.95	68.20	-24.25	26.84	3	Vertical	259	1.67	-	39.40	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 12
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93016G	58.16	88.20	-30.04	41.06	3	Horizontal	165	2.90	-	39.39	9.42	31.71
RMS	12.93292G	44.08	68.20	-24.12	26.97	3	Horizontal	165	2.90	-	39.40	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_X_4TX
Setting 12
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	19.39494G	47.07	83.54	-36.47	43.67	1	Vertical	139	1.52	-	37.82	15.26	49.68	
AV	19.39604G	33.43	63.54	-30.11	30.03	1	Vertical	139	1.52	-	37.82	15.26	49.68	

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT X_4TX
Setting 12
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39406G	47.46	83.54	-36.08	44.06	1	Horizontal	110	1.57	-	37.82	15.26	49.68
AV	19.39682G	33.43	63.54	-30.11	30.03	1	Horizontal	110	1.57	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9236G	60.52	88.20	-27.68	51.87	3	Vertical	186	2.45	-	34.99	6.60	32.94
RMS	5.9236G	50.54	68.20	-17.66	41.89	3	Vertical	186	2.45	-	34.99	6.60	32.94
PK	6.5424G	105.69	Inf	-Inf	95.89	3	Vertical	186	2.45	-	35.77	7.00	32.97
RMS	6.5632G	96.37	Inf	-Inf	86.52	3	Vertical	186	2.45	-	35.83	7.00	32.98
PK	7.169G	63.66	88.20	-24.54	52.59	3	Vertical	186	2.45	-	36.98	7.22	33.13
RMS	7.1482G	53.08	68.20	-15.12	42.10	3	Vertical	186	2.45	-	36.89	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	59.81	88.20	-28.39	51.17	3	Horizontal	243	3.00	-	34.98	6.60	32.94
RMS	5.9184G	50.56	68.20	-17.64	41.93	3	Horizontal	243	3.00	-	34.97	6.60	32.94
PK	6.5346G	109.31	Inf	-Inf	99.54	3	Horizontal	243	3.00	-	35.74	7.00	32.97
RMS	6.532G	99.62	Inf	-Inf	89.86	3	Horizontal	243	3.00	-	35.73	7.00	32.97
PK	7.1482G	63.77	88.20	-24.43	52.79	3	Horizontal	243	3.00	-	36.89	7.23	33.14
RMS	7.13G	53.14	68.20	-15.06	42.30	3	Horizontal	243	3.00	-	36.74	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08776G	58.46	88.20	-29.74	40.79	3	Vertical	139	2.09	-	39.69	9.49	31.51
RMS	13.0868G	45.25	68.20	-22.95	27.58	3	Vertical	139	2.09	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.08954G	58.74	88.20	-29.46	41.07	3	Horizontal	128	1.27	-	39.69	9.49	31.51	
RMS	13.08728G	45.24	68.20	-22.96	27.57	3	Horizontal	128	1.27	-	39.69	9.49	31.51	

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63894G	46.32	83.54	-37.22	42.82	1	Vertical	10	1.54	-	37.84	15.36	49.70
AV	19.63446G	33.36	63.54	-30.18	29.86	1	Vertical	10	1.54	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6326G	46.91	83.54	-36.63	43.41	1	Horizontal	199	1.51	-	37.85	15.35	49.70
AV	19.63686G	33.34	63.54	-30.20	29.84	1	Horizontal	199	1.51	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6178G	105.78	Inf	-Inf	95.85	3	Vertical	175	2.00	-	35.94	7.00	33.01	
RMS	6.6178G	96.94	Inf	-Inf	87.01	3	Vertical	175	2.00	-	35.94	7.00	33.01	
PK	7.177G	63.06	88.20	-25.14	51.97	3	Vertical	175	2.00	-	37.01	7.21	33.13	
RMS	7.1506G	53.10	68.20	-15.10	42.12	3	Vertical	175	2.00	-	36.90	7.22	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6154G	109.90	Inf	-Inf	99.98	3	Horizontal	234	2.93	-	35.93	7.00	33.01	
RMS	6.6154G	100.43	Inf	-Inf	90.51	3	Horizontal	234	2.93	-	35.93	7.00	33.01	
PK	7.1338G	64.20	88.20	-24.00	53.34	3	Horizontal	234	2.93	-	36.77	7.23	33.14	
RMS	7.1434G	53.12	68.20	-15.08	42.18	3	Horizontal	234	2.93	-	36.85	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.2546G	59.45	74.00	-14.55	41.24	3	Vertical	207	1.68	-	39.95	9.56	31.30	
AV	13.25034G	45.90	54.00	-8.10	27.69	3	Vertical	207	1.68	-	39.95	9.56	31.30	

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25302G	58.80	74.00	-15.20	40.59	3	Horizontal	279	1.47	-	39.95	9.56	31.30
AV	13.25062G	45.89	54.00	-8.11	27.68	3	Horizontal	279	1.47	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.8779G	46.30	83.54	-37.24	42.95	1	Vertical	186	1.56	-	37.60	15.45	49.70
AV	19.87468G	33.01	63.54	-30.53	29.66	1	Vertical	186	1.56	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87986G	46.77	83.54	-36.77	43.43	1	Horizontal	284	1.52	-	37.59	15.45	49.70
AV	19.87976G	32.98	63.54	-30.56	29.64	1	Horizontal	284	1.52	-	37.59	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.715G	106.78	Inf	-Inf	96.84	3	Vertical	185	2.57	-	35.99	7.00	33.05	
RMS	6.715G	97.48	Inf	-Inf	87.54	3	Vertical	185	2.57	-	35.99	7.00	33.05	
PK	7.147G	63.08	88.20	-25.12	52.11	3	Vertical	185	2.57	-	36.88	7.23	33.14	
RMS	7.141G	53.16	68.20	-15.04	42.24	3	Vertical	185	2.57	-	36.83	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.713G	108.70	Inf	-Inf	98.77	3	Horizontal	249	3.00	-	35.98	7.00	33.05	
RMS	6.711G	98.50	Inf	-Inf	88.58	3	Horizontal	249	3.00	-	35.97	7.00	33.05	
PK	7.129G	63.34	88.20	-24.86	52.51	3	Horizontal	249	3.00	-	36.73	7.24	33.14	
RMS	7.141G	53.17	68.20	-15.03	42.25	3	Horizontal	249	3.00	-	36.83	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40736G	59.76	88.20	-28.44	41.04	3	Vertical	18	1.35	-	40.20	9.63	31.11	
RMS	13.41232G	45.66	68.20	-22.54	26.92	3	Vertical	18	1.35	-	40.20	9.64	31.10	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.40628G	59.35	88.20	-28.85	40.63	3	Horizontal	121	1.16	-	40.20	9.63	31.11	
RMS	13.41116G	45.80	68.20	-22.40	27.06	3	Horizontal	121	1.16	-	40.20	9.64	31.10	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.11132G	47.10	83.54	-36.44	43.80	1	Vertical	29	1.55	-	37.49	15.55	49.74	
AV	20.1152G	33.80	63.54	-29.74	30.51	1	Vertical	29	1.55	-	37.49	15.55	49.75	

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.11074G	47.24	83.54	-36.30	43.94	1	Horizontal	244	1.51	-	37.49	15.55	49.74	
AV	20.11164G	33.67	63.54	-29.87	30.37	1	Horizontal	244	1.51	-	37.49	15.55	49.74	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.7546G	105.47	Inf	-Inf	95.34	3	Vertical	147	1.06	-	36.20	7.00	33.07	
RMS	6.7738G	96.56	Inf	-Inf	86.44	3	Vertical	147	1.06	-	36.20	7.00	33.08	
PK	7.1594G	63.61	88.20	-24.59	52.58	3	Vertical	147	1.06	-	36.94	7.22	33.13	
RMS	7.1322G	53.16	68.20	-15.04	42.31	3	Vertical	147	1.06	-	36.76	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.793G	107.88	Inf	-Inf	97.77	3	Horizontal	233	2.03	-	36.20	7.00	33.09	
RMS	6.7914G	97.66	Inf	-Inf	87.55	3	Horizontal	233	2.03	-	36.20	7.00	33.09	
PK	7.137G	63.58	88.20	-24.62	52.69	3	Horizontal	233	2.03	-	36.80	7.23	33.14	
RMS	7.1338G	53.12	68.20	-15.08	42.26	3	Horizontal	233	2.03	-	36.77	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.57348G	59.67	88.20	-28.53	40.73	3	Vertical	159	2.20	-	40.27	9.71	31.04	
RMS	13.5709G	46.12	68.20	-22.08	27.18	3	Vertical	159	2.20	-	40.27	9.71	31.04	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56574G	59.59	88.20	-28.61	40.65	3	Horizontal	180	1.91	-	40.27	9.70	31.03
RMS	13.565G	46.11	68.20	-22.09	27.17	3	Horizontal	180	1.91	-	40.27	9.70	31.03

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	20.35452G	46.73	83.54	-36.81	43.27	1	Vertical	62	1.50	-	37.64	15.66	49.84	
AV	20.35738G	33.49	63.54	-30.05	30.03	1	Vertical	62	1.50	-	37.64	15.66	49.84	

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.35328G	47.39	83.54	-36.15	43.93	1	Horizontal	324	1.58	-	37.64	15.66	49.84
AV	20.3532G	33.52	63.54	-30.02	30.06	1	Horizontal	324	1.58	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8552G	106.74	Inf	-Inf	96.22	3	Vertical	185	2.51	-	36.56	7.08	33.12	
RMS	6.8748G	96.82	Inf	-Inf	86.44	3	Vertical	185	2.51	-	36.40	7.11	33.13	
PK	7.1478G	63.15	88.20	-25.05	52.18	3	Vertical	185	2.51	-	36.88	7.23	33.14	
RMS	7.1492G	53.11	68.20	-15.09	42.13	3	Vertical	185	2.51	-	36.89	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.851G	109.59	Inf	-Inf	99.04	3	Horizontal	252	3.00	-	36.59	7.08	33.12	
RMS	6.8496G	98.25	Inf	-Inf	87.70	3	Horizontal	252	3.00	-	36.60	7.07	33.12	
PK	7.1716G	63.15	88.20	-25.05	52.08	3	Horizontal	252	3.00	-	36.99	7.21	33.13	
RMS	7.1296G	53.18	68.20	-15.02	42.34	3	Horizontal	252	3.00	-	36.74	7.24	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.7266G	62.38	88.20	-25.82	43.16	3	Vertical	266	1.32	-	40.58	9.78	31.14	
RMS	13.73378G	48.72	68.20	-19.48	29.49	3	Vertical	266	1.32	-	40.60	9.78	31.15	

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73222G	62.69	88.20	-25.51	43.46	3	Horizontal	213	1.61	-	40.60	9.78	31.15
RMS	13.73344G	48.74	68.20	-19.46	29.51	3	Horizontal	213	1.61	-	40.60	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59852G	47.73	83.54	-35.81	44.00	1	Vertical	95	1.56	-	37.82	15.77	49.86
AV	20.59604G	34.20	63.54	-29.34	30.47	1	Vertical	95	1.56	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5908G	47.24	83.54	-36.30	43.52	1	Horizontal	265	1.56	-	37.81	15.77	49.86
AV	20.59304G	34.25	63.54	-29.29	30.53	1	Horizontal	265	1.56	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.942G	108.50	Inf	-Inf	98.00	3	Vertical	187	1.00	-	36.45	7.21	33.16	
RMS	6.943G	99.42	Inf	-Inf	88.91	3	Vertical	187	1.00	-	36.46	7.21	33.16	
PK	7.136G	63.38	88.20	-24.82	52.50	3	Vertical	187	1.00	-	36.79	7.23	33.14	
RMS	7.13G	53.26	68.20	-14.94	42.42	3	Vertical	187	1.00	-	36.74	7.24	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.953G	110.96	Inf	-Inf	100.41	3	Horizontal	230	1.00	-	36.49	7.23	33.17	
RMS	6.933G	100.65	Inf	-Inf	90.21	3	Horizontal	230	1.00	-	36.40	7.20	33.16	
PK	7.14G	64.68	88.20	-23.52	53.77	3	Horizontal	230	1.00	-	36.82	7.23	33.14	
RMS	7.143G	53.32	68.20	-14.88	42.39	3	Horizontal	230	1.00	-	36.84	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88502G	63.95	88.20	-24.25	44.46	3	Vertical	22	2.64	-	40.89	9.85	31.25
RMS	13.88842G	49.71	68.20	-18.49	30.22	3	Vertical	22	2.64	-	40.89	9.85	31.25

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	13.89086G	63.37	88.20	-24.83	43.89	3	Horizontal	331	2.49	-	40.89	9.85	31.26	
RMS	13.89192G	49.74	68.20	-18.46	30.26	3	Horizontal	331	2.49	-	40.89	9.85	31.26	

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.8367G	47.42	83.54	-36.12	43.45	1	Vertical	237	1.55	-	37.86	15.88	49.77
AV	20.83104G	33.51	63.54	-30.03	29.54	1	Vertical	237	1.55	-	37.87	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8372G	47.60	83.54	-35.94	43.63	1	Horizontal	41	1.53	-	37.86	15.88	49.77
AV	20.83934G	33.44	63.54	-30.10	29.46	1	Horizontal	41	1.53	-	37.86	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0186G	105.64	Inf	-Inf	95.12	3	Vertical	196	1.66	-	36.41	7.29	33.18	
RMS	7.0186G	96.30	Inf	-Inf	85.78	3	Vertical	196	1.66	-	36.41	7.29	33.18	
PK	7.2034G	63.98	88.20	-24.22	52.80	3	Vertical	196	1.66	-	37.10	7.20	33.12	
RMS	7.137G	53.30	68.20	-14.90	42.41	3	Vertical	196	1.66	-	36.80	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	7.0194G	107.64	Inf	-Inf	97.11	3	Horizontal	134	2.34	-	36.42	7.29	33.18	
RMS	7.0186G	98.23	Inf	-Inf	87.71	3	Horizontal	134	2.34	-	36.41	7.29	33.18	
PK	7.201G	64.43	88.20	-23.77	53.25	3	Horizontal	134	2.34	-	37.10	7.20	33.12	
RMS	7.1378G	53.31	68.20	-14.89	42.42	3	Horizontal	134	2.34	-	36.80	7.23	33.14	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.0525G	62.71	88.20	-25.49	43.27	3	Vertical	87	1.93	-	40.90	9.92	31.38	
RMS	14.05014G	48.92	68.20	-19.28	29.48	3	Vertical	87	1.93	-	40.90	9.92	31.38	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	14.04934G	62.47	88.20	-25.73	43.04	3	Horizontal	210	1.42	-	40.90	9.91	31.38	
RMS	14.04518G	48.94	68.20	-19.26	29.50	3	Horizontal	210	1.42	-	40.90	9.91	31.37	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	21.07202G	47.18	83.54	-36.36	43.29	1	Vertical	34	1.57	-	37.60	15.98	49.69	
AV	21.0748G	33.40	63.54	-30.14	29.51	1	Vertical	34	1.57	-	37.60	15.98	49.69	

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_X_4TX
Setting 13
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	21.07102G	47.12	83.54	-36.42	43.23	1	Horizontal	34	1.53	-	37.60	15.98	49.69
AV	21.07196G	33.36	63.54	-30.18	29.47	1	Horizontal	34	1.53	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 15.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9162G	62.58	88.20	-25.62	53.96	3	Vertical	329	1.33	-	34.96	6.60	32.94	
RMS	5.9146G	52.31	68.20	-15.89	43.69	3	Vertical	329	1.33	-	34.96	6.60	32.94	
PK	5.9962G	108.22	Inf	-Inf	99.29	3	Vertical	329	1.33	-	35.28	6.60	32.95	
RMS	5.9962G	98.21	Inf	-Inf	89.28	3	Vertical	329	1.33	-	35.28	6.60	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 15.5
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.9146G	63.08	88.20	-25.12	54.46	3	Horizontal	301	1.41	-	34.96	6.60	32.94	
RMS	5.9146G	52.65	68.20	-15.55	44.03	3	Horizontal	301	1.41	-	34.96	6.60	32.94	
PK	6.0266G	110.62	Inf	-Inf	101.68	3	Horizontal	301	1.41	-	35.25	6.64	32.95	
RMS	6.0458G	100.47	Inf	-Inf	91.54	3	Horizontal	301	1.41	-	35.21	6.67	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 15.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06368G	60.79	74.00	-13.21	46.00	3	Vertical	260	2.05	-	38.56	9.03	32.80
AV	12.06416G	47.56	54.00	-6.44	32.77	3	Vertical	260	2.05	-	38.56	9.03	32.80

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT X_4TX
Setting 15.5
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.06404G	60.85	74.00	-13.15	46.06	3	Horizontal	326	1.80	-	38.56	9.03	32.80
AV	12.06386G	47.54	54.00	-6.46	32.75	3	Horizontal	326	1.80	-	38.56	9.03	32.80

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8934G	60.91	88.20	-27.29	52.36	3	Vertical	328	2.09	-	34.89	6.60	32.94	
RMS	5.8592G	50.08	68.20	-18.12	41.60	3	Vertical	328	2.09	-	34.82	6.60	32.94	
PK	6.1958G	108.42	Inf	-Inf	99.00	3	Vertical	328	2.09	-	35.48	6.89	32.95	
RMS	6.1958G	99.26	Inf	-Inf	89.84	3	Vertical	328	2.09	-	35.48	6.89	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8682G	61.17	88.20	-27.03	52.67	3	Horizontal	298	1.80	-	34.84	6.60	32.94	
RMS	5.8772G	50.13	68.20	-18.07	41.62	3	Horizontal	298	1.80	-	34.85	6.60	32.94	
PK	6.2084G	108.92	Inf	-Inf	99.54	3	Horizontal	298	1.80	-	35.43	6.90	32.95	
RMS	6.2282G	98.53	Inf	-Inf	89.30	3	Horizontal	298	1.80	-	35.27	6.91	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37022G	59.58	74.00	-14.42	44.19	3	Vertical	46	1.84	-	38.64	9.17	32.42
AV	12.3695G	44.99	54.00	-9.01	29.60	3	Vertical	46	1.84	-	38.64	9.17	32.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3693G	58.86	74.00	-15.14	43.47	3	Horizontal	100	2.60	-	38.64	9.17	32.42
AV	12.36986G	44.93	54.00	-9.07	29.54	3	Horizontal	100	2.60	-	38.64	9.17	32.42

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55604G	46.55	83.54	-36.99	43.89	1	Vertical	70	1.57	-	37.78	14.92	50.04
AV	18.55026G	33.13	63.54	-30.41	30.48	1	Vertical	70	1.57	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	18.55166G	46.70	83.54	-36.84	44.05	1	Horizontal	12	1.54	-	37.78	14.92	50.05
AV	18.5503G	33.14	63.54	-30.40	30.49	1	Horizontal	12	1.54	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8742G	60.75	88.20	-27.45	52.24	3	Vertical	34	1.10	-	34.85	6.60	32.94	
RMS	5.8698G	49.89	68.20	-18.31	41.39	3	Vertical	34	1.10	-	34.84	6.60	32.94	
PK	6.312G	107.69	Inf	-Inf	98.38	3	Vertical	34	1.10	-	35.30	6.96	32.95	
RMS	6.3318G	97.79	Inf	-Inf	88.47	3	Vertical	34	1.10	-	35.30	6.97	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT X_4TX
Setting 15
01-F-E-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.8742G	61.31	88.20	-26.89	52.80	3	Horizontal	304	1.80	-	34.85	6.60	32.94	
RMS	5.8478G	50.04	68.20	-18.16	41.59	3	Horizontal	304	1.80	-	34.78	6.60	32.93	
PK	6.3252G	109.24	Inf	-Inf	99.93	3	Horizontal	304	1.80	-	35.30	6.96	32.95	
RMS	6.3252G	99.36	Inf	-Inf	90.05	3	Horizontal	304	1.80	-	35.30	6.96	32.95	

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6856G	57.00	74.00	-17.00	40.75	3	Vertical	335	2.71	-	38.96	9.31	32.02
AV	12.69272G	43.23	54.00	-10.77	26.95	3	Vertical	335	2.71	-	38.98	9.31	32.01

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68732G	59.11	74.00	-14.89	42.86	3	Horizontal	304	1.55	-	38.96	9.31	32.02
AV	12.686G	46.30	54.00	-7.70	30.05	3	Horizontal	304	1.55	-	38.96	9.31	32.02

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03406G	47.08	83.54	-36.46	43.62	1	Vertical	48	1.55	-	37.96	15.11	49.61
AV	19.03582G	33.60	63.54	-29.94	30.14	1	Vertical	48	1.55	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_X_4TX
Setting 15
01-F-G-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.03798G	47.15	83.54	-36.39	43.69	1	Horizontal	33	1.50	-	37.95	15.12	49.61
AV	19.03878G	33.62	63.54	-29.92	30.16	1	Horizontal	33	1.50	-	37.95	15.12	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8576G	61.52	88.20	-26.68	53.04	3	Vertical	185	2.32	-	34.82	6.60	32.94
RMS	5.92G	50.22	68.20	-17.98	41.58	3	Vertical	185	2.32	-	34.98	6.60	32.94
PK	6.5336G	106.61	Inf	-Inf	96.85	3	Vertical	185	2.32	-	35.73	7.00	32.97
RMS	6.5336G	95.81	Inf	-Inf	86.05	3	Vertical	185	2.32	-	35.73	7.00	32.97
PK	7.1524G	62.74	88.20	-25.46	51.75	3	Vertical	185	2.32	-	36.91	7.22	33.14
RMS	7.1446G	52.77	68.20	-15.43	41.82	3	Vertical	185	2.32	-	36.86	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8706G	60.52	88.20	-27.68	52.02	3	Horizontal	243	3.00	-	34.84	6.60	32.94
RMS	5.925G	50.23	68.20	-17.97	41.57	3	Horizontal	243	3.00	-	35.00	6.60	32.94
PK	6.5128G	108.84	Inf	-Inf	99.15	3	Horizontal	243	3.00	-	35.65	7.00	32.96
RMS	6.492G	99.56	Inf	-Inf	89.94	3	Horizontal	243	3.00	-	35.57	7.00	32.95
PK	7.142G	63.14	88.20	-25.06	52.21	3	Horizontal	243	3.00	-	36.84	7.23	33.14
RMS	7.1394G	52.78	68.20	-15.42	41.87	3	Horizontal	243	3.00	-	36.82	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01462G	58.17	88.20	-30.03	40.70	3	Vertical	338	1.69	-	39.61	9.46	31.60
RMS	13.01352G	45.02	68.20	-23.18	27.55	3	Vertical	338	1.69	-	39.61	9.46	31.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01028G	58.07	88.20	-30.13	40.62	3	Horizontal	353	1.84	-	39.61	9.45	31.61
RMS	13.01346G	44.86	68.20	-23.34	27.39	3	Horizontal	353	1.84	-	39.61	9.46	31.60

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5131G	46.78	83.54	-36.76	43.28	1	Vertical	152	1.54	-	37.89	15.31	49.70
AV	19.51178G	33.09	63.54	-30.45	29.59	1	Vertical	152	1.54	-	37.90	15.30	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51194G	46.37	83.54	-37.17	42.87	1	Horizontal	214	1.51	-	37.90	15.30	49.70
AV	19.51772G	33.37	63.54	-30.17	29.87	1	Horizontal	214	1.51	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6364G	106.85	Inf	-Inf	96.90	3	Vertical	178	2.07	-	35.97	7.00	33.02	
RMS	6.6166G	96.34	Inf	-Inf	86.42	3	Vertical	178	2.07	-	35.93	7.00	33.01	
PK	7.2062G	62.82	88.20	-25.38	51.63	3	Vertical	178	2.07	-	37.10	7.21	33.12	
RMS	7.127G	52.72	68.20	-15.48	41.90	3	Vertical	178	2.07	-	36.72	7.24	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.6342G	107.95	Inf	-Inf	97.99	3	Horizontal	234	2.91	-	35.97	7.00	33.01	
RMS	6.6342G	99.90	Inf	-Inf	89.94	3	Horizontal	234	2.91	-	35.97	7.00	33.01	
PK	7.1864G	62.69	88.20	-25.51	51.55	3	Horizontal	234	2.91	-	37.05	7.21	33.12	
RMS	7.1446G	52.77	68.20	-15.43	41.82	3	Horizontal	234	2.91	-	36.86	7.23	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33112G	59.55	74.00	-14.45	41.09	3	Vertical	36	2.17	-	40.06	9.60	31.20
AV	13.33006G	46.46	54.00	-7.54	28.00	3	Vertical	36	2.17	-	40.06	9.60	31.20

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32846G	59.74	74.00	-14.26	41.29	3	Horizontal	194	2.76	-	40.06	9.60	31.21
AV	13.3254G	46.29	54.00	-7.71	27.85	3	Horizontal	194	2.76	-	40.05	9.60	31.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.99662G	45.82	83.54	-37.72	42.61	1	Vertical	0	1.57	-	37.41	15.50	49.70
AV	19.99396G	32.57	63.54	-30.97	29.36	1	Vertical	0	1.57	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R--

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	19.9908G	45.79	83.54	-37.75	42.58	1	Horizontal	192	1.54	-	37.41	15.50	49.70
AV	19.99688G	32.74	63.54	-30.80	29.54	1	Horizontal	192	1.54	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8138G	107.41	Inf	-Inf	97.18	3	Vertical	147	1.00	-	36.31	7.02	33.10	
RMS	6.7942G	96.73	Inf	-Inf	86.62	3	Vertical	147	1.00	-	36.20	7.00	33.09	
PK	7.1638G	62.79	88.20	-25.41	51.74	3	Vertical	147	1.00	-	36.96	7.22	33.13	
RMS	7.126G	52.92	68.20	-15.28	42.11	3	Vertical	147	1.00	-	36.71	7.24	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.8124G	107.63	Inf	-Inf	97.41	3	Horizontal	234	2.16	-	36.30	7.02	33.10	
RMS	6.8124G	97.95	Inf	-Inf	87.73	3	Horizontal	234	2.16	-	36.30	7.02	33.10	
PK	7.126G	63.40	88.20	-24.80	52.59	3	Horizontal	234	2.16	-	36.71	7.24	33.14	
RMS	7.1428G	52.84	68.20	-15.36	41.91	3	Horizontal	234	2.16	-	36.84	7.23	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65448G	61.81	88.20	-26.39	42.76	3	Vertical	295	2.55	-	40.41	9.74	31.10
RMS	13.64744G	49.60	68.20	-18.60	30.56	3	Vertical	295	2.55	-	40.39	9.74	31.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6515G	62.00	88.20	-26.20	42.95	3	Horizontal	236	1.82	-	40.40	9.74	31.09
RMS	13.6515G	49.51	68.20	-18.69	30.46	3	Horizontal	236	1.82	-	40.40	9.74	31.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_4TX
Setting 16
01-R--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47584G	46.97	83.54	-36.57	43.46	1	Vertical	150	1.57	-	37.69	15.71	49.89
AV	20.47692G	34.64	63.54	-28.90	31.13	1	Vertical	150	1.57	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_4TX
Setting 16
01-R--

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4727G	48.30	83.54	-35.24	44.79	1	Horizontal	346	1.51	-	37.69	15.71	49.89
AV	20.4798G	34.46	63.54	-29.08	30.94	1	Horizontal	346	1.51	-	37.69	15.72	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.999G	105.52	Inf	-Inf	95.11	3	Vertical	196	1.59	-	36.30	7.30	33.19	
RMS	7.019G	95.60	Inf	-Inf	85.08	3	Vertical	196	1.59	-	36.41	7.29	33.18	
PK	7.138G	63.80	88.20	-24.40	52.91	3	Vertical	196	1.59	-	36.80	7.23	33.14	
RMS	7.14G	53.27	68.20	-14.93	42.36	3	Vertical	196	1.59	-	36.82	7.23	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	6.952G	110.97	Inf	-Inf	100.42	3	Horizontal	228	1.01	-	36.49	7.23	33.17	
RMS	6.953G	100.44	Inf	-Inf	89.89	3	Horizontal	228	1.01	-	36.49	7.23	33.17	
PK	7.129G	64.64	88.20	-23.56	53.81	3	Horizontal	228	1.01	-	36.73	7.24	33.14	
RMS	7.133G	53.73	68.20	-14.47	42.88	3	Horizontal	228	1.01	-	36.76	7.23	33.14	

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97056G	63.39	88.20	-24.81	43.91	3	Vertical	174	1.41	-	40.90	9.89	31.31
RMS	13.9664G	49.56	68.20	-18.64	30.09	3	Vertical	174	1.41	-	40.90	9.88	31.31

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96884G	63.67	88.20	-24.53	44.19	3	Horizontal	64	1.47	-	40.90	9.89	31.31
RMS	13.96736G	49.54	68.20	-18.66	30.06	3	Horizontal	64	1.47	-	40.90	9.89	31.31

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95944G	46.11	83.54	-37.43	42.24	1	Vertical	128	1.55	-	37.66	15.93	49.72
AV	20.95442G	32.80	63.54	-30.74	28.92	1	Vertical	128	1.55	-	37.67	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_X_4TX
Setting 16
01-R-S-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	20.95634G	46.19	83.54	-37.35	42.31	1	Horizontal	186	1.54	-	37.67	15.93	49.72
AV	20.95788G	32.84	63.54	-30.70	28.96	1	Horizontal	186	1.54	-	37.67	15.93	49.72