


802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

08/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz


08/01/2022



802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz


08/01/2022



802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz


08/01/2022



802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz


08/01/2022



802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz

08/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

08/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5690MHz Straddle 5.47-5.725GHz

08/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

08/01/2022



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11ax HEW160_Nss1,(MCS0)_4TX	0.92
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.59
802.11ax HEW20_Nss1,(MCS0)_4TX	9.61
802.11ax HEW40_Nss1,(MCS0)_4TX	7.74
802.11ax HEW80_Nss1,(MCS0)_4TX	2.50
802.11ax HEW160_Nss1,(MCS0)_4TX	0.93
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	10.90
802.11ax HEW20_Nss1,(MCS0)_4TX	10.80
802.11ax HEW40_Nss1,(MCS0)_4TX	8.47
802.11ax HEW80_Nss1,(MCS0)_4TX	5.01
802.11ax HEW160_Nss1,(MCS0)_4TX	2.19
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	9.61
802.11ax HEW20_Nss1,(MCS0)_4TX	9.22
802.11ax HEW40_Nss1,(MCS0)_4TX	5.61
802.11ax HEW80_Nss1,(MCS0)_4TX	1.64

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.38	3.99	2.98	3.61	2.91	9.18	9.62
5300MHz	Pass	7.38	3.84	3.66	4.24	3.47	9.53	9.62
5320MHz	Pass	7.38	4.35	3.53	4.03	3.71	9.59	9.62
5500MHz	Pass	5.12	5.22	4.49	5.20	4.79	10.79	11.00
5580MHz	Pass	5.12	5.19	4.53	5.24	4.93	10.86	11.00
5700MHz	Pass	5.12	5.17	4.55	5.37	4.62	10.90	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	4.58	4.62	4.92	4.51	10.61	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.70	3.78	3.29	4.07	3.47	9.61	30.00
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	7.38	3.93	3.64	3.92	3.81	9.57	9.62
5300MHz	Pass	7.38	3.75	3.71	3.74	3.64	9.53	9.62
5320MHz	Pass	7.38	3.98	4.08	3.66	3.67	9.61	9.62
5500MHz	Pass	5.12	4.89	4.60	4.24	4.15	10.30	11.00
5580MHz	Pass	5.12	4.90	4.43	4.23	4.18	10.38	11.00
5700MHz	Pass	5.12	4.56	4.21	4.34	4.36	10.22	11.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.12	4.90	4.95	4.82	4.89	10.80	11.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.70	2.95	3.33	3.51	3.32	9.22	30.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	7.38	1.79	1.55	2.45	2.42	7.74	9.62
5310MHz	Pass	7.38	1.54	1.28	1.72	1.70	7.24	9.62
5510MHz	Pass	5.12	2.04	1.55	2.38	2.24	7.92	11.00
5550MHz	Pass	5.12	2.04	1.87	2.37	2.20	8.02	11.00
5670MHz	Pass	5.12	2.34	1.81	2.25	2.13	8.03	11.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.12	2.57	2.03	3.05	2.29	8.47	11.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.70	-0.08	-0.84	0.27	-0.74	5.61	30.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	7.38	-3.24	-3.38	-2.72	-3.12	2.50	9.62
5530MHz	Pass	5.12	-1.68	-2.04	-1.43	-1.71	4.20	11.00
5610MHz	Pass	5.12	-1.14	-1.36	-1.09	-1.14	4.77	11.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.12	-0.85	-1.37	-0.67	-0.94	5.01	11.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.70	-4.21	-4.63	-3.81	-4.64	1.64	30.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5250MHz Straddle 5.15-5.25GHz	Pass	6.84	-5.02	-5.27	-4.61	-4.46	0.92	16.16
5250MHz Straddle 5.25-5.35GHz	Pass	7.38	-4.89	-5.16	-4.42	-4.54	0.93	9.62
5570MHz	Pass	5.12	-3.66	-3.93	-3.45	-3.62	2.19	11.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11a_Nss1,(6Mbps)_4TX

PSD

5260MHz

28/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.18	9.18	3.99	2.98	3.61	2.91

802.11a_Nss1,(6Mbps)_4TX

PSD

5300MHz

28/03/2022




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)	(dBm/Hz)
9.53	9.53	3.84	3.66	4.24	3.47

802.11a_Nss1,(6Mbps)_4TX

PSD

5320MHz

28/03/2022




802.11a_Nss1,(6Mbps)_4TX

PSD

5500MHz

12/01/2022




802.11a_Nss1,(6Mbps)_4TX

PSD

5580MHz

12/01/2022




802.11a_Nss1,(6Mbps)_4TX

PSD

5700MHz

12/01/2022




802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

12/01/2022




802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

12/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5260MHz

28/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5300MHz

28/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5320MHz

28/03/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5500MHz

12/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5580MHz

12/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

PSD

5700MHz

12/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz

PSD

12/01/2022




802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.725-5.85GHz

PSD

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5270MHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5310MHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5510MHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5550MHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5670MHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

PSD

5710MHz Straddle 5.47-5.725GHz

12/01/2022




802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.725-5.85GHz

PSD

12/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz

PSD

12/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5530MHz

12/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

PSD

5610MHz

12/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz

PSD

12/01/2022




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.725-5.85GHz

PSD

12/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.15-5.25GHz

PSD

12/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz

PSD

12/01/2022




802.11ax HEW160_Nss1,(MCS0)_4TX

PSD

5570MHz

12/01/2022






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_8TX	Pass	PK	5.7256G	68.16	68.20	-0.04	3	Horizontal	335	2.44	-

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT_X_8TX
Setting 21
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1238G	59.88	74.00	-14.12	53.72	3	Vertical	325	1.99	-	32.75	6.36	32.95
AV	5.1142G	47.56	54.00	-6.44	41.38	3	Vertical	325	1.99	-	32.77	6.36	32.95
PK	5.2528G	123.89	Inf	-Inf	117.61	3	Vertical	325	1.99	-	32.81	6.40	32.93
AV	5.2534G	114.62	Inf	-Inf	108.34	3	Vertical	325	1.99	-	32.81	6.40	32.93
PK	5.3992G	60.51	74.00	-13.49	53.82	3	Vertical	325	1.99	-	33.20	6.40	32.91
AV	5.3638G	48.61	54.00	-5.39	42.07	3	Vertical	325	1.99	-	33.06	6.40	32.92

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.146G	60.35	74.00	-13.65	54.21	3	Horizontal	317	2.01	-	32.71	6.37	32.94	
AV	5.116G	48.02	54.00	-5.98	41.84	3	Horizontal	317	2.01	-	32.77	6.36	32.95	
PK	5.254G	126.18	Inf	-Inf	119.90	3	Horizontal	317	2.01	-	32.81	6.40	32.93	
AV	5.2528G	116.68	Inf	-Inf	110.40	3	Horizontal	317	2.01	-	32.81	6.40	32.93	
PK	5.3758G	61.33	74.00	-12.67	54.74	3	Horizontal	317	2.01	-	33.10	6.40	32.91	
AV	5.3512G	49.14	54.00	-4.86	42.66	3	Horizontal	317	2.01	-	33.00	6.40	32.92	

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77744G	66.11	74.00	-7.89	50.30	3	Vertical	340	1.80	-	38.16	10.43	32.78
AV	15.77728G	52.62	54.00	-1.38	36.81	3	Vertical	340	1.80	-	38.16	10.43	32.78

802.11a_Nss1,(6Mbps)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78184G	65.68	74.00	-8.32	49.83	3	Horizontal	11	1.78	-	38.19	10.43	32.77
AV	15.78032G	53.36	54.00	-0.64	37.53	3	Horizontal	11	1.78	-	38.18	10.43	32.78

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 19.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3036G	122.10	Inf	-Inf	115.71	3	Vertical	322	1.80	-	32.91	6.40	32.92	
AV	5.304G	112.25	Inf	-Inf	105.86	3	Vertical	322	1.80	-	32.91	6.40	32.92	
PK	5.3516G	63.62	74.00	-10.38	57.13	3	Vertical	322	1.80	-	33.01	6.40	32.92	
AV	5.3512G	49.90	54.00	-4.10	43.42	3	Vertical	322	1.80	-	33.00	6.40	32.92	

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 19.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2968G	122.93	Inf	-Inf	116.56	3	Horizontal	330	1.98	-	32.89	6.40	32.92	
AV	5.2968G	113.77	Inf	-Inf	107.40	3	Horizontal	330	1.98	-	32.89	6.40	32.92	
PK	5.3508G	64.50	74.00	-9.50	58.02	3	Horizontal	330	1.98	-	33.00	6.40	32.92	
AV	5.3532G	50.54	54.00	-3.46	44.05	3	Horizontal	330	1.98	-	33.01	6.40	32.92	

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 19.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.88776G	63.35	74.00	-10.65	47.25	3	Vertical	26	1.80	-	38.39	10.47	32.76	
AV	15.9012G	50.76	54.00	-3.24	34.65	3	Vertical	26	1.80	-	38.40	10.47	32.76	

802.11a_Nss1,(6Mbps)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 19.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89784G	67.90	74.00	-6.10	51.79	3	Horizontal	335	1.88	-	38.40	10.47	32.76
AV	15.8976G	53.74	54.00	-0.26	37.63	3	Horizontal	335	1.88	-	38.40	10.47	32.76

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT_X_8TX
Setting 16.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3176G	119.56	Inf	-Inf	113.14	3	Vertical	327	2.46	-	32.94	6.40	32.92	
AV	5.318G	110.58	Inf	-Inf	104.16	3	Vertical	327	2.46	-	32.94	6.40	32.92	
PK	5.3532G	65.22	74.00	-8.78	58.73	3	Vertical	327	2.46	-	33.01	6.40	32.92	
AV	5.352G	51.29	54.00	-2.71	44.80	3	Vertical	327	2.46	-	33.01	6.40	32.92	

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.327G	120.19	Inf	-Inf	113.76	3	Horizontal	316	1.89	-	32.95	6.40	32.92	
AV	5.3268G	111.01	Inf	-Inf	104.58	3	Horizontal	316	1.89	-	32.95	6.40	32.92	
PK	5.3502G	67.44	74.00	-6.56	60.96	3	Horizontal	316	1.89	-	33.00	6.40	32.92	
AV	5.3504G	53.54	54.00	-0.46	47.06	3	Horizontal	316	1.89	-	33.00	6.40	32.92	

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95824G	61.47	74.00	-12.53	45.33	3	Vertical	26	1.80	-	38.40	10.49	32.75
AV	15.95736G	47.75	54.00	-6.25	31.61	3	Vertical	26	1.80	-	38.40	10.49	32.75

802.11a_Nss1,(6Mbps)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96368G	63.24	74.00	-10.76	47.10	3	Horizontal	26	1.89	-	38.40	10.49	32.75
AV	15.96272G	49.61	54.00	-4.39	33.47	3	Horizontal	26	1.89	-	38.40	10.49	32.75

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_X_8TX
Setting 15
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	61.71	74.00	-12.29	54.45	3	Vertical	34	2.78	-	33.70	6.46	32.90	
AV	5.4582G	49.35	54.00	-4.65	42.10	3	Vertical	34	2.78	-	33.70	6.46	32.91	
PK	5.4698G	64.20	68.20	-4.00	56.93	3	Vertical	34	2.78	-	33.70	6.47	32.90	
PK	5.4984G	120.55	Inf	-Inf	113.25	3	Vertical	34	2.78	-	33.70	6.50	32.90	
AV	5.498G	110.94	Inf	-Inf	103.64	3	Vertical	34	2.78	-	33.70	6.50	32.90	

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT X_8TX
Setting 15
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	62.10	74.00	-11.90	54.84	3	Horizontal	328	1.76	-	33.70	6.46	32.90	
AV	5.4588G	49.54	54.00	-4.46	42.28	3	Horizontal	328	1.76	-	33.70	6.46	32.90	
PK	5.4654G	67.72	68.20	-0.48	60.45	3	Horizontal	328	1.76	-	33.70	6.47	32.90	
PK	5.5058G	120.61	Inf	-Inf	113.28	3	Horizontal	328	1.76	-	33.72	6.51	32.90	
AV	5.5052G	110.98	Inf	-Inf	103.65	3	Horizontal	328	1.76	-	33.72	6.51	32.90	

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_X_8TX
Setting 15
04-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9979G	54.50	74.00	-19.50	41.21	3	Vertical	147	1.92	-	39.50	8.30	34.51
AV	10.99542G	46.68	54.00	-7.32	33.39	3	Vertical	147	1.92	-	39.50	8.30	34.51

802.11a_Nss1,(6Mbps)_8TX

5500MHz_TnomVnom




EUT_X_8TX
Setting 15
04-I-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00338G	54.58	74.00	-19.42	41.30	3	Horizontal	346	2.46	-	39.49	8.30	34.51
AV	11.00264G	43.50	54.00	-10.50	30.22	3	Horizontal	346	2.46	-	39.49	8.30	34.51

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.334G	60.17	68.20	-8.03	53.72	3	Vertical	48	1.80	-	32.97	6.40	32.92	
PK	5.46G	63.85	74.00	-10.15	56.59	3	Vertical	48	1.80	-	33.70	6.46	32.90	
AV	5.454G	49.28	54.00	-4.72	42.04	3	Vertical	48	1.80	-	33.70	6.45	32.91	
PK	5.461G	63.17	68.20	-5.03	55.91	3	Vertical	48	1.80	-	33.70	6.46	32.90	
PK	5.577G	125.30	Inf	-Inf	117.78	3	Vertical	48	1.80	-	33.85	6.58	32.91	
AV	5.577G	116.50	Inf	-Inf	108.98	3	Vertical	48	1.80	-	33.85	6.58	32.91	
PK	5.803G	61.94	68.20	-6.26	53.85	3	Vertical	48	1.80	-	34.42	6.60	32.93	

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	59.81	68.20	-8.39	53.35	3	Horizontal	331	2.11	-	32.98	6.40	32.92
AV	5.387G	51.67	54.00	-2.33	45.03	3	Horizontal	331	2.11	-	33.15	6.40	32.91
PK	5.457G	64.03	74.00	-9.97	56.78	3	Horizontal	331	2.11	-	33.70	6.46	32.91
PK	5.463G	63.70	68.20	-4.50	56.44	3	Horizontal	331	2.11	-	33.70	6.46	32.90
PK	5.579G	127.80	Inf	-Inf	120.29	3	Horizontal	331	2.11	-	33.84	6.58	32.91
AV	5.579G	118.42	Inf	-Inf	110.91	3	Horizontal	331	2.11	-	33.84	6.58	32.91
PK	5.778G	62.53	68.20	-5.67	54.46	3	Horizontal	331	2.11	-	34.40	6.60	32.93

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_X_8TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	16.74264G	63.60	68.20	-4.60	44.72	3	Vertical	20	1.82	-	40.44	10.72	32.28	

802.11a_Nss1,(6Mbps)_8TX

5580MHz_TnomVnom




EUT_X_8TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	16.73934G	64.60	68.20	-3.60	45.73	3	Horizontal	18	1.80	-	40.44	10.72	32.29	

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	117.14	Inf	-Inf	109.44	3	Vertical	36	1.80	-	34.02	6.60	32.92
AV	5.7026G	107.46	Inf	-Inf	99.76	3	Vertical	36	1.80	-	34.02	6.60	32.92
PK	5.7308G	64.36	68.20	-3.84	56.43	3	Vertical	36	1.80	-	34.25	6.60	32.92

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	121.10	Inf	-Inf	113.40	3	Horizontal	327	2.19	-	34.02	6.60	32.92
AV	5.703G	111.41	Inf	-Inf	103.71	3	Horizontal	327	2.19	-	34.02	6.60	32.92
PK	5.7254G	66.95	68.20	-1.25	59.07	3	Horizontal	327	2.19	-	34.20	6.60	32.92

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3999G	55.75	74.00	-18.25	41.30	3	Vertical	360	1.10	-	38.40	8.85	32.80
AV	11.4G	45.00	54.00	-9.00	30.55	3	Vertical	360	1.10	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39984G	56.30	74.00	-17.70	41.85	3	Horizontal	3	2.21	-	38.40	8.85	32.80
AV	11.40006G	46.38	54.00	-7.62	31.93	3	Horizontal	3	2.21	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_8TX
Setting 21
04-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	120.38	Inf	-Inf	114.06	3	Vertical	299	2.24	-	34.29	5.30	33.27
AV	5.7232G	111.96	Inf	-Inf	105.64	3	Vertical	299	2.24	-	34.29	5.30	33.27
PK	5.8928G	60.41	68.20	-7.79	53.51	3	Vertical	299	2.24	-	34.89	5.35	33.34

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 21
04-I-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	122.70	Inf	-Inf	116.37	3	Horizontal	331	1.85	-	34.30	5.30	33.27
AV	5.7248G	114.41	Inf	-Inf	108.08	3	Horizontal	331	1.85	-	34.30	5.30	33.27
PK	5.9152G	60.38	68.20	-7.82	53.38	3	Horizontal	331	1.85	-	34.99	5.36	33.35

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43996G	55.80	74.00	-18.20	41.34	3	Vertical	341	1.11	-	38.40	8.86	32.80
AV	11.44G	45.04	54.00	-8.96	30.58	3	Vertical	341	1.11	-	38.40	8.86	32.80
PK	17.16834G	66.15	68.20	-2.05	45.80	3	Vertical	286	1.80	-	41.54	10.85	32.04

802.11a_Nss1,(6Mbps)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43996G	55.97	74.00	-18.03	41.51	3	Horizontal	2	2.28	-	38.40	8.86	32.80
AV	11.43988G	45.13	54.00	-8.87	30.67	3	Horizontal	2	2.28	-	38.40	8.86	32.80
PK	17.15448G	67.99	68.20	-0.21	47.68	3	Horizontal	319	1.80	-	41.51	10.85	32.05

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	63.46	74.00	-10.54	57.31	3	Vertical	50	1.70	-	32.72	6.37	32.94
AV	5.1172G	46.76	54.00	-7.24	40.58	3	Vertical	50	1.70	-	32.77	6.36	32.95
PK	5.2648G	125.47	Inf	-Inf	119.17	3	Vertical	50	1.70	-	32.83	6.40	32.93
AV	5.2642G	113.78	Inf	-Inf	107.48	3	Vertical	50	1.70	-	32.83	6.40	32.93
PK	5.359G	62.59	74.00	-11.41	56.07	3	Vertical	50	1.70	-	33.04	6.40	32.92
AV	5.3596G	48.64	54.00	-5.36	42.12	3	Vertical	50	1.70	-	33.04	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	61.74	74.00	-12.26	55.59	3	Horizontal	338	1.01	-	32.72	6.37	32.94
AV	5.1478G	47.26	54.00	-6.74	41.13	3	Horizontal	338	1.01	-	32.70	6.37	32.94
PK	5.2546G	127.12	Inf	-Inf	120.84	3	Horizontal	338	1.01	-	32.81	6.40	32.93
AV	5.2546G	114.47	Inf	-Inf	108.19	3	Horizontal	338	1.01	-	32.81	6.40	32.93
PK	5.3548G	61.84	74.00	-12.16	55.34	3	Horizontal	338	1.01	-	33.02	6.40	32.92
AV	5.3542G	48.87	54.00	-5.13	42.37	3	Horizontal	338	1.01	-	33.02	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7836G	65.80	74.00	-8.20	49.93	3	Vertical	34	1.79	-	38.20	10.44	32.77
AV	15.7835G	51.58	54.00	-2.42	35.71	3	Vertical	34	1.79	-	38.20	10.44	32.77

802.11ax HEW20_Nss1,(MCS0)_8TX

5260MHz_TnomVnom




EUT X_8TX
Setting 21.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7894G	68.10	74.00	-5.90	52.19	3	Horizontal	341	1.80	-	38.24	10.44	32.77
AV	15.7884G	53.56	54.00	-0.44	37.66	3	Horizontal	341	1.80	-	38.23	10.44	32.77

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3036G	123.36	Inf	-Inf	116.97	3	Vertical	54	2.44	-	32.91	6.40	32.92	
AV	5.304G	110.96	Inf	-Inf	104.57	3	Vertical	54	2.44	-	32.91	6.40	32.92	
PK	5.35G	64.93	74.00	-9.07	58.45	3	Vertical	54	2.44	-	33.00	6.40	32.92	
AV	5.3504G	50.60	54.00	-3.40	44.12	3	Vertical	54	2.44	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2972G	125.65	Inf	-Inf	119.28	3	Horizontal	336	1.56	-	32.89	6.40	32.92	
AV	5.2964G	112.57	Inf	-Inf	106.20	3	Horizontal	336	1.56	-	32.89	6.40	32.92	
PK	5.35G	68.34	74.00	-5.66	61.86	3	Horizontal	336	1.56	-	33.00	6.40	32.92	
AV	5.35G	53.27	54.00	-0.73	46.79	3	Horizontal	336	1.56	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8969G	67.04	74.00	-6.96	50.93	3	Vertical	32	1.79	-	38.40	10.47	32.76
AV	15.8981G	51.25	54.00	-2.75	35.14	3	Vertical	32	1.79	-	38.40	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_8TX

5300MHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9046G	68.20	74.00	-5.80	52.09	3	Horizontal	339	1.80	-	38.40	10.47	32.76
AV	15.9041G	52.55	54.00	-1.45	36.44	3	Horizontal	339	1.80	-	38.40	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3188G	123.17	Inf	-Inf	116.75	3	Vertical	58	1.78	-	32.94	6.40	32.92	
AV	5.319G	110.03	Inf	-Inf	103.61	3	Vertical	58	1.78	-	32.94	6.40	32.92	
PK	5.3514G	66.94	74.00	-7.06	60.45	3	Vertical	58	1.78	-	33.01	6.40	32.92	
AV	5.3506G	50.79	54.00	-3.21	44.31	3	Vertical	58	1.78	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT_X_8TX
Setting 16.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3248G	123.82	Inf	-Inf	117.39	3	Horizontal	338	1.03	-	32.95	6.40	32.92	
AV	5.324G	110.61	Inf	-Inf	104.18	3	Horizontal	338	1.03	-	32.95	6.40	32.92	
PK	5.3508G	69.99	74.00	-4.01	63.51	3	Horizontal	338	1.03	-	33.00	6.40	32.92	
AV	5.3502G	53.55	54.00	-0.45	47.07	3	Horizontal	338	1.03	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9426G	61.26	74.00	-12.74	45.13	3	Vertical	28	2.39	-	38.40	10.48	32.75
AV	15.9814G	47.76	54.00	-6.24	31.61	3	Vertical	28	2.39	-	38.40	10.49	32.74

802.11ax HEW20_Nss1,(MCS0)_8TX

5320MHz_TnomVnom




EUT X_8TX
Setting 16.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9382G	61.26	74.00	-12.74	45.13	3	Horizontal	271	2.74	-	38.40	10.48	32.75
AV	15.9437G	47.78	54.00	-6.22	31.65	3	Horizontal	271	2.74	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.453G	61.20	74.00	-12.80	53.96	3	Vertical	329	1.85	-	33.70	6.45	32.91	
AV	5.4524G	48.07	54.00	-5.93	40.83	3	Vertical	329	1.85	-	33.70	6.45	32.91	
PK	5.4686G	63.63	68.20	-4.57	56.36	3	Vertical	329	1.85	-	33.70	6.47	32.90	
PK	5.4914G	120.27	Inf	-Inf	112.98	3	Vertical	329	1.85	-	33.70	6.49	32.90	
AV	5.4914G	107.58	Inf	-Inf	100.29	3	Vertical	329	1.85	-	33.70	6.49	32.90	

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.455G	63.79	74.00	-10.21	56.54	3	Horizontal	338	1.76	-	33.70	6.46	32.91	
AV	5.456G	49.14	54.00	-4.86	41.89	3	Horizontal	338	1.76	-	33.70	6.46	32.91	
PK	5.4682G	67.82	68.20	-0.38	60.55	3	Horizontal	338	1.76	-	33.70	6.47	32.90	
PK	5.4954G	122.84	Inf	-Inf	115.54	3	Horizontal	338	1.76	-	33.70	6.50	32.90	
AV	5.4956G	109.47	Inf	-Inf	102.17	3	Horizontal	338	1.76	-	33.70	6.50	32.90	

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0003G	55.01	74.00	-18.99	40.51	3	Vertical	84	1.83	-	38.50	8.75	32.75
AV	10.99976G	42.04	54.00	-11.96	27.54	3	Vertical	84	1.83	-	38.50	8.75	32.75

802.11ax HEW20_Nss1,(MCS0)_8TX

5500MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	10.9892G	54.79	74.00	-19.21	40.30	3	Horizontal	169	2.64	-	38.50	8.75	32.76	
AV	11G	42.15	54.00	-11.85	27.65	3	Horizontal	169	2.64	-	38.50	8.75	32.75	

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	61.85	74.00	-12.15	54.59	3	Vertical	48	1.74	-	33.70	6.46	32.90
AV	5.456G	48.40	54.00	-5.60	41.15	3	Vertical	48	1.74	-	33.70	6.46	32.91
PK	5.464G	61.46	68.20	-6.74	54.20	3	Vertical	48	1.74	-	33.70	6.46	32.90
PK	5.5808G	127.86	Inf	-Inf	120.35	3	Vertical	48	1.74	-	33.84	6.58	32.91
AV	5.5808G	114.63	Inf	-Inf	107.12	3	Vertical	48	1.74	-	33.84	6.58	32.91
PK	5.7344G	62.45	68.20	-5.75	54.49	3	Vertical	48	1.74	-	34.28	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4496G	61.20	74.00	-12.80	53.96	3	Horizontal	34	1.78	-	33.70	6.45	32.91
AV	5.4528G	48.55	54.00	-5.45	41.31	3	Horizontal	34	1.78	-	33.70	6.45	32.91
PK	5.4648G	62.64	68.20	-5.56	55.38	3	Horizontal	34	1.78	-	33.70	6.46	32.90
PK	5.5768G	127.17	Inf	-Inf	119.65	3	Horizontal	34	1.78	-	33.85	6.58	32.91
AV	5.5776G	115.37	Inf	-Inf	107.86	3	Horizontal	34	1.78	-	33.84	6.58	32.91
PK	5.7712G	62.07	68.20	-6.13	54.00	3	Horizontal	34	1.78	-	34.40	6.60	32.93

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1603G	54.97	74.00	-19.03	40.61	3	Vertical	263	1.80	-	38.34	8.79	32.77
AV	11.1602G	41.61	54.00	-12.39	27.25	3	Vertical	263	1.80	-	38.34	8.79	32.77
PK	16.7366G	64.21	68.20	-3.99	45.34	3	Vertical	322	1.81	-	40.44	10.72	32.29

802.11ax HEW20_Nss1,(MCS0)_8TX

5580MHz_TnomVnom




EUT X_8TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1602G	55.56	74.00	-18.44	41.20	3	Horizontal	355	1.89	-	38.34	8.79	32.77
AV	11.1599G	45.24	54.00	-8.76	30.88	3	Horizontal	355	1.89	-	38.34	8.79	32.77
PK	16.74102G	63.90	68.20	-4.30	45.03	3	Horizontal	299	1.80	-	40.44	10.72	32.29

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.692G	118.87	Inf	-Inf	111.17	3	Vertical	40	1.72	-	34.02	6.60	32.92	
AV	5.692G	106.08	Inf	-Inf	98.38	3	Vertical	40	1.72	-	34.02	6.60	32.92	
PK	5.732G	63.14	68.20	-5.06	55.20	3	Vertical	40	1.72	-	34.26	6.60	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7052G	119.85	Inf	-Inf	112.13	3	Horizontal	337	1.27	-	34.04	6.60	32.92	
AV	5.7056G	106.84	Inf	-Inf	99.12	3	Horizontal	337	1.27	-	34.04	6.60	32.92	
PK	5.7258G	67.66	68.20	-0.54	59.77	3	Horizontal	337	1.27	-	34.21	6.60	32.92	

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.41368G	55.03	74.00	-18.97	40.58	3	Vertical	83	1.23	-	38.40	8.85	32.80	
AV	11.4117G	41.56	54.00	-12.44	27.11	3	Vertical	83	1.23	-	38.40	8.85	32.80	

802.11ax HEW20_Nss1,(MCS0)_8TX

5700MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40696G	55.28	74.00	-18.72	40.83	3	Horizontal	262	1.46	-	38.40	8.85	32.80
AV	11.40576G	41.58	54.00	-12.42	27.13	3	Horizontal	262	1.46	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 23.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4452G	60.78	74.00	-13.22	53.59	3	Vertical	34	1.80	-	33.65	6.45	32.91	
AV	5.4548G	47.57	54.00	-6.43	40.33	3	Vertical	34	1.80	-	33.70	6.45	32.91	
PK	5.468G	60.45	68.20	-7.75	53.18	3	Vertical	34	1.80	-	33.70	6.47	32.90	
PK	5.7224G	125.97	Inf	-Inf	118.11	3	Vertical	34	1.80	-	34.18	6.60	32.92	
AV	5.7212G	114.06	Inf	-Inf	106.21	3	Vertical	34	1.80	-	34.17	6.60	32.92	
PK	5.9132G	61.67	68.20	-6.53	53.06	3	Vertical	34	1.80	-	34.95	6.60	32.94	

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 23.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4476G	61.33	74.00	-12.67	54.11	3	Horizontal	33	1.79	-	33.68	6.45	32.91
AV	5.4524G	47.75	54.00	-6.25	40.51	3	Horizontal	33	1.79	-	33.70	6.45	32.91
PK	5.468G	59.91	68.20	-8.29	52.64	3	Horizontal	33	1.79	-	33.70	6.47	32.90
PK	5.7284G	125.51	Inf	-Inf	117.60	3	Horizontal	33	1.79	-	34.23	6.60	32.92
AV	5.7284G	112.00	Inf	-Inf	104.09	3	Horizontal	33	1.79	-	34.23	6.60	32.92
PK	5.8568G	62.57	68.20	-5.63	54.10	3	Horizontal	33	1.79	-	34.81	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 23.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	17.1691G	66.80	68.20	-1.40	46.45	3	Vertical	337	1.90	-	41.54	10.85	32.04	

802.11ax HEW20_Nss1,(MCS0)_8TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 23.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	17.1517G	67.91	68.20	-0.29	47.61	3	Horizontal	330	1.80	-	41.50	10.85	32.05	

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT X_8TX
Setting 19
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1494G	65.15	74.00	-8.85	59.02	3	Vertical	326	2.19	-	32.70	6.37	32.94	
AV	5.1494G	47.00	54.00	-7.00	40.87	3	Vertical	326	2.19	-	32.70	6.37	32.94	
PK	5.2688G	122.45	Inf	-Inf	116.14	3	Vertical	326	2.19	-	32.84	6.40	32.93	
AV	5.2682G	109.76	Inf	-Inf	103.45	3	Vertical	326	2.19	-	32.84	6.40	32.93	
PK	5.35G	68.77	74.00	-5.23	62.29	3	Vertical	326	2.19	-	33.00	6.40	32.92	
AV	5.35G	53.75	54.00	-0.25	47.27	3	Vertical	326	2.19	-	33.00	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT X_8TX
Setting 19
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.63	74.00	-9.37	58.50	3	Horizontal	333	1.88	-	32.70	6.37	32.94
AV	5.1416G	47.64	54.00	-6.36	41.49	3	Horizontal	333	1.88	-	32.72	6.37	32.94
PK	5.2622G	123.15	Inf	-Inf	116.86	3	Horizontal	333	1.88	-	32.82	6.40	32.93
AV	5.261G	110.18	Inf	-Inf	103.89	3	Horizontal	333	1.88	-	32.82	6.40	32.93
PK	5.3564G	70.37	74.00	-3.63	63.86	3	Horizontal	333	1.88	-	33.03	6.40	32.92
AV	5.3612G	53.88	54.00	-0.12	47.36	3	Horizontal	333	1.88	-	33.04	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT X_8TX
Setting 19
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80336G	62.57	74.00	-11.43	46.60	3	Vertical	341	1.77	-	38.30	10.44	32.77
AV	15.80528G	47.51	54.00	-6.49	31.53	3	Vertical	341	1.77	-	38.31	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_8TX

5270MHz_TnomVnom




EUT X_8TX
Setting 19
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8216G	62.49	74.00	-11.51	46.49	3	Horizontal	300	1.80	-	38.32	10.45	32.77
AV	15.82128G	48.45	54.00	-5.55	32.45	3	Horizontal	300	1.80	-	38.32	10.45	32.77

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3008G	117.00	Inf	-Inf	110.62	3	Vertical	326	1.94	-	32.90	6.40	32.92	
AV	5.3008G	104.30	Inf	-Inf	97.92	3	Vertical	326	1.94	-	32.90	6.40	32.92	
PK	5.3508G	65.63	74.00	-8.37	59.15	3	Vertical	326	1.94	-	33.00	6.40	32.92	
AV	5.3508G	50.08	54.00	-3.92	43.60	3	Vertical	326	1.94	-	33.00	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT_X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3216G	118.73	Inf	-Inf	112.31	3	Horizontal	330	1.80	-	32.94	6.40	32.92	
AV	5.32G	105.80	Inf	-Inf	99.38	3	Horizontal	330	1.80	-	32.94	6.40	32.92	
PK	5.3608G	70.39	74.00	-3.61	63.87	3	Horizontal	330	1.80	-	33.04	6.40	32.92	
AV	5.3596G	52.04	54.00	-1.96	45.52	3	Horizontal	330	1.80	-	33.04	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.93976G	61.05	74.00	-12.95	44.92	3	Vertical	233	1.47	-	38.40	10.48	32.75
AV	15.94G	47.27	54.00	-6.73	31.14	3	Vertical	233	1.47	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_8TX

5310MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92252G	60.49	74.00	-13.51	44.36	3	Horizontal	353	2.81	-	38.40	10.48	32.75
AV	15.9394G	47.35	54.00	-6.65	31.22	3	Horizontal	353	2.81	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4588G	61.20	74.00	-12.80	53.94	3	Vertical	57	1.75	-	33.70	6.46	32.90	
AV	5.46G	48.81	54.00	-5.19	41.55	3	Vertical	57	1.75	-	33.70	6.46	32.90	
PK	5.4664G	64.84	68.20	-3.36	57.57	3	Vertical	57	1.75	-	33.70	6.47	32.90	
PK	5.516G	116.76	Inf	-Inf	109.38	3	Vertical	57	1.75	-	33.76	6.52	32.90	
AV	5.5164G	103.68	Inf	-Inf	96.29	3	Vertical	57	1.75	-	33.77	6.52	32.90	

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.458G	69.00	74.00	-5.00	61.75	3	Horizontal	340	2.19	-	33.70	6.46	32.91	
AV	5.4572G	52.10	54.00	-1.90	44.85	3	Horizontal	340	2.19	-	33.70	6.46	32.91	
PK	5.4688G	67.78	68.20	-0.42	60.51	3	Horizontal	340	2.19	-	33.70	6.47	32.90	
PK	5.5184G	119.72	Inf	-Inf	112.33	3	Horizontal	340	2.19	-	33.77	6.52	32.90	
AV	5.5168G	107.47	Inf	-Inf	100.08	3	Horizontal	340	2.19	-	33.77	6.52	32.90	

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02052G	54.64	74.00	-19.36	40.15	3	Vertical	16	2.93	-	38.48	8.76	32.75
AV	11.0268G	41.22	54.00	-12.78	26.74	3	Vertical	16	2.93	-	38.47	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_8TX

5510MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.028G	55.21	74.00	-18.79	40.73	3	Horizontal	330	1.37	-	38.47	8.76	32.75
AV	11.02868G	41.14	54.00	-12.86	26.66	3	Horizontal	330	1.37	-	38.47	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT X_8TX
Setting 17.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.46G	61.24	74.00	-12.76	53.98	3	Vertical	37	2.03	-	33.70	6.46	32.90	
AV	5.4588G	48.26	54.00	-5.74	41.00	3	Vertical	37	2.03	-	33.70	6.46	32.90	
PK	5.47G	61.82	68.20	-6.38	54.55	3	Vertical	37	2.03	-	33.70	6.47	32.90	
PK	5.5512G	120.29	Inf	-Inf	112.75	3	Vertical	37	2.03	-	33.90	6.55	32.91	
AV	5.5512G	107.69	Inf	-Inf	100.15	3	Vertical	37	2.03	-	33.90	6.55	32.91	

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT X_8TX
Setting 17.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4558G	64.89	74.00	-9.11	57.64	3	Horizontal	337	1.03	-	33.70	6.46	32.91	
AV	5.4564G	51.15	54.00	-2.85	43.90	3	Horizontal	337	1.03	-	33.70	6.46	32.91	
PK	5.4684G	67.71	68.20	-0.49	60.44	3	Horizontal	337	1.03	-	33.70	6.47	32.90	
PK	5.5368G	121.54	Inf	-Inf	114.05	3	Horizontal	337	1.03	-	33.85	6.54	32.90	
AV	5.5362G	108.69	Inf	-Inf	101.21	3	Horizontal	337	1.03	-	33.84	6.54	32.90	

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT X_8TX
Setting 17.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09492G	55.12	74.00	-18.88	40.70	3	Vertical	171	1.02	-	38.41	8.77	32.76
AV	11.10448G	41.78	54.00	-12.22	27.36	3	Vertical	171	1.02	-	38.40	8.78	32.76

802.11ax HEW40_Nss1,(MCS0)_8TX

5550MHz_TnomVnom




EUT X_8TX
Setting 17.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1052G	55.68	74.00	-18.32	41.27	3	Horizontal	113	2.35	-	38.39	8.78	32.76	
AV	11.1G	41.74	54.00	-12.26	27.33	3	Horizontal	113	2.35	-	38.40	8.77	32.76	

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6684G	116.66	Inf	-Inf	108.92	3	Vertical	326	2.20	-	34.06	6.60	32.92	
AV	5.6684G	103.85	Inf	-Inf	96.11	3	Vertical	326	2.20	-	34.06	6.60	32.92	
PK	5.7272G	63.01	68.20	-5.19	55.11	3	Vertical	326	2.20	-	34.22	6.60	32.92	

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6644G	119.27	Inf	-Inf	111.52	3	Horizontal	335	2.44	-	34.07	6.60	32.92	
AV	5.664G	106.63	Inf	-Inf	98.88	3	Horizontal	335	2.44	-	34.07	6.60	32.92	
PK	5.7256G	68.16	68.20	-0.04	60.28	3	Horizontal	335	2.44	-	34.20	6.60	32.92	

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33964G	55.28	74.00	-18.72	40.84	3	Vertical	320	1.61	-	38.40	8.83	32.79
AV	11.33912G	41.85	54.00	-12.15	27.41	3	Vertical	320	1.61	-	38.40	8.83	32.79

802.11ax HEW40_Nss1,(MCS0)_8TX

5670MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33934G	54.80	74.00	-19.20	40.36	3	Horizontal	281	2.05	-	38.40	8.83	32.79
AV	11.33978G	41.81	54.00	-12.19	27.37	3	Horizontal	281	2.05	-	38.40	8.83	32.79

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4352G	60.17	74.00	-13.83	53.09	3	Vertical	45	1.78	-	33.55	6.44	32.91
AV	5.4484G	47.72	54.00	-6.28	40.50	3	Vertical	45	1.78	-	33.68	6.45	32.91
PK	5.47G	60.40	68.20	-7.80	53.13	3	Vertical	45	1.78	-	33.70	6.47	32.90
PK	5.7136G	121.56	Inf	-Inf	113.77	3	Vertical	45	1.78	-	34.11	6.60	32.92
AV	5.7136G	109.65	Inf	-Inf	101.86	3	Vertical	45	1.78	-	34.11	6.60	32.92
PK	5.854G	65.10	68.20	-3.10	56.63	3	Vertical	45	1.78	-	34.81	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	61.12	74.00	-12.88	53.92	3	Horizontal	331	1.80	-	33.66	6.45	32.91
AV	5.4496G	47.90	54.00	-6.10	40.66	3	Horizontal	331	1.80	-	33.70	6.45	32.91
PK	5.47G	60.75	68.20	-7.45	53.48	3	Horizontal	331	1.80	-	33.70	6.47	32.90
PK	5.7148G	124.60	Inf	-Inf	116.80	3	Horizontal	331	1.80	-	34.12	6.60	32.92
AV	5.716G	111.61	Inf	-Inf	103.80	3	Horizontal	331	1.80	-	34.13	6.60	32.92
PK	5.8552G	68.03	68.20	-0.17	59.56	3	Horizontal	331	1.80	-	34.81	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4248G	55.75	74.00	-18.25	41.29	3	Vertical	259	2.77	-	38.40	8.86	32.80
AV	11.43688G	42.66	54.00	-11.34	28.20	3	Vertical	259	2.77	-	38.40	8.86	32.80
PK	17.13784G	65.73	68.20	-2.47	45.47	3	Vertical	280	1.12	-	41.48	10.84	32.06

802.11ax HEW40_Nss1,(MCS0)_8TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 20
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41952G	56.90	74.00	-17.10	42.45	3	Horizontal	51	1.95	-	38.40	8.85	32.80
AV	11.41992G	43.79	54.00	-10.21	29.34	3	Horizontal	51	1.95	-	38.40	8.85	32.80
PK	17.14752G	66.13	68.20	-2.07	45.84	3	Horizontal	322	1.89	-	41.50	10.84	32.05

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT X_8TX
Setting 13.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	60.37	74.00	-13.63	54.23	3	Vertical	302	1.80	-	32.71	6.37	32.94
AV	5.098G	46.44	54.00	-7.56	40.24	3	Vertical	302	1.80	-	32.80	6.35	32.95
PK	5.283G	111.99	Inf	-Inf	105.65	3	Vertical	302	1.80	-	32.87	6.40	32.93
AV	5.283G	100.42	Inf	-Inf	94.08	3	Vertical	302	1.80	-	32.87	6.40	32.93
PK	5.366G	61.97	74.00	-12.03	55.43	3	Vertical	302	1.80	-	33.06	6.40	32.92
AV	5.364G	48.60	54.00	-5.40	42.06	3	Vertical	302	1.80	-	33.06	6.40	32.92
PK	5.533G	61.65	68.20	-6.55	54.19	3	Vertical	302	1.80	-	33.83	6.53	32.90

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT X_8TX
Setting 13.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.11	74.00	-13.89	53.98	3	Horizontal	333	2.00	-	32.70	6.37	32.94
AV	5.146G	46.83	54.00	-7.17	40.69	3	Horizontal	333	2.00	-	32.71	6.37	32.94
PK	5.261G	114.53	Inf	-Inf	108.24	3	Horizontal	333	2.00	-	32.82	6.40	32.93
AV	5.301G	101.89	Inf	-Inf	95.51	3	Horizontal	333	2.00	-	32.90	6.40	32.92
PK	5.361G	67.98	74.00	-6.02	61.46	3	Horizontal	333	2.00	-	33.04	6.40	32.92
AV	5.36G	53.54	54.00	-0.46	47.02	3	Horizontal	333	2.00	-	33.04	6.40	32.92
PK	5.473G	61.94	68.20	-6.26	54.67	3	Horizontal	333	2.00	-	33.70	6.47	32.90

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT X_8TX
Setting 13.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85872G	60.07	74.00	-13.93	44.01	3	Vertical	338	1.65	-	38.36	10.46	32.76
AV	15.88544G	46.99	54.00	-7.01	30.89	3	Vertical	338	1.65	-	38.39	10.47	32.76

802.11ax HEW80_Nss1,(MCS0)_8TX

5290MHz_TnomVnom




EUT X_8TX
Setting 13.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88056G	60.54	74.00	-13.46	44.46	3	Horizontal	160	1.28	-	38.38	10.46	32.76
AV	15.88632G	47.11	54.00	-6.89	31.01	3	Horizontal	160	1.28	-	38.39	10.47	32.76

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	60.52	68.20	-7.68	54.07	3	Vertical	36	1.80	-	32.97	6.40	32.92
PK	5.452G	65.37	74.00	-8.63	58.13	3	Vertical	36	1.80	-	33.70	6.45	32.91
AV	5.451G	52.33	54.00	-1.67	45.09	3	Vertical	36	1.80	-	33.70	6.45	32.91
PK	5.462G	64.49	68.20	-3.71	57.23	3	Vertical	36	1.80	-	33.70	6.46	32.90
PK	5.531G	113.71	Inf	-Inf	106.26	3	Vertical	36	1.80	-	33.82	6.53	32.90
AV	5.531G	101.66	Inf	-Inf	94.21	3	Vertical	36	1.80	-	33.82	6.53	32.90
PK	5.746G	61.02	68.20	-7.18	52.97	3	Vertical	36	1.80	-	34.37	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.317G	59.56	68.20	-8.64	53.15	3	Horizontal	22	1.80	-	32.93	6.40	32.92
PK	5.456G	67.54	74.00	-6.46	60.29	3	Horizontal	22	1.80	-	33.70	6.46	32.91
AV	5.457G	52.11	54.00	-1.89	44.86	3	Horizontal	22	1.80	-	33.70	6.46	32.91
PK	5.465G	67.97	68.20	-0.23	60.71	3	Horizontal	22	1.80	-	33.70	6.46	32.90
PK	5.516G	115.14	Inf	-Inf	107.76	3	Horizontal	22	1.80	-	33.76	6.52	32.90
AV	5.516G	102.50	Inf	-Inf	95.12	3	Horizontal	22	1.80	-	33.76	6.52	32.90
PK	5.751G	61.41	68.20	-6.79	53.34	3	Horizontal	22	1.80	-	34.40	6.60	32.93

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05256G	54.68	74.00	-19.32	40.23	3	Vertical	83	2.11	-	38.45	8.76	32.76
AV	11.0636G	41.37	54.00	-12.63	26.92	3	Vertical	83	2.11	-	38.44	8.77	32.76

802.11ax HEW80_Nss1,(MCS0)_8TX

5530MHz_TnomVnom




EUT X_8TX
Setting 14
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.0528G	54.74	74.00	-19.26	40.29	3	Horizontal	328	2.02	-	38.45	8.76	32.76	
AV	11.06808G	41.39	54.00	-12.61	26.95	3	Horizontal	328	2.02	-	38.43	8.77	32.76	

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT X_8TX
Setting 15.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	60.56	74.00	-13.44	53.32	3	Vertical	46	1.68	-	33.70	6.45	32.91
AV	5.4596G	47.92	54.00	-6.08	40.66	3	Vertical	46	1.68	-	33.70	6.46	32.90
PK	5.4668G	60.79	68.20	-7.41	53.52	3	Vertical	46	1.68	-	33.70	6.47	32.90
PK	5.614G	115.97	Inf	-Inf	108.40	3	Vertical	46	1.68	-	33.88	6.60	32.91
AV	5.614G	103.68	Inf	-Inf	96.11	3	Vertical	46	1.68	-	33.88	6.60	32.91
PK	5.73G	65.55	68.20	-2.65	57.63	3	Vertical	46	1.68	-	34.24	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT X_8TX
Setting 15.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4452G	61.16	74.00	-12.84	53.97	3	Horizontal	336	2.50	-	33.65	6.45	32.91
AV	5.442G	48.20	54.00	-5.80	41.05	3	Horizontal	336	2.50	-	33.62	6.44	32.91
PK	5.4652G	62.48	68.20	-5.72	55.21	3	Horizontal	336	2.50	-	33.70	6.47	32.90
PK	5.6236G	117.77	Inf	-Inf	110.14	3	Horizontal	336	2.50	-	33.94	6.60	32.91
AV	5.6236G	105.10	Inf	-Inf	97.47	3	Horizontal	336	2.50	-	33.94	6.60	32.91
PK	5.7252G	67.77	68.20	-0.43	59.89	3	Horizontal	336	2.50	-	34.20	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT X_8TX
Setting 15.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21624G	55.17	74.00	-18.83	40.83	3	Vertical	13	2.80	-	38.32	8.80	32.78
AV	11.22176G	41.25	54.00	-12.75	26.90	3	Vertical	13	2.80	-	38.32	8.81	32.78

802.11ax HEW80_Nss1,(MCS0)_8TX

5610MHz_TnomVnom




EUT X_8TX
Setting 15.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2172G	55.11	74.00	-18.89	40.77	3	Horizontal	207	1.71	-	38.32	8.80	32.78
AV	11.23224G	41.38	54.00	-12.62	27.02	3	Horizontal	207	1.71	-	38.33	8.81	32.78

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 18.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	60.88	74.00	-13.12	53.71	3	Vertical	30	3.00	-	33.64	6.44	32.91
AV	5.45G	48.52	54.00	-5.48	41.28	3	Vertical	30	3.00	-	33.70	6.45	32.91
PK	5.4644G	61.60	68.20	-6.60	54.34	3	Vertical	30	3.00	-	33.70	6.46	32.90
PK	5.696G	117.43	Inf	-Inf	109.74	3	Vertical	30	3.00	-	34.01	6.60	32.92
AV	5.696G	105.19	Inf	-Inf	97.50	3	Vertical	30	3.00	-	34.01	6.60	32.92
PK	5.8508G	67.80	68.20	-0.40	59.34	3	Vertical	30	3.00	-	34.80	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 18.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4332G	61.82	74.00	-12.18	54.77	3	Horizontal	336	2.45	-	33.53	6.43	32.91
PK	5.47G	61.88	68.20	-6.32	54.61	3	Horizontal	336	2.45	-	33.70	6.47	32.90
AV	5.4596G	49.29	54.00	-4.71	42.03	3	Horizontal	336	2.45	-	33.70	6.46	32.90
PK	5.684G	119.34	Inf	-Inf	111.63	3	Horizontal	336	2.45	-	34.03	6.60	32.92
AV	5.684G	107.42	Inf	-Inf	99.71	3	Horizontal	336	2.45	-	34.03	6.60	32.92
PK	5.8652G	67.02	68.20	-1.18	58.53	3	Horizontal	336	2.45	-	34.83	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_8TX
Setting 18.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.36344G	55.03	74.00	-18.97	40.58	3	Vertical	274	2.35	-	38.40	8.84	32.79	
AV	11.38768G	41.83	54.00	-12.17	27.38	3	Vertical	274	2.35	-	38.40	8.85	32.80	
PK	17.06928G	64.37	68.20	-3.83	44.33	3	Vertical	317	2.71	-	41.31	10.82	32.09	

802.11ax HEW80_Nss1,(MCS0)_8TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_8TX
Setting 18.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39992G	55.21	74.00	-18.79	40.76	3	Horizontal	67	2.59	-	38.40	8.85	32.80
AV	11.39064G	42.01	54.00	-11.99	27.56	3	Horizontal	67	2.59	-	38.40	8.85	32.80
PK	17.05496G	65.11	68.20	-3.09	45.13	3	Horizontal	237	1.10	-	41.26	10.82	32.10




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80+80_Nss2,(MCS0)_8TX	Pass	AV	5.4492G	53.25	54.00	-0.75	3	Horizontal	29	2.89	-

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13G	61.11	74.00	-12.89	54.94	3	Vertical	51	1.72	-	32.74	6.37	32.94
AV	5.13G	51.77	54.00	-2.23	45.60	3	Vertical	51	1.72	-	32.74	6.37	32.94
PK	5.2788G	111.92	Inf	-Inf	105.59	3	Vertical	51	1.72	-	32.86	6.40	32.93
AV	5.2788G	99.87	Inf	-Inf	93.54	3	Vertical	51	1.72	-	32.86	6.40	32.93
PK	5.3588G	64.92	74.00	-9.08	58.40	3	Vertical	51	1.72	-	33.04	6.40	32.92
AV	5.3572G	50.53	54.00	-3.47	44.02	3	Vertical	51	1.72	-	33.03	6.40	32.92
PK	5.5668G	60.40	68.20	-7.80	52.87	3	Vertical	51	1.72	-	33.87	6.57	32.91

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0948G	60.00	74.00	-14.00	53.80	3	Horizontal	6	2.80	-	32.80	6.35	32.95
AV	5.13G	47.13	54.00	-6.87	40.96	3	Horizontal	6	2.80	-	32.74	6.37	32.94
PK	5.2948G	109.01	Inf	-Inf	102.64	3	Horizontal	6	2.80	-	32.89	6.40	32.92
AV	5.274G	96.99	Inf	-Inf	90.67	3	Horizontal	6	2.80	-	32.85	6.40	32.93
PK	5.3556G	63.45	74.00	-10.55	56.95	3	Horizontal	6	2.80	-	33.02	6.40	32.92
AV	5.354G	48.79	54.00	-5.21	42.29	3	Horizontal	6	2.80	-	33.02	6.40	32.92
PK	5.514G	60.77	68.20	-7.43	53.40	3	Horizontal	6	2.80	-	33.76	6.51	32.90

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.861G	60.07	74.00	-13.93	44.01	3	Vertical	320	1.33	-	38.36	10.46	32.76
AV	15.8758G	46.63	54.00	-7.37	30.55	3	Vertical	320	1.33	-	38.38	10.46	32.76

802.11ax HEW80+80_Nss1,(MCS0)_8TX

5210MHz,#5290MHz_TnomVnom




EUT X_8TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8758G	60.35	74.00	-13.65	44.27	3	Horizontal	330	2.62	-	38.38	10.46	32.76
AV	15.87592G	46.68	54.00	-7.32	30.60	3	Horizontal	330	2.62	-	38.38	10.46	32.76

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3284G	59.57	68.20	-8.63	53.13	3	Vertical	360	3.00	-	32.96	6.40	32.92
PK	5.458G	65.86	74.00	-8.14	58.61	3	Vertical	360	3.00	-	33.70	6.46	32.91
AV	5.458G	52.13	54.00	-1.87	44.88	3	Vertical	360	3.00	-	33.70	6.46	32.91
PK	5.4652G	67.31	68.20	-0.89	60.04	3	Vertical	360	3.00	-	33.70	6.47	32.90
PK	5.536G	114.20	Inf	-Inf	106.72	3	Vertical	360	3.00	-	33.84	6.54	32.90
AV	5.5372G	101.46	Inf	-Inf	93.97	3	Vertical	360	3.00	-	33.85	6.54	32.90
PK	5.7604G	61.91	68.20	-6.29	53.84	3	Vertical	360	3.00	-	34.40	6.60	32.93

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT_X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3416G	61.02	68.20	-7.18	54.56	3	Horizontal	340	1.80	-	32.98	6.40	32.92
PK	5.4592G	66.97	74.00	-7.03	59.71	3	Horizontal	340	1.80	-	33.70	6.46	32.90
AV	5.4592G	53.09	54.00	-0.91	45.83	3	Horizontal	340	1.80	-	33.70	6.46	32.90
PK	5.4616G	65.96	68.20	-2.24	58.70	3	Horizontal	340	1.80	-	33.70	6.46	32.90
PK	5.518G	113.29	Inf	-Inf	105.90	3	Horizontal	340	1.80	-	33.77	6.52	32.90
AV	5.5192G	101.41	Inf	-Inf	94.01	3	Horizontal	340	1.80	-	33.78	6.52	32.90
PK	5.7724G	60.88	68.20	-7.32	52.81	3	Horizontal	340	1.80	-	34.40	6.60	32.93

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.05576G	55.11	74.00	-18.89	40.67	3	Vertical	248	1.62	-	38.44	8.76	32.76	
AV	11.06996G	41.45	54.00	-12.55	27.01	3	Vertical	248	1.62	-	38.43	8.77	32.76	

802.11ax HEW80+80_Nss2,(MCS0)_8TX

#5530MHz,5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.06256G	54.92	74.00	-19.08	40.47	3	Horizontal	36	1.31	-	38.44	8.77	32.76	
AV	11.06352G	41.61	54.00	-12.39	27.16	3	Horizontal	36	1.31	-	38.44	8.77	32.76	

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3364G	59.38	68.20	-8.82	52.93	3	Vertical	52	1.80	-	32.97	6.40	32.92
PK	5.4288G	61.09	74.00	-12.91	54.08	3	Vertical	52	1.80	-	33.49	6.43	32.91
PK	5.4612G	60.14	68.20	-8.06	52.88	3	Vertical	52	1.80	-	33.70	6.46	32.90
AV	5.4492G	51.99	54.00	-2.01	44.76	3	Vertical	52	1.80	-	33.69	6.45	32.91
PK	5.5812G	110.65	Inf	-Inf	103.14	3	Vertical	52	1.80	-	33.84	6.58	32.91
AV	5.6208G	98.43	Inf	-Inf	90.82	3	Vertical	52	1.80	-	33.92	6.60	32.91
PK	5.8764G	61.57	68.20	-6.63	53.06	3	Vertical	52	1.80	-	34.85	6.60	32.94

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	59.68	68.20	-8.52	53.22	3	Horizontal	29	2.89	-	32.98	6.40	32.92
PK	5.4576G	63.58	74.00	-10.42	56.33	3	Horizontal	29	2.89	-	33.70	6.46	32.91
AV	5.4492G	53.25	54.00	-0.75	46.02	3	Horizontal	29	2.89	-	33.69	6.45	32.91
PK	5.466G	65.86	68.20	-2.34	58.59	3	Horizontal	29	2.89	-	33.70	6.47	32.90
PK	5.5044G	110.43	Inf	-Inf	103.11	3	Horizontal	29	2.89	-	33.72	6.50	32.90
AV	5.5248G	98.04	Inf	-Inf	90.62	3	Horizontal	29	2.89	-	33.80	6.52	32.90
PK	5.7588G	61.14	68.20	-7.06	53.07	3	Horizontal	29	2.89	-	34.40	6.60	32.93

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom




EUT X_8TX
Setting 13
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21544G	55.12	74.00	-18.88	40.78	3	Vertical	277	1.18	-	38.32	8.80	32.78	
AV	11.21576G	41.33	54.00	-12.67	26.99	3	Vertical	277	1.18	-	38.32	8.80	32.78	

802.11ax HEW80+80_Nss2,(MCS0)_8TX

5530MHz,#5610MHz_TnomVnom



EUT X_8TX
Setting 13
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA	
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)	
PK	11.2204G	54.84	74.00	-19.16	40.49	3	Horizontal	41	2.09	-	38.32	8.81	32.78	
AV	11.2208G	41.28	54.00	-12.72	26.93	3	Horizontal	41	2.09	-	38.32	8.81	32.78	




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.86	54.00	-0.14	3	Vertical	293	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1406G	61.60	74.00	-12.40	55.45	3	Vertical	294	1.79	-	32.72	6.37	32.94
AV	5.1484G	48.10	54.00	-5.90	41.97	3	Vertical	294	1.79	-	32.70	6.37	32.94
PK	5.257G	124.73	Inf	-Inf	118.45	3	Vertical	294	1.79	-	32.81	6.40	32.93
AV	5.257G	115.31	Inf	-Inf	109.03	3	Vertical	294	1.79	-	32.81	6.40	32.93
PK	5.3572G	64.35	74.00	-9.65	57.84	3	Vertical	294	1.79	-	33.03	6.40	32.92
AV	5.3566G	48.83	54.00	-5.17	42.32	3	Vertical	294	1.79	-	33.03	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	58.74	74.00	-15.26	52.56	3	Horizontal	355	1.97	-	32.77	6.36	32.95
AV	5.113G	46.68	54.00	-7.32	40.50	3	Horizontal	355	1.97	-	32.77	6.36	32.95
PK	5.263G	118.86	Inf	-Inf	112.56	3	Horizontal	355	1.97	-	32.83	6.40	32.93
AV	5.2624G	109.13	Inf	-Inf	102.84	3	Horizontal	355	1.97	-	32.82	6.40	32.93
PK	5.35G	59.53	74.00	-14.47	53.05	3	Horizontal	355	1.97	-	33.00	6.40	32.92
AV	5.3506G	48.02	54.00	-5.98	41.54	3	Horizontal	355	1.97	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5206G	59.83	68.20	-8.37	45.68	3	Vertical	302	1.06	-	38.52	8.63	33.00
PK	15.7778G	61.37	74.00	-12.63	45.55	3	Vertical	341	1.80	-	38.17	10.43	32.78
AV	15.77844G	48.47	54.00	-5.53	32.65	3	Vertical	341	1.80	-	38.17	10.43	32.78

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.52282G	61.94	68.20	-6.26	47.79	3	Horizontal	299	2.79	-	38.52	8.63	33.00	
PK	15.77502G	61.47	74.00	-12.53	45.67	3	Horizontal	323	1.82	-	38.15	10.43	32.78	
AV	15.7761G	49.13	54.00	-4.87	33.32	3	Horizontal	323	1.82	-	38.16	10.43	32.78	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2968G	122.53	Inf	-Inf	116.16	3	Vertical	293	1.80	-	32.89	6.40	32.92
AV	5.2968G	113.23	Inf	-Inf	106.86	3	Vertical	293	1.80	-	32.89	6.40	32.92
PK	5.3508G	68.23	74.00	-5.77	61.75	3	Vertical	293	1.80	-	33.00	6.40	32.92
AV	5.35G	53.86	54.00	-0.14	47.38	3	Vertical	293	1.80	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3028G	118.44	Inf	-Inf	112.05	3	Horizontal	29	3.00	-	32.91	6.40	32.92	
AV	5.302G	109.08	Inf	-Inf	102.70	3	Horizontal	29	3.00	-	32.90	6.40	32.92	
PK	5.3508G	65.36	74.00	-8.64	58.88	3	Horizontal	29	3.00	-	33.00	6.40	32.92	
AV	5.352G	50.19	54.00	-3.81	43.70	3	Horizontal	29	3.00	-	33.01	6.40	32.92	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60306G	60.79	74.00	-13.21	46.50	3	Vertical	309	1.12	-	38.60	8.65	32.96	
AV	10.6018G	48.81	54.00	-5.19	34.52	3	Vertical	309	1.12	-	38.60	8.65	32.96	
PK	15.8871G	60.06	74.00	-13.94	43.96	3	Vertical	323	2.30	-	38.39	10.47	32.76	
AV	15.89574G	48.37	54.00	-5.63	32.26	3	Vertical	323	2.30	-	38.40	10.47	32.76	

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.60204G	59.14	74.00	-14.86	44.85	3	Horizontal	292	1.80	-	38.60	8.65	32.96	
AV	10.60228G	47.06	54.00	-6.94	32.77	3	Horizontal	292	1.80	-	38.60	8.65	32.96	
PK	15.90888G	61.93	74.00	-12.07	45.81	3	Horizontal	29	1.81	-	38.40	10.47	32.75	
AV	15.91008G	49.19	54.00	-4.81	33.07	3	Horizontal	29	1.81	-	38.40	10.47	32.75	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3164G	119.33	Inf	-Inf	112.92	3	Vertical	326	1.80	-	32.93	6.40	32.92	
AV	5.3164G	109.92	Inf	-Inf	103.51	3	Vertical	326	1.80	-	32.93	6.40	32.92	
PK	5.3548G	67.21	74.00	-6.79	60.71	3	Vertical	326	1.80	-	33.02	6.40	32.92	
AV	5.356G	53.16	54.00	-0.84	46.66	3	Vertical	326	1.80	-	33.02	6.40	32.92	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3228G	114.98	Inf	-Inf	108.55	3	Horizontal	8	2.95	-	32.95	6.40	32.92	
AV	5.3216G	105.27	Inf	-Inf	98.85	3	Horizontal	8	2.95	-	32.94	6.40	32.92	
PK	5.3528G	66.03	74.00	-7.97	59.54	3	Horizontal	8	2.95	-	33.01	6.40	32.92	
AV	5.3552G	51.06	54.00	-2.94	44.56	3	Horizontal	8	2.95	-	33.02	6.40	32.92	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.957G	60.21	74.00	-13.79	44.07	3	Vertical	30	1.93	-	38.40	10.49	32.75
AV	15.96036G	48.16	54.00	-5.84	32.02	3	Vertical	30	1.93	-	38.40	10.49	32.75

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95418G	60.98	74.00	-13.02	44.84	3	Horizontal	285	1.30	-	38.40	10.49	32.75
AV	15.96906G	47.90	54.00	-6.10	31.75	3	Horizontal	285	1.30	-	38.40	10.49	32.74

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	60.53	74.00	-13.47	54.38	3	Vertical	327	1.96	-	32.72	6.37	32.94
AV	5.1418G	46.64	54.00	-7.36	40.49	3	Vertical	327	1.96	-	32.72	6.37	32.94
PK	5.263G	125.68	Inf	-Inf	119.38	3	Vertical	327	1.96	-	32.83	6.40	32.93
AV	5.263G	113.50	Inf	-Inf	107.20	3	Vertical	327	1.96	-	32.83	6.40	32.93
PK	5.3518G	62.65	74.00	-11.35	56.16	3	Vertical	327	1.96	-	33.01	6.40	32.92
AV	5.3506G	47.91	54.00	-6.09	41.43	3	Vertical	327	1.96	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	59.66	74.00	-14.34	53.53	3	Horizontal	8	3.00	-	32.70	6.37	32.94
AV	5.1388G	46.07	54.00	-7.93	39.92	3	Horizontal	8	3.00	-	32.72	6.37	32.94
PK	5.2588G	121.25	Inf	-Inf	114.96	3	Horizontal	8	3.00	-	32.82	6.40	32.93
AV	5.2612G	109.19	Inf	-Inf	102.90	3	Horizontal	8	3.00	-	32.82	6.40	32.93
PK	5.3614G	60.92	74.00	-13.08	54.39	3	Horizontal	8	3.00	-	33.05	6.40	32.92
AV	5.3512G	47.65	54.00	-6.35	41.17	3	Horizontal	8	3.00	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52096G	59.27	68.20	-8.93	45.12	3	Vertical	305	1.68	-	38.52	8.63	33.00
PK	15.78618G	60.95	74.00	-13.05	45.06	3	Vertical	340	1.80	-	38.22	10.44	32.77
AV	15.78534G	46.81	54.00	-7.19	30.93	3	Vertical	340	1.80	-	38.21	10.44	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53096G	62.23	68.20	-5.97	48.06	3	Horizontal	298	2.78	-	38.53	8.63	32.99
PK	15.77912G	61.68	74.00	-12.32	45.86	3	Horizontal	338	1.80	-	38.17	10.43	32.78
AV	15.77888G	47.93	54.00	-6.07	32.11	3	Horizontal	338	1.80	-	38.17	10.43	32.78

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 20.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.2988G	124.63	Inf	-Inf	118.25	3	Vertical	307	2.14	-	32.90	6.40	32.92	
AV	5.2984G	112.19	Inf	-Inf	105.81	3	Vertical	307	2.14	-	32.90	6.40	32.92	
PK	5.3504G	68.34	74.00	-5.66	61.86	3	Vertical	307	2.14	-	33.00	6.40	32.92	
AV	5.3508G	52.02	54.00	-1.98	45.54	3	Vertical	307	2.14	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 20.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3044G	120.81	Inf	-Inf	114.42	3	Horizontal	12	2.94	-	32.91	6.40	32.92	
AV	5.3044G	108.41	Inf	-Inf	102.02	3	Horizontal	12	2.94	-	32.91	6.40	32.92	
PK	5.3504G	68.00	74.00	-6.00	61.52	3	Horizontal	12	2.94	-	33.00	6.40	32.92	
AV	5.35G	52.07	54.00	-1.93	45.59	3	Horizontal	12	2.94	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 20.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89984G	60.15	74.00	-13.85	44.04	3	Vertical	161	1.55	-	38.40	10.47	32.76
AV	15.90864G	47.14	54.00	-6.86	31.02	3	Vertical	161	1.55	-	38.40	10.47	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 20.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90956G	60.76	74.00	-13.24	44.64	3	Horizontal	149	2.11	-	38.40	10.47	32.75
AV	15.90696G	46.91	54.00	-7.09	30.79	3	Horizontal	149	2.11	-	38.40	10.47	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3132G	120.39	Inf	-Inf	113.98	3	Vertical	50	1.80	-	32.93	6.40	32.92	
AV	5.313G	107.34	Inf	-Inf	100.93	3	Vertical	50	1.80	-	32.93	6.40	32.92	
PK	5.352G	71.24	74.00	-2.76	64.75	3	Vertical	50	1.80	-	33.01	6.40	32.92	
AV	5.3518G	53.64	54.00	-0.36	47.15	3	Vertical	50	1.80	-	33.01	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3188G	116.58	Inf	-Inf	110.16	3	Horizontal	6	3.00	-	32.94	6.40	32.92	
AV	5.3214G	103.61	Inf	-Inf	97.19	3	Horizontal	6	3.00	-	32.94	6.40	32.92	
PK	5.3566G	63.15	74.00	-10.85	56.64	3	Horizontal	6	3.00	-	33.03	6.40	32.92	
AV	5.3502G	48.31	54.00	-5.69	41.83	3	Horizontal	6	3.00	-	33.00	6.40	32.92	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.9498G	59.83	74.00	-14.17	43.70	3	Vertical	219	2.94	-	38.40	10.48	32.75
AV	15.94734G	46.52	54.00	-7.48	30.39	3	Vertical	219	2.94	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 15.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96216G	59.67	74.00	-14.33	43.53	3	Horizontal	303	1.67	-	38.40	10.49	32.75
AV	15.95016G	46.49	54.00	-7.51	30.35	3	Horizontal	303	1.67	-	38.40	10.49	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1476G	60.29	74.00	-13.71	54.16	3	Vertical	315	1.74	-	32.70	6.37	32.94	
AV	5.1488G	46.97	54.00	-7.03	40.84	3	Vertical	315	1.74	-	32.70	6.37	32.94	
PK	5.2682G	120.35	Inf	-Inf	114.04	3	Vertical	315	1.74	-	32.84	6.40	32.93	
AV	5.2682G	107.51	Inf	-Inf	101.20	3	Vertical	315	1.74	-	32.84	6.40	32.93	
PK	5.3504G	68.02	74.00	-5.98	61.54	3	Vertical	315	1.74	-	33.00	6.40	32.92	
AV	5.35G	53.59	54.00	-0.41	47.11	3	Vertical	315	1.74	-	33.00	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	59.35	74.00	-14.65	53.21	3	Horizontal	355	3.00	-	32.71	6.37	32.94
AV	5.147G	46.28	54.00	-7.72	40.14	3	Horizontal	355	3.00	-	32.71	6.37	32.94
PK	5.2664G	116.64	Inf	-Inf	110.34	3	Horizontal	355	3.00	-	32.83	6.40	32.93
AV	5.2664G	103.97	Inf	-Inf	97.67	3	Horizontal	355	3.00	-	32.83	6.40	32.93
PK	5.35G	62.40	74.00	-11.60	55.92	3	Horizontal	355	3.00	-	33.00	6.40	32.92
AV	5.35G	49.69	54.00	-4.31	43.21	3	Horizontal	355	3.00	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	15.80572G	59.33	74.00	-14.67	43.35	3	Vertical	248	1.73	-	38.31	10.44	32.77	
AV	15.80136G	45.56	54.00	-8.44	29.59	3	Vertical	248	1.73	-	38.30	10.44	32.77	

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81824G	58.99	74.00	-15.01	42.99	3	Horizontal	1	2.27	-	38.32	10.45	32.77
AV	15.80632G	45.54	54.00	-8.46	29.56	3	Horizontal	1	2.27	-	38.31	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3168G	116.57	Inf	-Inf	110.16	3	Vertical	42	1.48	-	32.93	6.40	32.92	
AV	5.3172G	103.41	Inf	-Inf	97.00	3	Vertical	42	1.48	-	32.93	6.40	32.92	
PK	5.3576G	68.70	74.00	-5.30	62.19	3	Vertical	42	1.48	-	33.03	6.40	32.92	
AV	5.35G	52.45	54.00	-1.55	45.97	3	Vertical	42	1.48	-	33.00	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_X_4TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.306G	112.70	Inf	-Inf	106.31	3	Horizontal	355	2.96	-	32.91	6.40	32.92	
AV	5.306G	100.06	Inf	-Inf	93.67	3	Horizontal	355	2.96	-	32.91	6.40	32.92	
PK	5.35G	63.91	74.00	-10.09	57.43	3	Horizontal	355	2.96	-	33.00	6.40	32.92	
AV	5.35G	49.25	54.00	-4.75	42.77	3	Horizontal	355	2.96	-	33.00	6.40	32.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93332G	59.95	74.00	-14.05	43.82	3	Vertical	345	1.95	-	38.40	10.48	32.75
AV	15.93496G	46.67	54.00	-7.33	30.54	3	Vertical	345	1.95	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT X_4TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92268G	60.56	74.00	-13.44	44.43	3	Horizontal	177	1.67	-	38.40	10.48	32.75
AV	15.93584G	46.47	54.00	-7.53	30.34	3	Horizontal	177	1.67	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	60.06	74.00	-13.94	53.93	3	Vertical	313	1.78	-	32.70	6.37	32.94
AV	5.1484G	46.70	54.00	-7.30	40.57	3	Vertical	313	1.78	-	32.70	6.37	32.94
PK	5.3092G	112.72	Inf	-Inf	106.32	3	Vertical	313	1.78	-	32.92	6.40	32.92
AV	5.2884G	99.80	Inf	-Inf	93.45	3	Vertical	313	1.78	-	32.88	6.40	32.93
PK	5.35G	69.74	74.00	-4.26	63.26	3	Vertical	313	1.78	-	33.00	6.40	32.92
PK	5.4724G	60.39	68.20	-7.81	53.12	3	Vertical	313	1.78	-	33.70	6.47	32.90
AV	5.35G	53.57	54.00	-0.43	47.09	3	Vertical	313	1.78	-	33.00	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 14.5
01-A-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	59.55	74.00	-14.45	53.41	3	Horizontal	3	2.79	-	32.71	6.37	32.94
AV	5.146G	46.15	54.00	-7.85	40.01	3	Horizontal	3	2.79	-	32.71	6.37	32.94
PK	5.2652G	109.01	Inf	-Inf	102.71	3	Horizontal	3	2.79	-	32.83	6.40	32.93
AV	5.2852G	96.85	Inf	-Inf	90.51	3	Horizontal	3	2.79	-	32.87	6.40	32.93
PK	5.3644G	63.68	74.00	-10.32	57.14	3	Horizontal	3	2.79	-	33.06	6.40	32.92
AV	5.35G	49.14	54.00	-4.86	42.66	3	Horizontal	3	2.79	-	33.00	6.40	32.92
PK	5.4812G	59.77	68.20	-8.43	52.49	3	Horizontal	3	2.79	-	33.70	6.48	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT X_4TX
Setting 14.5
01-A-B-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	15.87058G	59.28	74.00	-14.72	43.21	3	Vertical	217	2.20	-	38.37	10.46	32.76
AV	15.8733G	45.94	54.00	-8.06	29.87	3	Vertical	217	2.20	-	38.37	10.46	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom



EUT X_4TX
Setting 14.5
01-A-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86864G	59.12	74.00	-14.88	43.05	3	Horizontal	7	1.64	-	38.37	10.46	32.76
AV	15.87162G	45.98	54.00	-8.02	29.91	3	Horizontal	7	1.64	-	38.37	10.46	32.76




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1.(MCS0)_4TX	Pass	PK	5.47G	68.08	68.20	-0.12	3	Horizontal	328	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4514G	61.65	74.00	-12.35	54.41	3	Vertical	329	1.00	-	33.70	6.45	32.91	
AV	5.4564G	48.80	54.00	-5.20	41.55	3	Vertical	329	1.00	-	33.70	6.46	32.91	
PK	5.4698G	66.68	68.20	-1.52	59.41	3	Vertical	329	1.00	-	33.70	6.47	32.90	
PK	5.4976G	114.19	Inf	-Inf	106.89	3	Vertical	329	1.00	-	33.70	6.50	32.90	
AV	5.498G	105.16	Inf	-Inf	97.86	3	Vertical	329	1.00	-	33.70	6.50	32.90	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4596G	61.59	74.00	-12.41	54.33	3	Horizontal	317	1.96	-	33.70	6.46	32.90	
AV	5.4576G	49.20	54.00	-4.80	41.95	3	Horizontal	317	1.96	-	33.70	6.46	32.91	
PK	5.4658G	65.22	68.20	-2.98	57.95	3	Horizontal	317	1.96	-	33.70	6.47	32.90	
PK	5.5054G	119.24	Inf	-Inf	111.91	3	Horizontal	317	1.96	-	33.72	6.51	32.90	
AV	5.5046G	109.93	Inf	-Inf	102.61	3	Horizontal	317	1.96	-	33.72	6.50	32.90	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00034G	54.93	74.00	-19.07	40.43	3	Vertical	305	1.80	-	38.50	8.75	32.75
AV	10.99848G	42.29	54.00	-11.71	27.79	3	Vertical	305	1.80	-	38.50	8.75	32.75

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0022G	55.07	74.00	-18.93	40.57	3	Horizontal	115	1.46	-	38.50	8.75	32.75
AV	10.99758G	42.45	54.00	-11.55	27.95	3	Horizontal	115	1.46	-	38.50	8.75	32.75

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	60.61	74.00	-13.39	53.36	3	Vertical	351	2.94	-	33.70	6.46	32.91
AV	5.4584G	48.56	54.00	-5.44	41.30	3	Vertical	351	2.94	-	33.70	6.46	32.90
PK	5.4624G	60.64	68.20	-7.56	53.38	3	Vertical	351	2.94	-	33.70	6.46	32.90
PK	5.5776G	122.19	Inf	-Inf	114.68	3	Vertical	351	2.94	-	33.84	6.58	32.91
AV	5.5768G	113.04	Inf	-Inf	105.52	3	Vertical	351	2.94	-	33.85	6.58	32.91
PK	5.7696G	61.19	68.20	-7.01	53.12	3	Vertical	351	2.94	-	34.40	6.60	32.93

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.83	74.00	-13.17	53.58	3	Horizontal	322	1.80	-	33.70	6.46	32.91
AV	5.452G	48.99	54.00	-5.01	41.75	3	Horizontal	322	1.80	-	33.70	6.45	32.91
PK	5.4672G	61.98	68.20	-6.22	54.71	3	Horizontal	322	1.80	-	33.70	6.47	32.90
PK	5.5872G	126.52	Inf	-Inf	119.01	3	Horizontal	322	1.80	-	33.83	6.59	32.91
AV	5.5872G	115.70	Inf	-Inf	108.19	3	Horizontal	322	1.80	-	33.83	6.59	32.91
PK	5.7272G	62.04	68.20	-6.16	54.14	3	Horizontal	322	1.80	-	34.22	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16284G	55.64	74.00	-18.36	41.28	3	Vertical	48	1.01	-	38.34	8.79	32.77
AV	11.16476G	43.05	54.00	-10.95	28.69	3	Vertical	48	1.01	-	38.34	8.79	32.77

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15786G	55.47	74.00	-18.53	41.11	3	Horizontal	318	1.84	-	38.34	8.79	32.77
AV	11.1585G	43.09	54.00	-10.91	28.73	3	Horizontal	318	1.84	-	38.34	8.79	32.77

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_V_4TX
Setting 13.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7018G	114.50	Inf	-Inf	106.81	3	Vertical	349	3.00	-	34.01	6.60	32.92
AV	5.7026G	105.23	Inf	-Inf	97.53	3	Vertical	349	3.00	-	34.02	6.60	32.92
PK	5.7384G	63.28	68.20	-4.92	55.29	3	Vertical	349	3.00	-	34.31	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 13.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6948G	118.90	Inf	-Inf	111.21	3	Horizontal	329	1.80	-	34.01	6.60	32.92
AV	5.6948G	109.11	Inf	-Inf	101.42	3	Horizontal	329	1.80	-	34.01	6.60	32.92
PK	5.7296G	67.71	68.20	-0.49	59.79	3	Horizontal	329	1.80	-	34.24	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 13.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40262G	55.32	74.00	-18.68	40.87	3	Vertical	203	1.83	-	38.40	8.85	32.80
AV	11.4012G	42.77	54.00	-11.23	28.32	3	Vertical	203	1.83	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 13.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39802G	55.26	74.00	-18.74	40.81	3	Horizontal	3	1.85	-	38.40	8.85	32.80
AV	11.40366G	42.85	54.00	-11.15	28.40	3	Horizontal	3	1.85	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7208G	121.99	Inf	-Inf	114.14	3	Vertical	345	2.98	-	34.17	6.60	32.92	
AV	5.7208G	112.59	Inf	-Inf	104.74	3	Vertical	345	2.98	-	34.17	6.60	32.92	
PK	5.8792G	61.83	68.20	-6.37	53.31	3	Vertical	345	2.98	-	34.86	6.60	32.94	

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7152G	125.69	Inf	-Inf	117.89	3	Horizontal	328	1.80	-	34.12	6.60	32.92
AV	5.7152G	116.19	Inf	-Inf	108.39	3	Horizontal	328	1.80	-	34.12	6.60	32.92
PK	5.9048G	61.79	68.20	-6.41	53.21	3	Horizontal	328	1.80	-	34.92	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44348G	55.43	74.00	-18.57	40.97	3	Vertical	205	1.64	-	38.40	8.86	32.80
AV	11.44186G	43.02	54.00	-10.98	28.56	3	Vertical	205	1.64	-	38.40	8.86	32.80

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43506G	55.27	74.00	-18.73	40.81	3	Horizontal	185	2.79	-	38.40	8.86	32.80
AV	11.43848G	43.00	54.00	-11.00	28.54	3	Horizontal	185	2.79	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 13.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4598G	61.63	74.00	-12.37	54.37	3	Vertical	291	1.29	-	33.70	6.46	32.90	
AV	5.4582G	47.44	54.00	-6.56	40.19	3	Vertical	291	1.29	-	33.70	6.46	32.91	
PK	5.4698G	62.87	68.20	-5.33	55.60	3	Vertical	291	1.29	-	33.70	6.47	32.90	
PK	5.4988G	112.99	Inf	-Inf	105.69	3	Vertical	291	1.29	-	33.70	6.50	32.90	
AV	5.4982G	99.73	Inf	-Inf	92.43	3	Vertical	291	1.29	-	33.70	6.50	32.90	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT V_4TX
Setting 13.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4578G	63.78	74.00	-10.22	56.53	3	Horizontal	325	2.00	-	33.70	6.46	32.91
AV	5.4594G	49.63	54.00	-4.37	42.37	3	Horizontal	325	2.00	-	33.70	6.46	32.90
PK	5.466G	67.84	68.20	-0.36	60.57	3	Horizontal	325	2.00	-	33.70	6.47	32.90
PK	5.4976G	122.35	Inf	-Inf	115.05	3	Horizontal	325	2.00	-	33.70	6.50	32.90
AV	5.499G	108.72	Inf	-Inf	101.42	3	Horizontal	325	2.00	-	33.70	6.50	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 13.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99812G	55.30	74.00	-18.70	40.80	3	Vertical	75	2.72	-	38.50	8.75	32.75
AV	11.00074G	41.38	54.00	-12.62	26.88	3	Vertical	75	2.72	-	38.50	8.75	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 13.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99996G	55.26	74.00	-18.74	40.76	3	Horizontal	87	1.22	-	38.50	8.75	32.75
AV	10.9998G	41.33	54.00	-12.67	26.83	3	Horizontal	87	1.22	-	38.50	8.75	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3968G	59.96	74.00	-14.04	53.28	3	Vertical	313	2.50	-	33.19	6.40	32.91
PK	5.4656G	61.01	68.20	-7.19	53.74	3	Vertical	313	2.50	-	33.70	6.47	32.90
AV	5.4552G	47.31	54.00	-6.69	40.06	3	Vertical	313	2.50	-	33.70	6.46	32.91
PK	5.5792G	119.85	Inf	-Inf	112.34	3	Vertical	313	2.50	-	33.84	6.58	32.91
AV	5.5784G	106.57	Inf	-Inf	99.06	3	Vertical	313	2.50	-	33.84	6.58	32.91
PK	5.7696G	61.70	68.20	-6.50	53.63	3	Vertical	313	2.50	-	34.40	6.60	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	61.81	74.00	-12.19	54.61	3	Horizontal	329	1.80	-	33.66	6.45	32.91
AV	5.4552G	48.14	54.00	-5.86	40.89	3	Horizontal	329	1.80	-	33.70	6.46	32.91
PK	5.4688G	62.52	68.20	-5.68	55.25	3	Horizontal	329	1.80	-	33.70	6.47	32.90
PK	5.5752G	126.91	Inf	-Inf	119.39	3	Horizontal	329	1.80	-	33.85	6.58	32.91
AV	5.5752G	115.11	Inf	-Inf	107.59	3	Horizontal	329	1.80	-	33.85	6.58	32.91
PK	5.7688G	63.23	68.20	-4.97	55.16	3	Horizontal	329	1.80	-	34.40	6.60	32.93

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.1581G	56.11	74.00	-17.89	41.75	3	Vertical	353	1.31	-	38.34	8.79	32.77	
AV	11.16434G	42.03	54.00	-11.97	27.67	3	Vertical	353	1.31	-	38.34	8.79	32.77	

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1613G	56.20	74.00	-17.80	41.84	3	Horizontal	76	2.55	-	38.34	8.79	32.77
AV	11.16396G	42.05	54.00	-11.95	27.69	3	Horizontal	76	2.55	-	38.34	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 11.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	114.02	Inf	-Inf	106.28	3	Vertical	0	3.00	-	34.06	6.60	32.92
AV	5.708G	100.46	Inf	-Inf	92.72	3	Vertical	0	3.00	-	34.06	6.60	32.92
PK	5.7292G	63.16	68.20	-5.04	55.25	3	Vertical	0	3.00	-	34.23	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 11.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	120.25	Inf	-Inf	112.53	3	Horizontal	330	1.80	-	34.04	6.60	32.92
AV	5.7048G	106.66	Inf	-Inf	98.94	3	Horizontal	330	1.80	-	34.04	6.60	32.92
PK	5.7252G	67.72	68.20	-0.48	59.84	3	Horizontal	330	1.80	-	34.20	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 11.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40172G	56.25	74.00	-17.75	41.80	3	Vertical	3	1.37	-	38.40	8.85	32.80
AV	11.40178G	41.84	54.00	-12.16	27.39	3	Vertical	3	1.37	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 11.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4026G	55.46	74.00	-18.54	41.01	3	Horizontal	37	2.55	-	38.40	8.85	32.80
AV	11.3994G	41.71	54.00	-12.29	27.26	3	Horizontal	37	2.55	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7288G	118.38	Inf	-Inf	110.47	3	Vertical	309	1.67	-	34.23	6.60	32.92
AV	5.7288G	105.19	Inf	-Inf	97.28	3	Vertical	309	1.67	-	34.23	6.60	32.92
PK	5.9144G	61.88	68.20	-6.32	53.26	3	Vertical	309	1.67	-	34.96	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7208G	126.63	Inf	-Inf	118.78	3	Horizontal	326	1.80	-	34.17	6.60	32.92	
AV	5.7208G	114.52	Inf	-Inf	106.67	3	Horizontal	326	1.80	-	34.17	6.60	32.92	
PK	5.8592G	62.25	68.20	-5.95	53.77	3	Horizontal	326	1.80	-	34.82	6.60	32.94	

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4412G	55.82	74.00	-18.18	41.36	3	Vertical	355	1.92	-	38.40	8.86	32.80
AV	11.43518G	41.85	54.00	-12.15	27.39	3	Vertical	355	1.92	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4363G	56.48	74.00	-17.52	42.02	3	Horizontal	144	1.06	-	38.40	8.86	32.80
AV	11.44084G	41.77	54.00	-12.23	27.31	3	Horizontal	144	1.06	-	38.40	8.86	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 12
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4536G	61.64	74.00	-12.36	54.40	3	Vertical	310	2.13	-	33.70	6.45	32.91	
AV	5.4544G	47.86	54.00	-6.14	40.62	3	Vertical	310	2.13	-	33.70	6.45	32.91	
PK	5.4672G	62.82	68.20	-5.38	55.55	3	Vertical	310	2.13	-	33.70	6.47	32.90	
PK	5.5144G	110.65	Inf	-Inf	103.28	3	Vertical	310	2.13	-	33.76	6.51	32.90	
AV	5.5152G	98.11	Inf	-Inf	90.73	3	Vertical	310	2.13	-	33.76	6.52	32.90	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 12
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4592G	62.69	74.00	-11.31	55.43	3	Horizontal	328	1.78	-	33.70	6.46	32.90	
AV	5.4516G	48.83	54.00	-5.17	41.59	3	Horizontal	328	1.78	-	33.70	6.45	32.91	
PK	5.47G	66.54	68.20	-1.66	59.27	3	Horizontal	328	1.78	-	33.70	6.47	32.90	
PK	5.5112G	117.03	Inf	-Inf	109.68	3	Horizontal	328	1.78	-	33.74	6.51	32.90	
AV	5.5112G	104.00	Inf	-Inf	96.65	3	Horizontal	328	1.78	-	33.74	6.51	32.90	

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 12
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02306G	55.02	74.00	-18.98	40.53	3	Vertical	289	2.27	-	38.48	8.76	32.75
AV	11.02096G	41.23	54.00	-12.77	26.74	3	Vertical	289	2.27	-	38.48	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 12
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02166G	55.14	74.00	-18.86	40.65	3	Horizontal	239	1.69	-	38.48	8.76	32.75
AV	11.01968G	41.19	54.00	-12.81	26.71	3	Horizontal	239	1.69	-	38.48	8.75	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 16.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	61.65	74.00	-12.35	54.41	3	Vertical	310	2.22	-	33.70	6.45	32.91
AV	5.454G	47.96	54.00	-6.04	40.72	3	Vertical	310	2.22	-	33.70	6.45	32.91
PK	5.466G	63.37	68.20	-4.83	56.10	3	Vertical	310	2.22	-	33.70	6.47	32.90
PK	5.556G	113.17	Inf	-Inf	105.63	3	Vertical	310	2.22	-	33.89	6.56	32.91
AV	5.556G	100.74	Inf	-Inf	93.20	3	Vertical	310	2.22	-	33.89	6.56	32.91
PK	5.7372G	60.96	68.20	-7.24	52.98	3	Vertical	310	2.22	-	34.30	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 16.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	64.48	74.00	-9.52	57.24	3	Horizontal	328	1.80	-	33.70	6.45	32.91
AV	5.4588G	49.57	54.00	-4.43	42.31	3	Horizontal	328	1.80	-	33.70	6.46	32.90
PK	5.47G	68.08	68.20	-0.12	60.81	3	Horizontal	328	1.80	-	33.70	6.47	32.90
PK	5.5516G	120.04	Inf	-Inf	112.50	3	Horizontal	328	1.80	-	33.90	6.55	32.91
AV	5.5508G	107.96	Inf	-Inf	100.42	3	Horizontal	328	1.80	-	33.90	6.55	32.91
PK	5.7428G	62.11	68.20	-6.09	54.09	3	Horizontal	328	1.80	-	34.34	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 16.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10244G	56.64	74.00	-17.36	42.22	3	Vertical	89	2.92	-	38.40	8.78	32.76
AV	11.096G	42.09	54.00	-11.91	27.68	3	Vertical	89	2.92	-	38.40	8.77	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 16.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.10294G	56.27	74.00	-17.73	41.85	3	Horizontal	246	2.10	-	38.40	8.78	32.76	
AV	11.10416G	42.23	54.00	-11.77	27.81	3	Horizontal	246	2.10	-	38.40	8.78	32.76	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Y_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6648G	110.62	Inf	-Inf	102.87	3	Vertical	322	1.51	-	34.07	6.60	32.92
AV	5.6652G	97.11	Inf	-Inf	89.36	3	Vertical	322	1.51	-	34.07	6.60	32.92
PK	5.7544G	61.68	68.20	-6.52	53.61	3	Vertical	322	1.51	-	34.40	6.60	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6756G	119.47	Inf	-Inf	111.74	3	Horizontal	330	1.80	-	34.05	6.60	32.92	
AV	5.6748G	105.85	Inf	-Inf	98.12	3	Horizontal	330	1.80	-	34.05	6.60	32.92	
PK	5.7364G	67.98	68.20	-0.22	60.01	3	Horizontal	330	1.80	-	34.29	6.60	32.92	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.33904G	55.17	74.00	-18.83	40.73	3	Vertical	301	2.12	-	38.40	8.83	32.79	
AV	11.33692G	41.54	54.00	-12.46	27.10	3	Vertical	301	2.12	-	38.40	8.83	32.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.3374G	55.39	74.00	-18.61	40.95	3	Horizontal	20	2.68	-	38.40	8.83	32.79	
AV	11.3368G	41.51	54.00	-12.49	27.07	3	Horizontal	20	2.68	-	38.40	8.83	32.79	

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 19.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	113.91	Inf	-Inf	106.17	3	Vertical	323	1.45	-	34.06	6.60	32.92
AV	5.706G	101.81	Inf	-Inf	94.08	3	Vertical	323	1.45	-	34.05	6.60	32.92
PK	5.8572G	61.93	68.20	-6.27	53.46	3	Vertical	323	1.45	-	34.81	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 19.5
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	124.03	Inf	-Inf	116.24	3	Horizontal	329	1.80	-	34.11	6.60	32.92
AV	5.7156G	111.53	Inf	-Inf	103.73	3	Horizontal	329	1.80	-	34.12	6.60	32.92
PK	5.85G	66.34	68.20	-1.86	57.88	3	Horizontal	329	1.80	-	34.80	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 19.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41576G	55.14	74.00	-18.86	40.69	3	Vertical	150	2.36	-	38.40	8.85	32.80
AV	11.41708G	41.52	54.00	-12.48	27.07	3	Vertical	150	2.36	-	38.40	8.85	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 19.5
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42304G	55.92	74.00	-18.08	41.46	3	Horizontal	126	1.05	-	38.40	8.86	32.80
AV	11.42038G	41.66	54.00	-12.34	27.20	3	Horizontal	126	1.05	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 12
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	59.79	68.20	-8.41	53.36	3	Vertical	292	1.40	-	32.95	6.40	32.92
PK	5.459G	62.74	74.00	-11.26	55.48	3	Vertical	292	1.40	-	33.70	6.46	32.90
AV	5.46G	47.93	54.00	-6.07	40.67	3	Vertical	292	1.40	-	33.70	6.46	32.90
PK	5.461G	61.55	68.20	-6.65	54.29	3	Vertical	292	1.40	-	33.70	6.46	32.90
PK	5.541G	107.38	Inf	-Inf	99.88	3	Vertical	292	1.40	-	33.86	6.54	32.90
AV	5.541G	93.47	Inf	-Inf	85.97	3	Vertical	292	1.40	-	33.86	6.54	32.90
PK	5.731G	61.48	68.20	-6.72	53.55	3	Vertical	292	1.40	-	34.25	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 12
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	59.27	68.20	-8.93	52.81	3	Horizontal	325	2.06	-	32.98	6.40	32.92
PK	5.457G	71.51	74.00	-2.49	64.26	3	Horizontal	325	2.06	-	33.70	6.46	32.91
AV	5.457G	51.15	54.00	-2.85	43.90	3	Horizontal	325	2.06	-	33.70	6.46	32.91
PK	5.468G	64.87	68.20	-3.33	57.60	3	Horizontal	325	2.06	-	33.70	6.47	32.90
PK	5.536G	116.21	Inf	-Inf	108.73	3	Horizontal	325	2.06	-	33.84	6.54	32.90
AV	5.536G	103.21	Inf	-Inf	95.73	3	Horizontal	325	2.06	-	33.84	6.54	32.90
PK	5.765G	61.49	68.20	-6.71	53.42	3	Horizontal	325	2.06	-	34.40	6.60	32.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 12
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.06472G	55.81	74.00	-18.19	41.36	3	Vertical	201	1.17	-	38.44	8.77	32.76
AV	11.06496G	41.87	54.00	-12.13	27.42	3	Vertical	201	1.17	-	38.44	8.77	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 12
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06438G	55.67	74.00	-18.33	41.22	3	Horizontal	311	1.83	-	38.44	8.77	32.76
AV	11.06496G	41.81	54.00	-12.19	27.36	3	Horizontal	311	1.83	-	38.44	8.77	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4564G	60.30	74.00	-13.70	53.05	3	Vertical	319	2.12	-	33.70	6.46	32.91	
AV	5.4524G	47.29	54.00	-6.71	40.05	3	Vertical	319	2.12	-	33.70	6.45	32.91	
PK	5.466G	60.16	68.20	-8.04	52.89	3	Vertical	319	2.12	-	33.70	6.47	32.90	
PK	5.6172G	106.87	Inf	-Inf	99.28	3	Vertical	319	2.12	-	33.90	6.60	32.91	
AV	5.6172G	93.92	Inf	-Inf	86.33	3	Vertical	319	2.12	-	33.90	6.60	32.91	
PK	5.7732G	61.47	68.20	-6.73	53.40	3	Vertical	319	2.12	-	34.40	6.60	32.93	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_V_4TX
Setting 14
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4444G	61.10	74.00	-12.90	53.93	3	Horizontal	324	2.00	-	33.64	6.44	32.91	
AV	5.4556G	48.14	54.00	-5.86	40.89	3	Horizontal	324	2.00	-	33.70	6.46	32.91	
PK	5.47G	61.04	68.20	-7.16	53.77	3	Horizontal	324	2.00	-	33.70	6.47	32.90	
PK	5.5964G	116.44	Inf	-Inf	108.94	3	Horizontal	324	2.00	-	33.81	6.60	32.91	
AV	5.6164G	104.40	Inf	-Inf	96.81	3	Horizontal	324	2.00	-	33.90	6.60	32.91	
PK	5.7364G	67.71	68.20	-0.49	59.74	3	Horizontal	324	2.00	-	34.29	6.60	32.92	

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.21932G	55.76	74.00	-18.24	41.42	3	Vertical	35	1.74	-	38.32	8.80	32.78
AV	11.2243G	41.99	54.00	-12.01	27.64	3	Vertical	35	1.74	-	38.32	8.81	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 14
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.21536G	55.93	74.00	-18.07	41.59	3	Horizontal	248	2.36	-	38.32	8.80	32.78	
AV	11.2184G	41.95	54.00	-12.05	27.61	3	Horizontal	248	2.36	-	38.32	8.80	32.78	

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.686G	109.48	Inf	-Inf	101.77	3	Vertical	321	1.54	-	34.03	6.60	32.92
AV	5.6844G	96.91	Inf	-Inf	89.20	3	Vertical	321	1.54	-	34.03	6.60	32.92
PK	5.8508G	62.10	68.20	-6.10	53.64	3	Vertical	321	1.54	-	34.80	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	118.37	Inf	-Inf	110.68	3	Horizontal	331	1.80	-	34.01	6.60	32.92
AV	5.6956G	105.99	Inf	-Inf	98.30	3	Horizontal	331	1.80	-	34.01	6.60	32.92
PK	5.8548G	66.42	68.20	-1.78	57.95	3	Horizontal	331	1.80	-	34.81	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38068G	55.38	74.00	-18.62	40.93	3	Vertical	346	2.04	-	38.40	8.85	32.80
AV	11.383G	41.29	54.00	-12.71	26.84	3	Vertical	346	2.04	-	38.40	8.85	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
Setting 17
01-A-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3803G	55.18	74.00	-18.82	40.73	3	Horizontal	57	1.29	-	38.40	8.85	32.80
AV	11.38302G	41.34	54.00	-12.66	26.89	3	Horizontal	57	1.29	-	38.40	8.85	32.80




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4698G	68.16	68.20	-0.04	3	Horizontal	41	1.14	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	56.90	74.00	-17.10	50.32	3	Vertical	339	1.79	-	33.50	5.23	32.15
AV	5.1112G	44.80	54.00	-9.20	38.24	3	Vertical	339	1.79	-	33.50	5.21	32.15
PK	5.2528G	121.40	Inf	-Inf	114.60	3	Vertical	339	1.79	-	33.61	5.33	32.14
AV	5.2534G	111.54	Inf	-Inf	104.74	3	Vertical	339	1.79	-	33.61	5.33	32.14
PK	5.3626G	56.74	74.00	-17.26	49.77	3	Vertical	339	1.79	-	33.73	5.38	32.14
AV	5.4094G	44.64	54.00	-9.36	37.55	3	Vertical	339	1.79	-	33.82	5.41	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1208G	58.70	74.00	-15.30	52.13	3	Horizontal	49	1.91	-	33.50	5.22	32.15
AV	5.1106G	45.42	54.00	-8.58	38.86	3	Horizontal	49	1.91	-	33.50	5.21	32.15
PK	5.2678G	120.38	Inf	-Inf	113.55	3	Horizontal	49	1.91	-	33.64	5.33	32.14
AV	5.2672G	110.50	Inf	-Inf	103.68	3	Horizontal	49	1.91	-	33.63	5.33	32.14
PK	5.3638G	57.76	74.00	-16.24	50.79	3	Horizontal	49	1.91	-	33.73	5.38	32.14
AV	5.4094G	45.43	54.00	-8.57	38.34	3	Horizontal	49	1.91	-	33.82	5.41	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52024G	60.48	68.20	-7.72	47.61	3	Vertical	340	1.63	-	38.42	7.51	33.06
PK	15.7829G	53.02	74.00	-20.98	39.20	3	Vertical	17	1.93	-	37.40	9.90	33.48
AV	15.78128G	39.77	54.00	-14.23	25.95	3	Vertical	17	1.93	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52056G	58.67	68.20	-9.53	45.80	3	Horizontal	317	2.95	-	38.42	7.51	33.06
PK	15.784G	52.97	74.00	-21.03	39.16	3	Horizontal	228	1.71	-	37.40	9.90	33.49
AV	15.78066G	39.98	54.00	-14.02	26.16	3	Horizontal	228	1.71	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	120.60	Inf	-Inf	113.70	3	Vertical	340	1.76	-	33.69	5.35	32.14
AV	5.2928G	110.87	Inf	-Inf	103.97	3	Vertical	340	1.76	-	33.69	5.35	32.14
PK	5.3516G	71.46	74.00	-2.54	64.52	3	Vertical	340	1.76	-	33.70	5.38	32.14
AV	5.352G	52.89	54.00	-1.11	45.95	3	Vertical	340	1.76	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3076G	121.31	Inf	-Inf	114.40	3	Horizontal	47	1.98	-	33.70	5.35	32.14
AV	5.3068G	111.31	Inf	-Inf	104.40	3	Horizontal	47	1.98	-	33.70	5.35	32.14
PK	5.35G	64.80	74.00	-9.20	57.86	3	Horizontal	47	1.98	-	33.70	5.38	32.14
AV	5.35G	50.92	54.00	-3.08	43.98	3	Horizontal	47	1.98	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59824G	61.31	68.20	-6.89	48.36	3	Vertical	340.5	1.80	-	38.50	7.54	33.09
PK	15.89628G	53.68	74.00	-20.32	39.85	3	Vertical	113	2.28	-	37.50	9.95	33.62
AV	15.89686G	40.76	54.00	-13.24	26.93	3	Vertical	113	2.28	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59808G	58.11	68.20	-10.09	45.16	3	Horizontal	272	2.21	-	38.50	7.54	33.09
PK	15.89736G	53.99	74.00	-20.01	40.16	3	Horizontal	227	2.05	-	37.50	9.95	33.62
AV	15.89616G	40.69	54.00	-13.31	26.86	3	Horizontal	227	2.05	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3138G	116.78	Inf	-Inf	109.86	3	Vertical	337	1.76	-	33.70	5.36	32.14	
AV	5.3138G	106.89	Inf	-Inf	99.97	3	Vertical	337	1.76	-	33.70	5.36	32.14	
PK	5.3528G	69.43	74.00	-4.57	62.48	3	Vertical	337	1.76	-	33.71	5.38	32.14	
AV	5.352G	51.78	54.00	-2.22	44.84	3	Vertical	337	1.76	-	33.70	5.38	32.14	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.327G	117.35	Inf	-Inf	110.43	3	Horizontal	46	1.87	-	33.70	5.36	32.14	
AV	5.3274G	107.90	Inf	-Inf	100.98	3	Horizontal	46	1.87	-	33.70	5.36	32.14	
PK	5.3554G	68.94	74.00	-5.06	61.99	3	Horizontal	46	1.87	-	33.71	5.38	32.14	
AV	5.35G	52.58	54.00	-1.42	45.64	3	Horizontal	46	1.87	-	33.70	5.38	32.14	

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63796G	55.92	74.00	-18.08	43.01	3	Vertical	117	1.92	-	38.46	7.56	33.11
AV	10.63818G	42.60	54.00	-11.40	29.69	3	Vertical	117	1.92	-	38.46	7.56	33.11
PK	15.96162G	52.80	74.00	-21.20	39.07	3	Vertical	88	2.14	-	37.44	9.98	33.69
AV	15.95928G	39.61	54.00	-14.39	25.88	3	Vertical	88	2.14	-	37.44	9.98	33.69

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.63818G	55.36	74.00	-18.64	42.45	3	Horizontal	85	2.25	-	38.46	7.56	33.11	
AV	10.63816G	42.69	54.00	-11.31	29.78	3	Horizontal	85	2.25	-	38.46	7.56	33.11	
PK	15.96112G	52.77	74.00	-21.23	39.04	3	Horizontal	324	1.86	-	37.44	9.98	33.69	
AV	15.96276G	39.49	54.00	-14.51	25.77	3	Horizontal	324	1.86	-	37.44	9.98	33.70	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4568G	56.98	74.00	-17.02	49.75	3	Vertical	317	1.77	-	33.90	5.46	32.13	
AV	5.4598G	44.91	54.00	-9.09	37.68	3	Vertical	317	1.77	-	33.90	5.46	32.13	
PK	5.4696G	65.43	68.20	-2.77	58.19	3	Vertical	317	1.77	-	33.90	5.47	32.13	
PK	5.507G	116.68	Inf	-Inf	109.40	3	Vertical	317	1.77	-	33.90	5.51	32.13	
AV	5.5074G	107.35	Inf	-Inf	100.07	3	Vertical	317	1.77	-	33.90	5.51	32.13	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4576G	58.35	74.00	-15.65	51.12	3	Horizontal	40	1.06	-	33.90	5.46	32.13	
AV	5.4572G	45.43	54.00	-8.57	38.20	3	Horizontal	40	1.06	-	33.90	5.46	32.13	
PK	5.466G	67.22	68.20	-0.98	59.98	3	Horizontal	40	1.06	-	33.90	5.47	32.13	
PK	5.5062G	118.40	Inf	-Inf	111.12	3	Horizontal	40	1.06	-	33.90	5.51	32.13	
AV	5.5068G	108.65	Inf	-Inf	101.37	3	Horizontal	40	1.06	-	33.90	5.51	32.13	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99878G	53.92	74.00	-20.08	40.99	3	Vertical	242	1.04	-	38.50	7.70	33.27	
AV	10.99788G	40.94	54.00	-13.06	28.01	3	Vertical	242	1.04	-	38.50	7.70	33.27	

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99794G	54.49	74.00	-19.51	41.56	3	Horizontal	72	1.81	-	38.50	7.70	33.27
AV	10.99774G	40.85	54.00	-13.15	27.92	3	Horizontal	72	1.81	-	38.50	7.70	33.27

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4376G	57.09	74.00	-16.91	49.90	3	Vertical	315	1.75	-	33.88	5.44	32.13
AV	5.4448G	45.01	54.00	-8.99	37.81	3	Vertical	315	1.75	-	33.89	5.44	32.13
PK	5.4696G	56.62	68.20	-11.58	49.38	3	Vertical	315	1.75	-	33.90	5.47	32.13
PK	5.588G	120.55	Inf	-Inf	113.20	3	Vertical	315	1.75	-	33.90	5.59	32.14
AV	5.5872G	111.12	Inf	-Inf	103.77	3	Vertical	315	1.75	-	33.90	5.59	32.14
PK	5.744G	56.86	68.20	-11.34	49.61	3	Vertical	315	1.75	-	33.79	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4288G	56.85	74.00	-17.15	49.69	3	Horizontal	295	1.70	-	33.86	5.43	32.13
AV	5.408G	44.78	54.00	-9.22	37.69	3	Horizontal	295	1.70	-	33.82	5.41	32.14
PK	5.4664G	56.35	68.20	-11.85	49.11	3	Horizontal	295	1.70	-	33.90	5.47	32.13
PK	5.5824G	120.65	Inf	-Inf	113.30	3	Horizontal	295	1.70	-	33.90	5.58	32.13
AV	5.5832G	110.94	Inf	-Inf	103.59	3	Horizontal	295	1.70	-	33.90	5.58	32.13
PK	5.7728G	57.39	68.20	-10.81	50.19	3	Horizontal	295	1.70	-	33.75	5.60	32.15

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.16456G	56.32	74.00	-17.68	43.14	3	Vertical	350	1.86	-	38.66	7.77	33.25	
AV	11.16608G	42.88	54.00	-11.12	29.69	3	Vertical	350	1.86	-	38.67	7.77	33.25	
PK	16.74132G	55.98	68.20	-12.22	38.96	3	Vertical	114	2.61	-	39.95	10.37	33.30	

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15152G	57.87	74.00	-16.13	44.71	3	Horizontal	67	1.78	-	38.65	7.76	33.25
AV	11.15192G	43.85	54.00	-10.15	30.69	3	Horizontal	67	1.78	-	38.65	7.76	33.25
PK	16.73992G	55.92	68.20	-12.28	38.91	3	Horizontal	56	2.66	-	39.94	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.7076G	114.54	Inf	-Inf	107.36	3	Vertical	315	1.54	-	33.72	5.60	32.14	
AV	5.7074G	105.18	Inf	-Inf	98.01	3	Vertical	315	1.54	-	33.71	5.60	32.14	
PK	5.726G	64.87	68.20	-3.33	57.66	3	Vertical	315	1.54	-	33.75	5.60	32.14	

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6924G	116.39	Inf	-Inf	109.21	3	Horizontal	312	1.88	-	33.72	5.60	32.14
AV	5.6922G	107.31	Inf	-Inf	100.13	3	Horizontal	312	1.88	-	33.72	5.60	32.14
PK	5.729G	67.72	68.20	-0.48	60.50	3	Horizontal	312	1.88	-	33.76	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40028G	51.51	74.00	-22.49	38.08	3	Vertical	269	1.06	-	38.80	7.86	33.23
AV	11.39568G	38.81	54.00	-15.19	25.38	3	Vertical	269	1.06	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40178G	52.05	74.00	-21.95	38.62	3	Horizontal	287	1.41	-	38.80	7.86	33.23
AV	11.39556G	38.71	54.00	-15.29	25.28	3	Horizontal	287	1.41	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7272G	119.38	Inf	-Inf	112.17	3	Vertical	317	1.62	-	33.75	5.60	32.14
AV	5.7272G	109.92	Inf	-Inf	102.71	3	Vertical	317	1.62	-	33.75	5.60	32.14
PK	5.9176G	56.97	68.20	-11.23	49.37	3	Vertical	317	1.62	-	34.04	5.72	32.16

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7128G	121.11	Inf	-Inf	113.92	3	Horizontal	312	1.85	-	33.73	5.60	32.14
AV	5.7128G	111.61	Inf	-Inf	104.42	3	Horizontal	312	1.85	-	33.73	5.60	32.14
PK	5.884G	57.36	68.20	-10.84	49.89	3	Horizontal	312	1.85	-	33.94	5.68	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.44G	55.77	74.00	-18.23	42.24	3	Vertical	330	1.89	-	38.88	7.88	33.23	
AV	11.43984G	42.72	54.00	-11.28	29.19	3	Vertical	330	1.89	-	38.88	7.88	33.23	
PK	17.16492G	59.92	68.20	-8.28	40.94	3	Vertical	176	2.20	-	41.75	10.58	33.35	

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_4TX
Setting 24
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44184G	56.49	74.00	-17.51	42.96	3	Horizontal	314	3.00	-	38.88	7.88	33.23
AV	11.442G	44.32	54.00	-9.68	30.79	3	Horizontal	314	3.00	-	38.88	7.88	33.23
PK	17.1637G	59.20	68.20	-9.00	40.22	3	Horizontal	147	1.62	-	41.75	10.58	33.35

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1298G	56.57	74.00	-17.43	49.99	3	Vertical	338	1.79	-	33.50	5.23	32.15
AV	5.11G	44.46	54.00	-9.54	37.90	3	Vertical	338	1.79	-	33.50	5.21	32.15
PK	5.2666G	122.13	Inf	-Inf	115.31	3	Vertical	338	1.79	-	33.63	5.33	32.14
AV	5.2666G	109.93	Inf	-Inf	103.11	3	Vertical	338	1.79	-	33.63	5.33	32.14
PK	5.3674G	57.51	74.00	-16.49	50.54	3	Vertical	338	1.79	-	33.73	5.38	32.14
AV	5.3542G	44.44	54.00	-9.56	37.49	3	Vertical	338	1.79	-	33.71	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1112G	57.13	74.00	-16.87	50.57	3	Horizontal	45	1.55	-	33.50	5.21	32.15
AV	5.11G	45.13	54.00	-8.87	38.57	3	Horizontal	45	1.55	-	33.50	5.21	32.15
PK	5.2516G	123.43	Inf	-Inf	116.64	3	Horizontal	45	1.55	-	33.60	5.33	32.14
AV	5.251G	111.35	Inf	-Inf	104.56	3	Horizontal	45	1.55	-	33.60	5.33	32.14
PK	5.4094G	59.77	74.00	-14.23	52.68	3	Horizontal	45	1.55	-	33.82	5.41	32.14
AV	5.3524G	45.60	54.00	-8.40	38.66	3	Horizontal	45	1.55	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.518G	62.30	68.20	-5.90	49.43	3	Vertical	344	1.53	-	38.42	7.51	33.06
PK	15.7848G	55.79	74.00	-18.21	41.98	3	Vertical	23	1.80	-	37.40	9.90	33.49
AV	15.7851G	41.88	54.00	-12.12	28.07	3	Vertical	23	1.80	-	37.40	9.90	33.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5161G	61.78	68.20	-6.42	48.91	3	Horizontal	4	1.79	-	38.42	7.51	33.06
PK	15.7817G	55.15	74.00	-18.85	41.33	3	Horizontal	353	1.86	-	37.40	9.90	33.48
AV	15.7818G	41.47	54.00	-12.53	27.65	3	Horizontal	353	1.86	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	121.39	Inf	-Inf	114.48	3	Vertical	338	1.66	-	33.70	5.35	32.14
AV	5.3068G	108.72	Inf	-Inf	101.81	3	Vertical	338	1.66	-	33.70	5.35	32.14
PK	5.3548G	65.38	74.00	-8.62	58.43	3	Vertical	338	1.66	-	33.71	5.38	32.14
AV	5.35G	47.78	54.00	-6.22	40.84	3	Vertical	338	1.66	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.292G	121.76	Inf	-Inf	114.87	3	Horizontal	51	1.63	-	33.68	5.35	32.14	
AV	5.3088G	109.21	Inf	-Inf	102.30	3	Horizontal	51	1.63	-	33.70	5.35	32.14	
PK	5.35G	69.44	74.00	-4.56	62.50	3	Horizontal	51	1.63	-	33.70	5.38	32.14	
AV	5.35G	52.95	54.00	-1.05	46.01	3	Horizontal	51	1.63	-	33.70	5.38	32.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT X_4TX
Setting 21.5
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.597G	60.24	68.20	-7.96	47.29	3	Vertical	343	1.66	-	38.50	7.54	33.09
PK	15.8972G	52.64	74.00	-21.36	38.81	3	Vertical	294	2.41	-	37.50	9.95	33.62
AV	15.9176G	39.55	54.00	-14.45	25.75	3	Vertical	294	2.41	-	37.48	9.96	33.64

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_X_4TX
Setting 21.5
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5946G	61.36	68.20	-6.84	48.42	3	Horizontal	4	1.70	-	38.49	7.54	33.09
PK	15.90136G	53.11	74.00	-20.89	39.27	3	Horizontal	36	2.80	-	37.50	9.96	33.62
AV	15.90158G	39.31	54.00	-14.69	25.47	3	Horizontal	36	2.80	-	37.50	9.96	33.62

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3258G	118.43	Inf	-Inf	111.51	3	Vertical	341	1.27	-	33.70	5.36	32.14	
AV	5.3256G	104.81	Inf	-Inf	97.89	3	Vertical	341	1.27	-	33.70	5.36	32.14	
PK	5.3536G	67.14	74.00	-6.86	60.19	3	Vertical	341	1.27	-	33.71	5.38	32.14	
AV	5.3522G	49.62	54.00	-4.38	42.68	3	Vertical	341	1.27	-	33.70	5.38	32.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	119.51	Inf	-Inf	112.59	3	Horizontal	48	1.58	-	33.70	5.36	32.14
AV	5.3114G	106.43	Inf	-Inf	99.51	3	Horizontal	48	1.58	-	33.70	5.36	32.14
PK	5.3512G	69.95	74.00	-4.05	63.01	3	Horizontal	48	1.58	-	33.70	5.38	32.14
AV	5.35G	53.95	54.00	-0.05	47.01	3	Horizontal	48	1.58	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.6378G	58.10	74.00	-15.90	45.19	3	Vertical	344	1.69	-	38.46	7.56	33.11	
AV	10.636G	44.46	54.00	-9.54	31.56	3	Vertical	344	1.69	-	38.46	7.55	33.11	
PK	15.95884G	52.46	74.00	-21.54	38.73	3	Vertical	185	1.16	-	37.44	9.98	33.69	
AV	15.95522G	39.20	54.00	-14.80	25.47	3	Vertical	185	1.16	-	37.44	9.98	33.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.635G	58.91	74.00	-15.09	46.00	3	Horizontal	4	1.73	-	38.47	7.55	33.11	
AV	10.6354G	45.06	54.00	-8.94	32.16	3	Horizontal	4	1.73	-	38.46	7.55	33.11	
PK	15.96202G	52.91	74.00	-21.09	39.19	3	Horizontal	41	2.15	-	37.44	9.98	33.70	
AV	15.95718G	39.00	54.00	-15.00	25.27	3	Horizontal	41	2.15	-	37.44	9.98	33.69	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.453G	57.27	74.00	-16.73	50.05	3	Vertical	316	1.78	-	33.90	5.45	32.13	
AV	5.4544G	44.70	54.00	-9.30	37.48	3	Vertical	316	1.78	-	33.90	5.45	32.13	
PK	5.47G	61.54	68.20	-6.66	54.30	3	Vertical	316	1.78	-	33.90	5.47	32.13	
PK	5.4946G	118.25	Inf	-Inf	110.99	3	Vertical	316	1.78	-	33.90	5.49	32.13	
AV	5.4932G	105.54	Inf	-Inf	98.28	3	Vertical	316	1.78	-	33.90	5.49	32.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_X_4TX
Setting 18
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.4512G	57.70	74.00	-16.30	50.48	3	Horizontal	41	1.14	-	33.90	5.45	32.13	
AV	5.4538G	45.11	54.00	-8.89	37.89	3	Horizontal	41	1.14	-	33.90	5.45	32.13	
PK	5.4698G	68.16	68.20	-0.04	60.92	3	Horizontal	41	1.14	-	33.90	5.47	32.13	
PK	5.492G	120.73	Inf	-Inf	113.47	3	Horizontal	41	1.14	-	33.90	5.49	32.13	
AV	5.492G	108.14	Inf	-Inf	100.88	3	Horizontal	41	1.14	-	33.90	5.49	32.13	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.99416G	57.42	74.00	-16.58	44.50	3	Vertical	343	1.60	-	38.49	7.70	33.27	
AV	10.99528G	43.30	54.00	-10.70	30.37	3	Vertical	343	1.60	-	38.50	7.70	33.27	

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT X_4TX
Setting 18
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99664G	59.75	74.00	-14.25	46.82	3	Horizontal	322	2.75	-	38.50	7.70	33.27
AV	10.9968G	45.40	54.00	-8.60	32.47	3	Horizontal	322	2.75	-	38.50	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.3984G	57.29	74.00	-16.71	50.23	3	Vertical	320	1.67	-	33.80	5.40	32.14	
PK	5.4632G	56.75	68.20	-11.45	49.52	3	Vertical	320	1.67	-	33.90	5.46	32.13	
AV	5.4336G	44.38	54.00	-9.62	37.21	3	Vertical	320	1.67	-	33.87	5.43	32.13	
PK	5.5728G	121.00	Inf	-Inf	113.66	3	Vertical	320	1.67	-	33.90	5.57	32.13	
AV	5.5728G	109.79	Inf	-Inf	102.45	3	Vertical	320	1.67	-	33.90	5.57	32.13	
PK	5.7384G	57.44	68.20	-10.76	50.20	3	Vertical	320	1.67	-	33.78	5.60	32.14	

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4312G	56.92	74.00	-17.08	49.76	3	Horizontal	294	1.86	-	33.86	5.43	32.13
AV	5.4344G	44.25	54.00	-9.75	37.08	3	Horizontal	294	1.86	-	33.87	5.43	32.13
PK	5.4624G	56.00	68.20	-12.20	48.77	3	Horizontal	294	1.86	-	33.90	5.46	32.13
PK	5.5824G	122.31	Inf	-Inf	114.96	3	Horizontal	294	1.86	-	33.90	5.58	32.13
AV	5.5832G	109.87	Inf	-Inf	102.52	3	Horizontal	294	1.86	-	33.90	5.58	32.13
PK	5.7632G	57.44	68.20	-10.76	50.22	3	Horizontal	294	1.86	-	33.77	5.60	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15456G	57.66	74.00	-16.34	44.50	3	Vertical	348	1.92	-	38.65	7.76	33.25
AV	11.15416G	43.18	54.00	-10.82	30.02	3	Vertical	348	1.92	-	38.65	7.76	33.25
PK	16.74256G	57.97	68.20	-10.23	40.94	3	Vertical	14	1.66	-	39.96	10.37	33.30

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom



EUT_X_4TX
Setting 24
02-B-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16568G	58.00	74.00	-16.00	44.81	3	Horizontal	70	1.80	-	38.67	7.77	33.25
AV	11.16488G	44.71	54.00	-9.29	31.53	3	Horizontal	70	1.80	-	38.66	7.77	33.25
PK	16.74024G	57.22	68.20	-10.98	40.21	3	Horizontal	14	1.81	-	39.94	10.37	33.30