


802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_Y_2TX
Setting 26
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	67.03	74.00	-6.97	35.67	3	Vertical	339	2.28	-	27.56	3.80	-
AV	2.3898G	53.54	54.00	-0.46	22.18	3	Vertical	339	2.28	-	27.56	3.80	-
PK	2.4202G	122.60	Inf	-Inf	91.23	3	Vertical	339	2.28	-	27.56	3.81	-
AV	2.4202G	112.29	Inf	-Inf	80.92	3	Vertical	339	2.28	-	27.56	3.81	-
PK	2.4874G	58.84	74.00	-15.16	27.28	3	Vertical	339	2.28	-	27.72	3.84	-
AV	2.4962G	46.82	54.00	-7.18	15.19	3	Vertical	339	2.28	-	27.78	3.85	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_V_2TX
Setting 26
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3174G	54.17	74.00	-19.83	22.97	3	Horizontal	127	2.11	-	27.40	3.80	-
AV	2.3898G	42.82	54.00	-11.18	11.46	3	Horizontal	127	2.11	-	27.56	3.80	-
PK	2.419G	102.04	Inf	-Inf	70.67	3	Horizontal	127	2.11	-	27.56	3.81	-
AV	2.4194G	92.44	Inf	-Inf	61.07	3	Horizontal	127	2.11	-	27.56	3.81	-
PK	2.495G	55.14	74.00	-18.86	23.52	3	Horizontal	127	2.11	-	27.77	3.85	-
AV	2.4954G	43.12	54.00	-10.88	11.50	3	Horizontal	127	2.11	-	27.77	3.85	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	65.48	74.00	-8.52	34.12	3	Vertical	334	2.04	-	27.56	3.80	-
AV	2.3898G	51.96	54.00	-2.04	20.60	3	Vertical	334	2.04	-	27.56	3.80	-
PK	2.4402G	126.10	Inf	-Inf	94.76	3	Vertical	334	2.04	-	27.52	3.82	-
AV	2.4406G	115.40	Inf	-Inf	84.06	3	Vertical	334	2.04	-	27.52	3.82	-
PK	2.485G	67.11	74.00	-6.89	35.56	3	Vertical	334	2.04	-	27.71	3.84	-
AV	2.485G	53.42	54.00	-0.58	21.87	3	Vertical	334	2.04	-	27.71	3.84	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3498G	54.08	74.00	-19.92	22.88	3	Horizontal	123	1.71	-	27.40	3.80	-
AV	2.3854G	42.71	54.00	-11.29	11.37	3	Horizontal	123	1.71	-	27.54	3.80	-
PK	2.4402G	104.83	Inf	-Inf	73.49	3	Horizontal	123	1.71	-	27.52	3.82	-
AV	2.4398G	94.95	Inf	-Inf	63.61	3	Horizontal	123	1.71	-	27.52	3.82	-
PK	2.4854G	54.59	74.00	-19.41	23.04	3	Horizontal	123	1.71	-	27.71	3.84	-
AV	2.4842G	43.33	54.00	-10.67	11.78	3	Horizontal	123	1.71	-	27.71	3.84	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT Y_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8722G	47.22	74.00	-26.78	41.26	3	Vertical	293	2.61	-	32.54	6.30	32.88
AV	4.87708G	33.47	54.00	-20.53	27.49	3	Vertical	293	2.61	-	32.55	6.30	32.87
PK	7.31522G	52.24	74.00	-21.76	40.83	3	Vertical	271	1.96	-	37.27	7.32	33.18
AV	7.30662G	38.25	54.00	-15.75	26.83	3	Vertical	271	1.96	-	37.29	7.31	33.18

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87236G	46.68	74.00	-27.32	40.72	3	Horizontal	70	1.96	-	32.54	6.30	32.88
AV	4.87464G	33.47	54.00	-20.53	27.50	3	Horizontal	70	1.96	-	32.55	6.30	32.88
PK	7.30616G	51.41	74.00	-22.59	39.99	3	Horizontal	94	1.64	-	37.29	7.31	33.18
AV	7.306G	38.24	54.00	-15.76	26.82	3	Horizontal	94	1.64	-	37.29	7.31	33.18

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT_V_2TX
Setting 25.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	56.08	74.00	-17.92	24.74	3	Vertical	325	1.80	-	27.54	3.80	-
AV	2.3894G	44.71	54.00	-9.29	13.35	3	Vertical	325	1.80	-	27.56	3.80	-
PK	2.4562G	122.15	Inf	-Inf	90.78	3	Vertical	325	1.80	-	27.54	3.83	-
AV	2.4558G	112.39	Inf	-Inf	81.03	3	Vertical	325	1.80	-	27.53	3.83	-
PK	2.4854G	66.62	74.00	-7.38	35.07	3	Vertical	325	1.80	-	27.71	3.84	-
AV	2.4854G	53.38	54.00	-0.62	21.83	3	Vertical	325	1.80	-	27.71	3.84	-

802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




EUT Y_2TX
Setting 25.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3818G	54.79	74.00	-19.21	23.46	3	Horizontal	138	1.79	-	27.53	3.80	-
AV	2.379G	42.63	54.00	-11.37	11.31	3	Horizontal	138	1.79	-	27.52	3.80	-
PK	2.4602G	100.59	Inf	-Inf	69.20	3	Horizontal	138	1.79	-	27.56	3.83	-
AV	2.4602G	90.53	Inf	-Inf	59.14	3	Horizontal	138	1.79	-	27.56	3.83	-
PK	2.4874G	55.20	74.00	-18.80	23.64	3	Horizontal	138	1.79	-	27.72	3.84	-
AV	2.4838G	43.16	54.00	-10.84	11.62	3	Horizontal	138	1.79	-	27.70	3.84	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4652G	122.10	Inf	-Inf	90.68	3	Vertical	335	1.80	-	27.59	3.83	-
AV	2.4652G	112.12	Inf	-Inf	80.70	3	Vertical	335	1.80	-	27.59	3.83	-
PK	2.486G	68.63	74.00	-5.37	37.07	3	Vertical	335	1.80	-	27.72	3.84	-
AV	2.4842G	53.74	54.00	-0.26	22.19	3	Vertical	335	1.80	-	27.71	3.84	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4596G	100.84	Inf	-Inf	69.45	3	Horizontal	131	2.24	-	27.56	3.83	-
AV	2.4646G	90.87	Inf	-Inf	59.45	3	Horizontal	131	2.24	-	27.59	3.83	-
PK	2.4978G	55.41	74.00	-18.59	23.77	3	Horizontal	131	2.24	-	27.79	3.85	-
AV	2.499G	43.17	54.00	-10.83	11.53	3	Horizontal	131	2.24	-	27.79	3.85	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_Y_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92364G	47.46	74.00	-26.54	41.38	3	Vertical	78	2.01	-	32.65	6.30	32.87
AV	4.92772G	33.34	54.00	-20.66	27.24	3	Vertical	78	2.01	-	32.66	6.30	32.86
PK	7.38168G	51.50	74.00	-22.50	40.14	3	Vertical	91	1.34	-	37.20	7.38	33.22
AV	7.38766G	38.22	54.00	-15.78	26.85	3	Vertical	91	1.34	-	37.20	7.39	33.22

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92556G	46.92	74.00	-27.08	40.83	3	Horizontal	162	2.07	-	32.65	6.30	32.86
AV	4.9274G	33.36	54.00	-20.64	27.27	3	Horizontal	162	2.07	-	32.65	6.30	32.86
PK	7.3813G	51.34	74.00	-22.66	39.98	3	Horizontal	353	2.83	-	37.20	7.38	33.22
AV	7.38162G	38.17	54.00	-15.83	26.81	3	Horizontal	353	2.83	-	37.20	7.38	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 21.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.64	74.00	-7.36	35.28	3	Vertical	26	2.20	-	27.56	3.80	-
AV	2.3894G	53.58	54.00	-0.42	22.22	3	Vertical	26	2.20	-	27.56	3.80	-
PK	2.4088G	121.46	Inf	-Inf	90.08	3	Vertical	26	2.20	-	27.58	3.80	-
AV	2.4082G	108.09	Inf	-Inf	76.71	3	Vertical	26	2.20	-	27.58	3.80	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT V_2TX
Setting 21.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3712G	55.59	74.00	-18.41	24.31	3	Horizontal	123	1.93	-	27.48	3.80	-
AV	2.3882G	42.48	54.00	-11.52	11.13	3	Horizontal	123	1.93	-	27.55	3.80	-
PK	2.4178G	99.73	Inf	-Inf	68.36	3	Horizontal	123	1.93	-	27.56	3.81	-
AV	2.4168G	86.41	Inf	-Inf	55.03	3	Horizontal	123	1.93	-	27.57	3.81	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82818G	46.31	74.00	-27.69	40.43	3	Vertical	4	2.40	-	32.46	6.30	32.88
AV	4.82556G	32.40	54.00	-21.60	26.53	3	Vertical	4	2.40	-	32.45	6.30	32.88

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 21.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82148G	46.29	74.00	-27.71	40.44	3	Horizontal	332	1.51	-	32.44	6.30	32.89
AV	4.81948G	32.46	54.00	-21.54	26.61	3	Horizontal	332	1.51	-	32.44	6.30	32.89

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 26.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	67.63	74.00	-6.37	36.27	3	Vertical	225	2.03	-	27.56	3.80	-
AV	2.3878G	53.56	54.00	-0.44	22.21	3	Vertical	225	2.03	-	27.55	3.80	-
PK	2.4158G	123.89	Inf	-Inf	92.51	3	Vertical	225	2.03	-	27.57	3.81	-
AV	2.4158G	111.62	Inf	-Inf	80.24	3	Vertical	225	2.03	-	27.57	3.81	-
PK	2.4958G	58.76	74.00	-15.24	27.14	3	Vertical	225	2.03	-	27.77	3.85	-
AV	2.4962G	46.76	54.00	-7.24	15.13	3	Vertical	225	2.03	-	27.78	3.85	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 26.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	54.67	74.00	-19.33	23.32	3	Horizontal	123	2.08	-	27.55	3.80	-
AV	2.3842G	42.48	54.00	-11.52	11.14	3	Horizontal	123	2.08	-	27.54	3.80	-
PK	2.4206G	102.37	Inf	-Inf	71.00	3	Horizontal	123	2.08	-	27.56	3.81	-
AV	2.421G	90.73	Inf	-Inf	59.36	3	Horizontal	123	2.08	-	27.56	3.81	-
PK	2.4886G	54.54	74.00	-19.46	22.97	3	Horizontal	123	2.08	-	27.73	3.84	-
AV	2.497G	42.77	54.00	-11.23	11.14	3	Horizontal	123	2.08	-	27.78	3.85	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.385G	64.63	74.00	-9.37	33.29	3	Vertical	326	1.86	-	27.54	3.80	-
AV	2.3854G	50.60	54.00	-3.40	19.26	3	Vertical	326	1.86	-	27.54	3.80	-
PK	2.4358G	126.73	Inf	-Inf	95.38	3	Vertical	326	1.86	-	27.53	3.82	-
AV	2.4354G	114.13	Inf	-Inf	82.78	3	Vertical	326	1.86	-	27.53	3.82	-
PK	2.485G	67.45	74.00	-6.55	35.90	3	Vertical	326	1.86	-	27.71	3.84	-
AV	2.4842G	53.53	54.00	-0.47	21.98	3	Vertical	326	1.86	-	27.71	3.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	54.73	74.00	-19.27	23.38	3	Horizontal	133	1.86	-	27.55	3.80	-
AV	2.3834G	42.53	54.00	-11.47	11.20	3	Horizontal	133	1.86	-	27.53	3.80	-
PK	2.4406G	105.46	Inf	-Inf	74.12	3	Horizontal	133	1.86	-	27.52	3.82	-
AV	2.4418G	93.67	Inf	-Inf	62.33	3	Horizontal	133	1.86	-	27.52	3.82	-
PK	2.4966G	55.04	74.00	-18.96	23.41	3	Horizontal	133	1.86	-	27.78	3.85	-
AV	2.4835G	43.08	54.00	-10.92	11.54	3	Horizontal	133	1.86	-	27.70	3.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87392G	46.39	74.00	-27.61	40.42	3	Vertical	216	1.96	-	32.55	6.30	32.88
AV	4.87682G	33.04	54.00	-20.96	27.06	3	Vertical	216	1.96	-	32.55	6.30	32.87
PK	7.307G	51.25	74.00	-22.75	39.83	3	Vertical	284	1.57	-	37.29	7.31	33.18
AV	7.31458G	37.47	54.00	-16.53	26.07	3	Vertical	284	1.57	-	37.27	7.31	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87374G	46.82	74.00	-27.18	40.85	3	Horizontal	179	1.38	-	32.55	6.30	32.88
AV	4.87306G	33.09	54.00	-20.91	27.12	3	Horizontal	179	1.38	-	32.55	6.30	32.88
PK	7.31592G	50.84	74.00	-23.16	39.43	3	Horizontal	129	2.63	-	37.27	7.32	33.18
AV	7.30626G	37.41	54.00	-16.59	25.99	3	Horizontal	129	2.63	-	37.29	7.31	33.18

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 25.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	56.46	74.00	-17.54	25.10	3	Vertical	328	2.16	-	27.56	3.80	-
AV	2.3898G	44.23	54.00	-9.77	12.87	3	Vertical	328	2.16	-	27.56	3.80	-
PK	2.4546G	124.17	Inf	-Inf	92.81	3	Vertical	328	2.16	-	27.53	3.83	-
AV	2.455G	111.35	Inf	-Inf	79.99	3	Vertical	328	2.16	-	27.53	3.83	-
PK	2.4846G	68.12	74.00	-5.88	36.57	3	Vertical	328	2.16	-	27.71	3.84	-
AV	2.4835G	53.92	54.00	-0.08	22.38	3	Vertical	328	2.16	-	27.70	3.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_V_2TX
Setting 25.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3726G	54.05	74.00	-19.95	22.76	3	Horizontal	62	1.88	-	27.49	3.80	-
AV	2.3894G	42.43	54.00	-11.57	11.07	3	Horizontal	62	1.88	-	27.56	3.80	-
PK	2.4534G	102.18	Inf	-Inf	70.83	3	Horizontal	62	1.88	-	27.52	3.83	-
AV	2.4546G	89.97	Inf	-Inf	58.61	3	Horizontal	62	1.88	-	27.53	3.83	-
PK	2.4926G	55.28	74.00	-18.72	23.67	3	Horizontal	62	1.88	-	27.76	3.85	-
AV	2.485G	42.89	54.00	-11.11	11.34	3	Horizontal	62	1.88	-	27.71	3.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 25
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4596G	123.75	Inf	-Inf	92.36	3	Vertical	322	2.01	-	27.56	3.83	-	
AV	2.4606G	110.87	Inf	-Inf	79.48	3	Vertical	322	2.01	-	27.56	3.83	-	
PK	2.4835G	70.23	74.00	-3.77	38.69	3	Vertical	322	2.01	-	27.70	3.84	-	
AV	2.4835G	53.72	54.00	-0.28	22.18	3	Vertical	322	2.01	-	27.70	3.84	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4684G	102.45	Inf	-Inf	71.01	3	Horizontal	137	1.78	-	27.61	3.83	-
AV	2.4582G	89.46	Inf	-Inf	58.08	3	Horizontal	137	1.78	-	27.55	3.83	-
PK	2.4956G	55.00	74.00	-19.00	23.38	3	Horizontal	137	1.78	-	27.77	3.85	-
AV	2.4866G	43.01	54.00	-10.99	11.45	3	Horizontal	137	1.78	-	27.72	3.84	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT V_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91912G	46.80	74.00	-27.20	40.73	3	Vertical	80	2.12	-	32.64	6.30	32.87
AV	4.9277G	32.85	54.00	-21.15	26.75	3	Vertical	80	2.12	-	32.66	6.30	32.86
PK	7.38966G	51.02	74.00	-22.98	39.65	3	Vertical	355	1.05	-	37.20	7.39	33.22
AV	7.38434G	37.73	54.00	-16.27	26.37	3	Vertical	355	1.05	-	37.20	7.38	33.22

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9278G	46.47	74.00	-27.53	40.37	3	Horizontal	242	2.73	-	32.66	6.30	32.86
AV	4.9266G	32.94	54.00	-21.06	26.85	3	Horizontal	242	2.73	-	32.65	6.30	32.86
PK	7.39054G	51.67	74.00	-22.33	40.30	3	Horizontal	61	1.43	-	37.20	7.39	33.22
AV	7.38138G	37.61	54.00	-16.39	26.25	3	Horizontal	61	1.43	-	37.20	7.38	33.22

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 20.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	66.11	74.00	-7.89	34.75	3	Vertical	310	2.03	-	27.56	3.80	-
AV	2.39G	53.91	54.00	-0.09	22.55	3	Vertical	310	2.03	-	27.56	3.80	-
PK	2.4328G	117.14	Inf	-Inf	85.79	3	Vertical	310	2.03	-	27.53	3.82	-
AV	2.4328G	103.96	Inf	-Inf	72.61	3	Vertical	310	2.03	-	27.53	3.82	-
PK	2.4924G	57.73	74.00	-16.27	26.13	3	Vertical	310	2.03	-	27.75	3.85	-
AV	2.4835G	44.89	54.00	-9.11	13.35	3	Vertical	310	2.03	-	27.70	3.84	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 20.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3244G	54.35	74.00	-19.65	23.15	3	Horizontal	124	1.81	-	27.40	3.80	-
AV	2.3872G	42.76	54.00	-11.24	11.41	3	Horizontal	124	1.81	-	27.55	3.80	-
PK	2.4276G	96.78	Inf	-Inf	65.43	3	Horizontal	124	1.81	-	27.54	3.81	-
AV	2.4272G	84.01	Inf	-Inf	52.65	3	Horizontal	124	1.81	-	27.55	3.81	-
PK	2.486G	54.28	74.00	-19.72	22.72	3	Horizontal	124	1.81	-	27.72	3.84	-
AV	2.4976G	42.75	54.00	-11.25	11.11	3	Horizontal	124	1.81	-	27.79	3.85	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 20.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8432G	46.44	74.00	-27.56	40.53	3	Vertical	262	1.33	-	32.49	6.30	32.88
AV	4.84784G	32.76	54.00	-21.24	26.84	3	Vertical	262	1.33	-	32.50	6.30	32.88
PK	7.26842G	50.05	74.00	-23.95	38.77	3	Vertical	196	2.10	-	37.17	7.27	33.16
AV	7.27098G	36.89	54.00	-17.11	25.60	3	Vertical	196	2.10	-	37.18	7.27	33.16

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT V_2TX
Setting 20.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84802G	46.30	74.00	-27.70	40.38	3	Horizontal	112	1.81	-	32.50	6.30	32.88
AV	4.84474G	32.64	54.00	-21.36	26.73	3	Horizontal	112	1.81	-	32.49	6.30	32.88
PK	7.26546G	50.43	74.00	-23.57	39.16	3	Horizontal	203	2.74	-	37.16	7.27	33.16
AV	7.2631G	36.89	54.00	-17.11	25.64	3	Horizontal	203	2.74	-	37.15	7.26	33.16

802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT Y_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.24	74.00	-7.76	34.88	3	Vertical	340	1.98	-	27.56	3.80	-
AV	2.3898G	53.77	54.00	-0.23	22.41	3	Vertical	340	1.98	-	27.56	3.80	-
PK	2.433G	118.33	Inf	-Inf	86.98	3	Vertical	340	1.98	-	27.53	3.82	-
AV	2.433G	105.61	Inf	-Inf	74.26	3	Vertical	340	1.98	-	27.53	3.82	-
PK	2.4846G	56.87	74.00	-17.13	25.32	3	Vertical	340	1.98	-	27.71	3.84	-
AV	2.4835G	45.56	54.00	-8.44	14.02	3	Vertical	340	1.98	-	27.70	3.84	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT_V_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	54.60	74.00	-19.40	23.24	3	Horizontal	124	1.84	-	27.56	3.80	-
AV	2.3838G	42.58	54.00	-11.42	11.24	3	Horizontal	124	1.84	-	27.54	3.80	-
PK	2.4334G	98.13	Inf	-Inf	66.78	3	Horizontal	124	1.84	-	27.53	3.82	-
AV	2.4322G	85.17	Inf	-Inf	53.81	3	Horizontal	124	1.84	-	27.54	3.82	-
PK	2.487G	54.91	74.00	-19.09	23.35	3	Horizontal	124	1.84	-	27.72	3.84	-
AV	2.4982G	42.78	54.00	-11.22	11.14	3	Horizontal	124	1.84	-	27.79	3.85	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3838G	62.14	74.00	-11.86	30.80	3	Vertical	334	2.06	-	27.54	3.80	-
AV	2.3898G	49.01	54.00	-4.99	17.65	3	Vertical	334	2.06	-	27.56	3.80	-
PK	2.4442G	119.67	Inf	-Inf	88.34	3	Vertical	334	2.06	-	27.51	3.82	-
AV	2.4438G	107.29	Inf	-Inf	75.96	3	Vertical	334	2.06	-	27.51	3.82	-
PK	2.4835G	64.82	74.00	-9.18	33.28	3	Vertical	334	2.06	-	27.70	3.84	-
AV	2.4838G	53.73	54.00	-0.27	22.19	3	Vertical	334	2.06	-	27.70	3.84	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3638G	54.13	74.00	-19.87	22.87	3	Horizontal	122	1.69	-	27.46	3.80	-
AV	2.3838G	42.47	54.00	-11.53	11.13	3	Horizontal	122	1.69	-	27.54	3.80	-
PK	2.4434G	99.29	Inf	-Inf	67.96	3	Horizontal	122	1.69	-	27.51	3.82	-
AV	2.4422G	86.65	Inf	-Inf	55.31	3	Horizontal	122	1.69	-	27.52	3.82	-
PK	2.4854G	54.36	74.00	-19.64	22.81	3	Horizontal	122	1.69	-	27.71	3.84	-
AV	2.491G	42.91	54.00	-11.09	11.31	3	Horizontal	122	1.69	-	27.75	3.85	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87272G	46.81	74.00	-27.19	40.84	3	Vertical	171	1.57	-	32.55	6.30	32.88
AV	4.87566G	33.06	54.00	-20.94	27.08	3	Vertical	171	1.57	-	32.55	6.30	32.87
PK	7.31094G	51.04	74.00	-22.96	39.63	3	Vertical	31	1.05	-	37.28	7.31	33.18
AV	7.30654G	37.75	54.00	-16.25	26.33	3	Vertical	31	1.05	-	37.29	7.31	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT V_2TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87312G	46.89	74.00	-27.11	40.92	3	Horizontal	37	1.39	-	32.55	6.30	32.88
AV	4.87578G	33.00	54.00	-21.00	27.02	3	Horizontal	37	1.39	-	32.55	6.30	32.87
PK	7.31176G	51.57	74.00	-22.43	40.16	3	Horizontal	43	1.71	-	37.28	7.31	33.18
AV	7.31456G	37.73	54.00	-16.27	26.33	3	Horizontal	43	1.71	-	37.27	7.31	33.18

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	57.13	74.00	-16.87	25.77	3	Vertical	282	1.80	-	27.56	3.80	-
AV	2.384G	45.13	54.00	-8.87	13.79	3	Vertical	282	1.80	-	27.54	3.80	-
PK	2.446G	118.00	Inf	-Inf	86.67	3	Vertical	282	1.80	-	27.51	3.82	-
AV	2.4552G	105.23	Inf	-Inf	73.87	3	Vertical	282	1.80	-	27.53	3.83	-
PK	2.484G	66.93	74.00	-7.07	35.39	3	Vertical	282	1.80	-	27.70	3.84	-
AV	2.484G	53.53	54.00	-0.47	21.99	3	Vertical	282	1.80	-	27.70	3.84	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	53.94	74.00	-20.06	22.59	3	Horizontal	124	1.71	-	27.55	3.80	-
AV	2.39G	42.49	54.00	-11.51	11.13	3	Horizontal	124	1.71	-	27.56	3.80	-
PK	2.4484G	96.67	Inf	-Inf	65.35	3	Horizontal	124	1.71	-	27.50	3.82	-
AV	2.4472G	84.35	Inf	-Inf	53.02	3	Horizontal	124	1.71	-	27.51	3.82	-
PK	2.486G	54.33	74.00	-19.67	22.77	3	Horizontal	124	1.71	-	27.72	3.84	-
AV	2.4844G	43.00	54.00	-11.00	11.45	3	Horizontal	124	1.71	-	27.71	3.84	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90498G	46.70	74.00	-27.30	40.66	3	Vertical	165	1.63	-	32.61	6.30	32.87
AV	4.90142G	32.83	54.00	-21.17	26.80	3	Vertical	165	1.63	-	32.60	6.30	32.87
PK	7.35422G	50.91	74.00	-23.09	39.56	3	Vertical	302	1.93	-	37.20	7.35	33.20
AV	7.3586G	37.16	54.00	-16.84	25.81	3	Vertical	302	1.93	-	37.20	7.36	33.21

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_V_2TX
Setting 22
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90414G	46.26	74.00	-27.74	40.22	3	Horizontal	54	2.11	-	32.61	6.30	32.87
AV	4.90172G	32.81	54.00	-21.19	26.78	3	Horizontal	54	2.11	-	32.60	6.30	32.87
PK	7.3582G	50.91	74.00	-23.09	39.56	3	Horizontal	173	2.87	-	37.20	7.36	33.21
AV	7.35574G	37.10	54.00	-16.90	25.74	3	Horizontal	173	2.87	-	37.20	7.36	33.20



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	2.4864G	53.97	54.00	-0.03	3	Vertical	144	1.98	-

**Result**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2412MHz	Pass	PK	2.3672G	61.15	74.00	-12.85	3	Vertical	144	1.98	-
2412MHz	Pass	AV	2.3888G	46.82	54.00	-7.18	3	Vertical	144	1.98	-
2412MHz	Pass	PK	2.4464G	116.53	Inf	-Inf	3	Vertical	144	1.98	-
2412MHz	Pass	AV	2.4464G	104.78	Inf	-Inf	3	Vertical	144	1.98	-
2412MHz	Pass	PK	2.4852G	73.45	74.00	-0.55	3	Vertical	144	1.98	-
2412MHz	Pass	AV	2.4864G	53.97	54.00	-0.03	3	Vertical	144	1.98	-
2412MHz	Pass	PK	2.3832G	57.92	74.00	-16.08	3	Horizontal	303	2.78	-
2412MHz	Pass	AV	2.3544G	45.71	54.00	-8.29	3	Horizontal	303	2.78	-
2412MHz	Pass	PK	2.4596G	92.99	Inf	-Inf	3	Horizontal	303	2.78	-
2412MHz	Pass	AV	2.4428G	86.69	Inf	-Inf	3	Horizontal	303	2.78	-
2412MHz	Pass	PK	2.4848G	62.37	74.00	-11.63	3	Horizontal	303	2.78	-
2412MHz	Pass	AV	2.486G	47.39	54.00	-6.61	3	Horizontal	303	2.78	-
2412MHz	Pass	PK	4.90608G	37.79	74.00	-36.21	3	Vertical	270	1.89	-
2412MHz	Pass	AV	4.90832G	24.33	54.00	-29.67	3	Vertical	270	1.89	-
2412MHz	Pass	PK	4.90364G	37.50	74.00	-36.50	3	Horizontal	301	2.55	-
2412MHz	Pass	AV	4.90726G	24.30	54.00	-29.70	3	Horizontal	301	2.55	-
2417MHz	Pass	PK	2.463G	118.67	Inf	-Inf	3	Vertical	339	1.80	-
2417MHz	Pass	AV	2.459G	106.05	Inf	-Inf	3	Vertical	339	1.80	-
2417MHz	Pass	PK	2.4846G	64.40	74.00	-9.60	3	Vertical	339	1.80	-
2417MHz	Pass	AV	2.4835G	51.69	54.00	-2.31	3	Vertical	339	1.80	-
2417MHz	Pass	PK	2.463G	96.06	Inf	-Inf	3	Horizontal	221	3.00	-
2417MHz	Pass	PK	2.491G	56.09	74.00	-17.91	3	Horizontal	221	3.00	-
2417MHz	Pass	AV	2.4844G	44.44	54.00	-9.56	3	Horizontal	221	3.00	-
2417MHz	Pass	AV	2.4668G	84.22	Inf	-Inf	3	Horizontal	221	3.00	-
2417MHz	Pass	PK	4.9202G	48.34	74.00	-25.66	3	Vertical	157	2.20	-
2417MHz	Pass	AV	4.92792G	34.44	54.00	-19.56	3	Vertical	157	2.20	-
2417MHz	Pass	PK	4.9255G	48.02	74.00	-25.98	3	Horizontal	9	2.83	-
2417MHz	Pass	AV	4.92528G	34.60	54.00	-19.40	3	Horizontal	9	2.83	-
2437MHz	Pass	PK	2.3874G	59.17	74.00	-14.83	3	Vertical	148	2.02	-
2437MHz	Pass	AV	2.3898G	47.57	54.00	-6.43	3	Vertical	148	2.02	-
2437MHz	Pass	PK	2.4326G	122.66	Inf	-Inf	3	Vertical	148	2.02	-
2437MHz	Pass	AV	2.4322G	110.33	Inf	-Inf	3	Vertical	148	2.02	-
2437MHz	Pass	PK	2.491G	59.48	74.00	-14.52	3	Vertical	148	2.02	-
2437MHz	Pass	AV	2.4835G	47.33	54.00	-6.67	3	Vertical	148	2.02	-
2437MHz	Pass	PK	2.3702G	56.03	74.00	-17.97	3	Horizontal	229	2.78	-
2437MHz	Pass	AV	2.359G	44.21	54.00	-9.79	3	Horizontal	229	2.78	-
2437MHz	Pass	PK	2.4362G	99.15	Inf	-Inf	3	Horizontal	229	2.78	-
2437MHz	Pass	AV	2.4382G	86.37	Inf	-Inf	3	Horizontal	229	2.78	-
2437MHz	Pass	PK	2.4842G	55.60	74.00	-18.40	3	Horizontal	229	2.78	-
2437MHz	Pass	AV	2.4902G	44.36	54.00	-9.64	3	Horizontal	229	2.78	-
2437MHz	Pass	PK	4.87864G	48.05	74.00	-25.95	3	Vertical	4	1.98	-
2437MHz	Pass	AV	4.87508G	34.80	54.00	-19.20	3	Vertical	4	1.98	-
2437MHz	Pass	PK	4.87758G	48.35	74.00	-25.65	3	Horizontal	225	1.17	-
2437MHz	Pass	AV	4.87496G	35.07	54.00	-18.93	3	Horizontal	225	1.17	-
2457MHz	Pass	PK	2.4578G	125.51	Inf	-Inf	3	Vertical	37	2.45	-
2457MHz	Pass	AV	2.4562G	118.40	Inf	-Inf	3	Vertical	37	2.45	-
2457MHz	Pass	PK	2.486G	65.30	74.00	-8.70	3	Vertical	37	2.45	-
2457MHz	Pass	AV	2.4836G	51.67	54.00	-2.33	3	Vertical	37	2.45	-
2457MHz	Pass	PK	2.458G	100.96	Inf	-Inf	3	Horizontal	32	1.80	-
2457MHz	Pass	AV	2.4588G	88.48	Inf	-Inf	3	Horizontal	32	1.80	-
2457MHz	Pass	PK	2.4858G	55.63	74.00	-18.37	3	Horizontal	32	1.80	-
2457MHz	Pass	AV	2.4926G	44.41	54.00	-9.59	3	Horizontal	32	1.80	-
2462MHz	Pass	PK	2.463G	118.67	Inf	-Inf	3	Vertical	339	1.80	-
2462MHz	Pass	AV	2.459G	106.05	Inf	-Inf	3	Vertical	339	1.80	-
2462MHz	Pass	PK	2.4846G	64.40	74.00	-9.60	3	Vertical	339	1.80	-
2462MHz	Pass	AV	2.4835G	51.69	54.00	-2.31	3	Vertical	339	1.80	-
2462MHz	Pass	PK	2.463G	96.06	Inf	-Inf	3	Horizontal	221	3.00	-
2462MHz	Pass	PK	2.491G	56.09	74.00	-17.91	3	Horizontal	221	3.00	-
2462MHz	Pass	AV	2.4844G	44.44	54.00	-9.56	3	Horizontal	221	3.00	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2462MHz	Pass	AV	2.4668G	84.22	Inf	-Inf	3	Horizontal	221	3.00	-
2462MHz	Pass	PK	4.9202G	48.34	74.00	-25.66	3	Vertical	157	2.20	-
2462MHz	Pass	AV	4.92792G	34.44	54.00	-19.56	3	Vertical	157	2.20	-
2462MHz	Pass	PK	4.9255G	48.02	74.00	-25.98	3	Horizontal	9	2.83	-
2462MHz	Pass	AV	4.92528G	34.60	54.00	-19.40	3	Horizontal	9	2.83	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-	-
2422MHz	Pass	PK	2.3672G	61.15	74.00	-12.85	3	Vertical	144	1.98	-
2422MHz	Pass	AV	2.3888G	46.82	54.00	-7.18	3	Vertical	144	1.98	-
2422MHz	Pass	PK	2.4464G	116.53	Inf	-Inf	3	Vertical	144	1.98	-
2422MHz	Pass	AV	2.4464G	104.78	Inf	-Inf	3	Vertical	144	1.98	-
2422MHz	Pass	PK	2.4852G	73.45	74.00	-0.55	3	Vertical	144	1.98	-
2422MHz	Pass	AV	2.4864G	53.97	54.00	-0.03	3	Vertical	144	1.98	-
2422MHz	Pass	PK	2.3832G	57.92	74.00	-16.08	3	Horizontal	303	2.78	-
2422MHz	Pass	AV	2.3544G	45.71	54.00	-8.29	3	Horizontal	303	2.78	-
2422MHz	Pass	PK	2.4596G	92.99	Inf	-Inf	3	Horizontal	303	2.78	-
2422MHz	Pass	AV	2.4428G	86.69	Inf	-Inf	3	Horizontal	303	2.78	-
2422MHz	Pass	PK	2.4848G	62.37	74.00	-11.63	3	Horizontal	303	2.78	-
2422MHz	Pass	AV	2.486G	47.39	54.00	-6.61	3	Horizontal	303	2.78	-
2422MHz	Pass	PK	4.90608G	37.79	74.00	-36.21	3	Vertical	270	1.89	-
2422MHz	Pass	AV	4.90832G	24.33	54.00	-29.67	3	Vertical	270	1.89	-
2422MHz	Pass	PK	4.90364G	37.50	74.00	-36.50	3	Horizontal	301	2.55	-
2422MHz	Pass	AV	4.90726G	24.30	54.00	-29.70	3	Horizontal	301	2.55	-
2427MHz	Pass	PK	2.3814G	73.58	74.00	-0.42	3	Vertical	141	2.60	-
2427MHz	Pass	AV	2.3898G	53.48	54.00	-0.52	3	Vertical	141	2.60	-
2427MHz	Pass	PK	2.4254G	119.10	Inf	-Inf	3	Vertical	141	2.60	-
2427MHz	Pass	AV	2.421G	106.18	Inf	-Inf	3	Vertical	141	2.60	-
2427MHz	Pass	PK	2.4838G	68.86	74.00	-5.14	3	Vertical	141	2.60	-
2427MHz	Pass	AV	2.4835G	47.36	54.00	-6.64	3	Vertical	141	2.60	-
2427MHz	Pass	PK	2.3494G	57.83	74.00	-16.17	3	Horizontal	10	1.10	-
2427MHz	Pass	AV	2.341G	45.72	54.00	-8.28	3	Horizontal	10	1.10	-
2427MHz	Pass	PK	2.4154G	93.86	Inf	-Inf	3	Horizontal	10	1.10	-
2427MHz	Pass	AV	2.4318G	80.40	Inf	-Inf	3	Horizontal	10	1.10	-
2427MHz	Pass	PK	2.4854G	57.29	74.00	-16.71	3	Horizontal	10	1.10	-
2427MHz	Pass	AV	2.4962G	45.78	54.00	-8.22	3	Horizontal	10	1.10	-
2437MHz	Pass	PK	2.3866G	70.86	74.00	-3.14	3	Vertical	145	2.01	-
2437MHz	Pass	AV	2.3898G	52.19	54.00	-1.81	3	Vertical	145	2.01	-
2437MHz	Pass	PK	2.427G	122.41	Inf	-Inf	3	Vertical	145	2.01	-
2437MHz	Pass	AV	2.4302G	109.34	Inf	-Inf	3	Vertical	145	2.01	-
2437MHz	Pass	PK	2.4918G	69.37	74.00	-4.63	3	Vertical	145	2.01	-
2437MHz	Pass	AV	2.4835G	53.15	54.00	-0.85	3	Vertical	145	2.01	-
2437MHz	Pass	PK	2.3566G	58.10	74.00	-15.90	3	Horizontal	346	2.41	-
2437MHz	Pass	AV	2.3454G	45.74	54.00	-8.26	3	Horizontal	346	2.41	-
2437MHz	Pass	PK	2.4258G	96.71	Inf	-Inf	3	Horizontal	346	2.41	-
2437MHz	Pass	AV	2.425G	84.20	Inf	-Inf	3	Horizontal	346	2.41	-
2437MHz	Pass	PK	2.4838G	57.88	74.00	-16.12	3	Horizontal	346	2.41	-
2437MHz	Pass	AV	2.4854G	45.77	54.00	-8.23	3	Horizontal	346	2.41	-
2437MHz	Pass	PK	4.87318G	50.66	74.00	-23.34	3	Vertical	268	1.01	-
2437MHz	Pass	AV	4.87375G	36.81	54.00	-17.19	3	Vertical	268	1.01	-
2437MHz	Pass	PK	4.87425G	50.28	74.00	-23.72	3	Horizontal	82	2.04	-
2437MHz	Pass	AV	4.87432G	36.60	54.00	-17.40	3	Horizontal	82	2.04	-
2447MHz	Pass	PK	2.389G	66.19	74.00	-7.81	3	Vertical	150	2.14	-
2447MHz	Pass	AV	2.3818G	47.56	54.00	-6.44	3	Vertical	150	2.14	-
2447MHz	Pass	PK	2.4426G	118.59	Inf	-Inf	3	Vertical	150	2.14	-
2447MHz	Pass	AV	2.4454G	106.06	Inf	-Inf	3	Vertical	150	2.14	-
2447MHz	Pass	PK	2.493G	71.41	74.00	-2.59	3	Vertical	150	2.14	-
2447MHz	Pass	AV	2.4835G	53.51	54.00	-0.49	3	Vertical	150	2.14	-
2447MHz	Pass	PK	2.3658G	58.45	74.00	-15.55	3	Horizontal	331	2.38	-
2447MHz	Pass	AV	2.3494G	45.58	54.00	-8.42	3	Horizontal	331	2.38	-
2447MHz	Pass	PK	2.4302G	91.90	Inf	-Inf	3	Horizontal	331	2.38	-
2447MHz	Pass	AV	2.4294G	78.62	Inf	-Inf	3	Horizontal	331	2.38	-
2447MHz	Pass	PK	2.4846G	58.24	74.00	-15.76	3	Horizontal	331	2.38	-

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2447MHz	Pass	AV	2.4846G	46.52	54.00	-7.48	3	Horizontal	331	2.38	-
2452MHz	Pass	PK	2.3672G	61.15	74.00	-12.85	3	Vertical	144	1.98	-
2452MHz	Pass	AV	2.3888G	46.82	54.00	-7.18	3	Vertical	144	1.98	-
2452MHz	Pass	PK	2.4464G	116.53	Inf	-Inf	3	Vertical	144	1.98	-
2452MHz	Pass	AV	2.4464G	104.78	Inf	-Inf	3	Vertical	144	1.98	-
2452MHz	Pass	PK	2.4852G	73.45	74.00	-0.55	3	Vertical	144	1.98	-
2452MHz	Pass	AV	2.4864G	53.97	54.00	-0.03	3	Vertical	144	1.98	-
2452MHz	Pass	AV	2.3544G	45.71	54.00	-8.29	3	Horizontal	303	2.78	-
2452MHz	Pass	PK	2.3832G	57.92	74.00	-16.08	3	Horizontal	303	2.78	-
2452MHz	Pass	AV	2.4428G	86.69	Inf	-Inf	3	Horizontal	303	2.78	-
2452MHz	Pass	AV	2.4632G	78.58	Inf	-Inf	3	Horizontal	303	2.78	-
2452MHz	Pass	AV	2.486G	47.39	54.00	-6.61	3	Horizontal	303	2.78	-
2452MHz	Pass	PK	2.4848G	62.37	74.00	-11.63	3	Horizontal	303	2.78	-
2452MHz	Pass	PK	4.90608G	37.79	74.00	-36.21	3	Vertical	270	1.89	-
2452MHz	Pass	AV	4.90832G	24.33	54.00	-29.67	3	Vertical	270	1.89	-
2452MHz	Pass	PK	4.90364G	37.50	74.00	-36.50	3	Horizontal	301	2.55	-
2452MHz	Pass	AV	4.90726G	24.30	54.00	-29.70	3	Horizontal	301	2.55	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3788G	72.98	74.00	-1.02	41.66	3	Vertical	32	2.24	-	27.52	3.80	-
AV	2.39G	48.46	54.00	-5.54	17.10	3	Vertical	32	2.24	-	27.56	3.80	-
PK	2.407G	117.20	Inf	-Inf	85.81	3	Vertical	32	2.24	-	27.59	3.80	-
AV	2.4104G	101.12	Inf	-Inf	69.73	3	Vertical	32	2.24	-	27.58	3.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_V_2TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	55.94	74.00	-18.06	24.60	3	Horizontal	155	2.94	-	27.54	3.80	-
AV	2.387G	43.58	54.00	-10.42	12.23	3	Horizontal	155	2.94	-	27.55	3.80	-
PK	2.4102G	97.47	Inf	-Inf	66.08	3	Horizontal	155	2.94	-	27.58	3.81	-
AV	2.4058G	74.31	Inf	-Inf	42.92	3	Horizontal	155	2.94	-	27.59	3.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82842G	47.95	74.00	-26.05	42.07	3	Vertical	234	1.64	-	32.46	6.30	32.88
AV	4.82572G	33.31	54.00	-20.69	27.44	3	Vertical	234	1.64	-	32.45	6.30	32.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT Y_2TX
Setting 20
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8286G	48.32	74.00	-25.68	42.44	3	Horizontal	316	2.19	-	32.46	6.30	32.88
AV	4.82572G	33.31	54.00	-20.69	27.44	3	Horizontal	316	2.19	-	32.45	6.30	32.88

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	73.61	74.00	-0.39	42.28	3	Vertical	273	1.61	-	27.53	3.80	-
AV	2.39G	52.17	54.00	-1.83	20.81	3	Vertical	273	1.61	-	27.56	3.80	-
PK	2.4198G	124.09	Inf	-Inf	92.72	3	Vertical	273	1.61	-	27.56	3.81	-
AV	2.4186G	112.00	Inf	-Inf	80.63	3	Vertical	273	1.61	-	27.56	3.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_V_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3794G	56.43	74.00	-17.57	25.11	3	Horizontal	53	1.04	-	27.52	3.80	-
AV	2.3846G	44.18	54.00	-9.82	12.84	3	Horizontal	53	1.04	-	27.54	3.80	-
PK	2.4204G	100.20	Inf	-Inf	68.83	3	Horizontal	53	1.04	-	27.56	3.81	-
AV	2.4138G	88.78	Inf	-Inf	57.40	3	Horizontal	53	1.04	-	27.57	3.81	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	59.17	74.00	-14.83	27.82	3	Vertical	148	2.02	-	27.55	3.80	-
AV	2.3898G	47.57	54.00	-6.43	16.21	3	Vertical	148	2.02	-	27.56	3.80	-
PK	2.4326G	122.66	Inf	-Inf	91.31	3	Vertical	148	2.02	-	27.53	3.82	-
AV	2.4322G	110.33	Inf	-Inf	78.97	3	Vertical	148	2.02	-	27.54	3.82	-
PK	2.491G	59.48	74.00	-14.52	27.88	3	Vertical	148	2.02	-	27.75	3.85	-
AV	2.4835G	47.33	54.00	-6.67	15.79	3	Vertical	148	2.02	-	27.70	3.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3702G	56.03	74.00	-17.97	24.75	3	Horizontal	229	2.78	-	27.48	3.80	-
AV	2.359G	44.21	54.00	-9.79	12.97	3	Horizontal	229	2.78	-	27.44	3.80	-
PK	2.4362G	99.15	Inf	-Inf	67.80	3	Horizontal	229	2.78	-	27.53	3.82	-
AV	2.4382G	86.37	Inf	-Inf	55.03	3	Horizontal	229	2.78	-	27.52	3.82	-
PK	2.4842G	55.60	74.00	-18.40	24.05	3	Horizontal	229	2.78	-	27.71	3.84	-
AV	2.4902G	44.36	54.00	-9.64	12.77	3	Horizontal	229	2.78	-	27.74	3.85	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87864G	48.05	74.00	-25.95	42.06	3	Vertical	4	1.98	-	32.56	6.30	32.87
AV	4.87508G	34.80	54.00	-19.20	28.82	3	Vertical	4	1.98	-	32.55	6.30	32.87

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 28
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87758G	48.35	74.00	-25.65	42.36	3	Horizontal	225	1.17	-	32.56	6.30	32.87	
AV	4.87496G	35.07	54.00	-18.93	29.10	3	Horizontal	225	1.17	-	32.55	6.30	32.88	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT Y_2TX
Setting 27
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	125.51	Inf	-Inf	94.13	3	Vertical	37	2.45	-	27.55	3.83	-
AV	2.4562G	118.40	Inf	-Inf	87.03	3	Vertical	37	2.45	-	27.54	3.83	-
PK	2.486G	65.30	74.00	-8.70	33.74	3	Vertical	37	2.45	-	27.72	3.84	-
AV	2.4836G	51.67	54.00	-2.33	20.13	3	Vertical	37	2.45	-	27.70	3.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT V_2TX
Setting 27
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	100.96	Inf	-Inf	69.58	3	Horizontal	32	1.80	-	27.55	3.83	-	
AV	2.4588G	88.48	Inf	-Inf	57.10	3	Horizontal	32	1.80	-	27.55	3.83	-	
PK	2.4858G	55.63	74.00	-18.37	24.08	3	Horizontal	32	1.80	-	27.71	3.84	-	
AV	2.4926G	44.41	54.00	-9.59	12.80	3	Horizontal	32	1.80	-	27.76	3.85	-	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	118.67	Inf	-Inf	87.26	3	Vertical	339	1.80	-	27.58	3.83	-
AV	2.459G	106.05	Inf	-Inf	74.67	3	Vertical	339	1.80	-	27.55	3.83	-
PK	2.4846G	64.40	74.00	-9.60	32.85	3	Vertical	339	1.80	-	27.71	3.84	-
AV	2.4835G	51.69	54.00	-2.31	20.15	3	Vertical	339	1.80	-	27.70	3.84	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_V_2TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	96.06	Inf	-Inf	64.65	3	Horizontal	221	3.00	-	27.58	3.83	-
PK	2.491G	56.09	74.00	-17.91	24.49	3	Horizontal	221	3.00	-	27.75	3.85	-
AV	2.4844G	44.44	54.00	-9.56	12.89	3	Horizontal	221	3.00	-	27.71	3.84	-
AV	2.4668G	84.22	Inf	-Inf	52.79	3	Horizontal	221	3.00	-	27.60	3.83	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9202G	48.34	74.00	-25.66	42.27	3	Vertical	157	2.20	-	32.64	6.30	32.87
AV	4.92792G	34.44	54.00	-19.56	28.34	3	Vertical	157	2.20	-	32.66	6.30	32.86

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT Y_2TX
Setting 25
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9255G	48.02	74.00	-25.98	41.93	3	Horizontal	9	2.83	-	32.65	6.30	32.86
AV	4.92528G	34.60	54.00	-19.40	28.51	3	Horizontal	9	2.83	-	32.65	6.30	32.86

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 14
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	73.95	74.00	-0.05	42.60	3	Vertical	145.8	2.30	-	27.55	3.80	-
AV	2.3864G	53.66	54.00	-0.34	22.31	3	Vertical	145.8	2.30	-	27.55	3.80	-
PK	2.4204G	111.34	Inf	-Inf	79.97	3	Vertical	145.8	2.30	-	27.56	3.81	-
AV	2.4304G	98.55	Inf	-Inf	67.19	3	Vertical	145.8	2.30	-	27.54	3.82	-
PK	2.486G	58.86	74.00	-15.14	27.30	3	Vertical	145.8	2.30	-	27.72	3.84	-
AV	2.4864G	46.69	54.00	-7.31	15.13	3	Vertical	145.8	2.30	-	27.72	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_V_2TX
Setting 14
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	57.75	74.00	-16.25	26.41	3	Horizontal	68	2.75	-	27.54	3.80	-
AV	2.386G	46.47	54.00	-7.53	15.13	3	Horizontal	68	2.75	-	27.54	3.80	-
PK	2.4348G	95.70	Inf	-Inf	64.35	3	Horizontal	68	2.75	-	27.53	3.82	-
AV	2.4352G	75.78	Inf	-Inf	44.43	3	Horizontal	68	2.75	-	27.53	3.82	-
PK	2.4872G	57.70	74.00	-16.30	26.14	3	Horizontal	68	2.75	-	27.72	3.84	-
AV	2.4928G	45.74	54.00	-8.26	14.13	3	Horizontal	68	2.75	-	27.76	3.85	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 14
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8426G	37.43	74.00	-36.57	31.52	3	Vertical	196	2.79	-	32.49	6.30	32.88
AV	4.84746G	24.37	54.00	-29.63	18.46	3	Vertical	196	2.79	-	32.49	6.30	32.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT Y_2TX
Setting 14
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84252G	37.96	74.00	-36.04	32.05	3	Horizontal	283	1.13	-	32.49	6.30	32.88
AV	4.84842G	24.38	54.00	-29.62	18.46	3	Horizontal	283	1.13	-	32.50	6.30	32.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2427MHz_TX




EUT Y_2TX
Setting 22
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3814G	73.58	74.00	-0.42	42.25	3	Vertical	141	2.60	-	27.53	3.80	-
AV	2.3898G	53.48	54.00	-0.52	22.12	3	Vertical	141	2.60	-	27.56	3.80	-
PK	2.4254G	119.10	Inf	-Inf	87.74	3	Vertical	141	2.60	-	27.55	3.81	-
AV	2.421G	106.18	Inf	-Inf	74.81	3	Vertical	141	2.60	-	27.56	3.81	-
PK	2.4838G	68.86	74.00	-5.14	37.32	3	Vertical	141	2.60	-	27.70	3.84	-
AV	2.4835G	47.36	54.00	-6.64	15.82	3	Vertical	141	2.60	-	27.70	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2427MHz_TX




EUT_V_2TX
Setting 22
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3494G	57.83	74.00	-16.17	26.63	3	Horizontal	10	1.10	-	27.40	3.80	-
AV	2.341G	45.72	54.00	-8.28	14.52	3	Horizontal	10	1.10	-	27.40	3.80	-
PK	2.4154G	93.86	Inf	-Inf	62.48	3	Horizontal	10	1.10	-	27.57	3.81	-
AV	2.4318G	80.40	Inf	-Inf	49.04	3	Horizontal	10	1.10	-	27.54	3.82	-
PK	2.4854G	57.29	74.00	-16.71	25.74	3	Horizontal	10	1.10	-	27.71	3.84	-
AV	2.4962G	45.78	54.00	-8.22	14.15	3	Horizontal	10	1.10	-	27.78	3.85	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	70.86	74.00	-3.14	39.51	3	Vertical	145	2.01	-	27.55	3.80	-
AV	2.3898G	52.19	54.00	-1.81	20.83	3	Vertical	145	2.01	-	27.56	3.80	-
PK	2.427G	122.41	Inf	-Inf	91.05	3	Vertical	145	2.01	-	27.55	3.81	-
AV	2.4302G	109.34	Inf	-Inf	77.98	3	Vertical	145	2.01	-	27.54	3.82	-
PK	2.4918G	69.37	74.00	-4.63	37.77	3	Vertical	145	2.01	-	27.75	3.85	-
AV	2.4835G	53.15	54.00	-0.85	21.61	3	Vertical	145	2.01	-	27.70	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_V_2TX
Setting 24
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3566G	58.10	74.00	-15.90	26.87	3	Horizontal	346	2.41	-	27.43	3.80	-
AV	2.3454G	45.74	54.00	-8.26	14.54	3	Horizontal	346	2.41	-	27.40	3.80	-
PK	2.4258G	96.71	Inf	-Inf	65.35	3	Horizontal	346	2.41	-	27.55	3.81	-
AV	2.425G	84.20	Inf	-Inf	52.84	3	Horizontal	346	2.41	-	27.55	3.81	-
PK	2.4838G	57.88	74.00	-16.12	26.34	3	Horizontal	346	2.41	-	27.70	3.84	-
AV	2.4854G	45.77	54.00	-8.23	14.22	3	Horizontal	346	2.41	-	27.71	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
01-C-B-5

Type	Freq (Hz)	Level (dBm/Hz)	Limit (dBm/Hz)	Margin (dB)	Raw (dBm/Hz)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87318G	50.66	74.00	-23.34	44.69	3	Vertical	268	1.01	-	32.55	6.30	32.88
AV	4.87375G	36.81	54.00	-17.19	30.84	3	Vertical	268	1.01	-	32.55	6.30	32.88

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT Y_2TX
Setting 24
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.87425G	50.28	74.00	-23.72	44.31	3	Horizontal	82	2.04	-	32.55	6.30	32.88	
AV	4.87432G	36.60	54.00	-17.40	30.63	3	Horizontal	82	2.04	-	32.55	6.30	32.88	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2447MHz_TX




EUT V_2TX
Setting 21
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.19	74.00	-7.81	34.83	3	Vertical	150	2.14	-	27.56	3.80	-
AV	2.3818G	47.56	54.00	-6.44	16.23	3	Vertical	150	2.14	-	27.53	3.80	-
PK	2.4426G	118.59	Inf	-Inf	87.26	3	Vertical	150	2.14	-	27.51	3.82	-
AV	2.4454G	106.06	Inf	-Inf	74.73	3	Vertical	150	2.14	-	27.51	3.82	-
PK	2.493G	71.41	74.00	-2.59	39.80	3	Vertical	150	2.14	-	27.76	3.85	-
AV	2.4835G	53.51	54.00	-0.49	21.97	3	Vertical	150	2.14	-	27.70	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2447MHz_TX




EUT_V_2TX
Setting 21
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3658G	58.45	74.00	-15.55	27.19	3	Horizontal	331	2.38	-	27.46	3.80	-
AV	2.3494G	45.58	54.00	-8.42	14.38	3	Horizontal	331	2.38	-	27.40	3.80	-
PK	2.4302G	91.90	Inf	-Inf	60.54	3	Horizontal	331	2.38	-	27.54	3.82	-
AV	2.4294G	78.62	Inf	-Inf	47.27	3	Horizontal	331	2.38	-	27.54	3.81	-
PK	2.4846G	58.24	74.00	-15.76	26.69	3	Horizontal	331	2.38	-	27.71	3.84	-
AV	2.4846G	46.52	54.00	-7.48	14.97	3	Horizontal	331	2.38	-	27.71	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 19
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3672G	61.15	74.00	-12.85	29.88	3	Vertical	144	1.98	-	27.47	3.80	-
AV	2.3888G	46.82	54.00	-7.18	15.46	3	Vertical	144	1.98	-	27.56	3.80	-
PK	2.4464G	116.53	Inf	-Inf	85.20	3	Vertical	144	1.98	-	27.51	3.82	-
AV	2.4464G	104.78	Inf	-Inf	73.45	3	Vertical	144	1.98	-	27.51	3.82	-
PK	2.4852G	73.45	74.00	-0.55	41.90	3	Vertical	144	1.98	-	27.71	3.84	-
AV	2.4864G	53.97	54.00	-0.03	22.41	3	Vertical	144	1.98	-	27.72	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_V_2TX
Setting 19
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	2.3544G	45.71	54.00	-8.29	14.49	3	Horizontal	303	2.78	-	27.42	3.80	-
PK	2.3832G	57.92	74.00	-16.08	26.59	3	Horizontal	303	2.78	-	27.53	3.80	-
AV	2.4428G	86.69	Inf	-Inf	55.36	3	Horizontal	303	2.78	-	27.51	3.82	-
AV	2.4632G	78.58	Inf	-Inf	47.17	3	Horizontal	303	2.78	-	27.58	3.83	-
AV	2.486G	47.39	54.00	-6.61	15.83	3	Horizontal	303	2.78	-	27.72	3.84	-
PK	2.4848G	62.37	74.00	-11.63	30.82	3	Horizontal	303	2.78	-	27.71	3.84	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT Y_2TX
Setting 19
01-C-B-5

Type	Freq (Hz)	Level (dBm)	Limit (dBm)	Margin (dB)	Raw (dBm)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90608G	37.79	74.00	-36.21	31.75	3	Vertical	270	1.89	-	32.61	6.30	32.87
AV	4.90832G	24.33	54.00	-29.67	18.28	3	Vertical	270	1.89	-	32.62	6.30	32.87

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



EUT Y_2TX
Setting 19
01-C-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90364G	37.50	74.00	-36.50	31.46	3	Horizontal	301	2.55	-	32.61	6.30	32.87
AV	4.90726G	24.30	54.00	-29.70	18.26	3	Horizontal	301	2.55	-	32.61	6.30	32.87




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1.(6Mbps)_2TX	Pass	AV	2.39G	53.99	54.00	-0.01	3	Vertical	179	1.83	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3884G	63.94	74.00	-10.06	32.77	3	Vertical	178	1.78	-	28.38	2.79	-
AV	2.3898G	52.64	54.00	-1.36	21.47	3	Vertical	178	1.78	-	28.38	2.79	-
PK	2.413G	124.63	Inf	-Inf	93.42	3	Vertical	178	1.78	-	28.40	2.81	-
AV	2.4108G	121.01	Inf	-Inf	89.80	3	Vertical	178	1.78	-	28.40	2.81	-

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3874G	65.36	74.00	-8.64	34.20	3	Horizontal	180	1.94	-	28.37	2.79	-	
AV	2.386G	53.27	54.00	-0.73	22.11	3	Horizontal	180	1.94	-	28.37	2.79	-	
PK	2.413G	125.57	Inf	-Inf	94.36	3	Horizontal	180	1.94	-	28.40	2.81	-	
AV	2.4114G	121.96	Inf	-Inf	90.75	3	Horizontal	180	1.94	-	28.40	2.81	-	

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82568G	45.47	74.00	-28.53	38.22	3	Vertical	312	1.60	-	32.95	5.10	30.80	
AV	4.81218G	33.15	54.00	-20.85	25.99	3	Vertical	312	1.60	-	32.87	5.10	30.81	

802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 20
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.8102G	46.64	74.00	-27.36	39.49	3	Horizontal	36	1.80	-	32.86	5.10	30.81	
AV	4.83678G	33.31	54.00	-20.69	25.99	3	Horizontal	36	1.80	-	33.02	5.10	30.80	

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3718G	61.63	74.00	-12.37	30.50	3	Vertical	179	1.94	-	28.34	2.79	-
AV	2.3838G	50.42	54.00	-3.58	19.26	3	Vertical	179	1.94	-	28.37	2.79	-
PK	2.4378G	127.18	Inf	-Inf	95.94	3	Vertical	179	1.94	-	28.40	2.84	-
AV	2.4362G	123.50	Inf	-Inf	92.26	3	Vertical	179	1.94	-	28.40	2.84	-
PK	2.4842G	62.53	74.00	-11.47	31.11	3	Vertical	179	1.94	-	28.54	2.88	-
AV	2.4962G	52.21	54.00	-1.79	20.73	3	Vertical	179	1.94	-	28.58	2.90	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3854G	61.78	74.00	-12.22	30.62	3	Horizontal	180	2.01	-	28.37	2.79	-
AV	2.3634G	51.28	54.00	-2.72	20.17	3	Horizontal	180	2.01	-	28.33	2.78	-
PK	2.4378G	127.95	Inf	-Inf	96.71	3	Horizontal	180	2.01	-	28.40	2.84	-
AV	2.4362G	124.29	Inf	-Inf	93.05	3	Horizontal	180	2.01	-	28.40	2.84	-
PK	2.4966G	63.71	74.00	-10.29	32.22	3	Horizontal	180	2.01	-	28.59	2.90	-
AV	2.4962G	53.39	54.00	-0.61	21.91	3	Horizontal	180	2.01	-	28.58	2.90	-

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86212G	47.08	74.00	-26.92	39.65	3	Vertical	287	2.47	-	33.12	5.10	30.79
AV	4.88834G	34.30	54.00	-19.70	26.80	3	Vertical	287	2.47	-	33.18	5.10	30.78
PK	7.32324G	50.90	74.00	-23.10	40.22	3	Vertical	123	1.80	-	36.45	6.16	31.93
AV	7.31604G	38.11	54.00	-15.89	27.44	3	Vertical	123	1.80	-	36.43	6.16	31.92

802.11b_Nss1,(1Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 22.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86332G	45.96	74.00	-28.04	38.52	3	Horizontal	60	1.20	-	33.13	5.10	30.79
AV	4.86542G	33.69	54.00	-20.31	26.25	3	Horizontal	60	1.20	-	33.13	5.10	30.79
PK	7.326G	49.95	74.00	-24.05	39.27	3	Horizontal	188	1.80	-	36.45	6.16	31.93
AV	7.32474G	37.79	54.00	-16.21	27.11	3	Horizontal	188	1.80	-	36.45	6.16	31.93

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	124.83	Inf	-Inf	93.54	3	Vertical	178	1.91	-	28.43	2.86	-
AV	2.4564G	121.00	Inf	-Inf	89.71	3	Vertical	178	1.91	-	28.43	2.86	-
PK	2.4958G	63.11	74.00	-10.89	31.63	3	Vertical	178	1.91	-	28.58	2.90	-
AV	2.496G	52.16	54.00	-1.84	20.68	3	Vertical	178	1.91	-	28.58	2.90	-

802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.458G	125.70	Inf	-Inf	94.41	3	Horizontal	179	1.82	-	28.43	2.86	-	
AV	2.4564G	121.89	Inf	-Inf	90.60	3	Horizontal	179	1.82	-	28.43	2.86	-	
PK	2.4924G	61.91	74.00	-12.09	30.45	3	Horizontal	179	1.82	-	28.57	2.89	-	
AV	2.496G	51.71	54.00	-2.29	20.23	3	Horizontal	179	1.82	-	28.58	2.90	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.463G	124.41	Inf	-Inf	93.10	3	Vertical	178	1.80	-	28.45	2.86	-	
AV	2.4614G	120.90	Inf	-Inf	89.59	3	Vertical	178	1.80	-	28.45	2.86	-	
PK	2.4842G	64.24	74.00	-9.76	32.82	3	Vertical	178	1.80	-	28.54	2.88	-	
AV	2.4842G	53.40	54.00	-0.60	21.98	3	Vertical	178	1.80	-	28.54	2.88	-	

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	125.62	Inf	-Inf	94.31	3	Horizontal	180	1.87	-	28.45	2.86	-
AV	2.4614G	122.08	Inf	-Inf	90.77	3	Horizontal	180	1.87	-	28.45	2.86	-
PK	2.4838G	63.66	74.00	-10.34	32.24	3	Horizontal	180	1.87	-	28.54	2.88	-
AV	2.4962G	52.87	54.00	-1.13	21.39	3	Horizontal	180	1.87	-	28.58	2.90	-

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92616G	46.10	74.00	-27.90	38.51	3	Vertical	224	1.39	-	33.25	5.10	30.76
AV	4.92406G	33.61	54.00	-20.39	26.02	3	Vertical	224	1.39	-	33.25	5.10	30.76
PK	7.38606G	50.37	74.00	-23.63	39.64	3	Vertical	53	1.18	-	36.50	6.19	31.96
AV	7.39518G	37.88	54.00	-16.12	27.15	3	Vertical	53	1.18	-	36.50	6.20	31.97

802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92154G	45.29	74.00	-28.71	37.71	3	Horizontal	157	2.93	-	33.24	5.10	30.76
AV	4.93792G	33.40	54.00	-20.60	25.78	3	Horizontal	157	2.93	-	33.28	5.10	30.76
PK	7.39536G	49.76	74.00	-24.24	39.03	3	Horizontal	42	1.47	-	36.50	6.20	31.97
AV	7.37622G	38.07	54.00	-15.93	27.34	3	Horizontal	42	1.47	-	36.50	6.19	31.96

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3892G	66.50	74.00	-7.50	35.33	3	Vertical	178	1.83	-	28.38	2.79	-	
AV	2.39G	52.62	54.00	-1.38	21.45	3	Vertical	178	1.83	-	28.38	2.79	-	
PK	2.414G	122.77	Inf	-Inf	91.56	3	Vertical	178	1.83	-	28.40	2.81	-	
AV	2.4154G	111.57	Inf	-Inf	80.35	3	Vertical	178	1.83	-	28.40	2.82	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	66.83	74.00	-7.17	35.66	3	Horizontal	181	1.93	-	28.38	2.79	-	
AV	2.39G	53.77	54.00	-0.23	22.60	3	Horizontal	181	1.93	-	28.38	2.79	-	
PK	2.4176G	122.75	Inf	-Inf	91.53	3	Horizontal	181	1.93	-	28.40	2.82	-	
AV	2.4132G	112.91	Inf	-Inf	81.70	3	Horizontal	181	1.93	-	28.40	2.81	-	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82424G	45.61	74.00	-28.39	38.36	3	Vertical	33	2.60	-	32.95	5.10	30.80	
AV	4.81242G	32.66	54.00	-21.34	25.50	3	Vertical	33	2.60	-	32.87	5.10	30.81	

802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




EUT X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83084G	45.17	74.00	-28.83	37.88	3	Horizontal	338	3.00	-	32.99	5.10	30.80
AV	4.8354G	32.57	54.00	-21.43	25.26	3	Horizontal	338	3.00	-	33.01	5.10	30.80

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	66.49	74.00	-7.51	35.32	3	Vertical	179	1.83	-	28.38	2.79	-
AV	2.39G	53.99	54.00	-0.01	22.82	3	Vertical	179	1.83	-	28.38	2.79	-
PK	2.419G	126.26	Inf	-Inf	95.04	3	Vertical	179	1.83	-	28.40	2.82	-
AV	2.4202G	114.88	Inf	-Inf	83.66	3	Vertical	179	1.83	-	28.40	2.82	-

802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	67.55	74.00	-6.45	36.38	3	Horizontal	183	1.95	-	28.38	2.79	-
AV	2.39G	53.62	54.00	-0.38	22.45	3	Horizontal	183	1.95	-	28.38	2.79	-
PK	2.4126G	125.93	Inf	-Inf	94.72	3	Horizontal	183	1.95	-	28.40	2.81	-
AV	2.418G	115.84	Inf	-Inf	84.62	3	Horizontal	183	1.95	-	28.40	2.82	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.381G	61.16	74.00	-12.84	30.01	3	Vertical	178	1.76	-	28.36	2.79	-
AV	2.3898G	49.37	54.00	-4.63	18.20	3	Vertical	178	1.76	-	28.38	2.79	-
PK	2.439G	125.82	Inf	-Inf	94.58	3	Vertical	178	1.76	-	28.40	2.84	-
AV	2.4382G	114.54	Inf	-Inf	83.30	3	Vertical	178	1.76	-	28.40	2.84	-
PK	2.4962G	61.97	74.00	-12.03	30.49	3	Vertical	178	1.76	-	28.58	2.90	-
AV	2.4962G	50.32	54.00	-3.68	18.84	3	Vertical	178	1.76	-	28.58	2.90	-

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3854G	61.33	74.00	-12.67	30.17	3	Horizontal	181	1.99	-	28.37	2.79	-	
AV	2.3882G	49.86	54.00	-4.14	18.69	3	Horizontal	181	1.99	-	28.38	2.79	-	
PK	2.4338G	126.14	Inf	-Inf	94.91	3	Horizontal	181	1.99	-	28.40	2.83	-	
AV	2.4382G	115.80	Inf	-Inf	84.56	3	Horizontal	181	1.99	-	28.40	2.84	-	
PK	2.4958G	63.14	74.00	-10.86	31.66	3	Horizontal	181	1.99	-	28.58	2.90	-	
AV	2.4962G	53.11	54.00	-0.89	21.63	3	Horizontal	181	1.99	-	28.58	2.90	-	

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87838G	45.50	74.00	-28.50	38.02	3	Vertical	277	1.51	-	33.16	5.10	30.78
AV	4.86386G	32.90	54.00	-21.10	25.46	3	Vertical	277	1.51	-	33.13	5.10	30.79
PK	7.31952G	49.61	74.00	-24.39	38.94	3	Vertical	46	1.54	-	36.44	6.16	31.93
AV	7.32594G	36.98	54.00	-17.02	26.30	3	Vertical	46	1.54	-	36.45	6.16	31.93

802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8749G	45.95	74.00	-28.05	38.48	3	Horizontal	23	1.37	-	33.15	5.10	30.78
AV	4.85966G	33.02	54.00	-20.98	25.59	3	Horizontal	23	1.37	-	33.12	5.10	30.79
PK	7.30932G	49.25	74.00	-24.75	38.60	3	Horizontal	9	1.12	-	36.42	6.15	31.92
AV	7.31724G	36.88	54.00	-17.12	26.21	3	Horizontal	9	1.12	-	36.43	6.16	31.92

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3828G	60.53	74.00	-13.47	29.37	3	Vertical	179	1.80	-	28.37	2.79	-
AV	2.3832G	48.53	54.00	-5.47	17.37	3	Vertical	179	1.80	-	28.37	2.79	-
PK	2.464G	125.08	Inf	-Inf	93.76	3	Vertical	179	1.80	-	28.46	2.86	-
AV	2.4612G	113.85	Inf	-Inf	82.55	3	Vertical	179	1.80	-	28.44	2.86	-
PK	2.484G	64.38	74.00	-9.62	32.96	3	Vertical	179	1.80	-	28.54	2.88	-
AV	2.4835G	52.04	54.00	-1.96	20.63	3	Vertical	179	1.80	-	28.53	2.88	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	60.46	74.00	-13.54	29.30	3	Horizontal	180	1.89	-	28.37	2.79	-
AV	2.3888G	48.77	54.00	-5.23	17.60	3	Horizontal	180	1.89	-	28.38	2.79	-
PK	2.4636G	125.22	Inf	-Inf	93.91	3	Horizontal	180	1.89	-	28.45	2.86	-
AV	2.4628G	115.29	Inf	-Inf	83.98	3	Horizontal	180	1.89	-	28.45	2.86	-
PK	2.4844G	66.85	74.00	-7.15	35.43	3	Horizontal	180	1.89	-	28.54	2.88	-
AV	2.4835G	53.93	54.00	-0.07	22.52	3	Horizontal	180	1.89	-	28.53	2.88	-

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93762G	45.46	74.00	-28.54	37.84	3	Vertical	316	1.75	-	33.28	5.10	30.76
AV	4.92634G	32.86	54.00	-21.14	25.27	3	Vertical	316	1.75	-	33.25	5.10	30.76
PK	7.38228G	50.23	74.00	-23.77	39.50	3	Vertical	176	2.52	-	36.50	6.19	31.96
AV	7.39008G	37.15	54.00	-16.85	26.42	3	Vertical	176	2.52	-	36.50	6.20	31.97

802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




EUT_X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92784G	45.73	74.00	-28.27	38.13	3	Horizontal	50	2.75	-	33.26	5.10	30.76
AV	4.92754G	32.86	54.00	-21.14	25.26	3	Horizontal	50	2.75	-	33.26	5.10	30.76
PK	7.38222G	50.43	74.00	-23.57	39.70	3	Horizontal	46	2.28	-	36.50	6.19	31.96
AV	7.37982G	37.18	54.00	-16.82	26.45	3	Horizontal	46	2.28	-	36.50	6.19	31.96

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.3896G	66.60	74.00	-7.40	35.43	3	Vertical	177	1.80	-	28.38	2.79	-	
AV	2.39G	52.92	54.00	-1.08	21.75	3	Vertical	177	1.80	-	28.38	2.79	-	
PK	2.4106G	122.92	Inf	-Inf	91.71	3	Vertical	177	1.80	-	28.40	2.81	-	
AV	2.411G	108.82	Inf	-Inf	77.61	3	Vertical	177	1.80	-	28.40	2.81	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.39G	67.50	74.00	-6.50	36.33	3	Horizontal	180	1.97	-	28.38	2.79	-	
AV	2.39G	53.53	54.00	-0.47	22.36	3	Horizontal	180	1.97	-	28.38	2.79	-	
PK	2.4124G	123.37	Inf	-Inf	92.16	3	Horizontal	180	1.97	-	28.40	2.81	-	
AV	2.4136G	109.99	Inf	-Inf	78.78	3	Horizontal	180	1.97	-	28.40	2.81	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.81044G	45.42	74.00	-28.58	38.27	3	Vertical	188	1.89	-	32.86	5.10	30.81	
AV	4.83468G	32.08	54.00	-21.92	24.77	3	Vertical	188	1.89	-	33.01	5.10	30.80	

802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	4.82046G	45.49	74.00	-28.51	38.28	3	Horizontal	233	2.38	-	32.92	5.10	30.81	
AV	4.83354G	32.01	54.00	-21.99	24.71	3	Horizontal	233	2.38	-	33.00	5.10	30.80	

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	66.43	74.00	-7.57	35.26	3	Vertical	178	1.81	-	28.38	2.79	-
AV	2.39G	52.42	54.00	-1.58	21.25	3	Vertical	178	1.81	-	28.38	2.79	-
PK	2.4176G	126.57	Inf	-Inf	95.35	3	Vertical	178	1.81	-	28.40	2.82	-
AV	2.4158G	112.33	Inf	-Inf	81.11	3	Vertical	178	1.81	-	28.40	2.82	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




EUT X_2TX
Setting 18.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	68.20	74.00	-5.80	37.03	3	Horizontal	182	1.98	-	28.38	2.79	-
AV	2.39G	53.75	54.00	-0.25	22.58	3	Horizontal	182	1.98	-	28.38	2.79	-
PK	2.418G	127.22	Inf	-Inf	96.00	3	Horizontal	182	1.98	-	28.40	2.82	-
AV	2.418G	113.51	Inf	-Inf	82.29	3	Horizontal	182	1.98	-	28.40	2.82	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3866G	61.23	74.00	-12.77	30.07	3	Vertical	179	1.75	-	28.37	2.79	-
AV	2.3898G	48.86	54.00	-5.14	17.69	3	Vertical	179	1.75	-	28.38	2.79	-
PK	2.4378G	126.82	Inf	-Inf	95.58	3	Vertical	179	1.75	-	28.40	2.84	-
AV	2.4382G	113.51	Inf	-Inf	82.27	3	Vertical	179	1.75	-	28.40	2.84	-
PK	2.4962G	62.08	74.00	-11.92	30.60	3	Vertical	179	1.75	-	28.58	2.90	-
AV	2.4962G	50.35	54.00	-3.65	18.87	3	Vertical	179	1.75	-	28.58	2.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	61.98	74.00	-12.02	30.81	3	Horizontal	182	2.02	-	28.38	2.79	-
AV	2.3882G	49.37	54.00	-4.63	18.20	3	Horizontal	182	2.02	-	28.38	2.79	-
PK	2.4386G	128.55	Inf	-Inf	97.31	3	Horizontal	182	2.02	-	28.40	2.84	-
AV	2.439G	114.60	Inf	-Inf	83.36	3	Horizontal	182	2.02	-	28.40	2.84	-
PK	2.4974G	63.46	74.00	-10.54	31.97	3	Horizontal	182	2.02	-	28.59	2.90	-
AV	2.4962G	52.14	54.00	-1.86	20.66	3	Horizontal	182	2.02	-	28.58	2.90	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87322G	45.44	74.00	-28.56	37.97	3	Vertical	45	2.92	-	33.15	5.10	30.78
AV	4.87526G	32.48	54.00	-21.52	25.01	3	Vertical	45	2.92	-	33.15	5.10	30.78
PK	7.31004G	49.35	74.00	-24.65	38.69	3	Vertical	194	2.84	-	36.42	6.16	31.92
AV	7.31718G	36.47	54.00	-17.53	25.80	3	Vertical	194	2.84	-	36.43	6.16	31.92

802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 19.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8824G	45.61	74.00	-28.39	38.13	3	Horizontal	17	1.49	-	33.16	5.10	30.78
AV	4.88462G	32.48	54.00	-21.52	24.99	3	Horizontal	17	1.49	-	33.17	5.10	30.78
PK	7.31592G	49.86	74.00	-24.14	39.19	3	Horizontal	104	2.15	-	36.43	6.16	31.92
AV	7.31868G	36.35	54.00	-17.65	25.67	3	Horizontal	104	2.15	-	36.44	6.16	31.92

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4628G	125.36	Inf	-Inf	94.05	3	Vertical	178	1.89	-	28.45	2.86	-	
AV	2.4608G	112.13	Inf	-Inf	80.83	3	Vertical	178	1.89	-	28.44	2.86	-	
PK	2.4836G	64.53	74.00	-9.47	33.12	3	Vertical	178	1.89	-	28.53	2.88	-	
AV	2.4836G	51.81	54.00	-2.19	20.40	3	Vertical	178	1.89	-	28.53	2.88	-	

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4628G	127.53	Inf	-Inf	96.22	3	Horizontal	181	2.00	-	28.45	2.86	-
AV	2.4642G	113.62	Inf	-Inf	82.30	3	Horizontal	181	2.00	-	28.46	2.86	-
PK	2.4858G	66.60	74.00	-7.40	35.17	3	Horizontal	181	2.00	-	28.54	2.89	-
AV	2.4836G	53.86	54.00	-0.14	22.45	3	Horizontal	181	2.00	-	28.53	2.88	-

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT X_2TX
Setting 18
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.93756G	45.94	74.00	-28.06	38.32	3	Vertical	115	2.08	-	33.28	5.10	30.76
AV	4.9378G	32.29	54.00	-21.71	24.67	3	Vertical	115	2.08	-	33.28	5.10	30.76
PK	7.3878G	50.22	74.00	-23.78	39.49	3	Vertical	294	1.38	-	36.50	6.19	31.96
AV	7.39446G	36.60	54.00	-17.40	25.87	3	Vertical	294	1.38	-	36.50	6.20	31.97

802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 18
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92856G	45.80	74.00	-28.20	38.20	3	Horizontal	351	2.34	-	33.26	5.10	30.76
AV	4.9384G	32.33	54.00	-21.67	24.71	3	Horizontal	351	2.34	-	33.28	5.10	30.76
PK	7.40088G	50.07	74.00	-23.93	39.34	3	Horizontal	359	2.49	-	36.50	6.20	31.97
AV	7.39434G	36.70	54.00	-17.30	25.97	3	Horizontal	359	2.49	-	36.50	6.20	31.97

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	66.49	74.00	-7.51	35.32	3	Vertical	178	1.88	-	28.38	2.79	-
AV	2.39G	52.93	54.00	-1.07	21.76	3	Vertical	178	1.88	-	28.38	2.79	-
PK	2.426G	117.21	Inf	-Inf	85.98	3	Vertical	178	1.88	-	28.40	2.83	-
AV	2.4212G	104.24	Inf	-Inf	73.02	3	Vertical	178	1.88	-	28.40	2.82	-
PK	2.4908G	59.30	74.00	-14.70	27.85	3	Vertical	178	1.88	-	28.56	2.89	-
AV	2.496G	47.67	54.00	-6.33	16.19	3	Vertical	178	1.88	-	28.58	2.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3892G	67.90	74.00	-6.10	36.73	3	Horizontal	181	2.11	-	28.38	2.79	-
AV	2.39G	53.56	54.00	-0.44	22.39	3	Horizontal	181	2.11	-	28.38	2.79	-
PK	2.4264G	118.24	Inf	-Inf	87.01	3	Horizontal	181	2.11	-	28.40	2.83	-
AV	2.4236G	105.43	Inf	-Inf	74.21	3	Horizontal	181	2.11	-	28.40	2.82	-
PK	2.4876G	60.21	74.00	-13.79	28.77	3	Horizontal	181	2.11	-	28.55	2.89	-
AV	2.496G	49.03	54.00	-4.97	17.55	3	Horizontal	181	2.11	-	28.58	2.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83332G	46.08	74.00	-27.92	38.78	3	Vertical	283	2.23	-	33.00	5.10	30.80
AV	4.8548G	32.30	54.00	-21.70	24.88	3	Vertical	283	2.23	-	33.11	5.10	30.79
PK	7.27518G	49.13	74.00	-24.87	38.59	3	Vertical	51	1.55	-	36.30	6.14	31.90
AV	7.25262G	35.79	54.00	-18.21	25.34	3	Vertical	51	1.55	-	36.21	6.13	31.89

802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84634G	45.17	74.00	-28.83	37.78	3	Horizontal	322	2.96	-	33.08	5.10	30.79
AV	4.85522G	32.37	54.00	-21.63	24.95	3	Horizontal	322	2.96	-	33.11	5.10	30.79
PK	7.2765G	49.13	74.00	-24.87	38.58	3	Horizontal	66	2.17	-	36.31	6.14	31.90
AV	7.25664G	35.80	54.00	-18.20	25.33	3	Horizontal	66	2.17	-	36.23	6.13	31.89

802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT_X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	65.98	74.00	-8.02	34.81	3	Vertical	179	1.80	-	28.38	2.79	-
AV	2.3898G	52.41	54.00	-1.59	21.24	3	Vertical	179	1.80	-	28.38	2.79	-
PK	2.4378G	118.45	Inf	-Inf	87.21	3	Vertical	179	1.80	-	28.40	2.84	-
AV	2.4294G	104.98	Inf	-Inf	73.75	3	Vertical	179	1.80	-	28.40	2.83	-
PK	2.4878G	59.44	74.00	-14.56	28.00	3	Vertical	179	1.80	-	28.55	2.89	-
AV	2.4962G	47.66	54.00	-6.34	16.18	3	Vertical	179	1.80	-	28.58	2.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2427MHz_TX




EUT X_2TX
Setting 13.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	65.99	74.00	-8.01	34.82	3	Horizontal	181	2.02	-	28.38	2.79	-
AV	2.3898G	53.81	54.00	-0.19	22.64	3	Horizontal	181	2.02	-	28.38	2.79	-
PK	2.429G	118.89	Inf	-Inf	87.66	3	Horizontal	181	2.02	-	28.40	2.83	-
AV	2.4286G	106.19	Inf	-Inf	74.96	3	Horizontal	181	2.02	-	28.40	2.83	-
PK	2.4882G	60.43	74.00	-13.57	28.99	3	Horizontal	181	2.02	-	28.55	2.89	-
AV	2.4962G	49.55	54.00	-4.45	18.07	3	Horizontal	181	2.02	-	28.58	2.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	66.14	74.00	-7.86	34.97	3	Vertical	178	1.80	-	28.38	2.79	-
AV	2.3898G	52.85	54.00	-1.15	21.68	3	Vertical	178	1.80	-	28.38	2.79	-
PK	2.4382G	121.50	Inf	-Inf	90.26	3	Vertical	178	1.80	-	28.40	2.84	-
AV	2.4478G	108.07	Inf	-Inf	76.82	3	Vertical	178	1.80	-	28.40	2.85	-
PK	2.4838G	62.65	74.00	-11.35	31.23	3	Vertical	178	1.80	-	28.54	2.88	-
AV	2.4838G	50.91	54.00	-3.09	19.49	3	Vertical	178	1.80	-	28.54	2.88	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.59	74.00	-7.41	35.42	3	Horizontal	181	1.90	-	28.38	2.79	-
AV	2.3898G	53.96	54.00	-0.04	22.79	3	Horizontal	181	1.90	-	28.38	2.79	-
PK	2.447G	122.23	Inf	-Inf	90.98	3	Horizontal	181	1.90	-	28.40	2.85	-
AV	2.4474G	109.41	Inf	-Inf	78.16	3	Horizontal	181	1.90	-	28.40	2.85	-
PK	2.4866G	64.71	74.00	-9.29	33.27	3	Horizontal	181	1.90	-	28.55	2.89	-
AV	2.4962G	52.69	54.00	-1.31	21.21	3	Horizontal	181	1.90	-	28.58	2.90	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87202G	45.72	74.00	-28.28	38.26	3	Vertical	332	2.60	-	33.14	5.10	30.78
AV	4.8662G	32.46	54.00	-21.54	25.02	3	Vertical	332	2.60	-	33.13	5.10	30.79
PK	7.31802G	49.69	74.00	-24.31	39.01	3	Vertical	46	2.37	-	36.44	6.16	31.92
AV	7.31478G	36.35	54.00	-17.65	25.68	3	Vertical	46	2.37	-	36.43	6.16	31.92

802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 16.5
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87352G	45.56	74.00	-28.44	38.09	3	Horizontal	64	1.86	-	33.15	5.10	30.78
AV	4.87334G	32.41	54.00	-21.59	24.94	3	Horizontal	64	1.86	-	33.15	5.10	30.78
PK	7.30536G	49.55	74.00	-24.45	38.91	3	Horizontal	46	2.03	-	36.41	6.15	31.92
AV	7.32366G	36.37	54.00	-17.63	25.69	3	Horizontal	46	2.03	-	36.45	6.16	31.93

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3716G	59.34	74.00	-14.66	28.21	3	Vertical	180	1.80	-	28.34	2.79	-
AV	2.3892G	46.57	54.00	-7.43	15.40	3	Vertical	180	1.80	-	28.38	2.79	-
PK	2.4624G	119.89	Inf	-Inf	88.58	3	Vertical	180	1.80	-	28.45	2.86	-
AV	2.4508G	106.90	Inf	-Inf	75.65	3	Vertical	180	1.80	-	28.40	2.85	-
PK	2.4848G	66.10	74.00	-7.90	34.68	3	Vertical	180	1.80	-	28.54	2.88	-
AV	2.4835G	52.15	54.00	-1.85	20.74	3	Vertical	180	1.80	-	28.53	2.88	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3624G	59.22	74.00	-14.78	28.12	3	Horizontal	180	1.86	-	28.32	2.78	-
AV	2.3896G	46.94	54.00	-7.06	15.77	3	Horizontal	180	1.86	-	28.38	2.79	-
PK	2.4616G	120.98	Inf	-Inf	89.67	3	Horizontal	180	1.86	-	28.45	2.86	-
AV	2.4536G	108.00	Inf	-Inf	76.74	3	Horizontal	180	1.86	-	28.41	2.85	-
PK	2.4844G	67.88	74.00	-6.12	36.46	3	Horizontal	180	1.86	-	28.54	2.88	-
AV	2.484G	53.94	54.00	-0.06	22.52	3	Horizontal	180	1.86	-	28.54	2.88	-

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




EUT X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.91156G	45.55	74.00	-28.45	38.00	3	Vertical	173	1.61	-	33.22	5.10	30.77
AV	4.89434G	32.19	54.00	-21.81	24.67	3	Vertical	173	1.61	-	33.19	5.10	30.77
PK	7.36662G	49.50	74.00	-24.50	38.77	3	Vertical	350	2.70	-	36.50	6.18	31.95
AV	7.36782G	36.34	54.00	-17.66	25.61	3	Vertical	350	2.70	-	36.50	6.18	31.95

802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_X_2TX
Setting 15
02-F-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90688G	45.63	74.00	-28.37	38.09	3	Horizontal	286	2.21	-	33.21	5.10	30.77
AV	4.89266G	32.15	54.00	-21.85	24.64	3	Horizontal	286	2.21	-	33.19	5.10	30.78
PK	7.35258G	49.54	74.00	-24.46	38.80	3	Horizontal	313	2.82	-	36.50	6.18	31.94
AV	7.35678G	36.31	54.00	-17.69	25.58	3	Horizontal	313	2.82	-	36.50	6.18	31.95




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	AV	2.4838G	53.97	54.00	-0.03	3	Horizontal	360	1.76	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3842G	66.86	74.00	-7.14	34.24	3	Vertical	358	1.80	-	28.24	4.38	-
AV	2.39G	51.93	54.00	-2.07	19.28	3	Vertical	358	1.80	-	28.26	4.39	-
PK	2.416G	122.69	Inf	-Inf	89.98	3	Vertical	358	1.80	-	28.30	4.41	-
AV	2.4158G	111.36	Inf	-Inf	78.65	3	Vertical	358	1.80	-	28.30	4.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	65.03	74.00	-8.97	32.38	3	Horizontal	-0	1.80	-	28.26	4.39	-
AV	2.3892G	52.23	54.00	-1.77	19.58	3	Horizontal	-0	1.80	-	28.26	4.39	-
PK	2.4148G	121.92	Inf	-Inf	89.21	3	Horizontal	-0	1.80	-	28.30	4.41	-
AV	2.4138G	115.43	Inf	-Inf	82.72	3	Horizontal	-0	1.80	-	28.30	4.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8291G	47.66	74.00	-26.34	42.09	3	Vertical	29	1.80	-	33.37	7.10	34.90
AV	4.83894G	33.89	54.00	-20.11	28.26	3	Vertical	29	1.80	-	33.43	7.10	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2412MHz_TX




EUT X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81776G	46.67	74.00	-27.33	41.16	3	Horizontal	34	1.13	-	33.31	7.10	34.90
AV	4.81452G	33.77	54.00	-20.23	28.28	3	Horizontal	34	1.13	-	33.29	7.10	34.90

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
Setting 21
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3846G	64.20	74.00	-9.80	31.58	3	Vertical	355	1.80	-	28.24	4.38	-
AV	2.39G	52.36	54.00	-1.64	19.71	3	Vertical	355	1.80	-	28.26	4.39	-
PK	2.4142G	126.69	Inf	-Inf	93.98	3	Vertical	355	1.80	-	28.30	4.41	-
AV	2.4164G	120.24	Inf	-Inf	87.53	3	Vertical	355	1.80	-	28.30	4.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2417MHz_TX




EUT_X_2TX
Setting 21
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.30	74.00	-7.70	33.65	3	Horizontal	360	1.76	-	28.26	4.39	-
AV	2.39G	53.20	54.00	-0.80	20.55	3	Horizontal	360	1.76	-	28.26	4.39	-
PK	2.4222G	125.97	Inf	-Inf	93.26	3	Horizontal	360	1.76	-	28.30	4.41	-
AV	2.4214G	113.53	Inf	-Inf	80.82	3	Horizontal	360	1.76	-	28.30	4.41	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	62.81	74.00	-11.19	30.17	3	Vertical	360	1.70	-	28.25	4.39	-
AV	2.3866G	50.65	54.00	-3.35	18.01	3	Vertical	360	1.70	-	28.25	4.39	-
PK	2.4354G	127.15	Inf	-Inf	94.43	3	Vertical	360	1.70	-	28.30	4.42	-
AV	2.433G	114.41	Inf	-Inf	81.69	3	Vertical	360	1.70	-	28.30	4.42	-
PK	2.491G	62.86	74.00	-11.14	29.95	3	Vertical	360	1.70	-	28.46	4.45	-
AV	2.4835G	51.15	54.00	-2.85	18.28	3	Vertical	360	1.70	-	28.43	4.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	63.20	74.00	-10.80	30.59	3	Horizontal	360	1.80	-	28.23	4.38	-
AV	2.389G	51.12	54.00	-2.88	18.47	3	Horizontal	360	1.80	-	28.26	4.39	-
PK	2.4418G	127.17	Inf	-Inf	94.45	3	Horizontal	360	1.80	-	28.30	4.42	-
AV	2.4402G	116.29	Inf	-Inf	83.57	3	Horizontal	360	1.80	-	28.30	4.42	-
PK	2.4958G	64.57	74.00	-9.43	31.64	3	Horizontal	360	1.80	-	28.48	4.45	-
AV	2.4962G	53.35	54.00	-0.65	20.42	3	Horizontal	360	1.80	-	28.48	4.45	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86446G	47.03	74.00	-26.97	41.27	3	Vertical	192	2.23	-	33.56	7.10	34.90
AV	4.87394G	34.22	54.00	-19.78	28.42	3	Vertical	192	2.23	-	33.60	7.10	34.90
PK	7.30134G	51.78	74.00	-22.22	41.62	3	Vertical	360	2.03	-	36.90	8.40	35.14
AV	7.31526G	39.08	54.00	-14.92	28.87	3	Vertical	360	2.03	-	36.93	8.43	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 22
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.86548G	47.16	74.00	-26.84	41.40	3	Horizontal	212	2.40	-	33.56	7.10	34.90
AV	4.87364G	34.21	54.00	-19.79	28.42	3	Horizontal	212	2.40	-	33.59	7.10	34.90
PK	7.31172G	52.13	74.00	-21.87	41.93	3	Horizontal	264	2.22	-	36.92	8.42	35.14
AV	7.31808G	38.99	54.00	-15.01	28.76	3	Horizontal	264	2.22	-	36.94	8.44	35.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
Setting 20
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4616G	125.50	Inf	-Inf	92.72	3	Vertical	360	1.76	-	28.35	4.43	-
AV	2.4532G	113.63	Inf	-Inf	80.89	3	Vertical	360	1.76	-	28.31	4.43	-
PK	2.484G	66.93	74.00	-7.07	34.05	3	Vertical	360	1.76	-	28.44	4.44	-
AV	2.4835G	53.76	54.00	-0.24	20.89	3	Vertical	360	1.76	-	28.43	4.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2457MHz_TX




EUT_X_2TX
Setting 20
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	2.4562G	124.44	Inf	-Inf	91.69	3	Horizontal	0	1.80	-	28.32	4.43	-	
AV	2.4562G	118.24	Inf	-Inf	85.49	3	Horizontal	0	1.80	-	28.32	4.43	-	
PK	2.4844G	65.96	74.00	-8.04	33.08	3	Horizontal	0	1.80	-	28.44	4.44	-	
AV	2.4838G	53.95	54.00	-0.05	21.07	3	Horizontal	0	1.80	-	28.44	4.44	-	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	59.06	74.00	-14.94	26.42	3	Vertical	360	1.84	-	28.25	4.39	-
AV	2.3872G	47.61	54.00	-6.39	14.97	3	Vertical	360	1.84	-	28.25	4.39	-
PK	2.4628G	122.27	Inf	-Inf	89.49	3	Vertical	360	1.84	-	28.35	4.43	-
AV	2.4628G	115.48	Inf	-Inf	82.70	3	Vertical	360	1.84	-	28.35	4.43	-
PK	2.4852G	65.36	74.00	-8.64	32.48	3	Vertical	360	1.84	-	28.44	4.44	-
AV	2.4835G	52.49	54.00	-1.51	19.62	3	Vertical	360	1.84	-	28.43	4.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	59.57	74.00	-14.43	26.93	3	Horizontal	360	1.80	-	28.25	4.39	-
AV	2.3856G	47.45	54.00	-6.55	14.82	3	Horizontal	360	1.80	-	28.24	4.39	-
PK	2.466G	122.08	Inf	-Inf	89.29	3	Horizontal	360	1.80	-	28.36	4.43	-
AV	2.4644G	113.90	Inf	-Inf	81.11	3	Horizontal	360	1.80	-	28.36	4.43	-
PK	2.4835G	64.13	74.00	-9.87	31.26	3	Horizontal	360	1.80	-	28.43	4.44	-
AV	2.4835G	52.68	54.00	-1.32	19.81	3	Horizontal	360	1.80	-	28.43	4.44	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.9285G	47.51	74.00	-26.49	41.54	3	Vertical	274	2.64	-	33.76	7.10	34.89
AV	4.92792G	34.27	54.00	-19.73	28.30	3	Vertical	274	2.64	-	33.76	7.10	34.89
PK	7.3835G	52.22	74.00	-21.78	41.83	3	Vertical	169	1.68	-	37.00	8.57	35.18
AV	7.38958G	39.47	54.00	-14.53	29.07	3	Vertical	169	1.68	-	37.00	8.58	35.18

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

2462MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92886G	47.61	74.00	-26.39	41.64	3	Horizontal	227	1.58	-	33.76	7.10	34.89
AV	4.92714G	34.12	54.00	-19.88	28.16	3	Horizontal	227	1.58	-	33.75	7.10	34.89
PK	7.38866G	52.39	74.00	-21.61	41.99	3	Horizontal	154	1.77	-	37.00	8.58	35.18
AV	7.3899G	39.44	54.00	-14.56	29.04	3	Horizontal	154	1.77	-	37.00	8.58	35.18

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	66.71	74.00	-7.29	34.09	3	Vertical	360	1.80	-	28.24	4.38	-
AV	2.3896G	53.53	54.00	-0.47	20.88	3	Vertical	360	1.80	-	28.26	4.39	-
PK	2.4128G	118.23	Inf	-Inf	85.52	3	Vertical	360	1.80	-	28.30	4.41	-
AV	2.4092G	110.47	Inf	-Inf	77.77	3	Vertical	360	1.80	-	28.30	4.40	-
PK	2.4948G	60.86	74.00	-13.14	27.93	3	Vertical	360	1.80	-	28.48	4.45	-
AV	2.484G	48.98	54.00	-5.02	16.10	3	Vertical	360	1.80	-	28.44	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	65.08	74.00	-8.92	32.45	3	Horizontal	2	1.80	-	28.24	4.39	-
AV	2.3884G	53.08	54.00	-0.92	20.44	3	Horizontal	2	1.80	-	28.25	4.39	-
PK	2.4128G	118.38	Inf	-Inf	85.67	3	Horizontal	2	1.80	-	28.30	4.41	-
AV	2.4152G	110.95	Inf	-Inf	78.24	3	Horizontal	2	1.80	-	28.30	4.41	-
PK	2.4964G	60.36	74.00	-13.64	27.42	3	Horizontal	2	1.80	-	28.49	4.45	-
AV	2.496G	49.71	54.00	-4.29	16.78	3	Horizontal	2	1.80	-	28.48	4.45	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84222G	47.36	74.00	-26.64	41.71	3	Vertical	95	1.73	-	33.45	7.10	34.90
AV	4.83914G	33.81	54.00	-20.19	28.18	3	Vertical	95	1.73	-	33.43	7.10	34.90
PK	7.26546G	51.33	74.00	-22.67	41.36	3	Vertical	63	2.34	-	36.76	8.33	35.12
AV	7.26262G	38.43	54.00	-15.57	28.47	3	Vertical	63	2.34	-	36.75	8.33	35.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2422MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84808G	47.08	74.00	-26.92	41.39	3	Horizontal	91	1.60	-	33.49	7.10	34.90
AV	4.84862G	33.90	54.00	-20.10	28.21	3	Horizontal	91	1.60	-	33.49	7.10	34.90
PK	7.2675G	52.11	74.00	-21.89	42.13	3	Horizontal	226	2.68	-	36.77	8.33	35.12
AV	7.26114G	38.50	54.00	-15.50	28.56	3	Horizontal	226	2.68	-	36.74	8.32	35.12

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	63.95	74.00	-10.05	31.31	3	Vertical	359	1.82	-	28.25	4.39	-
AV	2.3898G	51.26	54.00	-2.74	18.61	3	Vertical	359	1.82	-	28.26	4.39	-
PK	2.4438G	120.30	Inf	-Inf	87.58	3	Vertical	359	1.82	-	28.30	4.42	-
AV	2.433G	106.86	Inf	-Inf	74.14	3	Vertical	359	1.82	-	28.30	4.42	-
PK	2.4838G	65.77	74.00	-8.23	32.89	3	Vertical	359	1.82	-	28.44	4.44	-
AV	2.4838G	53.04	54.00	-0.96	20.16	3	Vertical	359	1.82	-	28.44	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT_X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.95	74.00	-12.05	29.30	3	Horizontal	2	1.80	-	28.26	4.39	-
AV	2.3898G	50.73	54.00	-3.27	18.08	3	Horizontal	2	1.80	-	28.26	4.39	-
PK	2.4278G	119.73	Inf	-Inf	87.02	3	Horizontal	2	1.80	-	28.30	4.41	-
AV	2.4318G	108.14	Inf	-Inf	75.42	3	Horizontal	2	1.80	-	28.30	4.42	-
PK	2.4858G	66.42	74.00	-7.58	33.54	3	Horizontal	2	1.80	-	28.44	4.44	-
AV	2.4835G	53.80	54.00	-0.20	20.93	3	Horizontal	2	1.80	-	28.43	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8785G	47.54	74.00	-26.46	41.72	3	Vertical	213	2.84	-	33.61	7.10	34.89
AV	4.87528G	33.92	54.00	-20.08	28.11	3	Vertical	213	2.84	-	33.60	7.10	34.89
PK	7.31536G	52.17	74.00	-21.83	41.96	3	Vertical	39	1.31	-	36.93	8.43	35.15
AV	7.31356G	38.71	54.00	-15.29	28.49	3	Vertical	39	1.31	-	36.93	8.43	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2437MHz_TX




EUT X_2TX
Setting 17
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87144G	46.99	74.00	-27.01	41.20	3	Horizontal	200	2.30	-	33.59	7.10	34.90
AV	4.87716G	33.98	54.00	-20.02	28.16	3	Horizontal	200	2.30	-	33.61	7.10	34.89
PK	7.31178G	51.62	74.00	-22.38	41.42	3	Horizontal	159	2.58	-	36.92	8.42	35.14
AV	7.31464G	38.57	54.00	-15.43	28.35	3	Horizontal	159	2.58	-	36.93	8.43	35.14

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2447MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	60.41	74.00	-13.59	27.76	3	Vertical	360	1.79	-	28.26	4.39	-
AV	2.387G	48.01	54.00	-5.99	15.37	3	Vertical	360	1.79	-	28.25	4.39	-
PK	2.4514G	117.79	Inf	-Inf	85.05	3	Vertical	360	1.79	-	28.31	4.43	-
AV	2.439G	111.90	Inf	-Inf	79.18	3	Vertical	360	1.79	-	28.30	4.42	-
PK	2.4862G	64.86	74.00	-9.14	31.98	3	Vertical	360	1.79	-	28.44	4.44	-
AV	2.4846G	52.85	54.00	-1.15	19.97	3	Vertical	360	1.79	-	28.44	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2447MHz_TX




EUT_X_2TX
Setting 15
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	60.12	74.00	-13.88	27.49	3	Horizontal	360	1.76	-	28.24	4.39	-
AV	2.387G	48.23	54.00	-5.77	15.59	3	Horizontal	360	1.76	-	28.25	4.39	-
PK	2.443G	117.49	Inf	-Inf	84.77	3	Horizontal	360	1.76	-	28.30	4.42	-
AV	2.4326G	106.91	Inf	-Inf	74.19	3	Horizontal	360	1.76	-	28.30	4.42	-
PK	2.4866G	65.98	74.00	-8.02	33.09	3	Horizontal	360	1.76	-	28.45	4.44	-
AV	2.4838G	53.97	54.00	-0.03	21.09	3	Horizontal	360	1.76	-	28.44	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3736G	59.32	74.00	-14.68	26.76	3	Vertical	357	1.79	-	28.19	4.37	-
AV	2.3888G	46.69	54.00	-7.31	14.04	3	Vertical	357	1.79	-	28.26	4.39	-
PK	2.4532G	116.89	Inf	-Inf	84.15	3	Vertical	357	1.79	-	28.31	4.43	-
AV	2.448G	104.18	Inf	-Inf	71.46	3	Vertical	357	1.79	-	28.30	4.42	-
PK	2.4844G	64.16	74.00	-9.84	31.28	3	Vertical	357	1.79	-	28.44	4.44	-
AV	2.4864G	49.15	54.00	-4.85	16.26	3	Vertical	357	1.79	-	28.45	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3844G	59.77	74.00	-14.23	27.15	3	Horizontal	-0	1.80	-	28.24	4.38	-
AV	2.3884G	48.05	54.00	-5.95	15.41	3	Horizontal	-0	1.80	-	28.25	4.39	-
PK	2.4408G	116.88	Inf	-Inf	84.16	3	Horizontal	-0	1.80	-	28.30	4.42	-
AV	2.4376G	106.58	Inf	-Inf	73.86	3	Horizontal	-0	1.80	-	28.30	4.42	-
PK	2.4896G	64.92	74.00	-9.08	32.02	3	Horizontal	-0	1.80	-	28.46	4.44	-
AV	2.4844G	52.84	54.00	-1.16	19.96	3	Horizontal	-0	1.80	-	28.44	4.44	-

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX




EUT_X_2TX
Setting 14
03-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90064G	46.56	74.00	-27.44	40.65	3	Vertical	231	1.31	-	33.70	7.10	34.89
AV	4.90842G	33.50	54.00	-20.50	27.57	3	Vertical	231	1.31	-	33.72	7.10	34.89
PK	7.35672G	51.38	74.00	-22.62	41.03	3	Vertical	228	1.24	-	37.00	8.51	35.16
AV	7.35878G	38.48	54.00	-15.52	28.13	3	Vertical	228	1.24	-	37.00	8.52	35.17

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

2452MHz_TX



EUT_X_2TX
Setting 14
03-D-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90824G	46.33	74.00	-27.67	40.40	3	Horizontal	97	2.84	-	33.72	7.10	34.89
AV	4.90826G	33.55	54.00	-20.45	27.62	3	Horizontal	97	2.84	-	33.72	7.10	34.89
PK	7.35894G	51.83	74.00	-22.17	41.48	3	Horizontal	73	1.50	-	37.00	8.52	35.17
AV	7.35358G	38.45	54.00	-15.55	28.10	3	Horizontal	73	1.50	-	37.00	8.51	35.16



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.04209G	41.32	54.00	-12.68	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.0395G	45.66	74.00	-28.34	-8.37	3	Vertical	309	1.69	-	54.03	25.17	2.86	36.40
AV	1.03979G	35.11	54.00	-18.89	-8.36	3	Vertical	309	1.69	"Worst"	43.47	25.18	2.86	36.40

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.03937G	50.49	74.00	-23.51	-8.37	3	Horizontal	327	1.73	-	58.86	25.17	2.86	36.40
AV	1.04209G	41.32	54.00	-12.68	-8.33	3	Horizontal	327	1.73	"Worst"	49.65	25.21	2.86	36.40