


802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1404G	63.07	74.00	-10.93	56.77	3	Vertical	3	1.67	-	32.72	6.37	32.79	
AV	5.1492G	50.73	54.00	-3.27	44.45	3	Vertical	3	1.67	-	32.70	6.37	32.79	
PK	5.2076G	126.50	Inf	-Inf	120.14	3	Vertical	3	1.67	-	32.72	6.40	32.76	
AV	5.2088G	114.45	Inf	-Inf	108.09	3	Vertical	3	1.67	-	32.72	6.40	32.76	

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	62.31	74.00	-11.69	56.03	3	Horizontal	360	1.80	-	32.70	6.37	32.79
AV	5.1496G	50.69	54.00	-3.31	44.41	3	Horizontal	360	1.80	-	32.70	6.37	32.79
PK	5.2056G	125.42	Inf	-Inf	119.07	3	Horizontal	360	1.80	-	32.71	6.40	32.76
AV	5.208G	113.40	Inf	-Inf	107.04	3	Horizontal	360	1.80	-	32.72	6.40	32.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39648G	56.07	68.20	-12.13	40.82	3	Vertical	11	2.53	-	38.40	8.60	31.75
PK	15.60124G	62.41	74.00	-11.59	44.93	3	Vertical	9	2.40	-	37.80	10.38	30.70
AV	15.5985G	49.06	54.00	-4.94	31.57	3	Vertical	9	2.40	-	37.81	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39528G	56.53	68.20	-11.67	41.28	3	Horizontal	62	1.38	-	38.40	8.60	31.75
PK	15.5978G	62.72	74.00	-11.28	45.23	3	Horizontal	229	2.24	-	37.81	10.38	30.70
AV	15.60206G	49.15	54.00	-4.85	31.67	3	Horizontal	229	2.24	-	37.80	10.38	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	62.77	74.00	-11.23	56.43	3	Vertical	360	1.80	-	32.80	6.35	32.81
AV	5.1062G	50.38	54.00	-3.62	44.05	3	Vertical	360	1.80	-	32.79	6.35	32.81
PK	5.2466G	126.01	Inf	-Inf	119.57	3	Vertical	360	1.80	-	32.79	6.40	32.75
AV	5.2442G	114.17	Inf	-Inf	107.73	3	Vertical	360	1.80	-	32.79	6.40	32.75
PK	5.3768G	64.37	74.00	-9.63	57.55	3	Vertical	360	1.80	-	33.11	6.40	32.69
AV	5.3822G	50.25	54.00	-3.75	43.41	3	Vertical	360	1.80	-	33.13	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT V_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1266G	64.17	74.00	-9.83	57.86	3	Horizontal	0	1.80	-	32.75	6.36	32.80
AV	5.1008G	50.36	54.00	-3.64	44.02	3	Horizontal	0	1.80	-	32.80	6.35	32.81
PK	5.2442G	125.83	Inf	-Inf	119.39	3	Horizontal	0	1.80	-	32.79	6.40	32.75
AV	5.2484G	113.51	Inf	-Inf	107.06	3	Horizontal	0	1.80	-	32.80	6.40	32.75
PK	5.3786G	64.67	74.00	-9.33	57.85	3	Horizontal	0	1.80	-	33.11	6.40	32.69
AV	5.3864G	51.34	54.00	-2.66	44.48	3	Horizontal	0	1.80	-	33.15	6.40	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47618G	56.36	68.20	-11.84	40.93	3	Vertical	230	2.11	-	38.48	8.62	31.67
PK	15.71788G	61.87	74.00	-12.13	44.30	3	Vertical	140	2.80	-	37.81	10.42	30.66
AV	15.7191G	48.37	54.00	-5.63	30.80	3	Vertical	140	2.80	-	37.81	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48336G	56.78	68.20	-11.42	41.34	3	Horizontal	101	2.20	-	38.48	8.62	31.66
PK	15.72186G	62.00	74.00	-12.00	44.41	3	Horizontal	230	2.12	-	37.83	10.42	30.66
AV	15.72154G	48.37	54.00	-5.63	30.78	3	Horizontal	230	2.12	-	37.83	10.42	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	65.49	68.20	-2.71	57.75	3	Vertical	0	1.80	-	33.82	6.60	32.68
PK	5.736G	126.60	Inf	-Inf	118.44	3	Vertical	0	1.80	-	34.29	6.60	32.73
AV	5.736G	114.94	Inf	-Inf	106.78	3	Vertical	0	1.80	-	34.29	6.60	32.73
PK	5.943G	62.27	68.20	-5.93	53.42	3	Vertical	0	1.80	-	35.07	6.60	32.82

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.572G	63.43	68.20	-4.77	55.67	3	Horizontal	0	1.80	-	33.86	6.57	32.67
PK	5.75G	123.92	Inf	-Inf	115.66	3	Horizontal	0	1.80	-	34.40	6.60	32.74
AV	5.754G	112.28	Inf	-Inf	104.02	3	Horizontal	0	1.80	-	34.40	6.60	32.74
PK	5.924G	62.61	68.94	-6.33	53.82	3	Horizontal	0	1.80	-	35.00	6.60	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49246G	58.77	74.00	-15.23	43.24	3	Vertical	289	2.72	-	38.40	8.87	31.74
AV	11.48556G	44.22	54.00	-9.78	28.70	3	Vertical	289	2.72	-	38.40	8.87	31.75
PK	17.23572G	67.05	68.20	-1.15	44.58	3	Vertical	359	1.82	-	41.78	10.87	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49374G	57.55	74.00	-16.45	42.02	3	Horizontal	100	1.79	-	38.40	8.87	31.74
AV	11.4855G	44.31	54.00	-9.69	28.79	3	Horizontal	100	1.79	-	38.40	8.87	31.75
PK	17.23558G	66.62	68.20	-1.58	44.15	3	Horizontal	283	1.40	-	41.78	10.87	30.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	65.70	68.20	-2.50	57.79	3	Vertical	0	1.80	-	34.00	6.60	32.69
PK	5.789G	125.51	Inf	-Inf	117.27	3	Vertical	0	1.80	-	34.40	6.60	32.76
AV	5.776G	113.91	Inf	-Inf	105.66	3	Vertical	0	1.80	-	34.40	6.60	32.75
PK	6.023G	63.27	68.20	-4.93	54.23	3	Vertical	0	1.80	-	35.25	6.63	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	63.68	68.20	-4.52	55.76	3	Horizontal	0	1.80	-	34.01	6.60	32.69
PK	5.789G	123.96	Inf	-Inf	115.72	3	Horizontal	0	1.80	-	34.40	6.60	32.76
AV	5.776G	113.11	Inf	-Inf	104.86	3	Horizontal	0	1.80	-	34.40	6.60	32.75
PK	5.995G	63.18	68.20	-5.02	54.14	3	Horizontal	0	1.80	-	35.28	6.60	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5744G	57.58	74.00	-16.42	41.85	3	Vertical	174	1.23	-	38.55	8.89	31.71
AV	11.57408G	44.38	54.00	-9.62	28.65	3	Vertical	174	1.23	-	38.55	8.89	31.71
PK	17.35194G	66.35	68.20	-1.85	43.65	3	Vertical	2	1.56	-	42.15	10.91	30.36

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56586G	57.65	74.00	-16.35	41.94	3	Horizontal	22	1.70	-	38.53	8.89	31.71
AV	11.56984G	44.32	54.00	-9.68	28.60	3	Horizontal	22	1.70	-	38.54	8.89	31.71
PK	17.34282G	66.97	68.20	-1.23	44.27	3	Horizontal	156	1.06	-	42.14	10.90	30.34

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	63.42	68.20	-4.78	55.55	3	Vertical	0	1.80	-	33.96	6.60	32.69
PK	5.817G	125.26	Inf	-Inf	116.89	3	Vertical	0	1.80	-	34.54	6.60	32.77
AV	5.816G	113.76	Inf	-Inf	105.40	3	Vertical	0	1.80	-	34.53	6.60	32.77
PK	5.971G	63.22	68.20	-4.98	54.27	3	Vertical	0	1.80	-	35.18	6.60	32.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	62.99	68.20	-5.21	55.03	3	Horizontal	0	1.80	-	34.06	6.60	32.70
PK	5.817G	125.93	Inf	-Inf	117.56	3	Horizontal	0	1.80	-	34.54	6.60	32.77
AV	5.816G	114.36	Inf	-Inf	106.00	3	Horizontal	0	1.80	-	34.53	6.60	32.77
PK	6.002G	64.54	68.20	-3.66	55.48	3	Horizontal	0	1.80	-	35.30	6.60	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65156G	57.76	74.00	-16.24	41.93	3	Vertical	66	2.99	-	38.60	8.91	31.68
AV	11.6524G	44.33	54.00	-9.67	28.50	3	Vertical	66	2.99	-	38.60	8.91	31.68
PK	17.47972G	65.99	68.20	-2.21	43.33	3	Vertical	292	2.56	-	42.28	10.94	30.56

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64852G	57.53	74.00	-16.47	41.70	3	Horizontal	219	1.40	-	38.60	8.91	31.68
AV	11.64564G	44.46	54.00	-9.54	28.63	3	Horizontal	219	1.40	-	38.60	8.91	31.68
PK	17.47112G	66.05	68.20	-2.15	43.38	3	Horizontal	303	1.82	-	42.27	10.94	30.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	68.31	74.00	-5.69	62.02	3	Vertical	2	1.80	-	32.71	6.37	32.79
AV	5.15G	53.49	54.00	-0.51	47.21	3	Vertical	2	1.80	-	32.70	6.37	32.79
PK	5.1864G	121.16	Inf	-Inf	114.84	3	Vertical	2	1.80	-	32.70	6.39	32.77
AV	5.196G	108.27	Inf	-Inf	101.94	3	Vertical	2	1.80	-	32.70	6.40	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	67.49	74.00	-6.51	61.21	3	Horizontal	0	1.80	-	32.70	6.37	32.79
AV	5.148G	51.56	54.00	-2.44	45.28	3	Horizontal	0	1.80	-	32.70	6.37	32.79
PK	5.1932G	119.99	Inf	-Inf	113.66	3	Horizontal	0	1.80	-	32.70	6.40	32.77
AV	5.1948G	107.00	Inf	-Inf	100.67	3	Horizontal	0	1.80	-	32.70	6.40	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38098G	56.48	68.20	-11.72	41.25	3	Vertical	131	1.25	-	38.40	8.60	31.77
PK	15.5738G	62.51	74.00	-11.49	44.95	3	Vertical	44	1.99	-	37.90	10.37	30.71
AV	15.56534G	49.76	54.00	-4.24	32.16	3	Vertical	44	1.99	-	37.94	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38216G	56.54	68.20	-11.66	41.31	3	Horizontal	108	2.19	-	38.40	8.60	31.77
PK	15.5709G	63.23	74.00	-10.77	45.65	3	Horizontal	344	2.35	-	37.92	10.37	30.71
AV	15.56514G	49.56	54.00	-4.44	31.96	3	Horizontal	344	2.35	-	37.94	10.37	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0914G	63.79	74.00	-10.21	57.45	3	Vertical	3	1.80	-	32.80	6.35	32.81
AV	5.149G	50.59	54.00	-3.41	44.31	3	Vertical	3	1.80	-	32.70	6.37	32.79
PK	5.2354G	122.30	Inf	-Inf	115.88	3	Vertical	3	1.80	-	32.77	6.40	32.75
AV	5.2294G	111.09	Inf	-Inf	104.68	3	Vertical	3	1.80	-	32.76	6.40	32.75
PK	5.3722G	65.47	74.00	-8.53	58.67	3	Vertical	3	1.80	-	33.09	6.40	32.69
AV	5.377G	51.19	54.00	-2.81	44.37	3	Vertical	3	1.80	-	33.11	6.40	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	63.03	74.00	-10.97	56.74	3	Horizontal	2	1.80	-	32.71	6.37	32.79
AV	5.15G	50.55	54.00	-3.45	44.27	3	Horizontal	2	1.80	-	32.70	6.37	32.79
PK	5.2324G	122.18	Inf	-Inf	115.77	3	Horizontal	2	1.80	-	32.76	6.40	32.75
AV	5.2348G	109.63	Inf	-Inf	103.21	3	Horizontal	2	1.80	-	32.77	6.40	32.75
PK	5.3794G	64.03	74.00	-9.97	57.20	3	Horizontal	2	1.80	-	33.12	6.40	32.69
AV	5.3788G	50.99	54.00	-3.01	44.16	3	Horizontal	2	1.80	-	33.12	6.40	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4559G	56.31	68.20	-11.89	40.93	3	Vertical	141	2.67	-	38.46	8.61	31.69
PK	15.68514G	61.40	74.00	-12.60	43.95	3	Vertical	139	1.71	-	37.71	10.41	30.67
AV	15.68696G	48.38	54.00	-5.62	30.93	3	Vertical	139	1.71	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46174G	56.76	68.20	-11.44	41.36	3	Horizontal	321	1.89	-	38.46	8.62	31.68
PK	15.686G	61.74	74.00	-12.26	44.29	3	Horizontal	352	1.90	-	37.71	10.41	30.67
AV	15.69026G	48.44	54.00	-5.56	30.99	3	Horizontal	352	1.90	-	37.71	10.41	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.625G	66.61	68.20	-1.59	58.75	3	Vertical	0	1.80	-	33.95	6.60	32.69
PK	5.751G	123.75	Inf	-Inf	115.49	3	Vertical	0	1.80	-	34.40	6.60	32.74
AV	5.744G	111.48	Inf	-Inf	103.27	3	Vertical	0	1.80	-	34.35	6.60	32.74
PK	5.948G	62.81	68.20	-5.39	53.94	3	Vertical	0	1.80	-	35.09	6.60	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	63.80	68.20	-4.40	56.04	3	Horizontal	0	1.80	-	33.85	6.58	32.67
PK	5.766G	121.79	Inf	-Inf	113.54	3	Horizontal	0	1.80	-	34.40	6.60	32.75
AV	5.761G	109.77	Inf	-Inf	101.51	3	Horizontal	0	1.80	-	34.40	6.60	32.74
PK	5.987G	62.95	68.20	-5.25	53.93	3	Horizontal	0	1.80	-	35.25	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50952G	58.07	74.00	-15.93	42.51	3	Vertical	278	2.72	-	38.42	8.88	31.74
AV	11.50882G	44.09	54.00	-9.91	28.53	3	Vertical	278	2.72	-	38.42	8.88	31.74
PK	17.26966G	67.35	68.20	-0.85	44.75	3	Vertical	218	2.31	-	41.95	10.88	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50604G	57.39	74.00	-16.61	41.84	3	Horizontal	112	2.24	-	38.41	8.88	31.74
AV	11.50678G	44.06	54.00	-9.94	28.51	3	Horizontal	112	2.24	-	38.41	8.88	31.74
PK	17.26026G	67.10	68.20	-1.10	44.54	3	Horizontal	290	2.80	-	41.90	10.88	30.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.64	68.20	-2.56	57.66	3	Vertical	0	1.80	-	34.08	6.60	32.70
PK	5.789G	123.80	Inf	-Inf	115.56	3	Vertical	0	1.80	-	34.40	6.60	32.76
AV	5.789G	111.11	Inf	-Inf	102.87	3	Vertical	0	1.80	-	34.40	6.60	32.76
PK	5.967G	63.50	68.20	-4.70	54.56	3	Vertical	0	1.80	-	35.17	6.60	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	63.99	68.20	-4.21	56.25	3	Horizontal	358	1.80	-	33.83	6.58	32.67
PK	5.801G	122.24	Inf	-Inf	113.99	3	Horizontal	358	1.80	-	34.41	6.60	32.76
AV	5.802G	110.13	Inf	-Inf	101.87	3	Horizontal	358	1.80	-	34.42	6.60	32.76
PK	6.013G	62.58	68.20	-5.62	53.53	3	Horizontal	358	1.80	-	35.27	6.62	32.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT_Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59288G	57.33	74.00	-16.67	41.54	3	Vertical	309	2.44	-	38.59	8.90	31.70
AV	11.5864G	44.32	54.00	-9.68	28.56	3	Vertical	309	2.44	-	38.57	8.90	31.71
PK	17.38816G	66.81	68.20	-1.39	44.12	3	Vertical	184	1.53	-	42.19	10.92	30.42

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59468G	57.54	74.00	-16.46	41.75	3	Horizontal	229	2.08	-	38.59	8.90	31.70
AV	11.58954G	44.17	54.00	-9.83	28.39	3	Horizontal	229	2.08	-	38.58	8.90	31.70
PK	17.38768G	66.41	68.20	-1.79	43.71	3	Horizontal	291	2.18	-	42.19	10.92	30.41

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1308G	68.48	74.00	-5.52	62.17	3	Vertical	0	1.80	-	32.74	6.37	32.80
AV	5.1476G	53.52	54.00	-0.48	47.24	3	Vertical	0	1.80	-	32.70	6.37	32.79
PK	5.1844G	120.66	Inf	-Inf	114.34	3	Vertical	0	1.80	-	32.70	6.39	32.77
AV	5.1884G	104.66	Inf	-Inf	98.34	3	Vertical	0	1.80	-	32.70	6.39	32.77
PK	5.3588G	62.23	74.00	-11.77	55.49	3	Vertical	0	1.80	-	33.04	6.40	32.70
AV	5.35G	49.49	54.00	-4.51	42.79	3	Vertical	0	1.80	-	33.00	6.40	32.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.122G	67.87	74.00	-6.13	61.55	3	Horizontal	4	1.80	-	32.76	6.36	32.80
AV	5.1436G	52.27	54.00	-1.73	45.98	3	Horizontal	4	1.80	-	32.71	6.37	32.79
PK	5.2372G	116.32	Inf	-Inf	109.90	3	Horizontal	4	1.80	-	32.77	6.40	32.75
AV	5.2116G	103.92	Inf	-Inf	97.56	3	Horizontal	4	1.80	-	32.72	6.40	32.76
PK	5.3612G	62.32	74.00	-11.68	55.58	3	Horizontal	4	1.80	-	33.04	6.40	32.70
AV	5.3748G	49.93	54.00	-4.07	43.12	3	Horizontal	4	1.80	-	33.10	6.40	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42002G	56.93	68.20	-11.27	41.63	3	Vertical	99	2.41	-	38.42	8.61	31.73
PK	15.63252G	62.31	74.00	-11.69	44.84	3	Vertical	102	2.54	-	37.77	10.39	30.69
AV	15.6307G	49.28	54.00	-4.72	31.81	3	Vertical	102	2.54	-	37.77	10.39	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 22
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4188G	55.94	68.20	-12.26	40.65	3	Horizontal	38	2.17	-	38.42	8.60	31.73
PK	15.63352G	62.32	74.00	-11.68	44.85	3	Horizontal	241	2.61	-	37.77	10.39	30.69
AV	15.63262G	49.32	54.00	-4.68	31.85	3	Horizontal	241	2.61	-	37.77	10.39	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.644G	66.44	68.20	-1.76	58.48	3	Vertical	0	1.80	-	34.06	6.60	32.70	
PK	5.766G	119.38	Inf	-Inf	111.13	3	Vertical	0	1.80	-	34.40	6.60	32.75	
AV	5.748G	110.73	Inf	-Inf	102.49	3	Vertical	0	1.80	-	34.38	6.60	32.74	
PK	5.967G	62.20	68.20	-6.00	53.26	3	Vertical	0	1.80	-	35.17	6.60	32.83	

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	64.04	68.20	-4.16	56.29	3	Horizontal	358	1.80	-	33.84	6.58	32.67
PK	5.773G	118.02	Inf	-Inf	109.77	3	Horizontal	358	1.80	-	34.40	6.60	32.75
AV	5.743G	108.78	Inf	-Inf	100.58	3	Horizontal	358	1.80	-	34.34	6.60	32.74
PK	5.998G	62.98	68.20	-5.22	53.93	3	Horizontal	358	1.80	-	35.29	6.60	32.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54736G	57.31	74.00	-16.69	41.65	3	Vertical	127	2.62	-	38.49	8.89	31.72
AV	11.5504G	44.18	54.00	-9.82	28.51	3	Vertical	127	2.62	-	38.50	8.89	31.72
PK	17.32806G	66.81	68.20	-1.39	44.10	3	Vertical	71	1.12	-	42.13	10.90	30.32

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 24
01-A-R-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54688G	57.73	74.00	-16.27	42.07	3	Horizontal	174	2.08	-	38.49	8.89	31.72
AV	11.54792G	44.18	54.00	-9.82	28.51	3	Horizontal	174	2.08	-	38.50	8.89	31.72
PK	17.32848G	67.10	68.20	-1.10	44.39	3	Horizontal	349	1.96	-	42.13	10.90	30.32



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.04209G	41.32	54.00	-12.68	Horizontal

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.0395G	45.66	74.00	-28.34	-8.37	3	Vertical	309	1.69	-	54.03	25.17	2.86	36.40
AV	1.03979G	35.11	54.00	-18.89	-8.36	3	Vertical	309	1.69	"Worst"	43.47	25.18	2.86	36.40

Mode 1



Type	Freq	Level	Limit	Margin	Factor	Dist	Condition	Azimuth	Height	Comment	Raw	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dB/m)	(m)		(°)	(m)		(dBuV/m)	(dB/m)	(dB)	(dB)
PK	1.03937G	50.49	74.00	-23.51	-8.37	3	Horizontal	327	1.73	-	58.86	25.17	2.86	36.40
AV	1.04209G	41.32	54.00	-12.68	-8.33	3	Horizontal	327	1.73	"Worst"	49.65	25.21	2.86	36.40