


802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 24.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35966G	56.47	68.20	-11.73	41.27	3	Vertical	202	2.77	-	38.40	8.59	31.79
PK	15.53888G	62.21	74.00	-11.79	44.53	3	Vertical	62	2.82	-	38.04	10.36	30.72
AV	15.54024G	48.64	54.00	-5.36	30.96	3	Vertical	62	2.82	-	38.04	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT X_2TX
Setting 24.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35654G	56.50	68.20	-11.70	41.30	3	Horizontal	290	2.81	-	38.40	8.59	31.79
PK	15.5372G	62.09	74.00	-11.91	44.40	3	Horizontal	253	1.57	-	38.05	10.36	30.72
AV	15.5397G	48.60	54.00	-5.40	30.92	3	Horizontal	253	1.57	-	38.04	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.18	74.00	-13.82	53.90	3	Vertical	79	1.00	-	32.70	6.37	32.79
AV	5.1496G	48.00	54.00	-6.00	41.72	3	Vertical	79	1.00	-	32.70	6.37	32.79
PK	5.2008G	116.35	Inf	-Inf	110.02	3	Vertical	79	1.00	-	32.70	6.40	32.77
AV	5.2012G	103.64	Inf	-Inf	97.31	3	Vertical	79	1.00	-	32.70	6.40	32.77

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1468G	66.65	74.00	-7.35	60.36	3	Horizontal	4	2.80	-	32.71	6.37	32.79	
AV	5.1444G	53.37	54.00	-0.63	47.08	3	Horizontal	4	2.80	-	32.71	6.37	32.79	
PK	5.194G	126.38	Inf	-Inf	120.05	3	Horizontal	4	2.80	-	32.70	6.40	32.77	
AV	5.204G	114.10	Inf	-Inf	107.75	3	Horizontal	4	2.80	-	32.71	6.40	32.76	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39772G	57.13	68.20	-11.07	41.88	3	Vertical	235	1.81	-	38.40	8.60	31.75
PK	15.59442G	63.12	74.00	-10.88	45.62	3	Vertical	316	1.83	-	37.82	10.38	30.70
AV	15.5945G	49.13	54.00	-4.87	31.63	3	Vertical	316	1.83	-	37.82	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39526G	56.91	68.20	-11.29	41.66	3	Horizontal	345	1.08	-	38.40	8.60	31.75
PK	15.59586G	62.59	74.00	-11.41	45.09	3	Horizontal	302	1.36	-	37.82	10.38	30.70
AV	15.59996G	49.19	54.00	-4.81	31.71	3	Horizontal	302	1.36	-	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 29
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.26	74.00	-13.74	53.98	3	Vertical	299	2.88	-	32.70	6.37	32.79
AV	5.1482G	47.23	54.00	-6.77	40.95	3	Vertical	299	2.88	-	32.70	6.37	32.79
PK	5.2376G	120.44	Inf	-Inf	114.01	3	Vertical	299	2.88	-	32.78	6.40	32.75
AV	5.2376G	107.46	Inf	-Inf	101.03	3	Vertical	299	2.88	-	32.78	6.40	32.75
PK	5.384G	59.95	74.00	-14.05	53.10	3	Vertical	299	2.88	-	33.14	6.40	32.69
AV	5.3852G	46.96	54.00	-7.04	40.11	3	Vertical	299	2.88	-	33.14	6.40	32.69

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 29
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.66	74.00	-7.34	60.38	3	Horizontal	4	2.79	-	32.70	6.37	32.79
AV	5.1482G	52.57	54.00	-1.43	46.29	3	Horizontal	4	2.79	-	32.70	6.37	32.79
PK	5.2388G	129.12	Inf	-Inf	122.69	3	Horizontal	4	2.79	-	32.78	6.40	32.75
AV	5.2388G	116.94	Inf	-Inf	110.51	3	Horizontal	4	2.79	-	32.78	6.40	32.75
PK	5.35G	62.66	74.00	-11.34	55.96	3	Horizontal	4	2.79	-	33.00	6.40	32.70
AV	5.3504G	50.62	54.00	-3.38	43.92	3	Horizontal	4	2.79	-	33.00	6.40	32.70

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 29
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48028G	56.83	68.20	-11.37	41.39	3	Vertical	88	2.34	-	38.48	8.62	31.66
PK	15.72066G	62.76	74.00	-11.24	45.18	3	Vertical	164	1.80	-	37.82	10.42	30.66
AV	15.72078G	49.55	54.00	-4.45	31.97	3	Vertical	164	1.80	-	37.82	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 29
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48196G	56.77	68.20	-11.43	41.33	3	Horizontal	186	2.50	-	38.48	8.62	31.66
PK	15.72042G	64.32	74.00	-9.68	46.74	3	Horizontal	323	1.77	-	37.82	10.42	30.66
AV	15.72102G	49.75	54.00	-4.25	32.16	3	Horizontal	323	1.77	-	37.83	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 28.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	61.26	68.20	-6.94	53.50	3	Vertical	88	2.17	-	33.86	6.57	32.67
PK	5.743G	117.85	Inf	-Inf	109.65	3	Vertical	88	2.17	-	34.34	6.60	32.74
AV	5.744G	105.80	Inf	-Inf	97.59	3	Vertical	88	2.17	-	34.35	6.60	32.74
PK	5.977G	60.51	68.20	-7.69	51.53	3	Vertical	88	2.17	-	35.21	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 28.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	63.22	68.20	-4.98	55.43	3	Horizontal	174	2.78	-	33.89	6.56	32.66
PK	5.747G	127.91	Inf	-Inf	119.67	3	Horizontal	174	2.78	-	34.38	6.60	32.74
AV	5.748G	115.59	Inf	-Inf	107.35	3	Horizontal	174	2.78	-	34.38	6.60	32.74
PK	5.939G	64.04	68.20	-4.16	55.20	3	Horizontal	174	2.78	-	35.06	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 28.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4852G	57.90	74.00	-16.10	42.38	3	Vertical	69	2.69	-	38.40	8.87	31.75
AV	11.4896G	43.48	54.00	-10.52	27.96	3	Vertical	69	2.69	-	38.40	8.87	31.75
PK	17.2387G	67.93	68.20	-0.27	45.45	3	Vertical	134	2.63	-	41.79	10.87	30.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 28.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48978G	57.70	74.00	-16.30	42.18	3	Horizontal	103	3.00	-	38.40	8.87	31.75
AV	11.48964G	43.41	54.00	-10.59	27.89	3	Horizontal	103	3.00	-	38.40	8.87	31.75
PK	17.23902G	66.96	68.20	-1.24	44.47	3	Horizontal	134	1.91	-	41.80	10.87	30.18

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 28.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.552G	60.46	68.20	-7.74	52.67	3	Vertical	84	2.16	-	33.90	6.55	32.66
PK	5.792G	117.57	Inf	-Inf	109.33	3	Vertical	84	2.16	-	34.40	6.60	32.76
AV	5.783G	106.05	Inf	-Inf	97.80	3	Vertical	84	2.16	-	34.40	6.60	32.75
PK	5.925G	61.46	68.20	-6.74	52.67	3	Vertical	84	2.16	-	35.00	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 28.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	64.20	68.20	-4.00	56.21	3	Horizontal	174	2.87	-	34.09	6.60	32.70
PK	5.787G	128.06	Inf	-Inf	119.81	3	Horizontal	174	2.87	-	34.40	6.60	32.75
AV	5.788G	116.21	Inf	-Inf	107.97	3	Horizontal	174	2.87	-	34.40	6.60	32.76
PK	5.927G	67.95	68.20	-0.25	59.15	3	Horizontal	174	2.87	-	35.01	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 28.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56914G	57.78	74.00	-16.22	42.06	3	Vertical	5	1.99	-	38.54	8.89	31.71
AV	11.57262G	43.52	54.00	-10.48	27.79	3	Vertical	5	1.99	-	38.55	8.89	31.71
PK	17.35442G	66.59	68.20	-1.61	43.89	3	Vertical	58	1.51	-	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 28.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56566G	57.46	74.00	-16.54	41.75	3	Horizontal	221	1.92	-	38.53	8.89	31.71
AV	11.57148G	43.69	54.00	-10.31	27.97	3	Horizontal	221	1.92	-	38.54	8.89	31.71
PK	17.35532G	66.09	68.20	-2.11	43.38	3	Horizontal	12	1.47	-	42.16	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	60.09	68.20	-8.11	52.17	3	Vertical	88	2.16	-	34.01	6.60	32.69
PK	5.819G	115.55	Inf	-Inf	107.17	3	Vertical	88	2.16	-	34.55	6.60	32.77
AV	5.818G	104.79	Inf	-Inf	96.42	3	Vertical	88	2.16	-	34.54	6.60	32.77
PK	6.068G	61.48	68.20	-6.72	52.38	3	Vertical	88	2.16	-	35.24	6.70	32.84

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	62.47	68.20	-5.73	54.54	3	Horizontal	174	2.71	-	34.03	6.60	32.70
PK	5.831G	127.10	Inf	-Inf	118.62	3	Horizontal	174	2.71	-	34.65	6.60	32.77
AV	5.821G	116.00	Inf	-Inf	107.60	3	Horizontal	174	2.71	-	34.57	6.60	32.77
PK	5.927G	66.42	68.20	-1.78	57.62	3	Horizontal	174	2.71	-	35.01	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64938G	57.93	74.00	-16.07	42.10	3	Vertical	247	1.55	-	38.60	8.91	31.68
AV	11.64964G	43.39	54.00	-10.61	27.56	3	Vertical	247	1.55	-	38.60	8.91	31.68
PK	17.47986G	67.04	68.20	-1.16	44.38	3	Vertical	39	2.29	-	42.28	10.94	30.56

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 27.5
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64944G	57.48	74.00	-16.52	41.65	3	Horizontal	206	2.82	-	38.60	8.91	31.68
AV	11.65306G	43.44	54.00	-10.56	27.61	3	Horizontal	206	2.82	-	38.60	8.91	31.68
PK	17.47606G	67.65	68.20	-0.55	44.98	3	Horizontal	282	2.14	-	42.28	10.94	30.55

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1468G	59.46	74.00	-14.54	53.17	3	Vertical	97	1.00	-	32.71	6.37	32.79	
AV	5.1456G	46.63	54.00	-7.37	40.34	3	Vertical	97	1.00	-	32.71	6.37	32.79	
PK	5.1944G	108.91	Inf	-Inf	102.58	3	Vertical	97	1.00	-	32.70	6.40	32.77	
AV	5.1956G	96.39	Inf	-Inf	90.06	3	Vertical	97	1.00	-	32.70	6.40	32.77	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	66.86	74.00	-7.14	60.58	3	Horizontal	7	2.84	-	32.70	6.37	32.79
AV	5.1488G	53.72	54.00	-0.28	47.44	3	Horizontal	7	2.84	-	32.70	6.37	32.79
PK	5.1792G	119.69	Inf	-Inf	113.37	3	Horizontal	7	2.84	-	32.70	6.39	32.77
AV	5.1788G	106.17	Inf	-Inf	99.85	3	Horizontal	7	2.84	-	32.70	6.39	32.77

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38456G	56.26	68.20	-11.94	41.02	3	Vertical	147	2.26	-	38.40	8.60	31.76
PK	15.56712G	62.16	74.00	-11.84	44.57	3	Vertical	291	2.57	-	37.93	10.37	30.71
AV	15.56592G	48.57	54.00	-5.43	30.97	3	Vertical	291	2.57	-	37.94	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38286G	56.30	68.20	-11.90	41.07	3	Horizontal	82	1.65	-	38.40	8.60	31.77
PK	15.56676G	61.87	74.00	-12.13	44.28	3	Horizontal	70	1.44	-	37.93	10.37	30.71
AV	15.5709G	48.60	54.00	-5.40	31.02	3	Horizontal	70	1.44	-	37.92	10.37	30.71

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 25.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	60.00	74.00	-14.00	53.71	3	Vertical	224	2.19	-	32.71	6.37	32.79
AV	5.1442G	46.96	54.00	-7.04	40.67	3	Vertical	224	2.19	-	32.71	6.37	32.79
PK	5.233G	112.02	Inf	-Inf	105.60	3	Vertical	224	2.19	-	32.77	6.40	32.75
AV	5.2234G	99.45	Inf	-Inf	93.06	3	Vertical	224	2.19	-	32.75	6.40	32.76
PK	5.3788G	59.15	74.00	-14.85	52.32	3	Vertical	224	2.19	-	33.12	6.40	32.69
AV	5.38G	46.58	54.00	-7.42	39.75	3	Vertical	224	2.19	-	33.12	6.40	32.69

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 25.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	67.16	74.00	-6.84	60.85	3	Horizontal	3	2.91	-	32.73	6.37	32.79
AV	5.1496G	53.80	54.00	-0.20	47.52	3	Horizontal	3	2.91	-	32.70	6.37	32.79
PK	5.2198G	122.37	Inf	-Inf	115.99	3	Horizontal	3	2.91	-	32.74	6.40	32.76
AV	5.2288G	110.35	Inf	-Inf	103.94	3	Horizontal	3	2.91	-	32.76	6.40	32.75
PK	5.371G	61.23	74.00	-12.77	54.44	3	Horizontal	3	2.91	-	33.08	6.40	32.69
AV	5.3764G	48.43	54.00	-5.57	41.61	3	Horizontal	3	2.91	-	33.11	6.40	32.69

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 25.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45938G	56.95	68.20	-11.25	41.56	3	Vertical	17	1.58	-	38.46	8.61	31.68
PK	15.68752G	63.45	74.00	-10.55	46.00	3	Vertical	321	1.51	-	37.71	10.41	30.67
AV	15.68504G	48.56	54.00	-5.44	31.11	3	Vertical	321	1.51	-	37.71	10.41	30.67

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT X_2TX
Setting 25.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45686G	56.65	68.20	-11.55	41.27	3	Horizontal	151	1.68	-	38.46	8.61	31.69
PK	15.68586G	62.55	74.00	-11.45	45.10	3	Horizontal	270	2.89	-	37.71	10.41	30.67
AV	15.69156G	48.53	54.00	-5.47	31.08	3	Horizontal	270	2.89	-	37.71	10.41	30.67

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.70	68.20	-5.50	54.71	3	Vertical	83	2.18	-	34.09	6.60	32.70
PK	5.738G	114.43	Inf	-Inf	106.27	3	Vertical	83	2.18	-	34.30	6.60	32.74
AV	5.749G	102.31	Inf	-Inf	94.06	3	Vertical	83	2.18	-	34.39	6.60	32.74
PK	5.949G	61.23	68.20	-6.97	52.35	3	Vertical	83	2.18	-	35.10	6.60	32.82

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	69.74	70.42	-0.68	61.75	3	Horizontal	171	2.75	-	34.09	6.60	32.70
PK	5.752G	124.06	Inf	-Inf	115.80	3	Horizontal	171	2.75	-	34.40	6.60	32.74
AV	5.761G	111.98	Inf	-Inf	103.72	3	Horizontal	171	2.75	-	34.40	6.60	32.74
PK	5.93G	65.39	68.20	-2.81	56.58	3	Horizontal	171	2.75	-	35.02	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 27
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50542G	56.90	74.00	-17.10	41.35	3	Vertical	339	2.89	-	38.41	8.88	31.74
AV	11.5085G	43.45	54.00	-10.55	27.89	3	Vertical	339	2.89	-	38.42	8.88	31.74
PK	17.26648G	66.83	68.20	-1.37	44.25	3	Vertical	301	1.87	-	41.93	10.88	30.23

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 27
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5119G	57.27	74.00	-16.73	41.71	3	Horizontal	173	2.18	-	38.42	8.88	31.74
AV	11.5148G	43.54	54.00	-10.46	27.96	3	Horizontal	173	2.18	-	38.43	8.88	31.73
PK	17.26062G	66.17	68.20	-2.03	43.61	3	Horizontal	121	2.11	-	41.90	10.88	30.22

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 26
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	60.44	68.20	-7.76	52.72	3	Vertical	80	2.15	-	33.80	6.60	32.68
PK	5.797G	113.91	Inf	-Inf	105.67	3	Vertical	80	2.15	-	34.40	6.60	32.76
AV	5.798G	101.93	Inf	-Inf	93.69	3	Vertical	80	2.15	-	34.40	6.60	32.76
PK	6.024G	60.79	68.20	-7.41	51.74	3	Vertical	80	2.15	-	35.25	6.64	32.84

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 26
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.607G	62.54	68.20	-5.66	54.78	3	Horizontal	174	2.74	-	33.84	6.60	32.68
PK	5.812G	124.38	Inf	-Inf	116.04	3	Horizontal	174	2.74	-	34.50	6.60	32.76
AV	5.801G	111.96	Inf	-Inf	103.71	3	Horizontal	174	2.74	-	34.41	6.60	32.76
PK	5.93G	67.65	68.20	-0.55	58.84	3	Horizontal	174	2.74	-	35.02	6.60	32.81

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 26
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58782G	57.41	74.00	-16.59	41.63	3	Vertical	241	1.23	-	38.58	8.90	31.70
AV	11.58858G	43.69	54.00	-10.31	27.91	3	Vertical	241	1.23	-	38.58	8.90	31.70
PK	17.3886G	66.51	68.20	-1.69	43.82	3	Vertical	165	1.60	-	42.19	10.92	30.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 26
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59264G	57.40	74.00	-16.60	41.61	3	Horizontal	184	2.88	-	38.59	8.90	31.70
AV	11.58876G	43.79	54.00	-10.21	28.01	3	Horizontal	184	2.88	-	38.58	8.90	31.70
PK	17.38428G	66.28	68.20	-1.92	43.59	3	Horizontal	322	1.83	-	42.18	10.92	30.41

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0636G	59.55	74.00	-14.45	53.24	3	Vertical	223	2.17	-	32.80	6.33	32.82
AV	5.1444G	47.48	54.00	-6.52	41.19	3	Vertical	223	2.17	-	32.71	6.37	32.79
PK	5.2148G	105.19	Inf	-Inf	98.82	3	Vertical	223	2.17	-	32.73	6.40	32.76
AV	5.2236G	92.97	Inf	-Inf	86.58	3	Vertical	223	2.17	-	32.75	6.40	32.76
PK	5.3852G	59.94	74.00	-14.06	53.09	3	Vertical	223	2.17	-	33.14	6.40	32.69
AV	5.4092G	46.76	54.00	-7.24	39.74	3	Vertical	223	2.17	-	33.29	6.41	32.68

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	67.92	74.00	-6.08	61.64	3	Horizontal	0	2.94	-	32.70	6.37	32.79
AV	5.1484G	53.87	54.00	-0.13	47.59	3	Horizontal	0	2.94	-	32.70	6.37	32.79
PK	5.2092G	115.89	Inf	-Inf	109.53	3	Horizontal	0	2.94	-	32.72	6.40	32.76
AV	5.2092G	103.12	Inf	-Inf	96.76	3	Horizontal	0	2.94	-	32.72	6.40	32.76
PK	5.35G	62.07	74.00	-11.93	55.37	3	Horizontal	0	2.94	-	33.00	6.40	32.70
AV	5.35G	48.58	54.00	-5.42	41.88	3	Horizontal	0	2.94	-	33.00	6.40	32.70

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42126G	56.26	68.20	-11.94	40.96	3	Vertical	31	1.79	-	38.42	8.61	31.73
PK	15.62578G	61.98	74.00	-12.02	44.51	3	Vertical	225	1.85	-	37.77	10.39	30.69
AV	15.62586G	48.75	54.00	-5.25	31.28	3	Vertical	225	1.85	-	37.77	10.39	30.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 22.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41758G	56.69	68.20	-11.51	41.40	3	Horizontal	131	1.75	-	38.42	8.60	31.73
PK	15.63394G	62.17	74.00	-11.83	44.70	3	Horizontal	327	1.69	-	37.77	10.39	30.69
AV	15.62712G	48.72	54.00	-5.28	31.25	3	Horizontal	327	1.69	-	37.77	10.39	30.69

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 23.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	61.42	68.20	-6.78	53.46	3	Vertical	88	2.16	-	34.06	6.60	32.70
PK	5.773G	109.99	Inf	-Inf	101.74	3	Vertical	88	2.16	-	34.40	6.60	32.75
AV	5.773G	96.55	Inf	-Inf	88.30	3	Vertical	88	2.16	-	34.40	6.60	32.75
PK	5.986G	61.64	68.20	-6.56	52.63	3	Vertical	88	2.16	-	35.24	6.60	32.83

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 23.5
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	65.51	68.20	-2.69	57.53	3	Horizontal	172	2.73	-	34.08	6.60	32.70
PK	5.777G	117.70	Inf	-Inf	109.45	3	Horizontal	172	2.73	-	34.40	6.60	32.75
AV	5.777G	105.95	Inf	-Inf	97.70	3	Horizontal	172	2.73	-	34.40	6.60	32.75
PK	5.929G	67.51	68.20	-0.69	58.70	3	Horizontal	172	2.73	-	35.02	6.60	32.81

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT X_2TX
Setting 23.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5492G	57.44	74.00	-16.56	41.77	3	Vertical	100	1.64	-	38.50	8.89	31.72
AV	11.55302G	43.65	54.00	-10.35	27.97	3	Vertical	100	1.64	-	38.51	8.89	31.72
PK	17.32272G	66.17	68.20	-2.03	43.46	3	Vertical	80	2.39	-	42.12	10.90	30.31

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT X_2TX
Setting 23.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55086G	57.83	74.00	-16.17	42.16	3	Horizontal	142	2.70	-	38.50	8.89	31.72
AV	11.54554G	43.56	54.00	-10.44	27.90	3	Horizontal	142	2.70	-	38.49	8.89	31.72
PK	17.3219G	66.28	68.20	-1.92	43.57	3	Horizontal	222	1.30	-	42.12	10.90	30.31



**RSE TX above 1GHz_R2 + Antenna set 1 for UNII 1 + Antenna
set 2 for UNII 3_Beamforming mode**


Appendix E.3

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_2TX	Pass	PK	5.647G	68.04	68.20	-0.16	3	Horizontal	172	2.59	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1492G	60.45	74.00	-13.55	54.07	3	Vertical	298	2.88	-	32.70	6.47	32.79	
AV	5.15G	47.34	54.00	-6.66	40.96	3	Vertical	298	2.88	-	32.70	6.47	32.79	
PK	5.1768G	113.35	Inf	-Inf	106.94	3	Vertical	298	2.88	-	32.70	6.49	32.78	
AV	5.1736G	101.28	Inf	-Inf	94.87	3	Vertical	298	2.88	-	32.70	6.49	32.78	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1458G	65.22	74.00	-8.78	58.83	3	Horizontal	349	2.61	-	32.71	6.47	32.79	
AV	5.15G	52.26	54.00	-1.74	45.88	3	Horizontal	349	2.61	-	32.70	6.47	32.79	
PK	5.1836G	122.79	Inf	-Inf	116.37	3	Horizontal	349	2.61	-	32.70	6.49	32.77	
AV	5.1846G	110.21	Inf	-Inf	103.79	3	Horizontal	349	2.61	-	32.70	6.49	32.77	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3623G	56.72	68.20	-11.48	41.18	3	Vertical	172	2.06	-	38.40	8.93	31.79
PK	15.54274G	61.00	74.00	-13.00	42.95	3	Vertical	116	2.37	-	38.03	10.74	30.72
AV	15.53528G	48.33	54.00	-5.67	30.25	3	Vertical	116	2.37	-	38.06	10.74	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3589G	57.14	68.20	-11.06	41.60	3	Horizontal	9	2.12	-	38.40	8.93	31.79
PK	15.5439G	62.29	74.00	-11.71	44.25	3	Horizontal	217	2.71	-	38.02	10.74	30.72
AV	15.53818G	48.19	54.00	-5.81	30.12	3	Horizontal	217	2.71	-	38.05	10.74	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1216G	57.96	74.00	-16.04	51.54	3	Vertical	271	2.01	-	32.76	6.46	32.80	
AV	5.1092G	45.60	54.00	-8.40	39.17	3	Vertical	271	2.01	-	32.78	6.45	32.80	
PK	5.1948G	111.89	Inf	-Inf	105.46	3	Vertical	271	2.01	-	32.70	6.50	32.77	
AV	5.1932G	100.79	Inf	-Inf	94.36	3	Vertical	271	2.01	-	32.70	6.50	32.77	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1356G	72.80	74.00	-1.20	66.39	3	Horizontal	350	2.85	-	32.73	6.47	32.79	
AV	5.1492G	47.88	54.00	-6.12	41.50	3	Horizontal	350	2.85	-	32.70	6.47	32.79	
PK	5.1956G	124.50	Inf	-Inf	118.07	3	Horizontal	350	2.85	-	32.70	6.50	32.77	
AV	5.1976G	112.13	Inf	-Inf	105.70	3	Horizontal	350	2.85	-	32.70	6.50	32.77	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40408G	57.24	68.20	-10.96	41.64	3	Vertical	0	3.00	-	38.40	8.94	31.74
PK	15.59064G	62.23	74.00	-11.77	44.33	3	Vertical	277	1.66	-	37.84	10.76	30.70
AV	15.58596G	48.39	54.00	-5.61	30.47	3	Vertical	277	1.66	-	37.86	10.76	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39472G	57.18	68.20	-11.02	41.59	3	Horizontal	233	1.90	-	38.40	8.94	31.75
PK	15.59292G	61.24	74.00	-12.76	43.35	3	Horizontal	9	2.49	-	37.83	10.76	30.70
AV	15.58566G	48.09	54.00	-5.91	30.18	3	Horizontal	9	2.49	-	37.86	10.75	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.24	74.00	-15.76	51.85	3	Vertical	299	2.96	-	32.71	6.47	32.79
AV	5.138G	45.68	54.00	-8.32	39.28	3	Vertical	299	2.96	-	32.72	6.47	32.79
PK	5.2322G	111.66	Inf	-Inf	105.13	3	Vertical	299	2.96	-	32.76	6.52	32.75
AV	5.2358G	99.62	Inf	-Inf	93.08	3	Vertical	299	2.96	-	32.77	6.52	32.75
PK	5.3834G	59.00	74.00	-15.00	51.97	3	Vertical	299	2.96	-	33.13	6.59	32.69
AV	5.375G	46.55	54.00	-7.45	39.55	3	Vertical	299	2.96	-	33.10	6.59	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	59.31	74.00	-14.69	52.91	3	Horizontal	191	2.97	-	32.74	6.46	32.80
AV	5.1446G	47.10	54.00	-6.90	40.71	3	Horizontal	191	2.97	-	32.71	6.47	32.79
PK	5.2424G	121.73	Inf	-Inf	115.18	3	Horizontal	191	2.97	-	32.78	6.52	32.75
AV	5.2424G	110.50	Inf	-Inf	103.95	3	Horizontal	191	2.97	-	32.78	6.52	32.75
PK	5.3834G	59.61	74.00	-14.39	52.58	3	Horizontal	191	2.97	-	33.13	6.59	32.69
AV	5.3762G	47.65	54.00	-6.35	40.65	3	Horizontal	191	2.97	-	33.10	6.59	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4825G	56.94	68.20	-11.26	41.15	3	Vertical	44	1.89	-	38.48	8.97	31.66
PK	15.71898G	60.74	74.00	-13.26	42.79	3	Vertical	245	2.95	-	37.81	10.80	30.66
AV	15.7194G	47.13	54.00	-6.87	29.17	3	Vertical	245	2.95	-	37.82	10.80	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48046G	56.62	68.20	-11.58	40.83	3	Horizontal	303	1.25	-	38.48	8.97	31.66
PK	15.72472G	61.12	74.00	-12.88	43.13	3	Horizontal	353	1.98	-	37.85	10.80	30.66
AV	15.72228G	47.22	54.00	-6.78	29.25	3	Horizontal	353	1.98	-	37.83	10.80	30.66

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.558G	60.11	68.20	-8.09	52.21	3	Vertical	91	1.80	-	33.88	6.68	32.66
PK	5.744G	111.05	Inf	-Inf	102.67	3	Vertical	91	1.80	-	34.35	6.77	32.74
AV	5.746G	99.30	Inf	-Inf	90.90	3	Vertical	91	1.80	-	34.37	6.77	32.74
PK	5.981G	60.94	68.20	-7.26	51.66	3	Vertical	91	1.80	-	35.22	6.89	32.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.556G	61.53	68.20	-6.67	53.62	3	Horizontal	176	2.75	-	33.89	6.68	32.66
PK	5.742G	121.52	Inf	-Inf	113.15	3	Horizontal	176	2.75	-	34.34	6.77	32.74
AV	5.743G	109.03	Inf	-Inf	100.66	3	Horizontal	176	2.75	-	34.34	6.77	32.74
PK	5.967G	62.83	68.20	-5.37	53.61	3	Horizontal	176	2.75	-	35.17	6.88	32.83

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48718G	57.45	74.00	-16.55	41.48	3	Vertical	204	1.32	-	38.40	9.32	31.75
AV	11.4935G	43.84	54.00	-10.16	27.86	3	Vertical	204	1.32	-	38.40	9.32	31.74
PK	17.23324G	65.32	68.20	-2.88	42.51	3	Vertical	273	2.17	-	41.77	11.21	30.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49478G	56.75	74.00	-17.25	40.77	3	Horizontal	310	2.08	-	38.40	9.32	31.74
AV	11.48726G	43.82	54.00	-10.18	27.85	3	Horizontal	310	2.08	-	38.40	9.32	31.75
PK	17.23184G	64.88	68.20	-3.32	42.08	3	Horizontal	132	2.30	-	41.76	11.21	30.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.559G	59.95	68.20	-8.25	52.05	3	Vertical	92	2.16	-	33.88	6.68	32.66	
PK	5.779G	111.44	Inf	-Inf	103.00	3	Vertical	92	2.16	-	34.40	6.79	32.75	
AV	5.786G	99.77	Inf	-Inf	91.33	3	Vertical	92	2.16	-	34.40	6.79	32.75	
PK	5.929G	60.34	68.20	-7.86	51.27	3	Vertical	92	2.16	-	35.02	6.86	32.81	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	61.04	68.20	-7.16	53.20	3	Horizontal	176	2.28	-	33.82	6.70	32.68
PK	5.787G	122.86	Inf	-Inf	114.42	3	Horizontal	176	2.28	-	34.40	6.79	32.75
AV	5.787G	110.31	Inf	-Inf	101.87	3	Horizontal	176	2.28	-	34.40	6.79	32.75
PK	5.941G	61.61	68.20	-6.59	52.50	3	Horizontal	176	2.28	-	35.06	6.87	32.82

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57358G	57.52	74.00	-16.48	41.33	3	Vertical	100	2.73	-	38.55	9.35	31.71
AV	11.56736G	43.90	54.00	-10.10	27.73	3	Vertical	100	2.73	-	38.53	9.35	31.71
PK	17.35068G	65.47	68.20	-2.73	42.44	3	Vertical	25	2.15	-	42.15	11.24	30.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5653G	57.78	74.00	-16.22	41.61	3	Horizontal	164	2.62	-	38.53	9.35	31.71
AV	11.5693G	44.01	54.00	-9.99	27.83	3	Horizontal	164	2.62	-	38.54	9.35	31.71
PK	17.35388G	65.57	68.20	-2.63	42.54	3	Horizontal	128	1.09	-	42.15	11.24	30.36

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.615G	59.93	68.20	-8.27	52.02	3	Vertical	87	2.23	-	33.89	6.71	32.69
PK	5.828G	111.79	Inf	-Inf	103.13	3	Vertical	87	2.23	-	34.62	6.81	32.77
AV	5.828G	100.16	Inf	-Inf	91.50	3	Vertical	87	2.23	-	34.62	6.81	32.77
PK	5.999G	60.36	68.20	-7.84	51.00	3	Vertical	87	2.23	-	35.30	6.90	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	60.47	68.20	-7.73	52.51	3	Horizontal	176	3.00	-	33.94	6.71	32.69
PK	5.829G	122.78	Inf	-Inf	114.11	3	Horizontal	176	3.00	-	34.63	6.81	32.77
AV	5.828G	110.30	Inf	-Inf	101.64	3	Horizontal	176	3.00	-	34.62	6.81	32.77
PK	5.926G	61.55	68.20	-6.65	52.50	3	Horizontal	176	3.00	-	35.00	6.86	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65382G	57.81	74.00	-16.19	41.51	3	Vertical	58	2.79	-	38.60	9.38	31.68
AV	11.65194G	44.20	54.00	-9.80	27.90	3	Vertical	58	2.79	-	38.60	9.38	31.68
PK	17.47182G	65.01	68.20	-3.19	42.02	3	Vertical	201	2.23	-	42.27	11.27	30.55

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64532G	57.50	74.00	-16.50	41.20	3	Horizontal	320	2.70	-	38.60	9.38	31.68
AV	11.64886G	44.06	54.00	-9.94	27.76	3	Horizontal	320	2.70	-	38.60	9.38	31.68
PK	17.47874G	64.38	68.20	-3.82	41.39	3	Horizontal	350	1.60	-	42.28	11.27	30.56

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.144G	60.52	74.00	-13.48	54.13	3	Vertical	61	3.00	-	32.71	6.47	32.79	
AV	5.15G	47.34	54.00	-6.66	40.96	3	Vertical	61	3.00	-	32.70	6.47	32.79	
PK	5.1848G	108.48	Inf	-Inf	102.06	3	Vertical	61	3.00	-	32.70	6.49	32.77	
AV	5.1924G	95.92	Inf	-Inf	89.49	3	Vertical	61	3.00	-	32.70	6.50	32.77	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1424G	63.81	74.00	-10.19	57.41	3	Horizontal	0	1.00	-	32.72	6.47	32.79	
AV	5.1488G	51.27	54.00	-2.73	44.89	3	Horizontal	0	1.00	-	32.70	6.47	32.79	
PK	5.1876G	116.75	Inf	-Inf	110.33	3	Horizontal	0	1.00	-	32.70	6.49	32.77	
AV	5.1824G	107.51	Inf	-Inf	101.09	3	Horizontal	0	1.00	-	32.70	6.49	32.77	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38164G	56.99	68.20	-11.21	41.43	3	Vertical	66	2.04	-	38.40	8.93	31.77
PK	15.57252G	61.20	74.00	-12.80	43.25	3	Vertical	154	2.97	-	37.91	10.75	30.71
AV	15.5691G	48.26	54.00	-5.74	30.30	3	Vertical	154	2.97	-	37.92	10.75	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_X_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3824G	57.26	68.20	-10.94	41.70	3	Horizontal	87	2.47	-	38.40	8.93	31.77
PK	15.56732G	61.22	74.00	-12.78	43.25	3	Horizontal	266	1.69	-	37.93	10.75	30.71
AV	15.56938G	48.17	54.00	-5.83	30.21	3	Horizontal	266	1.69	-	37.92	10.75	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0818G	58.07	74.00	-15.93	51.65	3	Vertical	167	2.12	-	32.80	6.44	32.82
AV	5.1298G	45.38	54.00	-8.62	38.98	3	Vertical	167	2.12	-	32.74	6.46	32.80
PK	5.2186G	104.09	Inf	-Inf	97.60	3	Vertical	167	2.12	-	32.74	6.51	32.76
AV	5.224G	92.04	Inf	-Inf	85.54	3	Vertical	167	2.12	-	32.75	6.51	32.76
PK	5.374G	58.35	74.00	-15.65	51.35	3	Vertical	167	2.12	-	33.10	6.59	32.69
AV	5.3752G	46.07	54.00	-7.93	39.07	3	Vertical	167	2.12	-	33.10	6.59	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1322G	60.99	74.00	-13.01	54.57	3	Horizontal	168	2.97	-	32.74	6.47	32.79
AV	5.1496G	48.51	54.00	-5.49	42.13	3	Horizontal	168	2.97	-	32.70	6.47	32.79
PK	5.2246G	120.81	Inf	-Inf	114.31	3	Horizontal	168	2.97	-	32.75	6.51	32.76
AV	5.2264G	106.71	Inf	-Inf	100.20	3	Horizontal	168	2.97	-	32.75	6.51	32.75
PK	5.3728G	59.53	74.00	-14.47	52.54	3	Horizontal	168	2.97	-	33.09	6.59	32.69
AV	5.3764G	47.68	54.00	-6.32	40.67	3	Horizontal	168	2.97	-	33.11	6.59	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45558G	57.64	68.20	-10.56	41.91	3	Vertical	207	1.58	-	38.46	8.96	31.69
PK	15.69342G	60.21	74.00	-13.79	42.38	3	Vertical	338	2.86	-	37.71	10.79	30.67
AV	15.6888G	47.38	54.00	-6.62	29.55	3	Vertical	338	2.86	-	37.71	10.79	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4551G	56.74	68.20	-11.46	41.01	3	Horizontal	56	1.22	-	38.46	8.96	31.69
PK	15.68786G	60.61	74.00	-13.39	42.78	3	Horizontal	191	1.85	-	37.71	10.79	30.67
AV	15.6939G	47.41	54.00	-6.59	29.58	3	Horizontal	191	1.85	-	37.71	10.79	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.54	68.20	-7.66	52.42	3	Vertical	85	2.44	-	34.10	6.72	32.70
PK	5.759G	108.82	Inf	-Inf	100.38	3	Vertical	85	2.44	-	34.40	6.78	32.74
AV	5.752G	97.16	Inf	-Inf	88.72	3	Vertical	85	2.44	-	34.40	6.78	32.74
PK	6.001G	60.23	68.20	-7.97	50.87	3	Vertical	85	2.44	-	35.30	6.90	32.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	68.04	68.20	-0.16	59.94	3	Horizontal	172	2.59	-	34.08	6.72	32.70
PK	5.739G	118.24	Inf	-Inf	109.90	3	Horizontal	172	2.59	-	34.31	6.77	32.74
AV	5.758G	106.17	Inf	-Inf	97.73	3	Horizontal	172	2.59	-	34.40	6.78	32.74
PK	5.939G	62.79	68.20	-5.41	53.68	3	Horizontal	172	2.59	-	35.06	6.87	32.82

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50864G	56.78	74.00	-17.22	40.77	3	Vertical	264	1.11	-	38.42	9.33	31.74
AV	11.50674G	43.84	54.00	-10.16	27.84	3	Vertical	264	1.11	-	38.41	9.33	31.74
PK	17.26906G	65.93	68.20	-2.27	42.99	3	Vertical	134	1.50	-	41.95	11.22	30.23

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51252G	57.52	74.00	-16.48	41.49	3	Horizontal	99	1.36	-	38.43	9.33	31.73
AV	11.51016G	44.05	54.00	-9.95	28.04	3	Horizontal	99	1.36	-	38.42	9.33	31.74
PK	17.2638G	65.27	68.20	-2.93	42.35	3	Horizontal	54	1.00	-	41.92	11.22	30.22

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	61.42	68.20	-6.78	53.59	3	Vertical	89	1.94	-	33.82	6.69	32.68
PK	5.785G	110.83	Inf	-Inf	102.39	3	Vertical	89	1.94	-	34.40	6.79	32.75
AV	5.787G	97.33	Inf	-Inf	88.89	3	Vertical	89	1.94	-	34.40	6.79	32.75
PK	5.974G	61.14	68.20	-7.06	51.88	3	Vertical	89	1.94	-	35.20	6.89	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.42	68.20	-0.78	59.31	3	Horizontal	181	1.80	-	34.09	6.72	32.70
PK	5.778G	118.60	Inf	-Inf	110.16	3	Horizontal	181	1.80	-	34.40	6.79	32.75
AV	5.793G	108.29	Inf	-Inf	99.85	3	Horizontal	181	1.80	-	34.40	6.80	32.76
PK	5.923G	69.52	69.68	-0.16	60.48	3	Horizontal	181	1.80	-	34.99	6.86	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58698G	57.07	74.00	-16.93	40.85	3	Vertical	302	2.76	-	38.57	9.36	31.71
AV	11.5862G	43.97	54.00	-10.03	27.75	3	Vertical	302	2.76	-	38.57	9.36	31.71
PK	17.38912G	65.17	68.20	-3.03	42.15	3	Vertical	207	1.65	-	42.19	11.25	30.42

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT_X_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59006G	56.98	74.00	-17.02	40.74	3	Horizontal	159	1.86	-	38.58	9.36	31.70
AV	11.59078G	44.10	54.00	-9.90	27.86	3	Horizontal	159	1.86	-	38.58	9.36	31.70
PK	17.3851G	65.78	68.20	-2.42	42.75	3	Horizontal	177	1.28	-	42.19	11.25	30.41

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 26
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	60.21	74.00	-13.79	53.83	3	Vertical	103.9	2.93	-	32.70	6.47	32.79
AV	5.1492G	47.37	54.00	-6.63	40.99	3	Vertical	103.9	2.93	-	32.70	6.47	32.79
PK	5.186G	106.96	Inf	-Inf	100.54	3	Vertical	103.9	2.93	-	32.70	6.49	32.77
AV	5.1852G	91.08	Inf	-Inf	84.66	3	Vertical	103.9	2.93	-	32.70	6.49	32.77
PK	5.4004G	59.99	74.00	-14.01	52.87	3	Vertical	103.9	2.93	-	33.20	6.60	32.68
AV	5.39G	46.37	54.00	-7.63	39.31	3	Vertical	103.9	2.93	-	33.16	6.59	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT X_2TX
Setting 26
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	66.95	74.00	-7.05	60.53	3	Horizontal	6	2.54	-	32.74	6.47	32.79
AV	5.1484G	52.13	54.00	-1.87	45.75	3	Horizontal	6	2.54	-	32.70	6.47	32.79
PK	5.2156G	114.35	Inf	-Inf	107.87	3	Horizontal	6	2.54	-	32.73	6.51	32.76
AV	5.218G	101.31	Inf	-Inf	94.82	3	Horizontal	6	2.54	-	32.74	6.51	32.76
PK	5.3932G	60.44	74.00	-13.56	53.35	3	Horizontal	6	2.54	-	33.17	6.60	32.68
AV	5.3764G	47.43	54.00	-6.57	40.42	3	Horizontal	6	2.54	-	33.11	6.59	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 26
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42166G	56.65	68.20	-11.55	41.00	3	Vertical	76	1.46	-	38.42	8.95	31.72
PK	15.62738G	61.22	74.00	-12.78	43.37	3	Vertical	150	2.74	-	37.77	10.77	30.69
AV	15.62862G	48.38	54.00	-5.62	30.53	3	Vertical	150	2.74	-	37.77	10.77	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_X_2TX
Setting 26
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4216G	56.68	68.20	-11.52	41.03	3	Horizontal	100	1.63	-	38.42	8.95	31.72
PK	15.6322G	61.46	74.00	-12.54	43.61	3	Horizontal	192	1.49	-	37.77	10.77	30.69
AV	15.63498G	48.33	54.00	-5.67	30.48	3	Horizontal	192	1.49	-	37.77	10.77	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	60.28	68.20	-7.92	52.38	3	Vertical	95	1.80	-	33.88	6.68	32.66
PK	5.744G	106.88	Inf	-Inf	98.50	3	Vertical	95	1.80	-	34.35	6.77	32.74
AV	5.74G	94.47	Inf	-Inf	86.12	3	Vertical	95	1.80	-	34.32	6.77	32.74
PK	5.961G	60.25	68.20	-7.95	51.05	3	Vertical	95	1.80	-	35.14	6.88	32.82

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.635G	62.46	68.20	-5.74	54.42	3	Horizontal	173	1.80	-	34.01	6.72	32.69	
PK	5.748G	115.37	Inf	-Inf	106.96	3	Horizontal	173	1.80	-	34.38	6.77	32.74	
AV	5.773G	100.74	Inf	-Inf	92.30	3	Horizontal	173	1.80	-	34.40	6.79	32.75	
PK	5.932G	62.36	68.20	-5.84	53.27	3	Horizontal	173	1.80	-	35.03	6.87	32.81	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_X_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54672G	57.64	74.00	-16.36	41.53	3	Vertical	186	2.02	-	38.49	9.34	31.72
AV	11.55488G	44.01	54.00	-9.99	27.88	3	Vertical	186	2.02	-	38.51	9.34	31.72
PK	17.3258G	65.45	68.20	-2.75	42.41	3	Vertical	49	2.82	-	42.13	11.23	30.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT_X_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54668G	57.03	74.00	-16.97	40.92	3	Horizontal	302	2.82	-	38.49	9.34	31.72
AV	11.555G	43.89	54.00	-10.11	27.76	3	Horizontal	302	2.82	-	38.51	9.34	31.72
PK	17.32096G	65.46	68.20	-2.74	42.42	3	Horizontal	223	1.47	-	42.12	11.23	30.31




RSE TX above 1GHz_R2 + Antenna set 5_Non beamforming mode Appendix E.4

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_2TX	Pass	PK	5.648G	68.11	68.20	-0.09	3	Horizontal	180	1.79	-

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.148G	65.32	74.00	-8.68	57.20	3	Vertical	192	1.62	-	33.60	5.25	30.73	
AV	5.15G	52.71	54.00	-1.29	44.59	3	Vertical	192	1.62	-	33.60	5.25	30.73	
PK	5.182G	123.83	Inf	-Inf	115.62	3	Vertical	192	1.62	-	33.66	5.28	30.73	
AV	5.1826G	112.96	Inf	-Inf	104.74	3	Vertical	192	1.62	-	33.67	5.28	30.73	

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1494G	65.96	74.00	-8.04	57.84	3	Horizontal	186	1.80	-	33.60	5.25	30.73	
AV	5.15G	53.30	54.00	-0.70	45.18	3	Horizontal	186	1.80	-	33.60	5.25	30.73	
PK	5.184G	122.79	Inf	-Inf	114.57	3	Horizontal	186	1.80	-	33.67	5.28	30.73	
AV	5.1792G	112.97	Inf	-Inf	104.76	3	Horizontal	186	1.80	-	33.66	5.28	30.73	

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.362G	53.30	68.20	-14.90	39.05	3	Vertical	173	2.99	-	38.64	7.44	31.83
PK	15.54012G	58.19	74.00	-15.81	41.89	3	Vertical	220	1.72	-	37.86	9.79	31.35
AV	15.53988G	45.77	54.00	-8.23	29.47	3	Vertical	220	1.72	-	37.86	9.79	31.35

802.11a_Nss1,(6Mbps)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35168G	52.95	68.20	-15.25	38.69	3	Horizontal	138	1.06	-	38.65	7.44	31.83
PK	15.5402G	58.60	74.00	-15.40	42.30	3	Horizontal	255	1.32	-	37.86	9.79	31.35
AV	15.53452G	45.82	54.00	-8.18	29.49	3	Horizontal	255	1.32	-	37.89	9.79	31.35

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	66.23	74.00	-7.77	58.12	3	Vertical	190	1.66	-	33.59	5.25	30.73
AV	5.15G	53.69	54.00	-0.31	45.57	3	Vertical	190	1.66	-	33.60	5.25	30.73
PK	5.202G	129.27	Inf	-Inf	121.00	3	Vertical	190	1.66	-	33.70	5.30	30.73
AV	5.2032G	118.28	Inf	-Inf	110.01	3	Vertical	190	1.66	-	33.70	5.30	30.73

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1436G	65.78	74.00	-8.22	57.68	3	Horizontal	188	1.80	-	33.59	5.24	30.73	
AV	5.15G	53.82	54.00	-0.18	45.70	3	Horizontal	188	1.80	-	33.60	5.25	30.73	
PK	5.1948G	127.10	Inf	-Inf	118.85	3	Horizontal	188	1.80	-	33.69	5.29	30.73	
AV	5.1948G	117.65	Inf	-Inf	109.40	3	Horizontal	188	1.80	-	33.69	5.29	30.73	

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3904G	52.92	68.20	-15.28	38.68	3	Vertical	218	2.28	-	38.61	7.46	31.83
PK	15.60128G	58.41	74.00	-15.59	42.47	3	Vertical	248	2.23	-	37.50	9.82	31.38
AV	15.60544G	45.58	54.00	-8.42	29.64	3	Vertical	248	2.23	-	37.50	9.82	31.38

802.11a_Nss1,(6Mbps)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4026G	52.73	68.20	-15.47	38.50	3	Horizontal	299	2.43	-	38.60	7.46	31.83
PK	15.6062G	59.04	74.00	-14.96	43.11	3	Horizontal	250	1.51	-	37.50	9.82	31.39
AV	15.60836G	45.41	54.00	-8.59	29.48	3	Horizontal	250	1.51	-	37.50	9.82	31.39

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	64.77	74.00	-9.23	56.80	3	Vertical	191	1.58	-	33.50	5.20	30.73
AV	5.15G	51.87	54.00	-2.13	43.75	3	Vertical	191	1.58	-	33.60	5.25	30.73
PK	5.2418G	126.90	Inf	-Inf	118.61	3	Vertical	191	1.58	-	33.70	5.32	30.73
AV	5.243G	115.80	Inf	-Inf	107.51	3	Vertical	191	1.58	-	33.70	5.32	30.73
PK	5.3564G	64.46	74.00	-9.54	55.89	3	Vertical	191	1.58	-	33.91	5.38	30.72
AV	5.3636G	51.94	54.00	-2.06	43.35	3	Vertical	191	1.58	-	33.93	5.38	30.72

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 22
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	63.68	74.00	-10.32	55.57	3	Horizontal	185	1.72	-	33.59	5.25	30.73
AV	5.1494G	50.70	54.00	-3.30	42.58	3	Horizontal	185	1.72	-	33.60	5.25	30.73
PK	5.2394G	124.31	Inf	-Inf	116.02	3	Horizontal	185	1.72	-	33.70	5.32	30.73
AV	5.2394G	114.67	Inf	-Inf	106.38	3	Horizontal	185	1.72	-	33.70	5.32	30.73
PK	5.35G	63.49	74.00	-10.51	54.93	3	Horizontal	185	1.72	-	33.90	5.38	30.72
AV	5.3762G	51.93	54.00	-2.07	43.31	3	Horizontal	185	1.72	-	33.95	5.39	30.72

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 22
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48916G	54.92	68.20	-13.28	40.67	3	Vertical	342	2.38	-	38.60	7.50	31.85
PK	15.71692G	58.25	74.00	-15.75	42.32	3	Vertical	182	1.44	-	37.50	9.87	31.44
AV	15.71204G	45.06	54.00	-8.94	29.13	3	Vertical	182	1.44	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 22
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47984G	53.06	68.20	-15.14	38.82	3	Horizontal	359	2.43	-	38.60	7.49	31.85
PK	15.72276G	57.68	74.00	-16.32	41.75	3	Horizontal	157	1.41	-	37.50	9.88	31.45
AV	15.71156G	44.92	54.00	-9.08	28.99	3	Horizontal	157	1.41	-	37.50	9.87	31.44

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.556G	66.42	68.20	-1.78	57.63	3	Vertical	188	1.60	-	33.99	5.56	30.76	
PK	5.739G	130.73	Inf	-Inf	122.21	3	Vertical	188	1.60	-	33.82	5.60	30.90	
AV	5.748G	119.43	Inf	-Inf	110.94	3	Vertical	188	1.60	-	33.80	5.60	30.91	
PK	5.936G	64.30	68.20	-3.90	55.44	3	Vertical	188	1.60	-	34.17	5.74	31.05	

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.552G	66.64	68.20	-1.56	57.85	3	Horizontal	177	1.72	-	34.00	5.55	30.76	
PK	5.748G	127.71	Inf	-Inf	119.22	3	Horizontal	177	1.72	-	33.80	5.60	30.91	
AV	5.748G	117.98	Inf	-Inf	109.49	3	Horizontal	177	1.72	-	33.80	5.60	30.91	
PK	5.931G	63.70	68.20	-4.50	54.86	3	Horizontal	177	1.72	-	34.16	5.73	31.05	

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49264G	53.41	74.00	-20.59	38.64	3	Vertical	131	1.98	-	38.99	7.90	32.12
AV	11.48032G	40.59	54.00	-13.41	25.85	3	Vertical	131	1.98	-	38.96	7.89	32.11
PK	17.22604G	64.27	68.20	-3.93	41.77	3	Vertical	202	1.67	-	42.13	10.61	30.24

802.11a_Nss1,(6Mbps)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.49812G	54.26	74.00	-19.74	39.48	3	Horizontal	293	2.71	-	39.00	7.90	32.12	
AV	11.48048G	40.58	54.00	-13.42	25.84	3	Horizontal	293	2.71	-	38.96	7.89	32.11	
PK	17.23652G	64.86	68.20	-3.34	42.30	3	Horizontal	102	1.50	-	42.18	10.62	30.24	

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	66.76	68.20	-1.44	58.06	3	Vertical	188	1.63	-	33.90	5.60	30.80
PK	5.787G	130.27	Inf	-Inf	121.81	3	Vertical	188	1.63	-	33.80	5.60	30.94
AV	5.787G	119.28	Inf	-Inf	110.82	3	Vertical	188	1.63	-	33.80	5.60	30.94
PK	6.019G	65.36	68.20	-2.84	56.43	3	Vertical	188	1.63	-	34.24	5.80	31.11

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.59G	66.24	68.20	-1.96	57.52	3	Horizontal	180	1.77	-	33.92	5.59	30.79	
PK	5.782G	128.54	Inf	-Inf	120.07	3	Horizontal	180	1.77	-	33.80	5.60	30.93	
AV	5.786G	118.47	Inf	-Inf	110.01	3	Horizontal	180	1.77	-	33.80	5.60	30.94	
PK	6.015G	63.92	68.20	-4.28	54.99	3	Horizontal	180	1.77	-	34.23	5.80	31.10	

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57392G	53.33	74.00	-20.67	38.34	3	Vertical	272	2.22	-	39.22	7.93	32.16
AV	11.56996G	40.64	54.00	-13.36	25.66	3	Vertical	272	2.22	-	39.21	7.93	32.16

802.11a_Nss1,(6Mbps)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.57628G	54.29	74.00	-19.71	39.29	3	Horizontal	21	1.60	-	39.23	7.93	32.16
AV	11.57492G	40.60	54.00	-13.40	25.61	3	Horizontal	21	1.60	-	39.22	7.93	32.16

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.628G	67.16	68.20	-1.04	58.54	3	Vertical	191	1.62	-	33.84	5.60	30.82	
PK	5.827G	129.09	Inf	-Inf	120.63	3	Vertical	191	1.62	-	33.80	5.63	30.97	
AV	5.829G	118.25	Inf	-Inf	109.79	3	Vertical	191	1.62	-	33.80	5.63	30.97	
PK	5.928G	66.94	68.20	-1.26	58.10	3	Vertical	191	1.62	-	34.16	5.73	31.05	

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.625G	64.92	68.20	-3.28	56.28	3	Horizontal	183	1.81	-	33.85	5.60	30.81	
PK	5.828G	129.04	Inf	-Inf	120.58	3	Horizontal	183	1.81	-	33.80	5.63	30.97	
AV	5.828G	119.03	Inf	-Inf	110.57	3	Horizontal	183	1.81	-	33.80	5.63	30.97	
PK	5.929G	65.32	68.20	-2.88	56.48	3	Horizontal	183	1.81	-	34.16	5.73	31.05	

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6444G	56.87	74.00	-17.13	41.72	3	Vertical	58	1.87	-	39.39	7.96	32.20
AV	11.64888G	43.63	54.00	-10.37	28.48	3	Vertical	58	1.87	-	39.40	7.96	32.21

802.11a_Nss1,(6Mbps)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.65304G	56.53	74.00	-17.47	41.37	3	Horizontal	348	1.98	-	39.41	7.96	32.21	
AV	11.64832G	44.08	54.00	-9.92	28.93	3	Horizontal	348	1.98	-	39.40	7.96	32.21	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1452G	65.33	74.00	-8.67	57.22	3	Vertical	191	1.55	-	33.59	5.25	30.73	
AV	5.1492G	52.35	54.00	-1.65	44.23	3	Vertical	191	1.55	-	33.60	5.25	30.73	
PK	5.1838G	125.64	Inf	-Inf	117.42	3	Vertical	191	1.55	-	33.67	5.28	30.73	
AV	5.176G	111.69	Inf	-Inf	103.49	3	Vertical	191	1.55	-	33.65	5.28	30.73	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.149G	66.11	74.00	-7.89	57.99	3	Horizontal	188	1.85	-	33.60	5.25	30.73	
AV	5.15G	53.23	54.00	-0.77	45.11	3	Horizontal	188	1.85	-	33.60	5.25	30.73	
PK	5.1806G	126.19	Inf	-Inf	117.98	3	Horizontal	188	1.85	-	33.66	5.28	30.73	
AV	5.1788G	112.13	Inf	-Inf	103.92	3	Horizontal	188	1.85	-	33.66	5.28	30.73	

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35868G	53.55	68.20	-14.65	39.30	3	Vertical	331	1.80	-	38.64	7.44	31.83
PK	15.54182G	59.09	74.00	-14.91	42.80	3	Vertical	193	1.37	-	37.85	9.79	31.35
AV	15.54218G	45.26	54.00	-8.74	28.97	3	Vertical	193	1.37	-	37.85	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35178G	53.58	68.20	-14.62	39.32	3	Horizontal	148	2.37	-	38.65	7.44	31.83
PK	15.54028G	59.37	74.00	-14.63	43.07	3	Horizontal	107	1.95	-	37.86	9.79	31.35
AV	15.54098G	45.35	54.00	-8.65	29.06	3	Horizontal	107	1.95	-	37.85	9.79	31.35

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	65.37	74.00	-8.63	57.26	3	Vertical	192	1.64	-	33.59	5.25	30.73
AV	5.1496G	53.05	54.00	-0.95	44.93	3	Vertical	192	1.64	-	33.60	5.25	30.73
PK	5.1956G	129.45	Inf	-Inf	121.19	3	Vertical	192	1.64	-	33.69	5.30	30.73
AV	5.204G	116.30	Inf	-Inf	108.03	3	Vertical	192	1.64	-	33.70	5.30	30.73

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1444G	65.81	74.00	-8.19	57.71	3	Horizontal	186	1.80	-	33.59	5.24	30.73	
AV	5.1496G	53.23	54.00	-0.77	45.11	3	Horizontal	186	1.80	-	33.60	5.25	30.73	
PK	5.2016G	128.73	Inf	-Inf	120.46	3	Horizontal	186	1.80	-	33.70	5.30	30.73	
AV	5.198G	115.67	Inf	-Inf	107.40	3	Horizontal	186	1.80	-	33.70	5.30	30.73	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.394G	53.25	68.20	-14.95	39.01	3	Vertical	15	1.64	-	38.61	7.46	31.83	
PK	15.59564G	59.47	74.00	-14.53	43.50	3	Vertical	33	1.65	-	37.53	9.82	31.38	
AV	15.60302G	45.22	54.00	-8.78	29.28	3	Vertical	33	1.65	-	37.50	9.82	31.38	

802.11ax HEW20_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41092G	54.48	68.20	-13.72	40.26	3	Horizontal	334	2.30	-	38.60	7.46	31.84
PK	15.60232G	58.98	74.00	-15.02	43.04	3	Horizontal	194	2.57	-	37.50	9.82	31.38
AV	15.6029G	45.19	54.00	-8.81	29.25	3	Horizontal	194	2.57	-	37.50	9.82	31.38

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	64.38	74.00	-9.62	56.32	3	Vertical	190	1.55	-	33.56	5.23	30.73
AV	5.15G	51.39	54.00	-2.61	43.27	3	Vertical	190	1.55	-	33.60	5.25	30.73
PK	5.2376G	130.50	Inf	-Inf	122.21	3	Vertical	190	1.55	-	33.70	5.32	30.73
AV	5.2418G	118.04	Inf	-Inf	109.75	3	Vertical	190	1.55	-	33.70	5.32	30.73
PK	5.372G	64.25	74.00	-9.75	55.64	3	Vertical	190	1.55	-	33.94	5.39	30.72
AV	5.3516G	51.29	54.00	-2.71	42.73	3	Vertical	190	1.55	-	33.90	5.38	30.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.25	74.00	-9.75	56.14	3	Horizontal	187	1.69	-	33.59	5.25	30.73
AV	5.1494G	51.48	54.00	-2.52	43.36	3	Horizontal	187	1.69	-	33.60	5.25	30.73
PK	5.2358G	128.85	Inf	-Inf	120.56	3	Horizontal	187	1.69	-	33.70	5.32	30.73
AV	5.2442G	116.44	Inf	-Inf	108.15	3	Horizontal	187	1.69	-	33.70	5.32	30.73
PK	5.39G	64.07	74.00	-9.93	55.41	3	Horizontal	187	1.69	-	33.98	5.40	30.72
AV	5.3762G	53.08	54.00	-0.92	44.46	3	Horizontal	187	1.69	-	33.95	5.39	30.72

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.48558G	54.34	68.20	-13.86	40.10	3	Vertical	189	1.23	-	38.60	7.49	31.85	
PK	15.71724G	58.39	74.00	-15.61	42.46	3	Vertical	115	1.68	-	37.50	9.87	31.44	
AV	15.71712G	44.69	54.00	-9.31	28.76	3	Vertical	115	1.68	-	37.50	9.87	31.44	

802.11ax HEW20_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 26
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48666G	54.49	68.20	-13.71	40.25	3	Horizontal	42	1.73	-	38.60	7.49	31.85
PK	15.7248G	58.51	74.00	-15.49	42.58	3	Horizontal	143	2.85	-	37.50	9.88	31.45
AV	15.71934G	44.69	54.00	-9.31	28.76	3	Horizontal	143	2.85	-	37.50	9.87	31.44

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	66.67	68.20	-1.53	57.88	3	Vertical	187	1.76	-	34.00	5.55	30.76
PK	5.748G	131.30	Inf	-Inf	122.81	3	Vertical	187	1.76	-	33.80	5.60	30.91
AV	5.748G	118.70	Inf	-Inf	110.21	3	Vertical	187	1.76	-	33.80	5.60	30.91
PK	5.995G	64.07	68.20	-4.13	55.18	3	Vertical	187	1.76	-	34.20	5.79	31.10

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	66.85	68.20	-1.35	58.08	3	Horizontal	178	1.73	-	33.98	5.56	30.77
PK	5.747G	130.00	Inf	-Inf	121.50	3	Horizontal	178	1.73	-	33.81	5.60	30.91
AV	5.748G	116.58	Inf	-Inf	108.09	3	Horizontal	178	1.73	-	33.80	5.60	30.91
PK	5.969G	63.82	68.20	-4.38	54.93	3	Horizontal	178	1.73	-	34.20	5.77	31.08

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48874G	57.31	74.00	-16.69	42.55	3	Vertical	264	1.32	-	38.98	7.90	32.12
AV	11.49006G	44.35	54.00	-9.65	29.59	3	Vertical	264	1.32	-	38.98	7.90	32.12

802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4885G	57.73	74.00	-16.27	42.97	3	Horizontal	101	2.32	-	38.98	7.90	32.12
AV	11.48862G	44.28	54.00	-9.72	29.52	3	Horizontal	101	2.32	-	38.98	7.90	32.12

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.588G	67.70	68.20	-0.50	58.98	3	Vertical	190	1.66	-	33.92	5.59	30.79	
PK	5.786G	131.00	Inf	-Inf	122.54	3	Vertical	190	1.66	-	33.80	5.60	30.94	
AV	5.793G	118.44	Inf	-Inf	109.98	3	Vertical	190	1.66	-	33.80	5.60	30.94	
PK	6.029G	64.75	68.20	-3.45	55.80	3	Vertical	190	1.66	-	34.26	5.80	31.11	

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	66.21	68.20	-1.99	57.49	3	Horizontal	178	1.84	-	33.92	5.59	30.79
PK	5.79G	130.10	Inf	-Inf	121.64	3	Horizontal	178	1.84	-	33.80	5.60	30.94
AV	5.791G	116.94	Inf	-Inf	108.48	3	Horizontal	178	1.84	-	33.80	5.60	30.94
PK	5.952G	63.64	68.20	-4.56	54.75	3	Horizontal	178	1.84	-	34.20	5.75	31.06

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56688G	56.55	74.00	-17.45	41.58	3	Vertical	162	2.24	-	39.20	7.93	32.16
AV	11.56862G	43.30	54.00	-10.70	28.32	3	Vertical	162	2.24	-	39.21	7.93	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5688G	57.84	74.00	-16.16	42.86	3	Horizontal	261	2.83	-	39.21	7.93	32.16
AV	11.56886G	44.65	54.00	-9.35	29.67	3	Horizontal	261	2.83	-	39.21	7.93	32.16

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.638G	65.90	68.20	-2.30	57.30	3	Vertical	193	1.65	-	33.82	5.60	30.82	
PK	5.831G	129.75	Inf	-Inf	121.29	3	Vertical	193	1.65	-	33.80	5.63	30.97	
AV	5.828G	118.21	Inf	-Inf	109.75	3	Vertical	193	1.65	-	33.80	5.63	30.97	
PK	5.925G	67.21	68.20	-0.99	58.37	3	Vertical	193	1.65	-	34.15	5.73	31.04	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.58G	67.11	68.20	-1.09	58.37	3	Horizontal	181	1.83	-	33.94	5.58	30.78	
PK	5.827G	129.34	Inf	-Inf	120.88	3	Horizontal	181	1.83	-	33.80	5.63	30.97	
AV	5.826G	117.60	Inf	-Inf	109.14	3	Horizontal	181	1.83	-	33.80	5.63	30.97	
PK	5.926G	67.26	68.20	-0.94	58.42	3	Horizontal	181	1.83	-	34.15	5.73	31.04	

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 26.5
02-F-G-4

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	11.65864G	56.52	74.00	-17.48	41.35	3	Vertical	101	2.28	-	39.42	7.96	32.21
AV	11.6485G	43.47	54.00	-10.53	28.32	3	Vertical	101	2.28	-	39.40	7.96	32.21

802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT V_2TX
Setting 26.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65708G	55.71	74.00	-18.29	40.55	3	Horizontal	297	2.31	-	39.41	7.96	32.21
AV	11.64856G	43.09	54.00	-10.91	27.94	3	Horizontal	297	2.31	-	39.40	7.96	32.21

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1468G	65.44	74.00	-8.56	57.33	3	Vertical	191	1.55	-	33.59	5.25	30.73	
AV	5.1484G	52.58	54.00	-1.42	44.46	3	Vertical	191	1.55	-	33.60	5.25	30.73	
PK	5.1848G	121.36	Inf	-Inf	113.14	3	Vertical	191	1.55	-	33.67	5.28	30.73	
AV	5.1944G	108.33	Inf	-Inf	100.08	3	Vertical	191	1.55	-	33.69	5.29	30.73	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1484G	65.92	74.00	-8.08	57.80	3	Horizontal	186	1.72	-	33.60	5.25	30.73	
AV	5.15G	53.59	54.00	-0.41	45.47	3	Horizontal	186	1.72	-	33.60	5.25	30.73	
PK	5.1884G	121.26	Inf	-Inf	113.02	3	Horizontal	186	1.72	-	33.68	5.29	30.73	
AV	5.1888G	108.29	Inf	-Inf	100.05	3	Horizontal	186	1.72	-	33.68	5.29	30.73	

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37152G	53.45	68.20	-14.75	39.20	3	Vertical	190	1.47	-	38.63	7.45	31.83
PK	15.57264G	58.58	74.00	-15.42	42.48	3	Vertical	289	1.24	-	37.66	9.81	31.37
AV	15.56524G	45.53	54.00	-8.47	29.38	3	Vertical	289	1.24	-	37.71	9.80	31.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38628G	54.53	68.20	-13.67	40.30	3	Horizontal	15	1.78	-	38.61	7.45	31.83
PK	15.5792G	59.64	74.00	-14.36	43.58	3	Horizontal	306	2.40	-	37.62	9.81	31.37
AV	15.56496G	45.57	54.00	-8.43	29.42	3	Horizontal	306	2.40	-	37.71	9.80	31.36

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.04	74.00	-8.96	56.92	3	Vertical	191	1.67	-	33.60	5.25	30.73
AV	5.1466G	52.38	54.00	-1.62	44.27	3	Vertical	191	1.67	-	33.59	5.25	30.73
PK	5.224G	124.72	Inf	-Inf	116.44	3	Vertical	191	1.67	-	33.70	5.31	30.73
AV	5.2348G	111.07	Inf	-Inf	102.78	3	Vertical	191	1.67	-	33.70	5.32	30.73
PK	5.3656G	64.57	74.00	-9.43	55.98	3	Vertical	191	1.67	-	33.93	5.38	30.72
AV	5.3722G	52.21	54.00	-1.79	43.60	3	Vertical	191	1.67	-	33.94	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT V_2TX
Setting 21.5
02-F-C-6-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.37	74.00	-10.63	55.25	3	Horizontal	187	1.80	-	33.60	5.25	30.73
AV	5.1478G	51.17	54.00	-2.83	43.05	3	Horizontal	187	1.80	-	33.60	5.25	30.73
PK	5.221G	122.90	Inf	-Inf	114.62	3	Horizontal	187	1.80	-	33.70	5.31	30.73
AV	5.2288G	109.97	Inf	-Inf	101.69	3	Horizontal	187	1.80	-	33.70	5.31	30.73
PK	5.3512G	64.93	74.00	-9.07	56.37	3	Horizontal	187	1.80	-	33.90	5.38	30.72
AV	5.3764G	51.28	54.00	-2.72	42.66	3	Horizontal	187	1.80	-	33.95	5.39	30.72

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46272G	54.23	68.20	-13.97	39.98	3	Vertical	283	1.18	-	38.60	7.49	31.84
PK	15.69036G	58.77	74.00	-15.23	42.84	3	Vertical	302	2.42	-	37.50	9.86	31.43
AV	15.68044G	45.41	54.00	-8.59	29.47	3	Vertical	302	2.42	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 21.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46404G	53.92	68.20	-14.28	39.67	3	Horizontal	120	1.89	-	38.60	7.49	31.84
PK	15.69636G	58.96	74.00	-15.04	43.03	3	Horizontal	135	1.07	-	37.50	9.86	31.43
AV	15.68108G	45.41	54.00	-8.59	29.47	3	Horizontal	135	1.07	-	37.50	9.86	31.42

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.64G	66.18	68.20	-2.02	57.59	3	Vertical	189	1.71	-	33.82	5.60	30.83	
PK	5.756G	128.36	Inf	-Inf	119.87	3	Vertical	189	1.71	-	33.80	5.60	30.91	
AV	5.756G	115.91	Inf	-Inf	107.42	3	Vertical	189	1.71	-	33.80	5.60	30.91	
PK	5.929G	64.02	68.20	-4.18	55.18	3	Vertical	189	1.71	-	34.16	5.73	31.05	

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.571G	66.26	68.20	-1.94	57.50	3	Horizontal	180	1.68	-	33.96	5.57	30.77
PK	5.757G	125.96	Inf	-Inf	117.48	3	Horizontal	180	1.68	-	33.80	5.60	30.92
AV	5.757G	113.27	Inf	-Inf	104.79	3	Horizontal	180	1.68	-	33.80	5.60	30.92
PK	5.952G	66.28	68.20	-1.92	57.39	3	Horizontal	180	1.68	-	34.20	5.75	31.06

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52062G	56.09	74.00	-17.91	41.25	3	Vertical	360	1.69	-	39.06	7.91	32.13
AV	11.50964G	42.50	54.00	-11.50	27.70	3	Vertical	360	1.69	-	39.03	7.90	32.13

802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5094G	55.70	74.00	-18.30	40.90	3	Horizontal	26	2.62	-	39.03	7.90	32.13
AV	11.50862G	42.49	54.00	-11.51	27.68	3	Horizontal	26	2.62	-	39.03	7.90	32.12

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.602G	65.91	68.20	-2.29	57.21	3	Vertical	191	1.64	-	33.90	5.60	30.80	
PK	5.799G	128.03	Inf	-Inf	119.58	3	Vertical	191	1.64	-	33.80	5.60	30.95	
AV	5.799G	115.50	Inf	-Inf	107.05	3	Vertical	191	1.64	-	33.80	5.60	30.95	
PK	6.042G	65.38	68.20	-2.82	56.41	3	Vertical	191	1.64	-	34.28	5.80	31.11	

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	65.68	68.20	-2.52	56.98	3	Horizontal	179	1.76	-	33.90	5.60	30.80
PK	5.797G	126.48	Inf	-Inf	118.03	3	Horizontal	179	1.76	-	33.80	5.60	30.95
AV	5.797G	113.71	Inf	-Inf	105.26	3	Horizontal	179	1.76	-	33.80	5.60	30.95
PK	5.927G	65.74	68.20	-2.46	56.90	3	Horizontal	179	1.76	-	34.15	5.73	31.04

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.57872G	55.48	74.00	-18.52	40.48	3	Vertical	4	1.52	-	39.24	7.93	32.17	
AV	11.58808G	42.03	54.00	-11.97	27.00	3	Vertical	4	1.52	-	39.26	7.94	32.17	

802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT V_2TX
Setting 25.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57872G	55.76	74.00	-18.24	40.76	3	Horizontal	299	2.99	-	39.24	7.93	32.17
AV	11.58772G	42.00	54.00	-12.00	26.97	3	Horizontal	299	2.99	-	39.26	7.94	32.17

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	65.68	74.00	-8.32	57.60	3	Vertical	190	1.69	-	33.57	5.24	30.73
AV	5.147G	52.95	54.00	-1.05	44.84	3	Vertical	190	1.69	-	33.59	5.25	30.73
PK	5.214G	117.77	Inf	-Inf	109.49	3	Vertical	190	1.69	-	33.70	5.31	30.73
AV	5.205G	105.26	Inf	-Inf	96.99	3	Vertical	190	1.69	-	33.70	5.30	30.73
PK	5.367G	63.42	74.00	-10.58	54.83	3	Vertical	190	1.69	-	33.93	5.38	30.72
AV	5.364G	50.75	54.00	-3.25	42.16	3	Vertical	190	1.69	-	33.93	5.38	30.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT V_2TX
Setting 19.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.25	74.00	-8.75	57.14	3	Horizontal	187	1.75	-	33.59	5.25	30.73
AV	5.15G	53.90	54.00	-0.10	45.78	3	Horizontal	187	1.75	-	33.60	5.25	30.73
PK	5.211G	117.87	Inf	-Inf	109.59	3	Horizontal	187	1.75	-	33.70	5.31	30.73
AV	5.209G	104.52	Inf	-Inf	96.25	3	Horizontal	187	1.75	-	33.70	5.30	30.73
PK	5.358G	64.50	74.00	-9.50	55.92	3	Horizontal	187	1.75	-	33.92	5.38	30.72
AV	5.376G	51.23	54.00	-2.77	42.61	3	Horizontal	187	1.75	-	33.95	5.39	30.72

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41406G	53.33	68.20	-14.87	39.10	3	Vertical	120	1.64	-	38.60	7.47	31.84
PK	15.63046G	58.72	74.00	-15.28	42.79	3	Vertical	150	1.38	-	37.50	9.83	31.40
AV	15.62512G	45.39	54.00	-8.61	29.46	3	Vertical	150	1.38	-	37.50	9.83	31.40

802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT Y_2TX
Setting 19.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41496G	52.63	68.20	-15.57	38.40	3	Horizontal	107	1.98	-	38.60	7.47	31.84
PK	15.62654G	58.88	74.00	-15.12	42.95	3	Horizontal	145	1.87	-	37.50	9.83	31.40
AV	15.63446G	45.47	54.00	-8.53	29.53	3	Horizontal	145	1.87	-	37.50	9.84	31.40

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 22.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.649G	67.35	68.20	-0.85	58.78	3	Vertical	191	1.63	-	33.80	5.60	30.83	
PK	5.789G	121.56	Inf	-Inf	113.10	3	Vertical	191	1.63	-	33.80	5.60	30.94	
AV	5.76G	108.70	Inf	-Inf	100.22	3	Vertical	191	1.63	-	33.80	5.60	30.92	
PK	5.925G	65.54	68.20	-2.66	56.70	3	Vertical	191	1.63	-	34.15	5.73	31.04	

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 22.5
02-F-G-4-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	68.11	68.20	-0.09	59.54	3	Horizontal	180	1.79	-	33.80	5.60	30.83
PK	5.786G	119.81	Inf	-Inf	111.35	3	Horizontal	180	1.79	-	33.80	5.60	30.94
AV	5.785G	107.30	Inf	-Inf	98.84	3	Horizontal	180	1.79	-	33.80	5.60	30.94
PK	5.929G	66.95	68.20	-1.25	58.11	3	Horizontal	180	1.79	-	34.16	5.73	31.05

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 22.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.562G	54.19	74.00	-19.81	39.24	3	Vertical	2	1.50	-	39.19	7.92	32.16
AV	11.55G	40.81	54.00	-13.19	25.89	3	Vertical	2	1.50	-	39.15	7.92	32.15

802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT V_2TX
Setting 22.5
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54544G	53.39	74.00	-20.61	38.48	3	Horizontal	271	1.27	-	39.14	7.92	32.15
AV	11.53872G	40.28	54.00	-13.72	25.38	3	Horizontal	271	1.27	-	39.12	7.92	32.14




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_2TX	Pass	AV	5.1494G	53.94	54.00	-0.06	3	Horizontal	3	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1176G	63.73	74.00	-10.27	57.31	3	Vertical	4	1.80	-	32.76	6.46	32.80	
AV	5.1494G	52.20	54.00	-1.80	45.82	3	Vertical	4	1.80	-	32.70	6.47	32.79	
PK	5.1776G	123.79	Inf	-Inf	117.38	3	Vertical	4	1.80	-	32.70	6.49	32.78	
AV	5.1818G	112.05	Inf	-Inf	105.63	3	Vertical	4	1.80	-	32.70	6.49	32.77	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT V_2TX
Setting 21
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1482G	65.77	74.00	-8.23	59.39	3	Horizontal	3	1.80	-	32.70	6.47	32.79	
AV	5.1494G	53.94	54.00	-0.06	47.56	3	Horizontal	3	1.80	-	32.70	6.47	32.79	
PK	5.1776G	124.78	Inf	-Inf	118.37	3	Horizontal	3	1.80	-	32.70	6.49	32.78	
AV	5.1758G	112.32	Inf	-Inf	105.91	3	Horizontal	3	1.80	-	32.70	6.49	32.78	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT_V_2TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3645G	59.65	68.20	-8.55	44.11	3	Vertical	173	2.47	-	38.40	8.93	31.79
PK	15.54382G	64.42	74.00	-9.58	46.38	3	Vertical	290	1.65	-	38.02	10.74	30.72
AV	15.54196G	50.26	54.00	-3.74	32.21	3	Vertical	290	1.65	-	38.03	10.74	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5180MHz_TnomVnom




EUT Y_2TX
Setting 21
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35772G	59.12	68.20	-9.08	43.58	3	Horizontal	121	1.11	-	38.40	8.93	31.79
PK	15.5411G	63.31	74.00	-10.69	45.25	3	Horizontal	311	2.99	-	38.04	10.74	30.72
AV	15.54206G	50.19	54.00	-3.81	32.14	3	Horizontal	311	2.99	-	38.03	10.74	30.72

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.93	74.00	-9.07	58.55	3	Vertical	1	1.80	-	32.70	6.47	32.79
AV	5.15G	52.22	54.00	-1.78	45.84	3	Vertical	1	1.80	-	32.70	6.47	32.79
PK	5.197G	126.58	Inf	-Inf	120.15	3	Vertical	1	1.80	-	32.70	6.50	32.77
AV	5.199G	114.47	Inf	-Inf	108.04	3	Vertical	1	1.80	-	32.70	6.50	32.77
PK	5.397G	64.06	74.00	-9.94	56.95	3	Vertical	1	1.80	-	33.19	6.60	32.68
AV	5.39G	51.19	54.00	-2.81	44.13	3	Vertical	1	1.80	-	33.16	6.59	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.63	74.00	-7.37	60.25	3	Horizontal	0	1.80	-	32.70	6.47	32.79
AV	5.15G	52.62	54.00	-1.38	46.24	3	Horizontal	0	1.80	-	32.70	6.47	32.79
PK	5.203G	128.59	Inf	-Inf	122.14	3	Horizontal	0	1.80	-	32.71	6.50	32.76
AV	5.203G	115.72	Inf	-Inf	109.27	3	Horizontal	0	1.80	-	32.71	6.50	32.76
PK	5.387G	64.72	74.00	-9.28	57.67	3	Horizontal	0	1.80	-	33.15	6.59	32.69
AV	5.397G	52.26	54.00	-1.74	45.15	3	Horizontal	0	1.80	-	33.19	6.60	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4033G	59.23	68.20	-8.97	43.63	3	Vertical	159	1.70	-	38.40	8.94	31.74
PK	15.59742G	63.66	74.00	-10.34	45.79	3	Vertical	59	2.81	-	37.81	10.76	30.70
AV	15.60092G	50.23	54.00	-3.77	32.37	3	Vertical	59	2.81	-	37.80	10.76	30.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5200MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.4048G	59.59	68.20	-8.61	43.99	3	Horizontal	4	2.98	-	38.40	8.94	31.74	
PK	15.59834G	63.69	74.00	-10.31	45.82	3	Horizontal	295	1.39	-	37.81	10.76	30.70	
AV	15.5953G	50.12	54.00	-3.88	32.24	3	Horizontal	295	1.39	-	37.82	10.76	30.70	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT V_2TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	64.67	74.00	-9.33	58.29	3	Vertical	2	1.53	-	32.70	6.47	32.79
AV	5.1494G	52.74	54.00	-1.26	46.36	3	Vertical	2	1.53	-	32.70	6.47	32.79
PK	5.2382G	128.92	Inf	-Inf	122.37	3	Vertical	2	1.53	-	32.78	6.52	32.75
AV	5.231G	121.26	Inf	-Inf	114.73	3	Vertical	2	1.53	-	32.76	6.52	32.75
PK	5.354G	63.87	74.00	-10.13	56.97	3	Vertical	2	1.53	-	33.02	6.58	32.70
AV	5.3558G	52.15	54.00	-1.85	45.25	3	Vertical	2	1.53	-	33.02	6.58	32.70

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 25
01-A-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1086G	63.76	74.00	-10.24	57.33	3	Horizontal	360	1.80	-	32.78	6.45	32.80
AV	5.1464G	50.79	54.00	-3.21	44.40	3	Horizontal	360	1.80	-	32.71	6.47	32.79
PK	5.2418G	128.76	Inf	-Inf	122.21	3	Horizontal	360	1.80	-	32.78	6.52	32.75
AV	5.2352G	116.55	Inf	-Inf	110.01	3	Horizontal	360	1.80	-	32.77	6.52	32.75
PK	5.372G	63.70	74.00	-10.30	56.71	3	Horizontal	360	1.80	-	33.09	6.59	32.69
AV	5.3762G	52.51	54.00	-1.49	45.51	3	Horizontal	360	1.80	-	33.10	6.59	32.69

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT_V_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.4713G	59.31	68.20	-8.89	43.55	3	Vertical	170	1.80	-	38.47	8.96	31.67	
PK	15.72792G	63.86	74.00	-10.14	45.85	3	Vertical	279	2.06	-	37.87	10.80	30.66	
AV	15.70512G	50.05	54.00	-3.95	32.19	3	Vertical	279	2.06	-	37.73	10.80	30.67	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5240MHz_TnomVnom




EUT Y_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47124G	58.96	68.20	-9.24	43.20	3	Horizontal	83	2.01	-	38.47	8.96	31.67
PK	15.72648G	63.11	74.00	-10.89	45.11	3	Horizontal	343	1.23	-	37.86	10.80	30.66
AV	15.705G	49.91	54.00	-4.09	32.05	3	Horizontal	343	1.23	-	37.73	10.80	30.67

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.556G	65.28	68.20	-2.92	57.37	3	Vertical	0	1.80	-	33.89	6.68	32.66	
PK	5.739G	129.00	Inf	-Inf	120.66	3	Vertical	0	1.80	-	34.31	6.77	32.74	
AV	5.742G	116.92	Inf	-Inf	108.55	3	Vertical	0	1.80	-	34.34	6.77	32.74	
PK	5.953G	65.39	68.20	-2.81	56.22	3	Vertical	0	1.80	-	35.11	6.88	32.82	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT V_2TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	67.63	68.20	-0.57	59.71	3	Horizontal	350	1.80	-	33.90	6.68	32.66
PK	5.747G	131.04	Inf	-Inf	122.63	3	Horizontal	350	1.80	-	34.38	6.77	32.74
AV	5.744G	116.57	Inf	-Inf	108.19	3	Horizontal	350	1.80	-	34.35	6.77	32.74
PK	5.992G	64.60	68.20	-3.60	55.27	3	Horizontal	350	1.80	-	35.27	6.90	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4888G	62.56	74.00	-11.44	46.59	3	Vertical	208	1.80	-	38.40	9.32	31.75
AV	11.49366G	50.12	54.00	-3.88	34.14	3	Vertical	208	1.80	-	38.40	9.32	31.74
PK	17.2293G	67.43	68.20	-0.77	44.64	3	Vertical	69	1.60	-	41.75	11.21	30.17

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5745MHz_TnomVnom




EUT_V_2TX
Setting 25
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4837G	63.60	74.00	-10.40	47.63	3	Horizontal	170	1.14	-	38.40	9.32	31.75
AV	11.4879G	49.26	54.00	-4.74	33.29	3	Horizontal	170	1.14	-	38.40	9.32	31.75
PK	17.22084G	67.34	68.20	-0.86	44.58	3	Horizontal	268	2.87	-	41.70	11.21	30.15

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT Y_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	66.93	68.20	-1.27	59.09	3	Vertical	3	1.80	-	33.82	6.70	32.68
PK	5.779G	131.45	Inf	-Inf	123.01	3	Vertical	3	1.80	-	34.40	6.79	32.75
AV	5.782G	119.14	Inf	-Inf	110.70	3	Vertical	3	1.80	-	34.40	6.79	32.75
PK	5.989G	65.95	68.20	-2.25	56.64	3	Vertical	3	1.80	-	35.26	6.89	32.84

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT V_2TX
Setting 28
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.584G	67.91	68.20	-0.29	60.06	3	Horizontal	355	1.89	-	33.83	6.69	32.67	
PK	5.786G	131.38	Inf	-Inf	122.94	3	Horizontal	355	1.89	-	34.40	6.79	32.75	
AV	5.784G	118.96	Inf	-Inf	110.52	3	Horizontal	355	1.89	-	34.40	6.79	32.75	
PK	6.018G	66.87	68.20	-1.33	57.53	3	Horizontal	355	1.89	-	35.26	6.92	32.84	

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57168G	66.59	74.00	-7.41	50.41	3	Vertical	207	1.52	-	38.54	9.35	31.71
AV	11.56682G	52.64	54.00	-1.36	36.47	3	Vertical	207	1.52	-	38.53	9.35	31.71
PK	17.3622G	66.64	68.20	-1.56	43.62	3	Vertical	86	2.76	-	42.16	11.24	30.38

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5785MHz_TnomVnom




EUT_V_2TX
Setting 28
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56484G	61.90	74.00	-12.10	45.73	3	Horizontal	216	1.80	-	38.53	9.35	31.71
AV	11.56868G	48.68	54.00	-5.32	32.50	3	Horizontal	216	1.80	-	38.54	9.35	31.71
PK	17.36016G	67.30	68.20	-0.90	44.27	3	Horizontal	20	2.39	-	42.16	11.24	30.37

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	65.18	68.20	-3.02	57.13	3	Vertical	5	1.80	-	34.02	6.72	32.69
PK	5.828G	128.26	Inf	-Inf	119.60	3	Vertical	5	1.80	-	34.62	6.81	32.77
AV	5.827G	115.27	Inf	-Inf	106.61	3	Vertical	5	1.80	-	34.62	6.81	32.77
PK	5.928G	65.76	68.20	-2.44	56.70	3	Vertical	5	1.80	-	35.01	6.86	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.632G	65.13	68.20	-3.07	57.11	3	Horizontal	354	1.94	-	33.99	6.72	32.69
PK	5.824G	128.36	Inf	-Inf	119.73	3	Horizontal	354	1.94	-	34.59	6.81	32.77
AV	5.828G	115.58	Inf	-Inf	106.92	3	Horizontal	354	1.94	-	34.62	6.81	32.77
PK	5.926G	67.67	68.20	-0.53	58.62	3	Horizontal	354	1.94	-	35.00	6.86	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65412G	60.12	74.00	-13.88	43.82	3	Vertical	189	2.54	-	38.60	9.38	31.68
AV	11.65472G	46.31	54.00	-7.69	30.01	3	Vertical	189	2.54	-	38.60	9.38	31.68
PK	17.47806G	65.38	68.20	-2.82	42.39	3	Vertical	112	1.05	-	42.28	11.27	30.56

802.11ax HEW20-BF_Nss1,(MCS0)_2TX

5825MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64936G	60.01	74.00	-13.99	43.71	3	Horizontal	9	2.67	-	38.60	9.38	31.68
AV	11.6543G	46.25	54.00	-7.75	29.95	3	Horizontal	9	2.67	-	38.60	9.38	31.68
PK	17.47578G	65.53	68.20	-2.67	42.53	3	Horizontal	168	1.02	-	42.28	11.27	30.55

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1436G	62.81	74.00	-11.19	56.42	3	Vertical	0	1.80	-	32.71	6.47	32.79
AV	5.1476G	50.25	54.00	-3.75	43.87	3	Vertical	0	1.80	-	32.70	6.47	32.79
PK	5.1864G	117.96	Inf	-Inf	111.54	3	Vertical	0	1.80	-	32.70	6.49	32.77
AV	5.188G	105.40	Inf	-Inf	98.98	3	Vertical	0	1.80	-	32.70	6.49	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 17
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1432G	65.07	74.00	-8.93	58.68	3	Horizontal	1	1.80	-	32.71	6.47	32.79
AV	5.1496G	53.02	54.00	-0.98	46.64	3	Horizontal	1	1.80	-	32.70	6.47	32.79
PK	5.1872G	118.87	Inf	-Inf	112.45	3	Horizontal	1	1.80	-	32.70	6.49	32.77
AV	5.1864G	106.02	Inf	-Inf	99.60	3	Horizontal	1	1.80	-	32.70	6.49	32.77

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT_Y_2TX
Setting 17
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	10.37532G	59.38	68.20	-8.82	43.82	3	Vertical	129	1.42	-	38.40	8.93	31.77	
PK	15.57132G	63.71	74.00	-10.29	45.76	3	Vertical	204	2.88	-	37.91	10.75	30.71	
AV	15.57328G	50.29	54.00	-3.71	32.34	3	Vertical	204	2.88	-	37.91	10.75	30.71	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5190MHz_TnomVnom




EUT Y_2TX
Setting 17
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38482G	59.37	68.20	-8.83	43.80	3	Horizontal	305	2.81	-	38.40	8.93	31.76
PK	15.5668G	64.24	74.00	-9.76	46.27	3	Horizontal	223	2.02	-	37.93	10.75	30.71
AV	15.57034G	50.40	54.00	-3.60	32.44	3	Horizontal	223	2.02	-	37.92	10.75	30.71

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.38	74.00	-9.62	58.00	3	Vertical	4	1.80	-	32.70	6.47	32.79
AV	5.0878G	51.86	54.00	-2.14	45.43	3	Vertical	4	1.80	-	32.80	6.44	32.81
PK	5.218G	123.92	Inf	-Inf	117.43	3	Vertical	4	1.80	-	32.74	6.51	32.76
AV	5.2198G	111.14	Inf	-Inf	104.65	3	Vertical	4	1.80	-	32.74	6.51	32.76
PK	5.362G	63.64	74.00	-10.36	56.71	3	Vertical	4	1.80	-	33.05	6.58	32.70
AV	5.3764G	51.97	54.00	-2.03	44.96	3	Vertical	4	1.80	-	33.11	6.59	32.69

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.92	74.00	-6.08	61.54	3	Horizontal	0	1.96	-	32.70	6.47	32.79
AV	5.1484G	52.89	54.00	-1.11	46.51	3	Horizontal	0	1.96	-	32.70	6.47	32.79
PK	5.2378G	127.01	Inf	-Inf	120.46	3	Horizontal	0	1.96	-	32.78	6.52	32.75
AV	5.2354G	113.95	Inf	-Inf	107.41	3	Horizontal	0	1.96	-	32.77	6.52	32.75
PK	5.3752G	67.62	74.00	-6.38	60.62	3	Horizontal	0	1.96	-	33.10	6.59	32.69
AV	5.3572G	52.20	54.00	-1.80	45.29	3	Horizontal	0	1.96	-	33.03	6.58	32.70

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45908G	59.80	68.20	-8.40	44.06	3	Vertical	227	1.38	-	38.46	8.96	31.68
PK	15.6871G	62.65	74.00	-11.35	44.82	3	Vertical	248	2.29	-	37.71	10.79	30.67
AV	15.68534G	49.18	54.00	-4.82	31.35	3	Vertical	248	2.29	-	37.71	10.79	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5230MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45734G	59.10	68.20	-9.10	43.37	3	Horizontal	239	1.75	-	38.46	8.96	31.69
PK	15.68828G	62.71	74.00	-11.29	44.88	3	Horizontal	121	1.78	-	37.71	10.79	30.67
AV	15.685G	49.16	54.00	-4.84	31.32	3	Horizontal	121	1.78	-	37.72	10.79	30.67

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	65.52	68.20	-2.68	57.50	3	Vertical	360	1.80	-	33.99	6.72	32.69
PK	5.742G	127.38	Inf	-Inf	119.01	3	Vertical	360	1.80	-	34.34	6.77	32.74
AV	5.766G	113.02	Inf	-Inf	104.59	3	Vertical	360	1.80	-	34.40	6.78	32.75
PK	5.988G	65.30	68.20	-2.90	56.00	3	Vertical	360	1.80	-	35.25	6.89	32.84

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.556G	66.19	68.20	-2.01	58.28	3	Horizontal	352	1.80	-	33.89	6.68	32.66	
PK	5.75G	126.14	Inf	-Inf	117.70	3	Horizontal	352	1.80	-	34.40	6.78	32.74	
AV	5.744G	115.38	Inf	-Inf	107.00	3	Horizontal	352	1.80	-	34.35	6.77	32.74	
PK	5.952G	64.46	68.20	-3.74	55.29	3	Horizontal	352	1.80	-	35.11	6.88	32.82	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.50696G	59.19	74.00	-14.81	43.19	3	Vertical	46	1.96	-	38.41	9.33	31.74	
AV	11.51446G	45.88	54.00	-8.12	29.85	3	Vertical	46	1.96	-	38.43	9.33	31.73	
PK	17.26288G	67.27	68.20	-0.93	44.36	3	Vertical	223	2.71	-	41.91	11.22	30.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5755MHz_TnomVnom




EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	11.51198G	59.83	74.00	-14.17	43.82	3	Horizontal	325	1.24	-	38.42	9.33	31.74	
AV	11.5086G	46.02	54.00	-7.98	30.01	3	Horizontal	325	1.24	-	38.42	9.33	31.74	
PK	17.2631G	66.91	68.20	-1.29	43.99	3	Horizontal	29	2.07	-	41.92	11.22	30.22	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.6G	67.54	68.20	-0.66	59.72	3	Vertical	4	1.80	-	33.80	6.70	32.68	
PK	5.796G	128.89	Inf	-Inf	120.45	3	Vertical	4	1.80	-	34.40	6.80	32.76	
AV	5.807G	115.95	Inf	-Inf	107.45	3	Vertical	4	1.80	-	34.46	6.80	32.76	
PK	6.039G	66.48	68.20	-1.72	57.16	3	Vertical	4	1.80	-	35.22	6.94	32.84	

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 27
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.608G	67.80	68.20	-0.40	59.93	3	Horizontal	349	1.80	-	33.85	6.70	32.68
PK	5.789G	128.60	Inf	-Inf	120.17	3	Horizontal	349	1.80	-	34.40	6.79	32.76
AV	5.793G	115.34	Inf	-Inf	106.90	3	Horizontal	349	1.80	-	34.40	6.80	32.76
PK	5.937G	65.79	68.20	-2.41	56.68	3	Horizontal	349	1.80	-	35.05	6.87	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57884G	64.01	74.00	-9.99	47.81	3	Vertical	205	1.90	-	38.56	9.35	31.71
AV	11.58034G	49.12	54.00	-4.88	32.92	3	Vertical	205	1.90	-	38.56	9.35	31.71
PK	17.37204G	67.41	68.20	-0.79	44.39	3	Vertical	293	1.79	-	42.17	11.24	30.39

802.11ax HEW40-BF_Nss1,(MCS0)_2TX

5795MHz_TnomVnom




EUT Y_2TX
Setting 27
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59912G	63.74	74.00	-10.26	47.48	3	Horizontal	167	2.50	-	38.60	9.36	31.70
AV	11.5891G	49.59	54.00	-4.41	33.35	3	Horizontal	167	2.50	-	38.58	9.36	31.70
PK	17.39082G	67.41	68.20	-0.79	44.39	3	Horizontal	156	2.33	-	42.19	11.25	30.42

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.64	74.00	-8.36	59.25	3	Vertical	0	1.77	-	32.71	6.47	32.79
AV	5.15G	53.21	54.00	-0.79	46.83	3	Vertical	0	1.77	-	32.70	6.47	32.79
PK	5.2164G	116.87	Inf	-Inf	110.39	3	Vertical	0	1.77	-	32.73	6.51	32.76
AV	5.1828G	109.07	Inf	-Inf	102.65	3	Vertical	0	1.77	-	32.70	6.49	32.77
PK	5.3556G	62.98	74.00	-11.02	56.08	3	Vertical	0	1.77	-	33.02	6.58	32.70
AV	5.3764G	50.28	54.00	-3.72	43.27	3	Vertical	0	1.77	-	33.11	6.59	32.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_V_2TX
Setting 18
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.96	74.00	-7.04	60.57	3	Horizontal	0	1.90	-	32.71	6.47	32.79
AV	5.1476G	53.82	54.00	-0.18	47.44	3	Horizontal	0	1.90	-	32.70	6.47	32.79
PK	5.2356G	117.80	Inf	-Inf	111.26	3	Horizontal	0	1.90	-	32.77	6.52	32.75
AV	5.214G	104.88	Inf	-Inf	98.40	3	Horizontal	0	1.90	-	32.73	6.51	32.76
PK	5.3956G	63.31	74.00	-10.69	56.21	3	Horizontal	0	1.90	-	33.18	6.60	32.68
AV	5.4092G	50.74	54.00	-3.26	43.53	3	Horizontal	0	1.90	-	33.29	6.60	32.68

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Y_2TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41884G	59.32	68.20	-8.88	43.68	3	Vertical	109	2.06	-	38.42	8.95	31.73
PK	15.62612G	63.29	74.00	-10.71	45.44	3	Vertical	51	2.55	-	37.77	10.77	30.69
AV	15.62928G	49.52	54.00	-4.48	31.67	3	Vertical	51	2.55	-	37.77	10.77	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5210MHz_TnomVnom




EUT_Y_2TX
Setting 18
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41846G	59.22	68.20	-8.98	43.58	3	Horizontal	46	1.48	-	38.42	8.95	31.73
PK	15.6296G	62.91	74.00	-11.09	45.06	3	Horizontal	35	2.52	-	37.77	10.77	30.69
AV	15.632G	49.70	54.00	-4.30	31.85	3	Horizontal	35	2.52	-	37.77	10.77	30.69

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.652G	68.53	69.68	-1.15	60.40	3	Vertical	0	1.80	-	34.10	6.73	32.70	
PK	5.766G	125.16	Inf	-Inf	116.73	3	Vertical	0	1.80	-	34.40	6.78	32.75	
AV	5.737G	115.37	Inf	-Inf	107.03	3	Vertical	0	1.80	-	34.30	6.77	32.73	
PK	5.985G	65.14	68.20	-3.06	55.84	3	Vertical	0	1.80	-	35.24	6.89	32.83	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_V_2TX
Setting 24
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.645G	67.98	68.20	-0.22	59.89	3	Horizontal	351	1.79	-	34.07	6.72	32.70	
PK	5.755G	123.60	Inf	-Inf	115.16	3	Horizontal	351	1.79	-	34.40	6.78	32.74	
AV	5.741G	115.86	Inf	-Inf	107.50	3	Horizontal	351	1.79	-	34.33	6.77	32.74	
PK	5.933G	66.55	68.20	-1.65	57.46	3	Horizontal	351	1.79	-	35.03	6.87	32.81	

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom




EUT_Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54802G	60.84	74.00	-13.16	44.72	3	Vertical	283	1.58	-	38.50	9.34	31.72
AV	11.55496G	45.90	54.00	-8.10	29.77	3	Vertical	283	1.58	-	38.51	9.34	31.72
PK	17.325G	66.58	68.20	-1.62	43.55	3	Vertical	126	2.67	-	42.12	11.23	30.32

802.11ax HEW80-BF_Nss1,(MCS0)_2TX

5775MHz_TnomVnom



EUT Y_2TX
Setting 24
01-A-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55092G	59.78	74.00	-14.22	43.66	3	Horizontal	45	1.72	-	38.50	9.34	31.72
AV	11.55358G	46.06	54.00	-7.94	29.93	3	Horizontal	45	1.72	-	38.51	9.34	31.72
PK	17.32748G	66.91	68.20	-1.29	43.87	3	Horizontal	29	1.64	-	42.13	11.23	30.32



**RSE TX above 1GHz_R3 + Antenna set 1 for UNII 1 + Antenna
set 2 for UNII 3_Non beamforming mode**


Appendix E.6

Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1.(MCS0)_4TX	Pass	AV	5.138G	53.95	54.00	-0.05	3	Horizontal	168	2.70	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1496G	62.98	74.00	-11.02	56.70	3	Vertical	115	1.44	-	32.70	6.37	32.79	
AV	5.15G	48.13	54.00	-5.87	41.85	3	Vertical	115	1.44	-	32.70	6.37	32.79	
PK	5.173G	113.33	Inf	-Inf	107.02	3	Vertical	115	1.44	-	32.70	6.39	32.78	
AV	5.1726G	103.75	Inf	-Inf	97.44	3	Vertical	115	1.44	-	32.70	6.39	32.78	

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.69	74.00	-7.31	60.41	3	Horizontal	168	2.56	-	32.70	6.37	32.79
AV	5.15G	53.46	54.00	-0.54	47.18	3	Horizontal	168	2.56	-	32.70	6.37	32.79
PK	5.1736G	123.40	Inf	-Inf	117.09	3	Horizontal	168	2.56	-	32.70	6.39	32.78
AV	5.173G	113.40	Inf	-Inf	107.09	3	Horizontal	168	2.56	-	32.70	6.39	32.78

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 19.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35772G	56.36	68.20	-11.84	41.16	3	Vertical	52	1.05	-	38.40	8.59	31.79
PK	15.5398G	62.38	74.00	-11.62	44.70	3	Vertical	347	2.65	-	38.04	10.36	30.72
AV	15.53558G	49.61	54.00	-4.39	31.91	3	Vertical	347	2.65	-	38.06	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 19.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36032G	56.09	68.20	-12.11	40.89	3	Horizontal	172	1.47	-	38.40	8.59	31.79
PK	15.53726G	63.30	74.00	-10.70	45.61	3	Horizontal	158	1.09	-	38.05	10.36	30.72
AV	15.5386G	49.84	54.00	-4.16	32.15	3	Horizontal	158	1.09	-	38.05	10.36	30.72

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.04	74.00	-9.96	57.76	3	Vertical	112	1.57	-	32.70	6.37	32.79
AV	5.15G	49.81	54.00	-4.19	43.53	3	Vertical	112	1.57	-	32.70	6.37	32.79
PK	5.1928G	117.25	Inf	-Inf	110.92	3	Vertical	112	1.57	-	32.70	6.40	32.77
AV	5.1928G	107.65	Inf	-Inf	101.32	3	Vertical	112	1.57	-	32.70	6.40	32.77

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.15G	67.57	74.00	-6.43	61.29	3	Horizontal	168	2.96	-	32.70	6.37	32.79	
AV	5.15G	53.80	54.00	-0.20	47.52	3	Horizontal	168	2.96	-	32.70	6.37	32.79	
PK	5.1932G	126.93	Inf	-Inf	120.60	3	Horizontal	168	2.96	-	32.70	6.40	32.77	
AV	5.1932G	117.05	Inf	-Inf	110.72	3	Horizontal	168	2.96	-	32.70	6.40	32.77	

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40014G	55.92	68.20	-12.28	40.67	3	Vertical	330	2.32	-	38.40	8.60	31.75
PK	15.59806G	62.13	74.00	-11.87	44.64	3	Vertical	13	1.99	-	37.81	10.38	30.70
AV	15.59682G	49.36	54.00	-4.64	31.87	3	Vertical	13	1.99	-	37.81	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40112G	56.23	68.20	-11.97	40.98	3	Horizontal	155	2.30	-	38.40	8.60	31.75
PK	15.5992G	62.68	74.00	-11.32	45.20	3	Horizontal	302	1.54	-	37.80	10.38	30.70
AV	15.59586G	49.28	54.00	-4.72	31.78	3	Horizontal	302	1.54	-	37.82	10.38	30.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1098G	58.72	74.00	-15.28	52.39	3	Vertical	115	1.54	-	32.78	6.35	32.80
AV	5.1074G	46.43	54.00	-7.57	40.09	3	Vertical	115	1.54	-	32.79	6.35	32.80
PK	5.2328G	118.08	Inf	-Inf	111.66	3	Vertical	115	1.54	-	32.77	6.40	32.75
AV	5.2328G	108.46	Inf	-Inf	102.04	3	Vertical	115	1.54	-	32.77	6.40	32.75
PK	5.3792G	59.25	74.00	-14.75	52.42	3	Vertical	115	1.54	-	33.12	6.40	32.69
AV	5.3822G	47.30	54.00	-6.70	40.46	3	Vertical	115	1.54	-	33.13	6.40	32.69

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	61.12	74.00	-12.88	54.78	3	Horizontal	169	2.97	-	32.80	6.35	32.81
AV	5.0966G	47.80	54.00	-6.20	41.46	3	Horizontal	169	2.97	-	32.80	6.35	32.81
PK	5.2334G	127.69	Inf	-Inf	121.27	3	Horizontal	169	2.97	-	32.77	6.40	32.75
AV	5.2328G	118.42	Inf	-Inf	112.00	3	Horizontal	169	2.97	-	32.77	6.40	32.75
PK	5.3792G	62.46	74.00	-11.54	55.63	3	Horizontal	169	2.97	-	33.12	6.40	32.69
AV	5.3684G	48.93	54.00	-5.07	42.16	3	Horizontal	169	2.97	-	33.07	6.40	32.70

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47736G	56.71	68.20	-11.49	41.27	3	Vertical	211	2.04	-	38.48	8.62	31.66
PK	15.69948G	62.17	74.00	-11.83	44.73	3	Vertical	88	3.00	-	37.70	10.41	30.67
AV	15.6918G	48.61	54.00	-5.39	31.16	3	Vertical	88	3.00	-	37.71	10.41	30.67

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.477G	60.17	68.20	-8.03	44.73	3	Horizontal	197	1.98	-	38.48	8.62	31.66
PK	15.72108G	62.02	74.00	-11.98	44.43	3	Horizontal	114	1.80	-	37.83	10.42	30.66
AV	15.71496G	48.57	54.00	-5.43	31.04	3	Horizontal	114	1.80	-	37.79	10.41	30.67

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.548G	60.78	68.20	-7.42	53.00	3	Vertical	226	2.92	-	33.89	6.55	32.66
PK	5.742G	115.18	Inf	-Inf	106.98	3	Vertical	226	2.92	-	34.34	6.60	32.74
AV	5.74G	105.17	Inf	-Inf	96.99	3	Vertical	226	2.92	-	34.32	6.60	32.74
PK	5.941G	61.64	68.20	-6.56	52.80	3	Vertical	226	2.92	-	35.06	6.60	32.82

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.53G	60.95	68.20	-7.25	53.25	3	Horizontal	356	2.26	-	33.82	6.53	32.65
PK	5.737G	127.27	Inf	-Inf	119.10	3	Horizontal	356	2.26	-	34.30	6.60	32.73
AV	5.738G	117.84	Inf	-Inf	109.68	3	Horizontal	356	2.26	-	34.30	6.60	32.74
PK	5.966G	61.43	68.20	-6.77	52.50	3	Horizontal	356	2.26	-	35.16	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.488G	57.82	74.00	-16.18	42.30	3	Vertical	302	2.83	-	38.40	8.87	31.75
AV	11.48978G	44.23	54.00	-9.77	28.71	3	Vertical	302	2.83	-	38.40	8.87	31.75
PK	17.24492G	61.06	68.20	-7.14	38.56	3	Vertical	75	1.80	-	41.82	10.87	30.19

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49178G	57.14	74.00	-16.86	41.61	3	Horizontal	64	2.96	-	38.40	8.87	31.74
AV	11.49326G	44.21	54.00	-9.79	28.68	3	Horizontal	64	2.96	-	38.40	8.87	31.74
PK	17.24072G	64.93	68.20	-3.27	42.45	3	Horizontal	227	1.89	-	41.80	10.87	30.19

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.561G	60.71	68.20	-7.49	52.93	3	Vertical	244	2.20	-	33.88	6.56	32.66
PK	5.793G	112.94	Inf	-Inf	104.70	3	Vertical	244	2.20	-	34.40	6.60	32.76
AV	5.793G	103.76	Inf	-Inf	95.52	3	Vertical	244	2.20	-	34.40	6.60	32.76
PK	5.936G	62.35	68.20	-5.85	53.52	3	Vertical	244	2.20	-	35.04	6.60	32.81

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	61.31	68.20	-6.89	53.43	3	Horizontal	354	2.24	-	33.97	6.60	32.69
PK	5.777G	127.58	Inf	-Inf	119.33	3	Horizontal	354	2.24	-	34.40	6.60	32.75
AV	5.778G	118.15	Inf	-Inf	109.90	3	Horizontal	354	2.24	-	34.40	6.60	32.75
PK	6.018G	61.87	68.20	-6.33	52.82	3	Horizontal	354	2.24	-	35.26	6.63	32.84

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	57.15	74.00	-16.85	41.42	3	Vertical	289	2.34	-	38.55	8.89	31.71
AV	11.56784G	44.33	54.00	-9.67	28.61	3	Vertical	289	2.34	-	38.54	8.89	31.71
PK	17.35688G	62.12	68.20	-6.08	39.42	3	Vertical	85	1.80	-	42.16	10.91	30.37

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5749G	58.27	74.00	-15.73	42.54	3	Horizontal	18	1.50	-	38.55	8.89	31.71
AV	11.566G	44.43	54.00	-9.57	28.72	3	Horizontal	18	1.50	-	38.53	8.89	31.71
PK	17.35544G	64.80	68.20	-3.40	42.09	3	Horizontal	229	1.55	-	42.16	10.91	30.36

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	61.00	68.20	-7.20	53.24	3	Vertical	231	3.00	-	33.85	6.58	32.67
PK	5.822G	116.82	Inf	-Inf	108.41	3	Vertical	231	3.00	-	34.58	6.60	32.77
AV	5.822G	106.90	Inf	-Inf	98.49	3	Vertical	231	3.00	-	34.58	6.60	32.77
PK	6.074G	61.78	68.20	-6.42	52.66	3	Vertical	231	3.00	-	35.25	6.71	32.84

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	61.06	68.20	-7.14	53.13	3	Horizontal	356	1.80	-	34.03	6.60	32.70
PK	5.818G	126.23	Inf	-Inf	117.86	3	Horizontal	356	1.80	-	34.54	6.60	32.77
AV	5.818G	116.96	Inf	-Inf	108.59	3	Horizontal	356	1.80	-	34.54	6.60	32.77
PK	5.987G	62.78	68.20	-5.42	53.76	3	Horizontal	356	1.80	-	35.25	6.60	32.83

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65018G	58.10	74.00	-15.90	42.27	3	Vertical	173	2.90	-	38.60	8.91	31.68
AV	11.64994G	45.39	54.00	-8.61	29.56	3	Vertical	173	2.90	-	38.60	8.91	31.68
PK	17.45804G	63.53	68.20	-4.67	40.85	3	Vertical	104	1.80	-	42.26	10.94	30.52

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6483G	58.26	74.00	-15.74	42.43	3	Horizontal	149	1.73	-	38.60	8.91	31.68
AV	11.65002G	45.19	54.00	-8.81	29.36	3	Horizontal	149	1.73	-	38.60	8.91	31.68
PK	17.48332G	64.84	68.20	-3.36	42.18	3	Horizontal	230	1.77	-	42.28	10.94	30.56

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1474G	61.50	74.00	-12.50	55.21	3	Vertical	111	1.72	-	32.71	6.37	32.79
AV	5.1462G	46.68	54.00	-7.32	40.39	3	Vertical	111	1.72	-	32.71	6.37	32.79
PK	5.1854G	114.42	Inf	-Inf	108.10	3	Vertical	111	1.72	-	32.70	6.39	32.77
AV	5.1852G	101.69	Inf	-Inf	95.37	3	Vertical	111	1.72	-	32.70	6.39	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1488G	69.08	74.00	-4.92	62.80	3	Horizontal	164	2.28	-	32.70	6.37	32.79	
AV	5.1484G	53.48	54.00	-0.52	47.20	3	Horizontal	164	2.28	-	32.70	6.37	32.79	
PK	5.1866G	123.40	Inf	-Inf	117.08	3	Horizontal	164	2.28	-	32.70	6.39	32.77	
AV	5.1884G	111.35	Inf	-Inf	105.03	3	Horizontal	164	2.28	-	32.70	6.39	32.77	

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT_X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35764G	56.58	68.20	-11.62	41.38	3	Vertical	78	2.90	-	38.40	8.59	31.79
PK	15.54368G	62.14	74.00	-11.86	44.47	3	Vertical	134	2.89	-	38.03	10.36	30.72
AV	15.54426G	48.59	54.00	-5.41	30.93	3	Vertical	134	2.89	-	38.02	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT X_4TX
Setting 18.5
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36398G	56.57	68.20	-11.63	41.37	3	Horizontal	284	1.03	-	38.40	8.59	31.79
PK	15.54224G	62.04	74.00	-11.96	44.37	3	Horizontal	132	1.06	-	38.03	10.36	30.72
AV	15.5418G	48.62	54.00	-5.38	30.95	3	Horizontal	132	1.06	-	38.03	10.36	30.72

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	60.25	74.00	-13.75	53.96	3	Vertical	112	1.59	-	32.71	6.37	32.79
AV	5.146G	47.13	54.00	-6.87	40.84	3	Vertical	112	1.59	-	32.71	6.37	32.79
PK	5.206G	118.34	Inf	-Inf	111.99	3	Vertical	112	1.59	-	32.71	6.40	32.76
AV	5.2052G	105.84	Inf	-Inf	99.49	3	Vertical	112	1.59	-	32.71	6.40	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)	
PK	5.1468G	68.08	74.00	-5.92	61.79	3	Horizontal	167	2.56	-	32.71	6.37	32.79	
AV	5.1476G	53.15	54.00	-0.85	46.87	3	Horizontal	167	2.56	-	32.70	6.37	32.79	
PK	5.2084G	126.69	Inf	-Inf	120.33	3	Horizontal	167	2.56	-	32.72	6.40	32.76	
AV	5.2068G	115.19	Inf	-Inf	108.84	3	Horizontal	167	2.56	-	32.71	6.40	32.76	

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3957G	56.77	68.20	-11.43	41.52	3	Vertical	359	1.18	-	38.40	8.60	31.75
PK	15.6044G	62.30	74.00	-11.70	44.82	3	Vertical	327	1.84	-	37.80	10.38	30.70
AV	15.60514G	49.16	54.00	-4.84	31.69	3	Vertical	327	1.84	-	37.79	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40204G	57.00	68.20	-11.20	41.75	3	Horizontal	189	2.97	-	38.40	8.60	31.75
PK	15.60396G	63.75	74.00	-10.25	46.27	3	Horizontal	180	1.76	-	37.80	10.38	30.70
AV	15.60396G	49.09	54.00	-4.91	31.61	3	Horizontal	180	1.76	-	37.80	10.38	30.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.102G	59.31	74.00	-14.69	52.97	3	Vertical	114	1.48	-	32.80	6.35	32.81
AV	5.144G	45.92	54.00	-8.08	39.63	3	Vertical	114	1.48	-	32.71	6.37	32.79
PK	5.2454G	120.05	Inf	-Inf	113.61	3	Vertical	114	1.48	-	32.79	6.40	32.75
AV	5.2454G	107.61	Inf	-Inf	101.17	3	Vertical	114	1.48	-	32.79	6.40	32.75
PK	5.3822G	60.34	74.00	-13.66	53.50	3	Vertical	114	1.48	-	33.13	6.40	32.69
AV	5.3726G	46.73	54.00	-7.27	39.93	3	Vertical	114	1.48	-	33.09	6.40	32.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	61.83	74.00	-12.17	55.54	3	Horizontal	170	2.53	-	32.71	6.37	32.79
AV	5.1476G	48.71	54.00	-5.29	42.43	3	Horizontal	170	2.53	-	32.70	6.37	32.79
PK	5.246G	128.82	Inf	-Inf	122.38	3	Horizontal	170	2.53	-	32.79	6.40	32.75
AV	5.2472G	117.48	Inf	-Inf	111.04	3	Horizontal	170	2.53	-	32.79	6.40	32.75
PK	5.3888G	61.83	74.00	-12.17	54.96	3	Horizontal	170	2.53	-	33.16	6.40	32.69
AV	5.384G	48.55	54.00	-5.45	41.70	3	Horizontal	170	2.53	-	33.14	6.40	32.69

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48008G	56.98	68.20	-11.22	41.54	3	Vertical	82	1.48	-	38.48	8.62	31.66
PK	15.72024G	63.22	74.00	-10.78	45.64	3	Vertical	200	1.80	-	37.82	10.42	30.66
AV	15.71768G	49.06	54.00	-4.94	31.49	3	Vertical	200	1.80	-	37.81	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47992G	56.76	68.20	-11.44	41.32	3	Horizontal	153	2.54	-	38.48	8.62	31.66
PK	15.72912G	65.09	74.00	-8.91	47.46	3	Horizontal	166	1.80	-	37.87	10.42	30.66
AV	15.72904G	50.91	54.00	-3.09	33.28	3	Horizontal	166	1.80	-	37.87	10.42	30.66

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	60.42	68.20	-7.78	52.67	3	Vertical	234	2.92	-	33.84	6.58	32.67
PK	5.741G	116.86	Inf	-Inf	108.67	3	Vertical	234	2.92	-	34.33	6.60	32.74
AV	5.741G	105.14	Inf	-Inf	96.95	3	Vertical	234	2.92	-	34.33	6.60	32.74
PK	5.93G	62.44	68.20	-5.76	53.63	3	Vertical	234	2.92	-	35.02	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.57G	61.87	68.20	-6.33	54.11	3	Horizontal	356	1.80	-	33.86	6.57	32.67
PK	5.749G	128.25	Inf	-Inf	120.00	3	Horizontal	356	1.80	-	34.39	6.60	32.74
AV	5.749G	117.19	Inf	-Inf	108.94	3	Horizontal	356	1.80	-	34.39	6.60	32.74
PK	5.994G	61.91	68.20	-6.29	52.87	3	Horizontal	356	1.80	-	35.28	6.60	32.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49122G	58.41	74.00	-15.59	42.89	3	Vertical	336	2.99	-	38.40	8.87	31.75
AV	11.48978G	45.79	54.00	-8.21	30.27	3	Vertical	336	2.99	-	38.40	8.87	31.75
PK	17.24964G	67.92	68.20	-0.28	45.40	3	Vertical	33	1.80	-	41.85	10.87	30.20

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49006G	58.45	74.00	-15.55	42.93	3	Horizontal	334	1.42	-	38.40	8.87	31.75
AV	11.48982G	45.64	54.00	-8.36	30.12	3	Horizontal	334	1.42	-	38.40	8.87	31.75
PK	17.23652G	68.07	68.20	-0.13	45.60	3	Horizontal	217	1.80	-	41.78	10.87	30.18

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	60.36	68.20	-7.84	52.64	3	Vertical	238	3.00	-	33.81	6.59	32.68
PK	5.782G	115.81	Inf	-Inf	107.56	3	Vertical	238	3.00	-	34.40	6.60	32.75
AV	5.781G	105.14	Inf	-Inf	96.89	3	Vertical	238	3.00	-	34.40	6.60	32.75
PK	5.951G	62.24	68.20	-5.96	53.36	3	Vertical	238	3.00	-	35.10	6.60	32.82

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	61.27	68.20	-6.93	53.52	3	Horizontal	356	1.78	-	33.84	6.58	32.67
PK	5.789G	130.09	Inf	-Inf	121.85	3	Horizontal	356	1.78	-	34.40	6.60	32.76
AV	5.788G	116.68	Inf	-Inf	108.44	3	Horizontal	356	1.78	-	34.40	6.60	32.76
PK	5.984G	62.82	68.20	-5.38	53.81	3	Horizontal	356	1.78	-	35.24	6.60	32.83

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5725G	57.74	74.00	-16.26	42.01	3	Vertical	287	2.57	-	38.55	8.89	31.71
AV	11.57446G	44.25	54.00	-9.75	28.52	3	Vertical	287	2.57	-	38.55	8.89	31.71
PK	17.35204G	61.83	68.20	-6.37	39.13	3	Vertical	228	1.80	-	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_X_4TX
Setting 25
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57452G	57.58	74.00	-16.42	41.85	3	Horizontal	13	1.85	-	38.55	8.89	31.71
AV	11.56598G	44.42	54.00	-9.58	28.71	3	Horizontal	13	1.85	-	38.53	8.89	31.71
PK	17.35468G	64.44	68.20	-3.76	41.74	3	Horizontal	230	1.59	-	42.15	10.91	30.36

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	59.93	68.20	-8.27	52.20	3	Vertical	241	3.00	-	33.82	6.59	32.68
PK	5.822G	117.36	Inf	-Inf	108.95	3	Vertical	241	3.00	-	34.58	6.60	32.77
AV	5.821G	106.18	Inf	-Inf	97.78	3	Vertical	241	3.00	-	34.57	6.60	32.77
PK	6.062G	63.25	68.20	-4.95	54.18	3	Vertical	241	3.00	-	35.22	6.69	32.84

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-A-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.43	68.20	-7.77	52.46	3	Horizontal	356	1.80	-	34.07	6.60	32.70
PK	5.83G	129.19	Inf	-Inf	120.72	3	Horizontal	356	1.80	-	34.64	6.60	32.77
AV	5.83G	116.87	Inf	-Inf	108.40	3	Horizontal	356	1.80	-	34.64	6.60	32.77
PK	5.936G	62.66	68.20	-5.54	53.83	3	Horizontal	356	1.80	-	35.04	6.60	32.81

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65094G	57.23	74.00	-16.77	41.40	3	Vertical	330	1.68	-	38.60	8.91	31.68
AV	11.64994G	43.61	54.00	-10.39	27.78	3	Vertical	330	1.68	-	38.60	8.91	31.68
PK	17.4698G	67.27	68.20	-0.93	44.60	3	Vertical	243	1.80	-	42.27	10.94	30.54

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT X_4TX
Setting 22
01-C-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64816G	57.50	74.00	-16.50	41.67	3	Horizontal	202	2.82	-	38.60	8.91	31.68
AV	11.65404G	43.60	54.00	-10.40	27.77	3	Horizontal	202	2.82	-	38.60	8.91	31.68
PK	17.47884G	67.83	68.20	-0.37	45.17	3	Horizontal	218	1.77	-	42.28	10.94	30.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_X_4TX
Setting 17.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	59.37	74.00	-14.63	53.06	3	Vertical	112	1.57	-	32.73	6.37	32.79
AV	5.1356G	46.41	54.00	-7.59	40.10	3	Vertical	112	1.57	-	32.73	6.37	32.79
PK	5.196G	111.68	Inf	-Inf	105.35	3	Vertical	112	1.57	-	32.70	6.40	32.77
AV	5.1956G	98.91	Inf	-Inf	92.58	3	Vertical	112	1.57	-	32.70	6.40	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom



EUT_X_4TX
Setting 17.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	69.21	74.00	-4.79	62.93	3	Horizontal	4	2.30	-	32.70	6.37	32.79
AV	5.15G	53.53	54.00	-0.47	47.25	3	Horizontal	4	2.30	-	32.70	6.37	32.79
PK	5.1884G	120.23	Inf	-Inf	113.91	3	Horizontal	4	2.30	-	32.70	6.39	32.77
AV	5.1888G	107.16	Inf	-Inf	100.84	3	Horizontal	4	2.30	-	32.70	6.39	32.77