


6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX


6535MHz_TX

EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	19.60932G	44.62	83.54	-38.92	41.13	1	Horizontal	352	1.47	-	37.86	15.22	49.59			
AV	19.59G	32.97	63.54	-30.57	29.50	1	Horizontal	352	1.47	-	37.86	15.22	49.61			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.39425G	56.29	74.00	-17.71	69.32	3	Vertical	13	1.94	-	39.79	11.65	64.47			
AV	13.39285G	44.37	54.00	-9.63	57.40	3	Vertical	13	1.94	-	39.79	11.65	64.47			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6695MHz_TX




EUT Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.39705G	56.54	74.00	-17.46	69.56	3	Horizontal	113	1.59	-	39.79	11.65	64.46			
AV	13.3904G	44.34	54.00	-9.66	57.38	3	Horizontal	113	1.59	-	39.78	11.65	64.47			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX


6695MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.08194G	45.70	83.54	-37.84	41.85	1	Vertical	198	1.90	-	37.83	15.27	49.25			
AV	20.09496G	33.81	63.54	-29.73	29.90	1	Vertical	198	1.90	-	37.88	15.28	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX


6695MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.09256G	45.66	83.54	-37.88	41.77	1	Horizontal	310	1.60	-	37.87	15.27	49.25			
AV	20.08452G	33.81	63.54	-29.73	29.95	1	Horizontal	310	1.60	-	37.84	15.27	49.25			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7001G	55.79	88.20	-32.41	68.26	3	Vertical	202	1.50	-	40.10	11.77	64.34			
RMS	13.6951G	43.99	68.20	-24.21	56.47	3	Vertical	202	1.50	-	40.10	11.76	64.34			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

6855MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7061G	56.50	88.20	-31.70	68.96	3	Horizontal	1	1.86	-	40.11	11.77	64.34			
RMS	13.7039G	44.05	68.20	-24.15	56.51	3	Horizontal	1	1.86	-	40.11	11.77	64.34			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX


6855MHz_TX

EUT V_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.5551G	49.21	83.54	-34.33	44.77	1	Vertical	133	1.57	-	37.91	15.64	49.11			
AV	20.56812G	37.05	63.54	-26.49	32.56	1	Vertical	133	1.57	-	37.94	15.65	49.10			

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX


6855MHz_TX

EUT V_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.56296G	48.89	83.54	-34.65	44.42	1	Horizontal	191	1.68	-	37.93	15.65	49.11			
AV	20.56194G	37.08	63.54	-26.46	32.62	1	Horizontal	191	1.68	-	37.92	15.65	49.11			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.921G	77.48	88.20	-10.72	69.88	3	Vertical	360	1.80	-	32.40	7.64	32.44			
RMS	5.924G	57.48	68.20	-10.72	49.88	3	Vertical	360	1.80	-	32.40	7.64	32.44			
PK	5.9738G	120.28	Inf	-Inf	112.60	3	Vertical	360	1.80	-	32.45	7.67	32.44			
RMS	5.9784G	109.43	Inf	-Inf	101.74	3	Vertical	360	1.80	-	32.46	7.67	32.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 19
01-I-C-6-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9236G	69.44	88.20	-18.76	61.84	3	Horizontal	338	1.80	-	32.40	7.64	32.44			
RMS	5.9246G	53.78	68.20	-14.42	46.18	3	Horizontal	338	1.80	-	32.40	7.64	32.44			
PK	5.9604G	109.89	Inf	-Inf	102.25	3	Horizontal	338	1.80	-	32.42	7.66	32.44			
RMS	5.9518G	98.15	Inf	-Inf	90.53	3	Horizontal	338	1.80	-	32.40	7.66	32.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

5965MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9265G	55.36	74.00	-18.64	71.12	3	Vertical	122	1.79	-	38.95	11.08	65.79			
AV	11.93225G	43.44	54.00	-10.56	59.18	3	Vertical	122	1.79	-	38.96	11.08	65.78			
PK	17.9131G	60.11	74.00	-13.89	61.95	3	Vertical	8	1.67	-	47.19	13.42	62.45			
AV	17.91615G	49.92	54.00	-4.08	51.68	3	Vertical	8	1.67	-	47.26	13.42	62.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9482G	53.04	74.00	-20.96	68.72	3	Horizontal	184	1.48	-	39.00	11.09	65.77			
AV	11.9316G	41.43	54.00	-12.57	57.18	3	Horizontal	184	1.48	-	38.96	11.08	65.79			
PK	17.8858G	60.16	74.00	-13.84	62.69	3	Horizontal	70	1.96	-	46.56	13.41	62.50			
AV	17.91765G	49.02	54.00	-4.98	50.75	3	Horizontal	70	1.96	-	47.29	13.42	62.44			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


5965MHz_TX

EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.86096G	55.92	83.54	-27.62	46.92	1	Vertical	145	1.68	-	38.80	17.36	47.16			
AV	23.8576G	44.52	63.54	-19.02	35.52	1	Vertical	145	1.68	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


5965MHz_TX

EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.84674G	56.16	83.54	-27.38	47.16	1	Horizontal	64	1.74	-	38.82	17.35	47.17			
AV	23.8615G	44.46	63.54	-19.08	35.46	1	Horizontal	64	1.74	-	38.80	17.36	47.16			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.42465G	55.96	74.00	-18.04	71.39	3	Vertical	82	1.54	-	38.65	11.28	65.36			
AV	12.39395G	44.46	54.00	-9.54	59.77	3	Vertical	82	1.54	-	38.81	11.27	65.39			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6205MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.39775G	53.01	74.00	-20.99	68.32	3	Horizontal	166	1.98	-	38.80	11.27	65.38			
AV	12.38565G	43.53	54.00	-10.47	58.82	3	Horizontal	166	1.98	-	38.83	11.27	65.39			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6205MHz_TX

EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60654G	48.08	83.54	-35.46	44.71	1	Vertical	100	1.96	-	37.71	15.27	49.61			
AV	18.60156G	35.91	63.54	-27.63	32.55	1	Vertical	100	1.96	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6205MHz_TX

EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.60168G	47.89	83.54	-35.65	44.53	1	Horizontal	244	1.60	-	37.70	15.27	49.61			
AV	18.60102G	35.73	63.54	-27.81	32.37	1	Horizontal	244	1.60	-	37.70	15.27	49.61			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6405MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.8078G	54.53	88.20	-33.67	69.13	3	Vertical	153	1.43	-	39.22	11.43	65.25			
RMS	12.83G	43.62	68.20	-24.58	58.17	3	Vertical	153	1.43	-	39.26	11.44	65.25			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.79775G	54.63	88.20	-33.57	69.27	3	Horizontal	83	1.70	-	39.19	11.42	65.25			
RMS	12.82995G	43.53	68.20	-24.67	58.08	3	Horizontal	83	1.70	-	39.26	11.44	65.25			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6405MHz_TX

EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.21356G	47.10	83.54	-36.44	43.38	1	Vertical	160	1.58	-	37.97	15.24	49.49			
AV	19.2015G	35.05	63.54	-28.49	31.29	1	Vertical	160	1.58	-	38.00	15.24	49.48			

5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6405MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.2171G	47.06	83.54	-36.48	43.34	1	Horizontal	287	1.57	-	37.97	15.24	49.49			
AV	19.20306G	34.93	63.54	-28.61	31.18	1	Horizontal	287	1.57	-	37.99	15.24	49.48			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6565MHz_TX

EUT_Y_4TX
Setting 22
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.14605G	59.74	88.20	-28.46	73.75	3	Vertical	12	1.53	-	39.38	11.56	64.95			
RMS	13.10735G	46.80	68.20	-21.40	61.05	3	Vertical	12	1.53	-	39.23	11.54	65.02			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT Y_4TX
Setting 22
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1113G	59.04	88.20	-29.16	73.26	3	Horizontal	108	1.99	-	39.25	11.54	65.01			
RMS	13.1211G	46.86	68.20	-21.34	61.03	3	Horizontal	108	1.99	-	39.28	11.55	65.00			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6565MHz_TX




EUT_V_4TX
Setting 22
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.68156G	47.30	83.54	-36.24	43.70	1	Vertical	301	1.88	-	37.91	15.22	49.53			
AV	19.68894G	35.50	63.54	-28.04	31.94	1	Vertical	301	1.88	-	37.87	15.22	49.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6565MHz_TX

EUT V_4TX
Setting 22
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.6941G	44.05	83.54	-39.49	40.51	1	Horizontal	11	1.64	-	37.84	15.22	49.52			
AV	19.68006G	32.48	63.54	-31.06	28.87	1	Horizontal	11	1.64	-	37.92	15.22	49.53			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6685MHz_TX




EUT Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38765G	56.40	74.00	-17.60	69.45	3	Vertical	25	1.80	-	39.78	11.65	64.48			
AV	13.39275G	44.39	54.00	-9.61	57.42	3	Vertical	25	1.80	-	39.79	11.65	64.47			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6685MHz_TX

EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.38875G	56.30	74.00	-17.70	69.35	3	Horizontal	197	1.93	-	39.78	11.65	64.48			
AV	13.3937G	44.52	54.00	-9.48	57.55	3	Horizontal	197	1.93	-	39.79	11.65	64.47			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6685MHz_TX

EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0448G	45.21	83.54	-38.33	41.52	1	Vertical	130	1.90	-	37.71	15.24	49.26			
AV	20.05986G	33.58	63.54	-29.96	29.84	1	Vertical	130	1.90	-	37.74	15.25	49.25			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6685MHz_TX

EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.05968G	45.31	83.54	-38.23	41.57	1	Horizontal	107	1.77	-	37.74	15.25	49.25			
AV	20.0589G	33.59	63.54	-29.95	29.85	1	Horizontal	107	1.77	-	37.74	15.25	49.25			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.71355G	55.79	88.20	-32.41	68.24	3	Vertical	101	1.92	-	40.13	11.77	64.35			
RMS	13.6877G	44.05	68.20	-24.15	56.53	3	Vertical	101	1.92	-	40.10	11.76	64.34			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6845MHz_TX

EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7138G	56.37	88.20	-31.83	68.82	3	Horizontal	171	1.81	-	40.13	11.77	64.35			
RMS	13.69065G	44.07	68.20	-24.13	56.55	3	Horizontal	171	1.81	-	40.10	11.76	64.34			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

6845MHz_TX




EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.53764G	48.64	83.54	-34.90	44.30	1	Vertical	150	1.64	-	37.83	15.63	49.12			
AV	20.5485G	36.79	63.54	-26.75	32.37	1	Vertical	150	1.64	-	37.89	15.64	49.11			

6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX


6845MHz_TX

EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.54562G	48.66	83.54	-34.88	44.27	1	Horizontal	308	1.43	-	37.87	15.64	49.12			
AV	20.54754G	36.60	63.54	-26.94	32.19	1	Horizontal	308	1.43	-	37.89	15.64	49.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9095G	72.26	88.20	-15.94	64.67	3	Vertical	0	1.80	-	32.40	7.63	32.44			
RMS	5.925G	57.39	68.20	-10.81	49.79	3	Vertical	0	1.80	-	32.40	7.64	32.44			
PK	6.0135G	116.69	Inf	-Inf	108.92	3	Vertical	0	1.80	-	32.53	7.68	32.44			
RMS	6.009G	109.00	Inf	-Inf	101.24	3	Vertical	0	1.80	-	32.52	7.68	32.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	78.48	88.20	-9.72	70.88	3	Horizontal	360	1.80	-	32.40	7.64	32.44			
RMS	5.908G	57.74	68.20	-10.46	50.15	3	Horizontal	360	1.80	-	32.40	7.63	32.44			
PK	5.977G	112.87	Inf	-Inf	105.19	3	Horizontal	360	1.80	-	32.45	7.67	32.44			
RMS	6.0035G	102.85	Inf	-Inf	95.10	3	Horizontal	360	1.80	-	32.51	7.68	32.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9841G	53.53	74.00	-20.47	69.10	3	Vertical	169	1.39	-	39.07	11.11	65.75			
AV	11.98025G	42.08	54.00	-11.92	57.66	3	Vertical	169	1.39	-	39.06	11.11	65.75			
PK	17.97275G	61.36	74.00	-12.64	61.52	3	Vertical	264	1.87	-	48.73	13.44	62.33			
AV	17.97905G	50.28	54.00	-3.72	50.23	3	Vertical	264	1.87	-	48.93	13.44	62.32			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

5985MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.98885G	53.37	74.00	-20.63	68.93	3	Horizontal	120	1.88	-	39.08	11.11	65.75			
AV	11.9856G	42.22	54.00	-11.78	57.79	3	Horizontal	120	1.88	-	39.07	11.11	65.75			
PK	17.968G	61.21	74.00	-12.79	61.53	3	Horizontal	187	1.46	-	48.58	13.44	62.34			
AV	17.9786G	50.13	54.00	-3.87	50.09	3	Horizontal	187	1.46	-	48.92	13.44	62.32			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


5985MHz_TX

EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.93112G	56.78	83.54	-26.76	47.66	1	Vertical	92	1.55	-	38.86	17.38	47.12			
AV	23.94288G	44.87	63.54	-18.67	35.72	1	Vertical	92	1.55	-	38.89	17.38	47.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


5985MHz_TX

EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.934G	53.35	83.54	-30.19	44.22	1	Horizontal	319	1.62	-	38.87	17.38	47.12			
AV	23.93736G	41.83	63.54	-21.71	32.70	1	Horizontal	319	1.62	-	38.87	17.38	47.12			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4541G	54.41	74.00	-19.59	69.95	3	Vertical	113	1.73	-	38.50	11.29	65.33			
AV	12.43595G	42.65	54.00	-11.35	58.13	3	Vertical	113	1.73	-	38.58	11.29	65.35			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_Y_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.4614G	54.59	74.00	-19.41	70.11	3	Horizontal	164	1.67	-	38.50	11.30	65.32			
AV	12.43505G	42.62	54.00	-11.38	58.09	3	Horizontal	164	1.67	-	38.59	11.29	65.35			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.66126G	47.26	83.54	-36.28	43.81	1	Vertical	160	1.37	-	37.75	15.27	49.57			
AV	18.67776G	36.17	63.54	-27.37	32.77	1	Vertical	160	1.37	-	37.69	15.27	49.56			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6225MHz_TX




EUT_V_4TX
Setting 19
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.67476G	48.68	83.54	-34.86	45.27	1	Horizontal	43	1.75	-	37.70	15.27	49.56			
AV	18.68232G	36.13	63.54	-27.41	32.75	1	Horizontal	43	1.75	-	37.67	15.27	49.56			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.75755G	55.09	88.20	-33.11	69.99	3	Vertical	74	1.58	-	38.95	11.41	65.26			
RMS	12.77185G	43.06	68.20	-25.14	57.88	3	Vertical	74	1.58	-	39.03	11.41	65.26			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.792G	54.88	88.20	-33.32	69.56	3	Horizontal	117	1.82	-	39.15	11.42	65.25			
RMS	12.7695G	43.27	68.20	-24.93	58.10	3	Horizontal	117	1.82	-	39.02	11.41	65.26			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6385MHz_TX




EUT V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.16616G	47.27	83.54	-36.27	43.68	1	Vertical	127	1.61	-	37.80	15.24	49.45			
AV	19.14018G	35.56	63.54	-27.98	32.02	1	Vertical	127	1.61	-	37.74	15.24	49.44			

5.925-6.425GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6385MHz_TX

EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.1403G	47.42	83.54	-36.12	43.88	1	Horizontal	117	1.62	-	37.74	15.24	49.44			
AV	19.1403G	35.56	63.54	-27.98	32.02	1	Horizontal	117	1.62	-	37.74	15.24	49.44			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	13.27065G	55.23	74.00	-18.77	69.05	3	Vertical	354	1.72	-	39.28	11.60	64.70			
AV	13.2667G	43.03	54.00	-10.97	56.87	3	Vertical	354	1.72	-	39.27	11.60	64.71			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.265G	54.34	74.00	-19.66	68.20	3	Horizontal	295	1.81	-	39.26	11.60	64.72			
AV	13.26555G	43.13	54.00	-10.87	56.98	3	Horizontal	295	1.81	-	39.26	11.60	64.71			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6625MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87434G	46.71	83.54	-36.83	43.12	1	Vertical	42	1.99	-	37.75	15.21	49.37			
AV	19.88196G	35.19	63.54	-28.35	31.56	1	Vertical	42	1.99	-	37.79	15.21	49.37			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6625MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.87428G	45.51	83.54	-38.03	41.92	1	Horizontal	102	1.95	-	37.75	15.21	49.37			
AV	19.86888G	34.19	63.54	-29.35	30.65	1	Horizontal	102	1.95	-	37.71	15.21	49.38			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.40915G	57.13	88.20	-31.07	70.07	3	Vertical	318	1.80	-	39.84	11.66	64.44			
RMS	13.4143G	45.07	68.20	-23.13	57.98	3	Vertical	318	1.80	-	39.86	11.66	64.43			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.41775G	55.93	88.20	-32.27	68.82	3	Horizontal	221	1.56	-	39.87	11.66	64.42			
RMS	13.40295G	45.10	68.20	-23.10	58.09	3	Horizontal	221	1.56	-	39.81	11.65	64.45			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6705MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.10378G	46.82	83.54	-36.72	42.90	1	Vertical	255	1.44	-	37.88	15.28	49.24			
AV	20.12592G	35.33	63.54	-28.21	31.53	1	Vertical	255	1.44	-	37.74	15.30	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6705MHz_TX




EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.1159G	46.34	83.54	-37.20	42.49	1	Horizontal	205	1.95	-	37.80	15.29	49.24			
AV	20.12766G	34.32	63.54	-29.22	30.53	1	Horizontal	205	1.95	-	37.73	15.30	49.24			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5903G	57.53	88.20	-30.67	69.97	3	Vertical	16	1.53	-	40.14	11.72	64.30			
RMS	13.5726G	44.32	68.20	-23.88	56.68	3	Vertical	16	1.53	-	40.21	11.72	64.29			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.5514G	56.48	88.20	-31.72	68.76	3	Horizontal	204	1.76	-	40.29	11.71	64.28			
RMS	13.57415G	44.43	68.20	-23.77	56.80	3	Horizontal	204	1.76	-	40.20	11.72	64.29			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6785MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.361G	50.26	83.54	-33.28	45.87	1	Vertical	93	1.48	-	38.08	15.49	49.18			
AV	20.35104G	38.40	63.54	-25.14	34.00	1	Vertical	93	1.48	-	38.10	15.48	49.18			

6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX


6785MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.35596G	48.89	83.54	-34.65	44.50	1	Horizontal	112	1.39	-	38.09	15.48	49.18			
AV	20.34774G	37.31	63.54	-26.23	32.91	1	Horizontal	112	1.39	-	38.10	15.48	49.18			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9086G	74.13	88.20	-14.07	66.54	3	Vertical	0	1.80	-	32.40	7.63	32.44			
RMS	5.9074G	58.27	68.20	-9.93	50.68	3	Vertical	0	1.80	-	32.40	7.63	32.44			
PK	5.9818G	112.54	Inf	-Inf	104.85	3	Vertical	0	1.80	-	32.46	7.67	32.44			
RMS	6.0934G	102.86	Inf	-Inf	95.08	3	Vertical	0	1.80	-	32.51	7.70	32.43			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9188G	76.20	88.20	-12.00	68.60	3	Horizontal	358	1.80	-	32.40	7.64	32.44			
RMS	5.911G	56.66	68.20	-11.54	49.06	3	Horizontal	358	1.80	-	32.40	7.64	32.44			
PK	6.0436G	109.19	Inf	-Inf	101.34	3	Horizontal	358	1.80	-	32.59	7.69	32.43			
RMS	6.0028G	95.09	Inf	-Inf	87.34	3	Horizontal	358	1.80	-	32.51	7.68	32.44			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX


EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.07015G	53.71	74.00	-20.29	68.94	3	Vertical	83	1.87	-	39.30	11.15	65.68			
AV	12.07295G	42.71	54.00	-11.29	57.93	3	Vertical	83	1.87	-	39.30	11.15	65.67			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.0582G	54.77	74.00	-19.23	70.02	3	Horizontal	233	1.95	-	39.30	11.14	65.69			
AV	12.0746G	42.69	54.00	-11.31	57.91	3	Horizontal	233	1.95	-	39.30	11.15	65.67			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6025MHz_TX




EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0732G	49.23	83.54	-34.31	45.92	1	Vertical	122	1.93	-	37.49	15.30	49.48			
AV	18.08232G	37.78	63.54	-25.76	34.43	1	Vertical	122	1.93	-	37.53	15.30	49.48			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6025MHz_TX

EUT Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.0675G	48.02	83.54	-35.52	44.72	1	Horizontal	355	1.86	-	37.47	15.30	49.47			
AV	18.08778G	36.69	63.54	-26.85	33.32	1	Horizontal	355	1.86	-	37.55	15.30	49.48			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6185MHz_TX


EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3644G	54.56	74.00	-19.44	69.84	3	Vertical	357	1.81	-	38.87	11.26	65.41			
AV	12.38385G	43.15	54.00	-10.85	58.44	3	Vertical	357	1.81	-	38.83	11.27	65.39			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.3915G	54.10	74.00	-19.90	69.40	3	Horizontal	100	1.74	-	38.82	11.27	65.39			
AV	12.3818G	42.93	54.00	-11.07	58.22	3	Horizontal	100	1.74	-	38.84	11.27	65.40			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6185MHz_TX




EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54336G	48.65	83.54	-34.89	45.30	1	Vertical	232	1.36	-	37.73	15.27	49.65			
AV	18.54558G	37.23	63.54	-26.31	33.89	1	Vertical	232	1.36	-	37.72	15.27	49.65			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6185MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.54114G	47.61	83.54	-35.93	44.25	1	Horizontal	263	1.74	-	37.74	15.27	49.65			
AV	18.56916G	36.26	63.54	-27.28	32.92	1	Horizontal	263	1.74	-	37.70	15.27	49.63			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.69945G	54.54	74.00	-19.46	69.62	3	Vertical	168	1.57	-	38.80	11.39	65.27			
AV	12.68155G	42.81	54.00	-11.19	57.90	3	Vertical	168	1.57	-	38.80	11.38	65.27			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_Y_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.6943G	54.58	74.00	-19.42	69.67	3	Horizontal	306	1.94	-	38.80	11.38	65.27			
AV	12.6869G	42.99	54.00	-11.01	58.08	3	Horizontal	306	1.94	-	38.80	11.38	65.27			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6345MHz_TX




EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03782G	48.47	83.54	-35.07	44.69	1	Vertical	63	1.94	-	37.90	15.25	49.37			
AV	19.02972G	37.04	63.54	-26.50	33.25	1	Vertical	63	1.94	-	37.90	15.25	49.36			

5.925-6.425GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6345MHz_TX

EUT_V_4TX
Setting 20
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.03926G	47.81	83.54	-35.73	44.03	1	Horizontal	33	1.77	-	37.90	15.25	49.37			
AV	19.0389G	36.01	63.54	-27.53	32.23	1	Horizontal	33	1.77	-	37.90	15.25	49.37			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6665MHz_TX


EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.3406G	55.46	74.00	-18.54	68.76	3	Vertical	60	1.97	-	39.64	11.63	64.57			
AV	13.3384G	43.88	54.00	-10.12	57.19	3	Vertical	60	1.97	-	39.63	11.63	64.57			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.33375G	55.37	74.00	-18.63	68.72	3	Horizontal	79	1.82	-	39.60	11.63	64.58			
AV	13.32025G	44.05	54.00	-9.95	57.52	3	Horizontal	79	1.82	-	39.52	11.62	64.61			

6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX


6665MHz_TX

EUT Y_4TX
Setting 21
01-I-J-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.98252G	47.33	83.54	-36.21	43.61	1	Vertical	6	1.85	-	37.80	15.20	49.28			
AV	19.9872G	35.06	63.54	-28.48	31.34	1	Vertical	6	1.85	-	37.80	15.20	49.28			


6.525-6.875GHz_802.11ax HEW160-BF_Nss1,(MCS4)_4TX

6665MHz_TX

EUT_V_4TX
Setting 21
01-I-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.00778G	45.70	83.54	-37.84	41.98	1	Horizontal	259	1.45	-	37.78	15.21	49.27			
AV	20.00016G	33.87	63.54	-29.67	30.14	1	Horizontal	259	1.45	-	37.80	15.20	49.27			

Test Mode: Mode 1




5.925-6.425GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

24/06/2024



5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

24/06/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962851G	-3.50	6.02715G	-51.27	-43.50	-7.77	1
5.9661G	-4.11	6.05465G	-50.71	-44.11	-6.60	2
5.96365G	-4.39	5.88355G	-50.91	-44.39	-6.52	3
5.96335G	-3.97	6.0243G	-50.91	-43.97	-6.94	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

24/06/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207449G	-3.39	6.2769G	-50.82	-43.39	-7.43	1
6.20635G	-3.73	6.29515G	-50.50	-43.73	-6.77	2
6.201851G	-3.87	6.27735G	-50.72	-43.87	-6.85	3
6.201401G	-4.09	6.28705G	-50.87	-44.09	-6.78	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

24/06/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.409799G	-3.24	6.4969G	-50.34	-43.24	-7.10	1
6.407149G	-4.55	6.49425G	-50.05	-44.55	-5.50	2
6.401351G	-4.78	6.5043G	-50.27	-44.78	-5.49	3
6.400301G	-4.22	6.50435G	-50.17	-44.22	-5.95	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/06/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.570949G	-3.36	6.50455G	-49.92	-43.36	-6.56	1
6.570849G	-3.76	6.5058G	-50.17	-43.76	-6.41	2
6.559201G	-4.68	6.49445G	-50.11	-44.68	-5.43	3
6.574148G	-4.14	6.50525G	-50.04	-44.14	-5.90	4

6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

24/06/2024



5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

24/06/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9825G	-1.16	6.1572G	-46.20	-41.16	-5.04	1
5.983G	-2.13	6.1744G	-45.88	-42.13	-3.75	2
5.9835G	-2.07	6.1273G	-45.86	-42.07	-3.79	3
5.9813G	-1.46	6.1834G	-46.03	-41.46	-4.57	4

5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

24/06/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2265G	-1.68	6.3955G	-45.56	-41.68	-3.88	1
6.2271G	-1.73	6.409G	-45.36	-41.73	-3.63	2
6.2225G	-1.81	6.3982G	-45.31	-41.81	-3.50	3
6.2215G	-2.15	6.4231G	-45.44	-42.15	-3.29	4

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

24/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3684G	-0.80	6.5071G	-44.91	-40.80	-4.11	1
6.3889G	-2.00	6.5071G	-45.05	-42.00	-3.05	2
6.3823G	-1.72	6.5073G	-45.25	-41.72	-3.53	3
6.3812G	-1.68	6.5064G	-44.97	-41.57	-3.40	4

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6321G	-1.02	6.807G	-53.14	-41.02	-12.12	1
6.6321G	-1.92	6.8003G	-53.40	-41.92	-11.48	2
6.6163G	-4.07	6.7664G	-53.19	-44.07	-9.12	3
6.6333G	-2.10	6.8125G	-52.92	-42.10	-10.82	4

6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

5955MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6195MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6415MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6535MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6695MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6855MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

5965MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6205MHz_TX

25/06/2024



5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6405MHz_TX

25/06/2024

CF (Hz)
6.405G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407349G	-9.70	6.46935G	-57.00	-49.70	-7.30	1
6.399801G	-11.03	6.48695G	-57.12	-51.03	-6.09	2
6.408599G	-9.13	6.4964G	-57.32	-49.13	-8.19	3
6.407G	-9.53	6.4653G	-57.51	-49.53	-7.98	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6565MHz_TX

25/06/2024

CF (Hz)
6.565G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.555652G	-10.08	6.48825G	-56.82	-50.08	-6.74	1
6.569549G	-8.71	6.48005G	-56.84	-48.71	-8.13	2
6.570349G	-11.04	6.50135G	-57.25	-51.04	-6.21	3
6.568349G	-10.96	6.49755G	-56.75	-50.96	-5.79	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6685MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6845MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

5985MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6225MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6385MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6625MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6705MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax HEW80-BF_Nss1,(MCS4)_4TX

MASK

6785MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6025MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6185MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6345MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX


MASK

6665MHz_TX

25/06/2024



Test Mode: Mode 2




5.925-6.425GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TX

24/06/2024



5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TX

24/06/2024

CF (Hz)
5.965G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.962851G	-3.50	6.02715G	-51.27	-43.50	-7.77	1
5.9661G	-4.11	6.05465G	-50.71	-44.11	-6.60	2
5.96365G	-4.39	5.88355G	-50.91	-44.39	-6.52	3
5.96335G	-3.97	6.0243G	-50.91	-43.97	-6.94	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6205MHz_TX

24/06/2024

CF (Hz)
6.205G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.207449G	-3.39	6.2769G	-50.82	-43.39	-7.43	1
6.20635G	-3.73	6.29515G	-50.50	-43.73	-6.77	2
6.201851G	-3.87	6.27735G	-50.72	-43.87	-6.85	3
6.201401G	-4.09	6.28705G	-50.87	-44.09	-6.78	4

5.925-6.425GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6225MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TX

24/06/2024



5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

5955MHz_TX

24/06/2024

CF (Hz)
5.955G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.963748G	-4.91	5.966425G	-38.02	-24.94	-13.08	1
5.963348G	-5.67	6.0048G	-59.42	-45.67	-13.75	2
5.963673G	-6.07	5.943175G	-38.97	-26.09	-12.88	3
5.962548G	-5.66	5.94375G	-38.11	-25.70	-12.41	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6195MHz_TX

24/06/2024

CF (Hz)
6.195G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.203673G	-5.10	6.18345G	-36.95	-25.23	-11.72	1
6.186577G	-5.13	6.158325G	-58.85	-45.13	-13.72	2
6.187702G	-6.40	6.2275G	-59.38	-46.40	-12.98	3
6.186052G	-5.63	6.206475G	-39.15	-25.72	-13.43	4

5.925-6.425GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6415MHz_TX

24/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.407277G	-4.97	6.4035G	-37.22	-24.99	-12.23	1
6.406452G	-6.61	6.46365G	-59.01	-46.61	-12.40	2
6.422048G	-5.75	6.3842G	-58.94	-45.75	-13.19	3
6.422523G	-5.48	6.45365G	-59.26	-45.48	-13.78	4

6.525-6.875GHz_802.11ax HEW20-BF_Nss1,(MCS4)_4TX

MASK

6535MHz_TX

24/06/2024




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526302G	-3.26	6.54635G	-36.26	-23.32	-12.94	1
6.543248G	-5.09	6.5462G	-37.68	-24.99	-12.69	2
6.527602G	-4.24	6.52355G	-36.99	-24.33	-12.66	3
6.543673G	-3.93	6.546575G	-37.61	-23.94	-13.67	4

6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6695MHz_TX

24/06/2024




6.525-6.875GHz_802.11ax_HEW20-BF_Nss1,(MCS4)_4TX

MASK

6855MHz_TX

24/06/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

5965MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6205MHz_TX

25/06/2024




5.925-6.425GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

MASK

6405MHz_TX

25/06/2024

CF (Hz)
6.405G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.396952G	-7.70	6.35125G	-53.07	-44.28	-8.79	1
6.408349G	-8.01	6.46565G	-57.02	-48.01	-9.01	2
6.40645G	-5.74	6.5006G	-57.19	-45.74	-11.45	3
6.408199G	-6.18	6.497G	-57.20	-46.18	-11.02	4


6.525-6.875GHz_802.11ax HEW40-BF_Nss1,(MCS4)_4TX

MASK

6565MHz_TX

25/06/2024

CF (Hz)
6.565G
Span (Hz)
200M
RBW (Hz)
300k
VBW (Hz)
1M
Sweep Time (s)
4.01m
Detector Type
RMS



Port 1
Port 2
Port 3
Port 4


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.558652G	-5.58	6.50595G	-56.64	-45.58	-11.06	1
6.573848G	-4.21	6.62535G	-56.43	-44.21	-12.22	2
6.570149G	-4.60	6.50115G	-56.95	-44.60	-12.35	3
6.570949G	-5.71	6.63985G	-56.93	-45.71	-11.22	4

6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6685MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax_HEW40-BF_Nss1,(MCS4)_4TX

MASK

6845MHz_TX

25/06/2024



5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

5985MHz_TX

25/06/2024

CF (Hz)
5.985G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9732G	-4.46	6.1296G	-52.75	-44.46	-8.29	1
5.974G	-5.09	6.1524G	-52.60	-45.09	-7.51	2
5.9834G	-5.31	6.1707G	-52.52	-45.31	-7.21	3
5.9796G	-5.06	6.18G	-52.66	-45.06	-7.60	4

5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6225MHz_TX

25/06/2024

CF (Hz)
6.225G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.2202G	-3.89	6.4025G	-51.71	-43.89	-7.82	1
6.2125G	-5.08	6.3911G	-52.14	-45.08	-7.06	2
6.2287G	-4.73	6.4058G	-52.26	-44.73	-7.53	3
6.2173G	-6.23	6.3929G	-52.22	-46.23	-5.99	4


5.925-6.425GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6385MHz_TX

25/06/2024

CF (Hz)
6.385G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.3766G	-3.46	6.508G	-51.81	-43.46	-8.35	1
6.3756G	-5.67	6.5092G	-52.23	-45.61	-6.62	2
6.3699G	-5.48	6.507G	-51.87	-45.48	-6.39	3
6.398G	-5.58	6.509G	-52.17	-45.58	-6.59	4


6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6625MHz_TX

25/06/2024

CF (Hz)
6.625G
Span (Hz)
400M
RBW (Hz)
1M
VBW (Hz)
3M
Sweep Time (s)
4.01m
Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6428G	-2.48	6.5002G	-51.50	-42.48	-9.02	1
6.6283G	-2.77	6.4611G	-51.61	-42.77	-8.84	2
6.6198G	-2.70	6.8063G	-51.81	-42.70	-9.11	3
6.6294G	-3.94	6.493G	-51.78	-43.94	-7.84	4

6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6705MHz_TX

25/06/2024




6.525-6.875GHz_802.11ax_HEW80-BF_Nss1,(MCS4)_4TX

MASK

6785MHz_TX

25/06/2024



5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6025MHz_TX

25/06/2024

CF (Hz)
6.025G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.039G	-5.89	6.3132G	-49.48	-45.89	-3.59	1
6.0434G	-6.00	6.3622G	-49.51	-46.00	-3.51	2
6.0282G	-5.47	6.3684G	-49.43	-45.47	-3.96	3
5.99041G	-5.09	6.402G	-49.41	-45.09	-4.32	4

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6185MHz_TX

25/06/2024

CF (Hz)
6.185G


Span (Hz)
800M

RBW (Hz)
2M

VBW (Hz)
10M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20739G	-4.97	6.4934G	-48.64	-44.97	-3.67	1
6.21699G	-5.15	6.497G	-48.99	-45.15	-3.84	2
6.14741G	-3.90	6.5048G	-49.11	-43.90	-5.21	3
6.1896G	-5.18	6.4994G	-48.84	-45.18	-3.66	4

5.925-6.425GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6345MHz_TX

25/06/2024



6.525-6.875GHz_802.11ax_HEW160-BF_Nss1,(MCS4)_4TX

MASK

6665MHz_TX

25/06/2024

