


6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

6855MHz_TX



EUT_Y_2TX
setting 15
03-E-E-2

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.56104G	49.26	83.54	-34.28	44.80	1	Horizontal	55	1.80	-	37.92	15.65	49.11			
AV	20.57637G	35.89	63.54	-27.65	31.38	1	Horizontal	55	1.80	-	37.95	15.66	49.10			




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
QPSK40+40_80MHz_Nss1_2TX	Pass	RMS	5.9245G	67.71	68.20	-0.49	3	Horizontal	0	1.90	BP 1MHz

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	75.52	88.20	-12.68	68.54	3	Vertical	0	1.92	BP 1MHz	34.55	7.63	35.20			
RMS	5.9245G	66.33	68.20	-1.87	59.35	3	Vertical	0	1.92	BP 1MHz	34.55	7.63	35.20			
PK	6.0025G	109.86	Inf	-Inf	102.76	3	Vertical	0	1.92	BP 1MHz	34.60	7.69	35.19			
RMS	5.9965G	104.19	Inf	-Inf	97.09	3	Vertical	0	1.92	BP 1MHz	34.60	7.69	35.19			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	5.9245G	76.58	88.20	-11.62	69.60	3	Horizontal	0	1.90	BP 1MHz	34.55	7.63	35.20			
RMS	5.9245G	67.71	68.20	-0.49	60.73	3	Horizontal	0	1.90	BP 1MHz	34.55	7.63	35.20			
PK	6.0015G	111.80	Inf	-Inf	104.70	3	Horizontal	0	1.90	BP 1MHz	34.60	7.69	35.19			
RMS	6.0015G	105.61	Inf	-Inf	98.51	3	Horizontal	0	1.90	BP 1MHz	34.60	7.69	35.19			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.91989G	57.74	74.00	-16.26	41.80	3	Vertical	225	1.54	-	39.20	11.48	34.74			
AV	11.91545G	45.11	54.00	-8.89	29.17	3	Vertical	225	1.54	-	39.20	11.47	34.73			
PK	17.88765G	61.93	74.00	-12.07	36.84	3	Vertical	227	1.09	-	44.82	13.86	33.59			
AV	17.90376G	50.37	54.00	-3.63	25.30	3	Vertical	227	1.09	-	44.79	13.86	33.58			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	11.9664G	58.24	74.00	-15.76	42.35	3	Horizontal	57	2.23	-	39.17	11.50	34.78			
AV	11.9145G	45.31	54.00	-8.69	29.37	3	Horizontal	57	2.23	-	39.20	11.47	34.73			
PK	17.90598G	61.60	74.00	-12.40	36.53	3	Horizontal	28	2.90	-	44.79	13.86	33.58			
AV	17.90664G	50.44	54.00	-3.56	25.37	3	Horizontal	28	2.90	-	44.79	13.86	33.58			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	23.96496G	50.98	83.54	-32.56	41.74	1	Vertical	149	1.80	-	38.96	17.39	47.11			
AV	23.97952G	38.76	63.54	-24.78	29.45	1	Vertical	149	1.80	-	39.02	17.39	47.10			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#5945MHz,#5985MHz_TX




EUT_Y_2TX
Setting 15
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	23.90928G	51.34	83.54	-32.20	42.29	1	Horizontal	61	1.60	-	38.82	17.37	47.14			
AV	23.97536G	38.85	63.54	-24.69	29.56	1	Horizontal	61	1.60	-	39.00	17.39	47.10			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2624G	57.33	74.00	-16.67	41.26	3	Vertical	79	2.44	-	38.78	11.61	34.32			
AV	12.2759G	45.14	54.00	-8.86	29.07	3	Vertical	79	2.44	-	38.75	11.61	34.29			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.2928G	58.33	74.00	-15.67	42.26	3	Horizontal	331	1.80	-	38.71	11.62	34.26			
AV	12.24162G	45.58	54.00	-8.42	29.56	3	Horizontal	331	1.80	-	38.78	11.60	34.36			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.37536G	47.98	83.54	-35.56	44.67	1	Vertical	304	1.40	-	37.65	15.28	49.62			
AV	18.42288G	35.46	63.54	-28.08	32.07	1	Vertical	304	1.40	-	37.75	15.28	49.64			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6092MHz,#6132MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.41376G	48.45	83.54	-35.09	45.04	1	Horizontal	189	1.36	-	37.77	15.28	49.64			
AV	18.42672G	35.62	63.54	-27.92	32.23	1	Horizontal	189	1.36	-	37.75	15.28	49.64			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.574G	57.41	74.00	-16.59	40.90	3	Vertical	200	2.68	-	38.65	11.72	33.86			
AV	12.5496G	45.41	54.00	-8.59	28.87	3	Vertical	200	2.68	-	38.70	11.71	33.87			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	12.5326G	57.62	74.00	-16.38	41.09	3	Horizontal	350	1.23	-	38.70	11.70	33.87			
AV	12.5484G	45.26	54.00	-8.74	28.72	3	Horizontal	350	1.23	-	38.70	11.71	33.87			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	18.86896G	46.69	83.54	-36.85	42.82	1	Vertical	103	1.68	-	38.04	15.26	49.43			
AV	18.87584G	34.61	63.54	-28.93	30.72	1	Vertical	103	1.68	-	38.05	15.26	49.42			

5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

#6240MHz,#6280MHz_TX




EUT_Y_2TX
Setting 24
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	18.87712G	47.11	83.54	-36.43	43.22	1	Horizontal	207	1.90	-	38.05	15.26	49.42			
AV	18.87408G	34.81	63.54	-28.73	30.93	1	Horizontal	207	1.90	-	38.05	15.26	49.43			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1332G	58.48	88.20	-29.72	40.48	3	Vertical	1	1.09	-	39.60	11.91	33.51			
RMS	13.1728G	46.05	68.20	-22.15	27.90	3	Vertical	1	1.09	-	39.65	11.92	33.42			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.1557G	57.85	88.20	-30.35	39.79	3	Horizontal	341	1.15	-	39.61	11.91	33.46			
RMS	13.1713G	46.03	68.20	-22.17	27.89	3	Horizontal	341	1.15	-	39.64	11.92	33.42			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.71596G	47.71	83.54	-35.83	44.17	1	Vertical	6	1.75	-	37.83	15.21	49.50			
AV	19.71868G	34.97	63.54	-28.57	31.42	1	Vertical	6	1.75	-	37.84	15.21	49.50			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6545MHz,#6585MHz_TX




EUT_Y_2TX
Setting 25
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	19.7622G	47.45	83.54	-36.09	43.75	1	Horizontal	243	1.40	-	37.95	15.21	49.46			
AV	19.74092G	34.91	63.54	-28.63	31.30	1	Horizontal	243	1.40	-	37.88	15.21	49.48			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4337G	59.68	88.20	-28.52	40.29	3	Vertical	45	1.23	-	40.17	12.01	32.79			
RMS	13.4469G	47.61	68.20	-20.59	28.17	3	Vertical	45	1.23	-	40.19	12.01	32.76			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.4133G	60.10	88.20	-28.10	40.81	3	Horizontal	41	2.33	-	40.13	12.00	32.84			
RMS	13.4412G	47.63	68.20	-20.57	28.21	3	Horizontal	41	2.33	-	40.18	12.01	32.77			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)			
PK	20.06998G	49.63	83.54	-33.91	45.84	1	Vertical	140	1.86	-	37.78	15.26	49.25			
AV	20.07037G	38.81	63.54	-24.73	35.02	1	Vertical	140	1.86	-	37.78	15.26	49.25			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6680MHz,#6720MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.0704G	50.12	83.54	-33.42	46.33	1	Horizontal	165	1.90	-	37.78	15.26	49.25			
AV	20.07056G	43.33	63.54	-20.21	39.54	1	Horizontal	165	1.90	-	37.78	15.26	49.25			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.7436G	63.29	88.20	-24.91	43.59	3	Vertical	90	1.17	-	40.57	12.11	32.98			
RMS	13.7678G	51.34	68.20	-16.86	31.59	3	Vertical	90	1.17	-	40.64	12.12	33.01			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	13.6773G	63.47	88.20	-24.73	43.86	3	Horizontal	96	1.29	-	40.40	12.09	32.88			
RMS	13.7122G	50.77	68.20	-17.43	31.15	3	Horizontal	96	1.29	-	40.45	12.10	32.93			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX




EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.5526G	48.76	83.54	-34.78	44.32	1	Vertical	274	1.44	-	37.91	15.64	49.11			
AV	20.5538G	36.74	63.54	-26.80	32.30	1	Vertical	274	1.44	-	37.91	15.64	49.11			

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

#6815MHz,#6855MHz_TX



EUT_Y_2TX
Setting 28
03-E-P-5

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA			
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)			
PK	20.538G	49.49	83.54	-34.05	45.15	1	Horizontal	117	1.50	-	37.83	15.63	49.12			
AV	20.5542G	36.63	63.54	-26.91	32.19	1	Horizontal	117	1.50	-	37.91	15.64	49.11			

5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

5927.5MHz_TX

27/08/2024

CF (Hz)
5.9275G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.927019G	-21.85	5.915275G	-65.41	-61.85	-3.56	1
5.929281G	-21.48	5.939856G	-65.42	-61.48	-3.94	2

5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024

CF (Hz)
6.112G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.113612G	-9.69	6.100038G	-65.00	-49.69	-15.31	1
6.110294G	-9.76	6.12315G	-65.03	-49.76	-15.27	2

5.925-6.425GHz_QPSK_5MHz_Nss1_2TX

MASK

6297.5MHz_TX

27/08/2024

CF (Hz)
6.2975G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.298937G	-10.21	6.288431G	-64.58	-50.21	-14.37	1
6.296313G	-10.29	6.290219G	-64.24	-49.81	-14.43	2

6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6527.5MHz_TX

27/08/2024

CF (Hz)
6.5275G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.525619G	-9.83	6.519619G	-65.51	-49.83	-15.68	1
6.525451G	-10.44	6.519919G	-65.75	-50.44	-15.31	2

6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024

CF (Hz)
6.7G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.697938G	-10.50	6.68945G	-65.18	-50.50	-14.68	1
6.697944G	-10.92	6.692381G	-65.12	-50.92	-14.20	2

6.525-6.875GHz_QPSK_5MHz_Nss1_2TX

MASK

6872.5MHz_TX

27/08/2024

CF (Hz)
6.8725G


Span (Hz)
25M

RBW (Hz)
50k

VBW (Hz)
200k

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.874281G	-9.93	6.864931G	-63.95	-49.93	-14.02	1
6.870432G	-9.37	6.881644G	-64.07	-49.37	-14.70	2

5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

5930MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_10MHz_Nss1_2TX

MASK

6295MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6530MHz_TX

27/08/2024



6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024

CF (Hz)
6.7G


Span (Hz)
50M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.703237G	-7.91	6.719088G	-61.63	-47.91	-13.72	1
6.69835G	-8.29	6.71605G	-61.98	-48.29	-13.69	2

6.525-6.875GHz_QPSK_10MHz_Nss1_2TX

MASK

6870MHz_TX

27/08/2024

CF (Hz)
6.87G


Span (Hz)
50M

RBW (Hz)
100k

VBW (Hz)
300k

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.869738G	-8.22	6.892325G	-60.68	-48.22	-12.46	1
6.867288G	-8.01	6.890513G	-60.88	-48.01	-12.87	2

5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

5932.5MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_15MHz_Nss1_2TX

MASK

6292.5MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6532.5MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_15MHz_Nss1_2TX

MASK

6867.5MHz_TX

27/08/2024



5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

5935MHz_TX

27/08/2024

CF (Hz)
5.935G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.942923G	-18.94	5.984375G	-63.56	-58.94	-4.62	1
5.935175G	-18.62	5.97935G	-63.77	-58.62	-5.15	2

5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024

CF (Hz)
6.112G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.103777G	-5.77	6.15535G	-63.22	-45.77	-17.45	1
6.115699G	-5.96	6.150075G	-63.24	-45.96	-17.28	2

5.925-6.425GHz_QPSK_20MHz_Nss1_2TX

MASK

6290MHz_TX

27/08/2024

CF (Hz)
6.29G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.295724G	-5.21	6.25375G	-62.90	-45.21	-17.69	1
6.298648G	-5.49	6.33585G	-62.90	-45.49	-17.41	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6535MHz_TX

27/08/2024

CF (Hz)
6.535G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.539349G	-5.01	6.500975G	-62.17	-45.01	-17.16	1
6.537224G	-5.32	6.504325G	-61.97	-45.32	-16.65	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024

CF (Hz)
6.7G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.699475G	-5.18	6.73155G	-62.85	-45.18	-17.67	1
6.691802G	-5.69	6.74935G	-62.88	-45.69	-17.19	2

6.525-6.875GHz_QPSK_20MHz_Nss1_2TX

MASK

6865MHz_TX

27/08/2024

CF (Hz)
6.865G


Span (Hz)
100M

RBW (Hz)
200k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.873573G	-5.00	6.91375G	-61.60	-45.00	-16.60	1
6.858252G	-4.84	6.914675G	-61.57	-44.84	-16.73	2

5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

5940MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024



5.925-6.425GHz_QPSK_30MHz_Nss1_2TX

MASK

6285MHz_TX

27/08/2024

CF (Hz)
6.285G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.271578G	-5.60	6.349875G	-56.63	-45.60	-11.03	1
6.272591G	-5.59	6.356888G	-56.76	-45.59	-11.17	2

6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6540MHz_TX

27/08/2024

CF (Hz)
6.54G


Span (Hz)
150M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.526578G	-4.79	6.493125G	-55.81	-44.79	-11.02	1
6.54971G	-4.26	6.479138G	-56.19	-44.26	-11.93	2

6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_30MHz_Nss1_2TX

MASK

6860MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

5945MHz_TX

27/08/2024




5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

6112MHz_TX

27/08/2024



5.925-6.425GHz_QPSK_40MHz_Nss1_2TX

MASK

6280MHz_TX

27/08/2024

CF (Hz)
6.28G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.266353G	-6.99	6.22045G	-66.66	-46.99	-19.67	1
6.290147G	-6.94	6.22065G	-66.26	-46.91	-19.35	2

6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6545MHz_TX

27/08/2024

CF (Hz)
6.545G


Span (Hz)
200M

RBW (Hz)
300k

VBW (Hz)
1M

Sweep Time (s)
4.01m

Detector Type
RMS



Port 1 

Port 2 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.560696G	-5.03	6.56525G	-39.74	-22.83	-16.91	1
6.557997G	-5.70	6.5247G	-41.19	-24.50	-16.69	2

6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6700MHz_TX

27/08/2024




6.525-6.875GHz_QPSK_40MHz_Nss1_2TX

MASK

6855MHz_TX

27/08/2024




5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#5945MHzMHz,#5985MHzMHz

28/08/2024




5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6092MHzMHz,#6132MHzMHz_TX

28/08/2024



5.925-6.425GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6240MHzMHz,#6280MHzMHz_TX

28/08/2024

CF (Hz)
6.26G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.22491G	-3.44	6.1426G	-54.63	-42.92	-11.71	1
6.23341G	-4.25	6.143G	-55.40	-43.70	-11.70	2

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6545MHzMHz,#6585MHzMHz_TX

28/08/2024

CF (Hz)
6.565G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60239G	0.43	6.6828G	-47.17	-39.07	-8.10	1
6.59439G	0.51	6.6831G	-47.19	-38.98	-8.21	2

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6680MHzMHz,#6720MHzMHz_TX

28/08/2024

CF (Hz)
6.7G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.73609G	-5.58	6.8415G	-56.70	-45.58	-11.12	1
6.73119G	-6.42	6.8961G	-56.41	-46.42	-9.99	2

6.525-6.875GHz_QPSK40+40_80MHz_Nss1_2TX

MASK

#6815MHzMHz,#6855MHzMHz_TX

28/08/2024

CF (Hz)
6.835G


Span (Hz)
400M

RBW (Hz)
1M

VBW (Hz)
3M

Sweep Time (s)
4.01m

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79941G	-2.06	6.7175G	-52.57	-41.37	-11.20	1
6.87189G	-2.27	6.7166G	-52.74	-41.85	-10.89	2